




# 德惠风机

环保 · 稳定 · 高效 · 可靠

since 1993

# 德惠风机

—铸就优质通风品牌



上海德惠特种风机有限公司  
SHANGHAI DE-HUI SPECIFIC FAN CO.,LTD.

地址: 中国上海市奉贤区南桥镇红旗港路666号  
电话: (021)33617111 33617501  
传真: (021)33617222  
邮编: 201406

ADD: No. 666, Hongqigang Road, Nanqiao Town,  
Fengxian District, Shanghai, China.  
Http: //www.sh-dehui.com  
E-mail: sale@sh-dehui.com



扫一扫  
更多精彩等你发现

2019版 综合样本

# 01 COMPANY PROFILE

## 公司简介

上海德惠特种风机有限公司是为客户提供专业、卓越、完善的个性化通风方案的优秀企业。公司创立于1993年，坐落于上海市奉贤区杨王工业园区，占地面积为60000平方米，现有员工300余人。公司专业生产各类大中型通风、引风、排烟、除尘风机产品，是上海地区风机行业的骨干企业。公司是国家风机行业协会会员，国家玻璃钢协会会员。

公司于2002通过了ISO9001质量体系认证。公司配备了先进的CAD辅助风机设计系统，计算机自动采集处理的风室检测装置，以及激光切割机、数控等离子切割机、数控转塔式冲床、喷涂流水线、数控折边机、数控剪板机等先进设备。

公司始终坚持“重质量、重开发”。多年来为我国的能源、石油化工、冶金、电力，造船、汽车、轻工、环保等行业提供了优质的配套产品及维护保养。公司在2012年和2013年分别为神舟十号载人飞船对接机构及“玉兔号”的地面综合实验台的论证、攻关、研制、实验作出了贡献，并获得殊荣。公司产品出口美欧亚等多个国家和地区。

公司荣获“上海市高新技术企业”，“上海市专利管理试点企业”，“上海市高新成果转化项目”，“上海市科技小巨人企业”“五星级工会”。公司产品荣获“上海市名牌产品”，“上海市重点新产品”，“国家重点新产品”，“全国质量信誉保障产品”。

公司始终坚持“同心同德，互惠互利”的企业精神；立志于以品质提升价值，做中国最值得信赖的通风企业。



工业风机厂区



空调风机厂区



玻璃钢风机厂区

Shanghai Dehui Specific Fan Co., Ltd is an outstanding enterprise which provides professional, excellent and perfect personalized ventilation program for customers. Founded in 1991, Dehui is located in Yangwang Industry Zone of Fengxian District, Shanghai, covering an area of 60,000 square meters. Owns more than 300 professional and technical workers including 30 engineer for research. As the leading enterprise in the field of ventilation in Shanghai, the core business of Dehui is to produce various medium and large ventilation product, induced draft, smoke extraction, dust extraction fan and etc. Besides, Dehui is also a member of China General Machinery Industry Association and National Glass Steel Association.

We passed the ISO9001 quality management certification. We have advanced CAD auxiliary fan design system, air chamber detector which computer can automated to collect and process, CNC laser cutting machine, CNC plasma cutting machine, CNC turret punch press, CNC edge machine, CNC cutting machines and other advanced mechanical equipment.

We always adhere to the "Value quality, Value develop". We have provided high-quality ventilation solutions and maintenance for thermal power, metal smelting, chemical industry, sewage treatment, waste incineration, dust removal systems, auto painting, light industry and etc.

We are certified as "Shanghai High Technology Enterprise", "Shanghai Patent Management Enterprise", "Shanghai New and High Technology Transformation Achievements", "Shanghai Little Giant Enterprise", "Star Union". Our products won the "Best Shanghai Products", "Shanghai Key New Products", "National Key New Products", "National Quality and Prestige Products"

We adhere to the "Solidarity, Mutual Benefit". We determine in high quality to enhance value, to be one of the most trustworthy companies.

## 目录 CONTENTS

公司历程	COMPANY COURSE	01
企业荣誉	ENTERPRISE HONOR	03
生产能力	PRODUCTION CAPACITY	05
公司团队	COMPANY TEAM	08
企业产品	PRODUCT	09
工程案例	ENGINEERING CASE	17



# 02 COMPANY COURSE 公司历程

## 1993-1995 年

1993 上海德惠特种风机厂成立



## 1996-2004 年

1996 更名为上海德惠特种风机有限公司  
2002 通过ISO9001质量管理体系认证



## 2005 年

2005 公司搬迁到奉贤区金海公路3065号  
高新技术企业成果转化——玻璃钢风机  
成立工会组织和党支部  
被评为上海市高新技术企业



## 2006-2009 年

2007 上海市级重点新产品  
2008 国家级重点新产品  
奉贤区技术中心  
取得全国工业产品生产许可证认证  
2009 转2008版质量管理体系认证



## 2010-2011 年

2010 上海市科技小巨人培育型企业  
2011 奉贤区专利管理试点企业  
年销售首次突破亿元

## 2012-2014 年

2012 为空间站对接攻关试验台装置提供风机并获殊荣  
上海市职工信赖的经营管理者  
上海市劳动关系和谐职工满意企事业单位  
2013 获得通风机性能测试系统认定证书  
被评为上海市科技小巨人培育型企业  
2014 上海市名牌  
能效实验室标定

## 2015 年

再次通过全国工业产品生产许可证  
获得美国空气运动和控制协会 (AMCA) 认证  
获得欧盟CE认证  
通过职业健康和环境安全管理体系认证  
为配合政府轨交线路 → 搬迁到奉贤红旗港路666号

## 2016 年

2016 生产安全先进集体  
上海石油化工烯烃部烟气脱硫脱硝项目双支撑大风机—26F  
被授予上海市安全标准化二级企业

## 2017-2018 年

2017 通过知识产权管理体系认证  
上海市奉贤区专利示范企业  
消防排烟风机通过国家强制性CCC认证  
2018 集体协商示范单位

# 03 ENTERPRISE HONOR 企业荣誉



# 携手并进 再创辉煌 create a better future QUALITY FIRST





# 04 PRODUCTION CAPACITY 生产能力



细心、精心、用心 品质永保称心  
CAREFUL QUALITY ALWAYS KEEP HEART

用心生产，造好风机



质量安全生产会议



车间班组例会



防火演习



CNC激光切割机

以品质提升价值  
做中国最值得信赖的通风企业



激光切割机



抛丸喷砂室



喷涂流水线



空气动力实验室



蜗壳自动焊接机



直线自动焊接机



数控转塔冲床



数控剪板机



动平衡机

## 05 COMPANY TEAM 公司团队



争做一流员工，共造一流产品，同创一流企业。

上海德惠特种风机培养“严格、踏实、上进、创新”的企业精神，倡导“同心同德”的企业核心价值观，打造核心管理及专业研发团队。精益求精，铸造优质产品。






# 06 PRODUCT 企业产品



DHF-TH 系列离心风机  
DHF-TH Centrifugal Fan

结构: 单进风, 后倾扭曲型叶片  
风量范围: 708-220000 m<sup>3</sup>/h  
全压范围: 207-3810 Pa  
机号: 208#-2000#  
特点: 大风量, 低压, 高效, 高强度, 外形美观, 结构紧凑  
用途: 汽车涂装、冶金石化及高温、防爆灯工业送排风

**Structure:** single inlet, backward inclined distorted blade  
**Volume range:** 708-220000 m<sup>3</sup>/h  
**Total pressure range:** 207-3810 Pa  
**Size:** 280#-2000#  
**Feature:** large volume, low pressure, high efficiency, high intensity design, elegant profile, compact construction  
**Application:** auto painting, chemical industry, high temperature, explosion proof process



GFBL系列离心风机  
GFBL Centrifugal Fan

结构: 单进风, 后倾弧形叶片  
风量范围: 600-222000 m<sup>3</sup>/h  
全压范围: 150-3200 Pa  
机号: 280#-2000#  
特点: 大风量, 低压, 高效, 低噪, 外形美观, 结构紧凑  
用途: 汽车涂装、冶金石化等工业送排风


**Structure:** single inlet, backward curved blade  
**Volume range:** 600-222000 m<sup>3</sup>/h  
**Total pressure range:** 150-3200 Pa  
**Size:** 280#-2000#  
**Feature:** large volume, low pressure, high efficiency, low noise, elegant profile, compact construction  
**Application:** auto painting, chemical industry and etc



DHF-Z 系列中压离心风机  
DHF-Z Medium Pressure Centrifugal Fan

结构: 单进风, 后向型单R板式叶片  
风量范围: 1500-140000 m<sup>3</sup>/h  
全压范围: 1500-7000 Pa  
机号: 400#-2000#  
特点: 中压, 中风量, 高效区宽, 低噪, 外形美观, 结构紧凑  
用途: 环保除尘、汽车涂装、火核发电、冶金石化等工业气体输送

**Structure:** single inlet, backward blade  
**Volume range:** 1500-140000 m<sup>3</sup>/h  
**Total pressure range:** 1500-7000 Pa  
**Size:** 400#-2000#  
**Feature:** medium pressure, medium volume, broad high efficiency area, low noise, elegant profile, compact construction  
**Application:** dust collection, auto painting, chemical industry and etc



DHF-Z-II 系列中压离心风机  
DHF-Z-II Medium Pressure Centrifugal Fan

结构: 单进风, 后向型单R板式叶片  
风量范围: 800-70000 m<sup>3</sup>/h  
全压范围: 1800-9000 Pa  
机号: 400#-2000#  
特点: 中压, 中风量, 高效, 低噪, 外形美观, 结构紧凑  
用途: 环保除尘、汽车涂装、火核发电、冶金石化等工业气体输送

**Structure:** single inlet, backward blade  
**Volume range:** 800-70000 m<sup>3</sup>/h  
**Total pressure range:** 1800-9000 Pa  
**Size:** 400#-2000#  
**Feature:** medium pressure, medium volume, broad high efficiency area, low noise, elegant profile, compact construction  
**Application:** dust collection, auto painting, chemical industry and etc




## PRODUCT 企业产品




结构: 单进风, 后倾平板型叶片  
风量范围: 2830-198100 m<sup>3</sup>/h  
全压范围: 1200-5850 Pa  
机号: 400#-2000#  
特点: 高效, 低噪, 外形美观, 结构紧凑  
用途: 环保除尘, 汽车涂装, 火核发电, 冶金, 石化等工业气体输送

**Structure:** single inlet, backward blade  
**Volume range:** 2830-198100 m<sup>3</sup>/h  
**Total pressure range:** 1200-5850 Pa  
**Size:** 400#-2000#  
**Feature:** high efficiency, low noise, elegant profile, compact construction  
**Application:** dust collection, auto painting, chemical industry and etc



结构: 单进风, 前向弯曲型叶片  
风量范围: 800-130000 m<sup>3</sup>/h  
静压范围: 3000-17000 Pa  
机号: 400#-1600#  
特点: 高压, 低风量, 高效, 结构紧凑, 可靠性强  
用途: 高压强制通风, 输送物料

**Structure:** single inlet, forward curved blade  
**Volume range:** 800-130000 m<sup>3</sup>/h  
**Total pressure range:** 3000-17000 Pa  
**Size:** 400#-1600#  
**Feature:** high pressure, low volume, high efficiency, compact construction, high reliability  
**Application:** forced draught, material conveying




结构: 单进风, 前向弯曲型叶片  
风量范围: 300-14000 m<sup>3</sup>/h  
全压范围: 3000-26000 Pa  
机号: 500#-1800#  
特点: 高压, 低风量, 高效, 结构紧凑, 可靠性强  
用途: 高压强制通风, 物料输送

**Structure:** single inlet, forward curved blade  
**Volume range:** 300-14000 m<sup>3</sup>/h  
**Total pressure range:** 3000-26000 Pa  
**Size:** 500#-1800#  
**Feature:** high pressure, low volume, high efficiency, compact construction, high reliability  
**Application:** forced draught, material conveying



结构: 单进风, 后倾扭曲型叶片  
风量范围: 700-140000 m<sup>3</sup>/h  
全压范围: 200-2700 Pa  
机号: 280#-1600#  
特点: 耐温, 高效, 外观美观, 结构紧凑, 维护方便  
用途: 高温环境下的烘烤炉、干燥炉及高温气体循环, 汽车涂装等

**Structure:** single inlet, backward inclined distorted blade  
**Volume range:** 700-140000 m<sup>3</sup>/h  
**Total pressure range:** 200-2700 Pa  
**Size:** 280#-1600#  
**Feature:** high temperature, high efficiency, elegant profile, compact construction, easy maintenance  
**Application:** drying furnace, high temperature gas cycle, auto painting and etc



结构: 单进风, 后倾扭曲型叶片  
风量范围: 1500-67700 m<sup>3</sup>/h  
全压范围: 300-3700 Pa  
机号: 280#-1250#  
特点: 耐温, 高效, 外观美观, 结构紧凑, 维护方便  
用途: 高温环境下的烘烤炉、干燥炉及高温气体循环, 汽车涂装等

**Structure:** single inlet, backward inclined distorted blade  
**Volume range:** 1500-67700 m<sup>3</sup>/h  
**Total pressure range:** 300-3700 Pa  
**Size:** 280#-1250#  
**Feature:** high temperature, high efficiency, elegant profile, compact construction, easy maintenance  
**Application:** drying furnace, high temperature gas cycle, auto painting and etc



结构: 单进风, 后倾机翼型叶片  
风量范围: 16000-680000 m<sup>3</sup>/h  
全压范围: 1400-7000 Pa  
机号: 800#-2800#  
特点: 耐温, 高效, 外观美观, 使用寿命长, 结构紧凑  
用途: 火力发电, 蒸汽锅炉送、引风机

**Structure:** single inlet, backward airfoil blade  
**Volume range:** 16000-680000 m<sup>3</sup>/h  
**Total pressure range:** 1400-7000 Pa  
**Size:** 800#-2800#  
**Feature:** high temperature, high efficiency, elegant profile, long life, compact construction  
**Application:** thermal power, industrial boiler, mine ventilation and etc



结构: 单进风, 后倾平板型叶片  
风量范围: 1200-380000 m<sup>3</sup>/h  
全压范围: 600-4500 Pa  
机号: 315#-2800#  
特点: 耐温, 高压, 大流量, 运行平稳, 使用寿命长, 外观美观  
用途: 锅炉送引风, 高温环境下的烘烤炉、干燥炉及高温气体循环

**Structure:** single inlet, backward blade  
**Volume range:** 1200-380000 m<sup>3</sup>/h  
**Total pressure range:** 600-4500 Pa  
**Size:** 315#-2800#  
**Feature:** high temperature, high pressure, low volume, high reliability, long life, elegant profile  
**Application:** industrial boiler, drying furnace, high temperature gas cycle, auto painting and etc




结构: 单进风, 后倾弧形型叶片  
风量范围: 9900-775000 m<sup>3</sup>/h  
全压范围: 1348-7515 Pa  
机号: 800#-3150#  
特点: 耐磨, 耐温, 高效, 可调式进风口, 防漏油轴承箱, 外观美观  
用途: 火力发电厂、蒸汽锅炉的送引风系统

**Structure:** single inlet, backward curved blade  
**Volume range:** 9900-775000 m<sup>3</sup>/h  
**Total pressure range:** 1348-7515 Pa  
**Size:** 800#-3150#  
**Feature:** wear-resisting, high temperature, high efficiency, adjustable air inlet, anti leaking bearing box, elegant profile  
**Application:** thermal power, industrial boiler and etc



## PRODUCT 企业产品



钢铁冶金工业风机  
Steel Metallurgical Industry Fan

**结构:** 单、双进风, 可带进气箱  
**特点:** 耐温, 耐磨, 高效区宽, 稳定性强  
**用途:** 火力发电厂、锅炉送引风, 矿井通风


**Structure:** single or double inlet, with inlet box  
**Feature:** wear-resisting, high temperature, broad high efficiency area, high reliability  
**Application:** thermal power, industrial boiler, mine ventilation and etc



GFBL-II玻璃钢防腐离心风机  
GFBL-II FRP Anti-corrosion Fan

**结构:** 单进风, 后倾弧形叶片  
风量范围: 900-144000 m<sup>3</sup>/h  
全压范围: 200-3200 Pa  
机号: 320#-1600#  
**特点:** 纯玻璃钢叶轮, 防腐, 运转密封性好, 高效, 低噪, 外观美观, 运行稳定  
**用途:** 防腐气体输送, 废水废气处理, 精密电子化工行业等

**Structure:** single inlet, backward curved blade  
**Volume range:** 900-144000 m<sup>3</sup>/h  
**Total pressure range:** 200-3200 Pa  
**Size:** 320#-1600#  
**Feature:** FRP impeller, anti-corrosion, reliably sealing, high efficiency, low noise, elegant profile, high reliability  
**Application:** anti-corrosion exhaust, waste gas treatment, chemical industry, electronics industry and etc



GFBL-III玻璃钢防腐离心风机  
GFBL-III FRP Anti-corrosion Fan

**结构:** 单进风, 后倾弧型叶片  
风量范围: 700-82000 m<sup>3</sup>/h  
全压范围: 500-5500 Pa  
机号: 400#-1600#  
**特点:** 纯玻璃钢叶轮, 防腐, 运转密封性好, 高效, 低噪, 外观美观, 运行稳定  
**用途:** 防腐气体输送, 废水废气处理, 精密电子化工行业等

**Structure:** single inlet, backward curved blade  
**Volume range:** 700-82000 m<sup>3</sup>/h  
**Total pressure range:** 500-5500 Pa  
**Size:** 400#-1600#  
**Feature:** FRP impeller, anti-corrosion, reliably sealing, high efficiency, low noise, elegant profile, high reliability  
**Application:** anti-corrosion exhaust, waste gas treatment, chemical industry, electronics industry and etc



不锈钢风机  
Stainless Steel Fan

**结构:** 单、双进风, 不锈钢材质  
**特点:** 耐腐蚀, 耐高温, 高效, 低噪, 外型美观, 结构紧凑  
**用途:** 防腐气体输送, 高温气体输送

**Structure:** single or double inlet, stainless steel material  
**Feature:** anti-corrosion, high temperature, high efficiency, low noise, elegant profile, compact construction  
**Application:** anti-corrosion exhaust, high temperature exhaust



DHF-KH系列离心风机  
DHF-KH Centrifugal Fan

**结构:** 双进风, 后倾扭曲型叶片  
风量范围: 1100-360000 m<sup>3</sup>/h  
全压范围: 300-3000 Pa  
机号: 2.5#-18#  
**特点:** 大风量, 低压, 高效区宽, 低噪, 外观美观, 结构紧凑  
**用途:** 化纤, 纺织, 民用建筑和配套用于中央空调系统、净化系统

**Structure:** double inlet, backward inclined distorted blade  
**Volume range:** 1100-360000 m<sup>3</sup>/h  
**Total pressure range:** 300-3000 Pa  
**Size:** 2.5#-18#  
**Feature:** large volume, low pressure, wide high efficiency range, low noise, elegant profile, compact construction  
**Application:** chemical fiber, textile, civil building and central air conditioning system, purge system



DHF-KQF系列离心风机  
DHF-KQF Centrifugal Fan

**结构:** 双进风, 前向多翼型叶片  
风量范围: 1200-122000 m<sup>3</sup>/h  
全压范围: 200-1500 Pa  
机号: 1.6#-10#  
**特点:** 大风量, 低压, 低噪, 外观美观, 结构紧凑  
**用途:** 化纤, 纺织, 民用建筑和配套用于中央空调系统、净化系统

**Structure:** double inlet, forward curved blade  
**Volume range:** 1200-122000 m<sup>3</sup>/h  
**Total pressure range:** 200-1500 Pa  
**Size:** 1.6#-10#  
**Feature:** large volume, low pressure, low noise, elegant profile, compact construction  
**Application:** chemical fiber, textile, civil building and central air conditioning system, purge system



DHF-ZKF系列离心风机  
DHF-ZKF Centrifugal Fan

**结构:** 双进风, 前向多翼型叶片  
风量范围: 610-18950 m<sup>3</sup>/h  
全压范围: 125-975 Pa  
机号: 2.15#-5.0#  
**特点:** 高效, 低噪, 稳定性强, 外观美观, 结构紧凑  
**用途:** 输送不易燃烧、无腐蚀性气体, 适用于变风量空调、进化空调及其他紧凑型空调机组

**Structure:** double inlet, forward curved blade  
**Volume range:** 610-18950 m<sup>3</sup>/h  
**Total pressure range:** 125-975 Pa  
**Size:** 2.15#-5.0#  
**Feature:** high efficiency, low noise, high reliability, elegant profile, compact construction  
**Application:** pneumatic conveying, air conditioning unit and etc



DHF-WKF系列离心风机  
DHF-WKF Centrifugal Fan

**结构:** 单进风, 后向倾斜型叶片  
风量范围: 1800-150000 m<sup>3</sup>/h  
全压范围: 150-2100 Pa  
机号: 3.55#-14#  
**特点:** 结构紧凑, 低噪, 稳定性强, 外型美观, 安装方便  
**用途:** 输送不易燃烧、无腐蚀性气体, 适用于变风量空调、进化空调及其他紧凑型空调机组

**Structure:** single inlet, backward curved blade  
**Volume range:** 1800-150000 m<sup>3</sup>/h  
**Total pressure range:** 150-2100 Pa  
**Size:** 3.55#-14#  
**Feature:** compact construction, low noise, high reliability, elegant profile, easy installation  
**Application:** pneumatic conveying, air conditioning unit and etc



## PRODUCT 企业产品



HTFC消防通风两用柜式离心风机  
HTFC Smoke Removal Fan

风量范围: 2000-120000 m<sup>3</sup>/h  
全压范围: 180-1400 Pa  
机号: 2.8#-36#  
特点: 高效, 低噪, 运行平稳, 外观美观, 结构紧凑  
用途: 消防排烟, 管道送排风, 配套用于中央空调系统

**Volume range:** 2000-120000 m<sup>3</sup>/h  
**Total pressure range:** 180-1400 Pa  
**Size:** 2.8#-36#  
**Feature:** high efficiency, low noise, high reliability, easy installation, elegant profile, compact construction  
**Application:** smoke removal, pipe line exhaust/supply, central air conditioning system



HL3-2A, XYHL高效混流式通风风机  
HL3-2A, XYHL Maxed Fan

风量范围: 500-141000 m<sup>3</sup>/h  
全压范围: 50-3400 Pa  
机号: 2.5#-14#  
特点: 大风量, 高效, 节能, 重量轻, 安装方便  
用途: 管道送排风, 消防排烟, 防爆送排风, 还可配套用于中央空调系统、净化系统

**Volume range:** 500-141000 m<sup>3</sup>/h  
**Total pressure range:** 50-3400 Pa  
**Size:** 2.5#-14#  
**Feature:** large volume, high efficiency, energy saving, light weight, easy installation  
**Application:** pipe line exhaust/supply, smoke removal, explosion proof exhaust, central air conditioning system



T35-11, T40-11低噪音轴流风机  
T35-11, T40-11 Axial Fan

风量范围: 600-68000 m<sup>3</sup>/h  
全压范围: 40-500 Pa  
机号: 2.5#-11.2#  
特点: 大风量, 高效, 重量轻, 安装方便  
用途: 管道送排风, 消防排烟, 防爆送排风, 防腐送排风

**Volume range:** 600-68000 m<sup>3</sup>/h  
**Total pressure range:** 40-500 Pa  
**Size:** 2.5#-11.2#  
**Feature:** large volume, high efficiency, light weight, easy installation  
**Application:** pipe line exhaust/supply, smoke removal, explosion and corrosion resistant exhaust/supply



玻璃钢防腐轴流风机  
FRP Axial Fan

结构: 单进风, 玻璃钢材质  
特点: 纯玻璃钢叶轮, 防腐, 低噪, 外观美观, 运行稳定  
用途: 防腐气体输送, 废水废气处理, 精密低噪化工行业等

**Structure:** single inlet, FRP material  
**Feature:** FRP impeller, anti-corrosion, low noise, elegant profile, high reliability  
**Application:** anti-corrosion exhaust, waste gas treatment, chemical industry, electronics industry and etc



DZ, SF低噪音轴流风机  
DZ, SF Axial Fan

风量范围: 400-48500 m<sup>3</sup>/h  
全压范围: 30-400 Pa  
机号: 2.2#-10#  
特点: 大风量, 高效, 重量轻, 安装方便  
用途: 管道送排风, 消防排烟, 防爆送排风, 防腐送排风

**Volume range:** 400-48500 m<sup>3</sup>/h  
**Total pressure range:** 30-400 Pa  
**Size:** 2.2#-10#  
**Feature:** large volume, high efficiency, light weight, easy installation  
**Application:** pipe line exhaust/supply, smoke removal, explosion and corrosion resistant exhaust/supply



DBQ边墙轴流送/排风机  
DBQ Sidewall Axial Supply/Exhaust Fan

风量范围: 200-32000 m<sup>3</sup>/h  
全压范围: 120-300 Pa  
机号: 250#-900#  
特点: 高效, 低噪, 易安装, 外观美观  
用途: 工业厂房边墙送排风

**Volume range:** 200-32000 m<sup>3</sup>/h  
**Total pressure range:** 120-300 Pa  
**Size:** 250#-900#  
**Feature:** high efficiency, low noise, easy installation, elegant profile  
**Application:** industrial plant sidewall exhaust/supply, explosion proof exhaust/supply



DWL屋顶离心排风机  
DWL Rooftop Centrifugal Exhaust Fan

风量范围: 200-50000 m<sup>3</sup>/h  
全压范围: 60-1200 Pa  
机号: 300#-1000#  
特点: 高效, 低噪, 重量轻, 易安装, 运行稳定, 外观美观  
用途: 普通送排风, 防爆送排风, 消防排烟


**Volume range:** 200-50000 m<sup>3</sup>/h  
**Total pressure range:** 60-1200 Pa  
**Size:** 300#-1000#  
**Feature:** high efficiency, low noise, weight, easy installation, high reliability, elegant profile  
**Application:** rooftop exhaust/supply, explosion proof exhaust/supple, smoke removal



WDT屋顶轴流风机  
WDT Rooftop Axial Fan

风量范围: 1000-270000 m<sup>3</sup>/h  
全压范围: 40-200 Pa  
机号: 300#-3200#  
特点: 高效, 低噪, 重量轻, 强度高, 易安装, 外观美观  
用途: 普通送排风, 防爆送排风, 防腐送排风

**Volume range:** 1000-270000 m<sup>3</sup>/h  
**Total pressure range:** 40-200 Pa  
**Size:** 300#-3200#  
**Feature:** high efficiency, low noise, light weight, high intensity design, easy installation, high reliability, elegant profile  
**Application:** rooftop exhaust/supply, explosion proof exhaust/supple, anti-corrosion exhaust/supply



# 07 ENGINEERING CASE 工程案例



## 石油化工



- |                   |                      |
|-------------------|----------------------|
| 中国石化上海石油化工股份有限公司  | 中国石化仪征化纤有限责任公司       |
| 中国石化上海高桥石油化工有限公司  | 中国石油庆阳石化公司           |
| 中国石化股份有限公司镇海炼化分公司 | 陕西延长石油(集团)有限责任公司     |
| 中石化催化剂有限公司        | 中国石油化工股份有限公司齐鲁分公司    |
| 上海氯碱化工股份有限公司      | 东明华谊玉皇新材料有限公司        |
| 上海华谊丙烯酸有限公司       | 浙江卫星能源有限公司           |
| 上海赛科石油化工有限公司      | 中国石油华北石化公司           |
| 中石化催化剂有限公司齐鲁分公司   | 巴斯夫中国有限公司            |
| 中石化四川石油化工有限公司     | 中国石油化工股份有限公司石家庄炼化分公司 |
| 烟台氨纶股份有限公司        | 中国石油化工股份有限公司北京燕山分公司  |

## 汽车船舶



中国第一汽车集团有限公司	安徽江淮汽车股份有限公司
中国重汽集团济南卡车股份有限公司	重庆力帆实业(集团)公司
东风本田汽车有限公司	海马汽车有限公司
上海汇众汽车制造有限公司	东风汽车股份有限公司
比亚迪股份有限公司	上海江南长兴造船有限责任公司
浙江吉利控股集团有限公司	上海外高桥造船有限公司
长城汽车股份有限公司	广州中船龙穴造船有限公司
一汽解放汽车有限公司	大连船舶重工集团有限公司
众泰控股集团有限公司	青岛北海船舶重工有限责任公司
北汽福田汽车股份有限公司	广州广船国际股份有限公司
五菱汽车控股有限公司	沪东造船厂
金龙联合汽车工业(苏州)有限公司	上海振华港口机械(集团)股份有限公司
锐龙东方汽车有限公司	江苏扬子江船厂有限公司
中国重汽集团成都王牌商用车有限公司	新大洋船有限公司
山西大运汽车制造有限公司	葫芦岛船厂
领途汽车有限公司	山海关船厂

## 钢铁 / 电子 / 环保



宝钢钢铁股份有限公司	山东阳谷电缆集团有限公司
日照钢铁控股集团有限公司	无锡村田电子有限公司
广西贵港钢铁集团有限公司	奥特斯(中国)有限公司
日本JFE钢铁株式会社	奥特斯科技(重庆)有限公司
山西太钢不锈钢股份有限公司	ABP(苏州)纤维板项目干燥线
中国宝武钢铁集团有限公司	亨通集团有限公司
富士康科技集团	江苏法尔胜股份有限公司
上海京瓷电子有限公司	富通集团有限公司
能率“中国”投资有限公司	通鼎集团有限公司
ABB(中国)有限公司	中利科技集团有限公司
三星电子通信(上海)有限公司	鑫茂科技(深圳)有限公司

## 垃圾焚烧



光大环保(连云港)废弃物处理有限公司	哈尔滨国环医疗固体废物无害化集中处置中心
吴江市绿怡固废回收处置有限公司	伊宁市医疗垃圾集中处理站
上海御桥垃圾焚烧厂	保定市中恩医疗废弃物集中处置有限公司
上海江桥垃圾焚烧厂	吴江市绿怡固废回收处置有限公司
上海华环热能垃圾焚烧厂	四川省中明环境治理有限公司
上海金山永久生活垃圾综合处理厂	常州市安耐德工业废物处置有限公司
江苏康博工业固体废弃处置有限公司	伊宁市医疗垃圾集中处理站
盐城市沿海固废料处置有限公司	山西省晋中市环腾特种垃圾处理有限公司
博光华医疗废物处置有限公司	娄底市裕德医疗废物处置有限公司
东营市卫康医疗废物集中处理有限公司	广西北海市福成镇白水塘垃圾厂
滨州柯林固废处置有限公司	商洛市医疗固体废物处理厂筹建处
唐山市宝洁医用废弃物处置有限公司	江苏金坛华振废弃物处理有限公司
白城市医疗废弃物无害化处理有限公司	延吉市无害化处理有限公司
商洛医疗固体废物处理有限公司	抚顺市海虹医疗废物处置有限公司

## 食品粮油



江苏中海粮油工业有限公司	山东光大日月油脂股份有限公司
山东大宗生物开发股份有限公司	厦门中禾实业有限公司
惠禹饲料蛋白(防城港)有限公司	防城港澳加粮油工业有限公司
九三集团铁岭大豆科技有限公司	泸州中海粮油有限公司
山东御馨豆业蛋白有限公司	山东万德福实业集团有限公司
河北三佳食用植物油有限公司	广西防城港枫叶粮油工业有限公司
四川自贡北部湾油脂工业有限公司	济宁鲁鑫油脂有限公司
九三集团天津大豆科技有限公司	丹东老东北农牧有限公司
烟台双塔食品股份有限公司	江苏汇福油脂科技有限公司
河南阳光油脂集团	盘锦市三河汇福粮油集团有限公司
山东德州谷神生物科技集团有限公司	湖南岳阳道道全粮油岳阳有限公司
厦门银祥集团有限公司	广西港青油脂有限公司

## 医药/造纸



中美上海施贵宝制药有限公司

上海恒寿堂药业有限公司

药明康德集团

上海罗氏制药有限公司

第一三共制药(上海)有限公司

上海五洲药业股份有限公司

玖龙纸业(控股)有限公司

广东冠豪高新技术股份有限公司

理文造纸有限公司

维达纸业(中国)有限公司

APP海南金海浆纸业有限公司

浙江长虹纸业有限公司

富阳市东大纸业有限公司

富阳市金利纸业有限公司

淄博四砂泰山砂布砂纸有限公司

富阳市正华纸业有限公司

新疆昌吉市江北再生纸业有限公司

浙江长虹纸业有限公司

金奉源纸业(上海)有限公司

福建金闽再造烟叶发展有限公司

浙江道勤纸业有限公司

河北金博士纸业有限公司

## 空调/建筑/机械



大连冰山空调设备有限公司

苏州苏净安发空调有限公司

浙江盾安机电科技有限公司

北京青云联合空调设备有限公司

江苏精亚环境科技有限公司

浙江中孚环境设备股份有限公司

浦东干部学院

上海东方明珠

上海浦东国际机场

上海虹桥国际机场

八万人体育场

上海市公安局

上海市电信大厦

国际航运大厦

东方艺术中心

上海市政府大厦

北京京西宾馆

中大空调集团有限公司