



马鞍山市峰云机械设备有限公司

Maanshan Fengyun Machinery Equipment CO.,LTD

创新 效率 精品



马鞍山市峰云机械设备有限公司

Maanshan Fengyun Machinery Equipment CO.,LTD

地址：安徽省马鞍山市金汇城市花园22幢1802号

Add: Rm1802 Building NO.22 Jinhui City Garden Maanshan Anhui

工厂地址：安徽省马鞍山市丹阳工业园工业路

Factory ADD: Danyang Industrial Park, Ma'anshan Anhui

电话(Tel): 0555-2336468 2331411

传真(Fax): 0555-2385058 2960026 (工厂)

网址(Web): <http://www.fengyuncn.net>

E-mail: fengyunjx@qq.com





公司简介

马鞍山市峰云机械设备有限公司专业从事液压破碎锤整机、零配件的生产及批发业务。公司总部坐落在美丽的花园城市马鞍山，生产基地位于马鞍山市博望区丹阳工业园区，占地面积20余亩。公司主导产品有FY系列液压锤、活塞、上下缸体等配件。FY系列液压锤是我公司自行研制生产的具有世界一流品质和性能的高科技产品。

公司是中国目前破碎锤及其配件领域最具影响力的企业之一。公司采用最先进的热处理工艺，最合理的加工工艺，生产世界各品牌液压锤配件及大型液压破碎锤，可为各品牌液压锤生产商及用户提供匹配产品，公司已通过ISO9001-2015质量管理体系等多项认证。

公司在全国建立了完整的销售服务网络，产品销往全国各地，并出口到国外多个国家和地区。公司下设：技术中心、生产中心、物流中心、销售中心、服务中心等5个分支机构，拥有一支优秀精良的团队。随着工厂现代化先进加工设备的启用，公司已进入一个更加辉煌的新时期。

公司积极参加各种交流与合作，树立良好的企业形象及创新理念引起了业界广泛关注，并被多家媒体、杂志、网站所推崇。公司始终坚持品质优良、信誉至上、振兴民族品牌的企业理念，竭诚为国内外用户提供一流的产品和服务。

Fengyun Machinery Equipment CO.,LTD is specializing in producing complete hydraulic breaker, installation kit and wholesales business. Our company is located to the beautiful garden city, Maanshan. Our production base which is occupied over twenty acres is located to Danyang industrial park area,Dangtu, Maanshan. The ruling products of our company is FY Series Hydraulic breaker is the Hi-tech products. We cooperate with Korea to produce the first-class world quality performance.

At present ,our company is the leader of hydraulic breaker installation kit. We adopt to Japanese heat trating technology to produce a various of hydraulic break attachments ,and provide matched products for different brand hydraulic brerker manufacturer and clients. We have passed ISO9001-2015 certification.

We have established entire sales service web. We sale products throughout China and export to Middle-East area.

Our company is composed of technical centre, productory centre, physical distribution management centre, sales centre and after -service centre, which has an excellent fine team sport. With the establishment of new plant and the initialization of modernized manufacturing equipment, we will enter into more splendid period.

We participant all kinds of technical communication and cooperation actively. Meanwhile, we have built up good cooperation image and idea which is awareness attraction of craft and is celebrant by many media, magazines and webstation. We always adhere to enterprise idea of good quality, high repulation, promote national brand. We try our best to support instant after-sales service for home-abroad clients the world first-class products.



加工设备 processing equipment



高精度立式磨床
Vertical Grinder



数控外圆磨床
CNC Grinding Machine



卧式加中心
Horizontal Machining Center



1450 内外圆磨床
1450 Grinding Machine



立式加中心
Vertical Machining Center/VMC



高精度数控内圆磨床
CNC Grinding Machine



数控车床
CNC Lathe



数控双面铣床
CNC Double-sided Milling

液压破碎锤 hydraulic breakers


FY175

FY190

FY200

FY210

FY系列液压破碎锤 FY Series Hydraulic Rock Breaker

参数表 Specifications

规格		FY68	FY75	FY85	FY100	FY135	FY140	FY150
重量	Kg	260	390	530	887	1570	1754	2520
长度	mm	1347	1518	1737	1990	2200	2400	2430
液压油流量	l/min	40-70	50-90	60-100	80-110	120-180	120-180	150-210
驱动油压	bar	110-140	120-150	130-160	150-170	160-180	160-180	160-180
打击频率	bpm	500-900	400-800	400-800	350-650	350-600	350-500	300-450
钎杆直径	mm	68	75	85	100	135	140	150
软管直径	inch	1/2	1/2	3/4	3/4	1	1	1
冲击力	kg.m	74	92	140	230	420	500	530
配用车重	ton	4-7	6-9	7-14	11-16	18-26	18-26	25-30

规格		FY155	FY165	FY175	FY180	FY190	FY200	FY210
重量	Kg	2600	3200	3800	4100	4200	5200	6200
长度	mm	2730	2810	3190	3300	3400	4000	4000
液压油流量	l/min	180-240	180-240	210-290	230-290	230-290	230-290	230-290
驱动油压	bar	160-180	160-180	160-180	160-180	160-180	160-180	160-180
打击频率	bpm	300-450	150-350	200-350	200-350	200-350	200-350	200-350
钎杆直径	mm	155	165	175	180	190	200	210
软管直径	inch	1 $\frac{1}{4}$	1 $\frac{1}{4}$	1 $\frac{1}{4}$	1 $\frac{1}{4}$	1 $\frac{1}{4}$	1 $\frac{1}{4}$	1 $\frac{1}{4}$
冲击力	kg.m	700	920	1250	1360	1380	1450	1550
配用车重	ton	28-35	30-40	40-55	45-60	45-60	60-70	60-70

液压破碎锤配件 Hydraulic hammer accessories



活塞
Piston



氮气室
Back Head



钎杆座
Front Head



钎杆套
Rod Pin



钎杆
Chisel



长螺栓
Through Bolt



扁销
Pin



换向阀
Reversing
Valve



活塞环
Seal Housing



钎杆销
Tool Pin



充气阀
Gas Charging
Valve



充气装置
Gas Charging
Kit

中缸修复 Repair of the cylinder

高精度立式磨床
Vertical Grinder



修复前
Before the
cylinder boring



修复后
After the
cylinder boring



◆修复后的中缸体配合加大的油封，加上良好的装配，具有新锤同等的品质。
After the repair of the cylinder with the bigger oil seal, coupled with good assembly, it will be same quality as a new one

液压属具 hydraulic Accessory



快换接头
Quick Coupler



尺寸表 Specifications

型号 Model	Ydl1 Mini	Ydlk45 Ydlk50	Ydlk55	Ydlk60 Ydlk65	Ydlk70 Ydlk80	Ydlk90	Ydlk100 Ydlk110
直径 Diameter(mm)	25-40	45-50	50	50-70	70-80	80-90	90-120
压力 Pressure(kg/cm ²)	40-380	40-380	40-380	40-380	40-380	40-380	40-380
流量 Oil Flow(l/min)	10-20	10-20	10-20	10-20	10-20	10-20	10-20
配置挖机 Excavator(t)	1.5-4	4-7	5-8	9-19	17-23	23-30	33-45



甘蔗抓斗
Sugarcane Grapple

尺寸表 Specifications

型号 Model	Ydgz1300
重量 Weight(kg)	340
最大开口 Max Jaw Opening(mm)	1300
油缸容量 Cylinder Volume(ton)	4.0*2
配重挖机 Ezcavqtor(ton)	6-9



棉花抓斗
Cotton Grapple

尺寸表 Specifications

型号 Model	Ydgc2400
重量 Weight(kg)	400
最大开口 Max Jaw Opening(mm)	2400
宽度 Width(mm)	1362
配重挖机 Ezcavqtor(ton)	6-10



液压回转筛型斗
Hydraulic Rotating Skeletonbucket

尺寸表 Specifications

配重挖机 Excavator (ton)	宽度 Width (mm)	最大开口 Max Jaw Opening(mm)
6-10	640	1300
11-16	800	1540
17-20	1000	1880
21-24	1150	2140
25-30	1200	2200
31-35	1250	2250
36-40	1300	2300
41-45	1400	2350



木料爪斗
WOOD GRAPPLE

配件尺寸表 Specifications

型号 Model	Ydgm1300	Ydgm1600	Ydgm1800	Ydgm2300	Ydgm2500	Ydgm2700
最大开口 Max Jaw Opening(mm)	1300	1600	1800	2300	2500	2700
油缸容量 Cylinder Volume(ton)	4.0*2	4.5*2	8.0*2	9.7*2	12*2	14*2
配重挖机 Ezcavqtor(ton)	4-6	7-11	12-16	17-23	24-30	31-50

配件尺寸表 Specifications


抓夹器
GRAPPLE

型号 Model	Ydgh1300	Ydgh1600	Ydgh1800	Ydgh2300	Ydgh2500	Ydgh2700
最大开口 Max Jaw Opening(mm)	1300	1600	1800	2300	2500	2700
油压 Oil Pressure(kg/cm ²)	110-140	120-160	150-170	160-180	160-180	180-200
工作流量 Operating Flux(l/min)	30-55	50-100	90-110	100-140	130-170	250-320
油缸容量 Cylinder Volume(ton)	4.0*2	4.5*2	8.0*2	9.7*2	12*2	14*2
配重挖机 Ezcavqtor(ton)	4-6	7-1	12-16	17-23	24-30	31-50

创新 效率 精品



 **中国·峰云机械设备有限公司**
Fengyun Machinery Equipment CO.,LTD.China

地址：安徽省马鞍山市金汇城市花园22幢1802号

Add: Rm1802 Building NO.22 Jinhui City Garden Maanshan Anhui

工厂地址：安徽省马鞍山市丹阳工业园工业路

Factory ADD: Danyang Industrial Park, Ma'anshan Anhui

电话(Tel): 0555-2336468 2331411

传真(Fax): 0555-2385058 2960026 (工厂)

网址(Web): <http://www.fengyuncn.net>

E-mail: fengyunjx@qq.com