



致力于为客户提供 全方位的配套件服务

COMMITTED TO PROVIDING CUSTOMERS WITH A FULL SERIES OF SPARE PARTS SERVICE

— 产品选型手册

中国·南京



南京迪普勒机电设备有限公司
NanJing Deplore electromechanical equipment Co., LTD

地址:南京市栖霞区金刚科创园
电话:18851919668

邮箱:Sales@Deplore.cn
网址:www.deplere.cn

www.deplere.cn

公司简介


COMPANY INTRODUCTION

南京迪普勒机电设备有限公司是一家以经营掘进设备、采矿设备配套、零部件为主业的销售服务公司。自2021年成立以来，公司本着循序渐进、持续发展理念，始终致力于为客户提供一站式配套服务。以客户需求为导向，不断丰富产品种类，改进和提高产品质量，全面保障产品的供应、交付和售后各个环节，始终与客户保持着长期信任的合作关系。



Nanjing Deplore EF Co., Ltd. is a sales and service company, mainly engaged in spare parts and components for drilling equipment, mining equipments. Since its establishment in 2021, the company has always been committed to providing customers with one-stop supporting services in line with the concept of gradual and sustainable development.

We keep customers demand in mind, constantly enrich product series, improve and enhance product quality, fully guarantee the supply, delivery and after-sales of products, and maintain long-term trust in cooperation with customers.



推进梁

Feed Beam



材料: AL7020-T6

Mechanical Properties/力学性能

| Tensile strength / 抗拉强度/Rm (MPa) | Yield strength / 规定非比例延伸强度Rp0.2 (MPa) | Elongation / 断后伸长率A 50 (%) |
|----------------------------------|---------------------------------------|----------------------------|
| Standard | Standard | Standard |
| 标准值 ≥ 380 | 标准值 ≥ 320 | 标准值 ≥ 12 |
| Actual value | Actual value | Actual value |
| 实测值 390-410 | 实测值 340-360 | 实测值 17-19 |

定制长度: 0~15m

Customizable length: 0~15m

推进梁总成

Feed assmblly



双层掘进推进梁

应用范围 | 长钻杆3.7m/短钻杆2.2m
长钻杆4.3m/短钻杆2.5m

Cases | Total=3.7m/single=2.2m
Total=4.3m/single=2.5m



单层掘进推进梁

可配备钻杆长度:2.5m~6.3m

Applicable to different drill pipe lengths:2.5m~6.3m

专用油缸

Costmizable cylinders



设备配件

Spare parts



设备配件

Spare parts

