

SAMTIN

为主机配套

三田汽车零部件

坚定



信念



SAMTIN 产品展示 Products




汽车转向节
主销修理包
Auto Steering
Knuckle King
Pin Kit



汽车轮胎螺栓总成
Auto Tire Bolt
Assembly



汽车中间传动轴支架总成
Auto Intermediate
Shaft Bracket
Assembly



汽车转向节
主销修理包
Auto Steering
Knuckle King Pin
Kit



汽车转向拉杆球头总成
Auto Steering Knuckle
Tie Rod End
Assembly



汽车转向节
主销修理包
Auto Steering
Knuckle King Pin
Kit



汽车专用胶粘剂
Auto Adhesive



汽车转向节
主销修理包
Auto Steering
Knuckle King Pin
Kit



汽车中间传动轴支架总成
Auto Intermediate
Shaft Bracket
Assembly



汽车轮胎螺栓总成
Auto Tire Bolt
Assembly

新升级的轴套优点:

- a. 更润滑:
升级后的轴套采用锡铜元素含量高的锡铜合金, 使轴套和主销的润滑性能更佳。
- b. 更高强:
锡铜合金结合强度更高, 承载能力更大, 是双金属材料里面最强的一种合金材料。
- c. 更耐磨:
启用生产新工艺使铜粉密度和表面硬度均大幅度提高, 从而提高产品的耐磨性能。
- d. 更精准:
新工艺使轴套内径尺寸更精准, 与主销的配合公差更佳, 可有效减少窜动。



Advantages of newly upgraded bushing:

- a. More lubrication:
The upgraded shaft sleeve adopts a tin copper alloy with high tin copper element content, improve the lubrication performance of the bushing and king pin.
- b. Higher strength:
Tin copper alloy has higher bonding strength and greater load-bearing capacity.It is the strongest alloy material among bimetallic materials.
- c. More wear-resistant:
The adoption of new production processes has significantly increased the density and surface hardness of copper powder.Thereby improving the wear resistance of the product.
- d. More precise:
The new technology makes the inner diameter size of the bushing more precise, and the fit tolerance with the king pin is better, which can effectively reduce displacement.

新升级的主销优点: 润滑更均匀, 寿命更延长

主销轴面采用环形油沟加工工艺, 其优点是使主销与轴套之间的储油量更多, 可提高组合件在工作状态下的润滑均匀度, 有效减缓主销与轴套的磨损, 从而使主销包的使用寿命得到延长。

Advantages of newly upgraded king pin: More uniform lubrication and longer service life.

The king pin shaft surface adopts a circular oil groove processing technology, which has the advantage of increasing the oil storage between the king pin and the bushing, improving the lubrication uniformity of the assembly under working conditions, effectively reducing the wear of the king pin and the bushing, and thus extending the service life of the king pin kit.


第三代球头总成使用寿命十万公里以上
The service life of the third-generation tie rod end is more than 100,000 kilometers

- | | |
|--------------|---|
| 一、传承精致, 优选材质 | the inheritance is exquisite, and the material is preferred |
| 二、全新设计, 激情再发 | new design, passion again |
| 三、智慧配搭, 浑然天成 | Wisdom matching, natural |
| 四、十万公里, 安然无忧 | 100,000 kilometers, safe and worry-free |



Do it!

Firm belief , more important than method;
Firm belief , will have strength;
Firm belief , can change everything!



勇敢去做吧

坚定信念,比方法更重要

坚定信念,就会产生力量

坚定信念,可以改变一切



德国TUV
ISO/TS 16949认证



三田致力于为下列汽车企业配套产品

SAMTIN supply to the following original factory



中国重汽
SINOTRUK
配套代码: OAK21



FOTON



華菱星馬
CAMC
配套代码: 60428



陕汽重卡
SHANXI AUTO HEAVY DUTY TRUCK
配套代码: 6010175

Foreword 前言

为了提高三田公司的服务质量，让客户更好的查阅和使用我们生产的产品，特编制本产品图册。在您查阅、对照产品过程中，如发现错漏之处，诚挚欢迎客户关注及反馈，我们将会及时修正，谢谢！

In order to improve the service quality of SAMTIN Company and enable customers to better access and use our products, this product catalog is specially prepared. If any errors or omissions are found during your product review and comparison process, we sincerely welcome customer attention and feedback. We will make timely corrections. Thank you!

Contents 目录

- 006-009** 汽车转向节主销修理包
Auto Steering Knuckle King Pin Kits
- 009-012** Japanese Truck King Pin Kits
- 012-013** European Truck King Pin Kits
- 013-015** Bushing
- 016** 汽车转向节用推力圆柱滚子带调整圈轴承
Auto Steering Knuckle Thrust Cylinder Ball & Roller Bearing With Adjustable Washer
- 016** 汽车转向节用推力多触面型轴承
Auto Steering Knuckle Thrust Bearing With More Contact Face
- 017** 汽车转向节用推力圆锥滚子（加强型）轴承
Auto Steering Knuckle Thrust Conical Ball & Roller Bearing(Extra Strength Type)
- 017** 汽车转向节用推力圆柱滚子带油封圈轴承
Auto Steering Knuckle Thrust Cylinder Ball & Roller Bearing With Oil Seal Washer
- 018** 汽车转向节用推力圆锥滚子（加强型）带油嘴轴承
Auto Steering Knuckle Thrust Conical Ball & Roller Bearing With Oil Mouth(Extra Strength Type)
- 018** 汽车转向节用推力球轴承
Auto Steering Knuckle Thrust Ball Bearing
- 019** 汽车推力圆柱滚子带油嘴轴承
Auto Thrust Cylinder Ball & Roller Bearing With Oil Mouth
- 019** 汽车推力球离合器分离轴承
Auto Thrust Ball Clutch Release Bearing
- 020** 汽车角接触球自动调心离合器分离轴承
Auto Angular Contact Ball Self-aligning Clutch Release Bearing
- 020-022** 汽车角接触球非调心离合器分离轴承
Auto Angular Contact Ball Non-aligning Clutch Release Bearing
- 022** 汽车拉式角接触球自动调心离合器分离轴承单元
Auto Pull Angular Ball Self-aligning Clutch Release Bearing Unit
- 023-028** 汽车推式角接触球非自动调心离合器分离轴承单元
Auto Thrust Angular Contact Ball Non-self-aligning Clutch Release Bearing Unit
- 029-030** 汽车推式角接触球非调心离合器分离轴承单元
Auto Thrust Angular Contact Ball Non-aligning Clutch Release Bearing Unit
- 031-034** 汽车轮胎螺栓总成
Auto Tire Bolt Assembly
- 035-040** 汽车中间传动轴支架总成
Auto Intermediate Shaft Bracket Assembly
- 041-042** Japanese Truck Auto Intermediate Shaft Bracket Assembly
- 043-045** European Truck Auto Intermediate Shaft Bracket Assembly
- 045** Russian Truck Auto Intermediate Shaft Bracket Assembly
- 046** American HB Series Auto Intermediate Shaft Bracket Assembly
- 047-052** 汽车转向拉杆球头总成
Auto Steering Knuckle Tie Rod End/Assembly
- 053-054** 汽摩专用胶粘剂
Auto Adhesive

转向节主销修理包

Auto Steering Knuckle King Pin Kits

排序	适用车型	主销规格(直径x长度) Dimension of King Pin(mm)		衬套尺寸(内径x外径x长度) Dimension of Bush(mm)			配置轴承
NO.	Model	Diameter	Length	Internal diameter	Outside diameter	Length	Bearing Model
1	黑豹 (BLACK LEOPARD) 375	25	125	25	28	29	198905
2	时代驭菱 (SHIDAI YULING)	25	125	25	30	30	198905
3	北京BJ-1028 (BEIJING 1028)	25	128	25	30	30	198905
4	北京 (BEIJING) BJ-130	25	148	25	30	37	198905
5	解放 (FAW CA-1046L)	25	148	25	28	34	198905
6	五十铃 (ISUZU NHR)	25	168	25	29	40	198905
7	江淮新顺达 (JAC NEW SHUNDA)	25	188	25	29	50	409905K
8	康铃二代 (KANGLING II)	30	148	30	34	35	98206
9	北京 (BEIJING) BJ-1041	30	148	30	34	35	98206
10	新康铃二代 (NEW KANGLING II)	30	148	30	34	35	98206
11	一汽金卡王 (FAW KINGKA KING)	30	148	30	34	35	98206
12	新一汽红塔 (NEW FAW HONGTA)	30	151	30	34	35	98206
13	北汽旗铃 (Baic BAW)	30	151	30	34	35	98206
14	南骏/东风金霸 (NANJUN/DFM KINGBA)	30	155	30	34	35	98206
15	东风康霸/解放霸铃 (DFM KANGBA/FAW BALIN)	30	155	30	34	35	98206
16	江淮校车 (JAC School Bus)	30	155	30	34	35	98206
17	江淮骏铃 (JAC JUNLIN)	30	157	30	34	35/44	98206
18	一汽红塔/新蓝箭 (FAW HONGTA/NEW LANJIAN)	30	158	30	34	35	98206
19	时代轻卡 (SHIDAI LIGHT TRUCK)	30	165	30	普通34	44	98206
20	南京 (NANJING) NJ-131	30	178	30	33	38	98206
21	东风 (DFM) EQ-1060	30	178	30	34	40	98206
22	陕汽轻卡 汉德桥2T (SHACMAN LIGHT TRUCK) HD 2.0T	30/30.25/31	165	30/31	38	42/40	98206
23	东风多利卡 (DFM DUOLIKA)	30	168	30	33	50	409906K
24	解放虎威 (165长) FAW HUWEI (165 Length)	30	165	30	34	35/44	409906K
25	跃进超越 YUEJIN CHAOYUE C300	30	176	30	34	40	98206
26	解放虎威 FAW HUWEI	30	178	30	34	48.5	409906K
27	东风凯普特 DFM Captain (C30HS01-01021HJ)	30	193.5	30	33	50	409906K
28	跃进轻卡 (YUEJIN LIGHT TRUCK)	30	184	30	34	50	409906K
29	江淮 (JAC) 6700 五十铃 ISUZU NKR.NPR	30	188	30	34	50	409906K
30	杭挂宝石 (HANGGUA BAOSHI) 1060	30	189	30	34	44	98206
31	时骏四驱	32/42	59.5/44	32	54	24	817/32ZS/YA
32	陕汽轻卡 汉德桥2.4T (SHACMAN LIGHT TRUCK) HD 2.4T	32/32.25/33	190	32/33	40	43/40	817/32ZS/YA
33	杭挂宝石 (HANGGUA BAOSHI) 1070	32	180	32	36	42	817/32ZSV/YA
34	东风 (DFM)EQ-1061	32	185	32	36	42	198906K
35	江淮 (JAC) 6800	32	185	32	36	40	817/32ZS/YA
36	南骏现代 (NANJUN HYUNDAI)	32	185	32	36	42	198906K(加厚)
37	江淮6800加长型 (JAC 6800 KING SIZE)	32	197	32	36	40	817/32ZS/YA
38	现代合力叉车 HYUNDAI HELI Forklift	32	220	滚针轴承HK324032: 32×40×32 (4个)			198908K
39	江苏英田 (JIANGSHU YOTAN)	34	180	34	38	40	517/34ZSV/YA
40	欧曼 (AUMAN) 1026	35	190	35	39	42、48	98907
41	江铃 (JMC) N800	35	191	35	41	43	98907
42	东风 (DFM)EQ-1070)	35	192	35	39	43	98907
43	福田 (FOTON) 598						
44	金龙 (KINGLONG) 6790 (双注油)Double oil pore	35	192	35	39	43、48	98907
45	NJ-1053、NJ-1063	35	195	35	39	43	98907

转向节主销修理包

Auto Steering Knuckle King Pin Kits

排序	适用车型	主销规格(直径x长度) Dimension of King Pin(mm)		衬套尺寸(内径x外径x长度) Dimension of Bush(mm)			配置轴承
NO.	Model	Diameter	Length	Internal diameter	Outside diameter	Length	Bearing Model
46	解放 (FAW) J6F	35	199	35	39	42、54	98907
47	豪沃轻卡 (HOWO LIGHT TRUCK) 166	38	166	38	45	35	129908
48	豪沃轻卡 (HOWO LIGHT TRUCK) 174	38	174	38	45	35	129908
49	东风凯普特 (DFM Captain)	38	190	38	41	648	129908
50	东风 (DFM EQ-140)	38	208	38	41	48	129908
51	福田 (FOTON) 599 (时代金刚) SHIDAI KONGKIM	38	208	38	43	48	129908
52	金龙 (KINGLONG) 6890	38	215	38	41	51	129908
53	解放 (FAW) CA-5063	38	215	38	41	64、51	129908
54	金龙 (KINGLONG) 6791	38	215	38	42	51	129908
55	东风 (DFM) EQ-1071	38	215	38	41	48	129908
56	金旅 (GOLDEN DRAGON) 6808	38	215	38	41	51、64	129908
57	解放 (FAW) CA-141	38	220	38	41	51	129908
58	金龙 (KINGLONG) 6796(双注油)Double oil pore	38	228	38	41	51、64	429908
59	东风 (DFM) EQ-145	38	228	38	41	51、64	429908
60	东风 (DFM) EQ-145(双注油)Double oil pore	38	228	38	41	51、64	429908
61	东风 (DFM) EQ-148	38	228	38	42	50、65	429908
62	宇通 (YUTONG) 6859(双注油)Double oil pore	38	232	38	41	51、	429908
63	时代瑞沃 (SHIDAI RUI KOSOVO) 240	38	235	38	42	50、65	429908
64	福田金刚 (FOTON KINGKIM)	38	235	38	42	50、65	429908
65	金旅 (GOLDEN DRAGON) 6925	38	235	38	42	50、65	429908
66	开沃纯电动客车 SKYWELL pure electric passenger car	38	244	38	41	51、64	429908
67	东风凯普特 DFM Captain	38	190	38	41	48	129908
68	福田欧马可 FOTON Omarko 3.6T	38	200	38	45	40	429908
69	福田欧马可 FOTON Omarko 4.2T	34/38	218	38	45	40	429908
70	福田欧马可 FOTON Omarko S3	40	214	40	46	58	51708ZSV/YA
71	江淮 (JAC) 6782	40	228	40	46	58	51708ZSV/YA
72	豪沃 (HOWO) A7	42.2	185	42	49	36	329909K
73	陕汽轻卡 汉德5.5吨-P (SHACMAN LIGHT TRUCK) HD 5.5T-P	42/42.2/43	200	FY4220滚针轴承 42x52x20 FY4320滚针轴 43x50.5x20			917/42PZRSV
74	时代瑞沃 (SHIDAI RUI KOSOVO) 160	42	208	42	46	47	329909
75	宇通 (YUTONG) 3001-02769	42	210	衬套: 42x49x42 HK424920滚针轴承42x49x20			329908K
76	东风 (DFM) EQ-144	42	228	42	46	55	329909K
77	金龙 (KINGLONG) 6892	42	228	42	46	55	329909
78	解放 (FAW) CA-151	42	230	42	45	59	329909
79	欧曼 (AUMAN) ETX6	42	233	42	46	55、65	329909K
80	金龙 (KINGLONG) 6885(双注油)Double oil pore	42	238	42	46	55、65	329908K
81	金龙 (KINGLONG) 6820(双注油)Double oil pore	42	238	42	46	55、65	329908K
82	扬州亚星 (YANGZHOU ASTAS) 663	42	238	42	46	55、65	329908K
83	方盛客车桥 (FANGSHENG PASSENGER BRIDGT)	42	238	42	47	55、65	329908K
84	运煤王 (YUNMEI KING) EQ-1094	42	240	42	46	64、50	329908K
85	东风天锦 (DFM TIANJIN)	42	240	42	47	50、63	329908K
86	扬子江客车 (YANGZE RIVER PASSENGER CAR)	42	240	42	47	55、65	329908K
87	斯太尔、陕汽奥龙 (STEYR,SHACMAN)	43/45/47	206	43/45/47	52/54/56	38/58/35	329910
88	豪沃 (HOWO) T5G	43/43.25/44.8	187	43/44.8	50/52	38/36	91709PZRSV
89	豪沃 (HOWO) T7H	44.8/45.1/47	206	44.8/47	52/55	36/40	329910
90	豪沃豪沃 (HOWO)	45	200	45	54	35	917/45ZSV/YA
91	解放 (FAW) J6 (A4Q)	45	201	45	50	40	917/09ZSV/YA
92	欧曼4.2T (AUMAN 4.2T)	45	206	45	54	35	917/45ZSV/YA

转向节主销修理包

Auto Steering Knuckle King Pin Kits

排序	适用车型	主销规格(直径x长度) Dimension of King Pin(mm)		衬套尺寸(内径x外径x长度) Dimension of Bush(mm)			配置轴承
NO.	Model	Diameter	Length	Internal diameter	Outside diameter	Length	Bearing Model
93	解放九吨(碟刹) FAW 9T (disc brake)	45	233	45	49	65	329909A
94	欧曼(青岛底盘)AUMAN QINGDAO Site	45	240	45	49	65、60	329909A
95	宇通(YUTONG) 3001-02391	45	240	衬套BUSH: 45×55×49.5 滚针轴承HK455530: 45×55×30			917/45ZSV/YA
96	解放九平柴(FAW NINE PINGCHAI)	45	245	45	49	65	329909A
97	欧曼(AUMAN) 260	45	245	45	49	65	329909A
98	新斯太尔(NEW STEYR)	45/47	206	45/47	52/56	38/35	329910
99	重汽(SINOTRUK) 5501-A	46.8/47.1	240	46.8/47.1	52	55、64	198909K
100	红岩杰狮(碟刹) HONGYAN Disc brake	47	207	47	56/57	35/45	329910
101	黄海客车(HUANGHAI PASSENGER CAR)	47	216	47	56	38、34	198909K
102	重汽(SINOTRUK) 5005 (7.1T)	47	219	47	52	50/45	329910
103	乘龙王(CHENGLONG KING)	47	230	47	52	64、55	198909K
104	陕汽德龙(SHACMAN DERON) M3000	47/47.05/48	234	衬套BUSH: 48×55×50(2个) 滚针轴承HK475528 47×55×28(4个)			198909K
105	重汽(SINOTRUK 6501 (5T)	47	234	47	52	60、50	329910
106	红岩杰卡 HONGYAN JIEKA	47	234	HK475525滚针轴承 47×55×25 HK475528滚针轴承 47×55×28			329910
107	东风(DFM) EQ-153 金龙(KINGLONG) 6112、6110、6113	47	240	47	52	64、55	198909K
108	东风(DFM) EQ-153 Improved double oil pore 改进型(双注油)	47	240	47	52	64、55	198909K
109	东风(DFM) EQ-153 KINGSIZE (加强型)	47	240	47	55	55、65	198909K
110	欧曼GTL (AUMAN GTL)	47	230	47	52	53/65	198909K
111	青岛悍威233长 QINGDAO HANWEI 233 LENGTH	48	233	48	53	65	329910A
112	一汽悍威(FAW HANGWEI) Q3301	48	242	48	56	56	329910A
113	一汽悍威(FAW HANGWEI) Q3301	48	242	48	53	65	329910A
114	新一汽悍威(NEW FAW HANGWEI)	48	242	48	53	65	329910A
115	新解放十六吨(NEW FAW CA-16T)	48	275	48	53	76	329910A
116	解放十六吨(FAW CA-16T)	48	278	48	53	76	329910A
117	陕汽德龙(SHACMAN) F2000	49.5/50	224	衬套: 49.5×58×52 HK505825(2个) 滚针轴承50×58×25(4个)			329210
118	重汽(SINOTRUK) 0050 (7.5T)	49/49.2/50	226	49/50	57/58	50	389910K
119	北方奔驰(Bei Ben/Mercedes-Benz)	50/51	223	50/51	58	52	329210
120	汉德桥(HAN DEQIAO HD7.5T)	50/50.2/51	224	衬套: 51×58×52(2个) 滚针轴承HK505825: 50×58×25(4个)			389910K
121	尼奥普兰(NEOPLAN)	50/50.4/51	225	50/51	58	52	329210
122	解放(FAW) J6(A1Q)	50	227	50	58	50	389910K
123	斯太尔金王子改进型(STEYR GOLDEN PRINCE IMPROVED)	50	230	50	55	56.5	329210
124	宇通(YUTONG) 6.5T	50	230	衬套: 50×58×52(2个)/滚针轴承HK505825: 50×58×25(4个)			389910K
125	安凯客车(ANKAI PASSENGER CAR)	50	233	50	57	54	329210
126	东风德纳桥(单插销)(DFM DENAQIAO(Single latch))	50	240	50	57	57	329210
127	东风德纳桥(双插销)(DFM DENAQIAO(Double latch))	50	240	50	55	50	329210
128	福田欧辉客车 FOTON OUHUI Passenger car	50	240	衬套: 50×58×52(8个)			249210K2
129	宇通(YUTONG) 3001-02366	50	240	衬套: 50×58×52 滚针轴承HK505825: 50×58×25			389910K
130	宇通(YUTONG) 3001-02574	50	241	衬套: 50×58×52 滚针轴承HK505825: 50×58×25			389910K
131	江淮格尔发(JAC GALLOP)	50	244	50	56	65、54	51710ZSV/YA
132	解放(FAW) JH6	50	244	衬套: 50×58×52 HK505825滚针轴承 50×58×25			389910K
133	解放(FAW) J6	50	250	50	55	65、55	389910K
134	华菱(CAMC)	50	253	HMK5030滚针轴承 50×62×30 HMK5045滚针轴承 50×62×45			329210
135	华菱改装(CAMC Modified)	50	253	50	56	65、54	329210
136	一汽天威 FAW TIANWEI	50	280	滚针轴承HK505825: 50×58×25 (8个)			389910K

转向节主销修理包

Auto Steering Knuckle King Pin Kits

排序	适用车型	主销规格(直径x长度) Dimension of King Pin(mm)		衬套尺寸(内径x外径x长度) Dimension of Bush(mm)			配置轴承
NO.	Model	Diameter	Length	Internal diameter	Outside diameter	Length	Bearing Model
137	重汽 (SINOTRUK) 5002 (9.5T)	51/51.2/52	237	51/52	58/61	50/55	917/52ZSV/YA
138	欧曼 (AUMAN) ETX9	52	198	52	61	35	517/52ZSV/YA
139	乘龙H7(欧曼5G)CHENGLONG H7(AUMAN 5G)	52	207	52	60	35/40	517/52ZSV/YA
140	宇通 (YUTONG) 6127	52	242	52	57	58、65	517/52ZSV/YA
141	徐工汉风 XCMG	52	242	52	57	65、50	517/52ZSV/YA
142	紫罗兰 (VIOLET/ZILUOLAN)	52	247	52	57	58、65	517/52ZSV/YA
143	欧曼雄狮 (AUMAN XIONGSHI)	52	248	52	57	58、65	517/52ZSV/YA
144	襄桥十三吨 (XIANGQIAO 13T)	52	248	52	57	58、65	517/52ZSV/YA
145	大金龙 (BIG KINGLONG)	52	248	52	57	58、65	517/52ZSV/YA
146	大金龙 (双注油) 大金龙 (BIG KINGLONG) Double oil pore	52	248	52	57	65/58	517/52ZSV/YA
147	东风大力神 (DFM DALISHEN)	52	248	52	57	58、65	517/52ZSV/YA
148	解放 (FAW) J6(A2Q)	52	248	52	58	55/65	517/52ZSV/YA
149	新解放J6 (NEW FAW J6)	52	275	52	57	58、65	517/52ZSV/YA
150	东风霸龙\陕汽德龙 (DFM BALON) (SHACMAN DERON F3000)	54	232	衬套:54×62×50(2个)/滚针轴承HK546227: 54×62×27(4个)			517/54ZSV/YA
151	方盛奔驰桥9.5T FANGSHENG BENZ BRIDGE	54	232	衬套: 54x62x50 HK546227滚针轴承 54x62x27			517/54ZSV/YA
152	汉德桥9.5T (HAN DEQIAO HD9.5T)	54/54.2/55	232	衬套:55×62×50(2个) 滚针轴承HK546227: 54×62×27(4个)			517/54ZSV/YA
153	红岩杰狮9.5T HONGYAN JIESHI	54/54.1	235	54/54.1	62	50/55	517/54ZSV/YA

Samtin King pin kit

(Japanese Truck, American Truck,Russian Truck,Korean Truck)

排序	NO.SAMTIN	Model	OEM	Dimension of KING PIN(mm)	Suitable Model Series English
尼桑NISSAN					
1	ST12115	KP-123	40020-C0425	40X228	Nissan/780
2	ST12093	KP-124	40022-B5025	20X125	Nissan
3	ST12001	KP-129	40025-90228	47X228	Nissna/CD-31/CW40
4	ST12092	KP-130	04431-36030/40025-02D25	30X192	Nissan
5	ST12002	KP-132	40022-J5125	25X170	Nissan/Qo-340
6	ST12003	KP-133	40025-Z6025/27	35X206	Nissan/CM-90
7	ST12005	KP-134	40025-90427	47X239	Nissan/CW520
8	ST12006	KP-136	40025-90629	47X229	Nissan
9	ST12007	KP-137	40025-90725/40025-90828/40025-91025 40025-90715/40025-90929	47X239	Nissan/RB-31/46
10	ST12012	KP-139	40025-90826	47X253	Nissan
11	ST12013	KP-140	40025-90927	47X252	Nissna/CW520
12	ST12116	KP-144	40025-91028/40025-91026	55X263	Nissan/CK340
13	ST12015	KP-146	40025-91325/40025-NA427	47X251	Nissan/CW
14	ST12101	KP-147	40022-30T25	28X172	Nissan/ATLAS
15	ST12110	KP-151	400220T000/4005-02D25/40022J517	30X193	Nissan
16	ST12102	KP-152	40022-89TA		Nissan
五十铃ISUZU					
17	ST12018	KP-215	9-85582-616-0	45X248	ISUZU/TD.DH100
18	ST12017	KP-218	9885115050	45X248	ISUZU/TG.TD.TV
19	ST12019	KP-219	9885115030/1878302760	38X220	ISUZUTXD/DA120
20	ST12021	KP-220	9-8511506-0/1-87830039-0	25X178	ISUZU/TLD.TK.TL
21	ST12112	KP-221	9-88511-507-0	22X157	ISUZU/KA

Samtin King pin kit

(Japanese Truck, American Truck, Russian Truck, Korean Truck)

排序	NO.SAMTIN	Model	OEM	Dimension of KING PIN(mm)	Suitable Model Series
					English
尼桑NISSAN					
1	ST12115	KP-123	40020-CD425	40X228	Nissan/780
2	ST12093	KP-124	40022-B5025	20X125	Nissan
3	ST12001	KP-129	40025-90228	47X228	Nissna/CD-31/CW40
4	ST12092	KP-130	04431-36030/40025-02D25	30X192	Nissan
5	ST12002	KP-132	40022-J5125	25X170	Nissan/Qo-340
6	ST12003	KP-133	40025-Z6025/27	35X206	Nissan/CM-90
7	ST12005	KP-134	40025-90427	47X239	Nissan/CW520
8	ST12006	KP-136	40025-90629	47X229	Nissan
9	ST12007	KP-137	40025-90725/40025-90828/40025-91025 40025-90715/40025-90929	47X239	Nissan/RB-31/46
10	ST12012	KP-139	40025-90826	47X253	Nissan
11	ST12013	KP-140	40025-90927	47X252	Nissna/CW520
12	ST12116	KP-144	40025-91028/40025-91026	55X263	Nissan/CK340
13	ST12015	KP-146	40025-91325/40025-NA427	47X251	Nissan/CW
14	ST12101	KP-147	40022-30T25	28X172	Nissan/ATLAS
15	ST12110	KP-151	400220T000/4005-02D25/40022J517	30X193	Nissan
16	ST12102	KP-152	40022-89TA		Nissan
五十铃ISUZU					
17	ST12018	KP-215	9-85582-616-0	45X248	ISUZU/TD.DH100
18	ST12017	KP-218	9885115050	45X248	ISUZU/TG.TD.TV
19	ST12019	KP-219	9885115030/1878302760	38X220	ISUZUTXD/DA120
20	ST12021	KP-220	9-8511506-0/1-87830039-0	25X178	ISUZU/TLD.TK.TL
21	ST12112	KP-221	9-88511-507-0	22X157	ISUZU/KA
22	ST12023	KP-222	1-87830-039-0/1-87830-021-0/1-87830-034-0 1-87830-219-0/1-87830-259-0/1-87830-737-0	50X252	ISUZU SP2
23	ST12040	KP-233	5878316080	30X188	ISUZU
24	ST12029	KP-224	1-87830-046-0/1-87830-046-3	35X199	ISUZU
25	ST12031	KP-225	1-87830-221-0	38X221	ISUZUTXD
26	ST12032	KP-226	1-87830-191-0/1-87830-363-0	45X244	ISUZUJBR.JOR
27	ST12034	KP-228	5-87830-075-0	25X178	ISUZUTLD.KT.SL
28	ST12035	KP-229	5-87830-080-0	30X177.5	ISUZUKS
29	ST12117	KP-230	5-87830978-0/5-87830536-0	25X178	ISUZUTLD
30	ST12036	KP-231	5-87830537-0/5-87831029-0	30X188	ISUZUNKR/NPR/ELF2-3.5T
31	ST12038	KP-232	5-87830537-0/5-87830717-0	25X168	ISUZUNHR/ELF1-1.25T
32	ST12104	KP-234	1-87830716-0/1-87830717-0	35X199	ISUZU6HK1
33	St12136	KP-236		50×252	
日野HINO					
34	ST12118	KP-315	9953-6603-04	35X194	HINOKM
35	ST12041	KP-316	04043-2003/43231-1010/9953660307	35X205	HINOKL
36	ST12119	KP-317	04043-2002	28X160	HINOKQ
37	ST12044	KP-318	04043-2006/04043-2024/9-953-6603-10	50X252	HINOZM
38	ST12047	KP-319	04043-2009/04043-2008	40X228	HINOKR
39	ST12049	KP-321	04043-2010/04043-2035/04043-2057	35X205	HINO
40	ST12096	KP-322	04043-2039/04043-2102	50X252	HINO
41	ST12105	KP-323	04043-2039/04043-2102	40X228	HINO
42	ST12052	KP-324	43231-1320/04043-2036/04043-2030	35X186	HINOWO4D
43	St12138	KP-325	04043-2059	35X205	HINOHD.EH700
44	ST12058	KP-329	04043-2053	50X252	HINO
45	St12055	KP-327	04043-2043 / 04043-2028/ 04043-2068	40X228	HINO
46	St12135	KP-314		40X217	
丰田TOYOTA					
47	ST12120	KP-4102	KP-4102	21X146	TOYOTA
48	ST12121	KP-415	04431-55051	40X216	TOYOTA

Samtin King pin kit

(Japanese Truck, American Truck, Russian Truck, Korean Truck)

排序	NO.SAMTIN	Model	OEM	Dimension of KING PIN(mm)	Suitable Model Series
					English
49	ST12122	KP-418	04431-35020	21X130	TOYOTA/PK3152
50	ST12059	KP-420	04431-36020/04431-36015	25X153	TOYOTA
51	ST12061	KP-425	04431-36030	28X160	TOYOTA CTA10/DYNA NEW
52	ST12098	KP-426	04431-36040	25X153	TOYOTA
53	ST12062	KP-427	04431-36040	28X160	TOYOTA
54	ST12063	KP-428	04431-25020	28X160	TOYOTA RU30
55	ST12099	KP-430	04431-36050		TOYOTA
56	ST12123	KP-431	04431-36051	35X205	TOYOTA
57	ST12100	KP-432	04431-36061		TOYOTA
58	ST12097	KP-433	04431-36041/04431-36030 1-87830-363-0/1878309354	28X160	TOYOTA
59	ST12107	KP-434	04431-37450		TOYOTA
60	ST12111	KP-435	04431-36071		TOYOTA
61	ST12090	KP-706	04431-87303	28X167	TOYOTA/DAIHATTSU V99 14B/V118
三菱MITSUBISHI					
62	ST12064	KP-512	14501-2140	50X243	mitsubishi T850
63	ST12065	KP-519/KF12	MB025124	28X180	MITSUBISHI 4DR5/4D31
64	ST12066	KP-520	MC-810252/MC999967	35X194	MITSUBISHI
65	ST12068	KP-519 FK515/KP-531	11001-24101	45X216	MITSUBISHI FM
66	ST12069	KP-521加长	11001-24101	45X221	MITSUBISHI
67	ST12070	KP-522	MB025128/MB025268	28X180	MITSUBISHI CANTER 4D30/FE
68	ST12078	KP-523	14001-24400	50X243	MITSUBISHI T951.8D09
69	ST12079	KP-524	MB025267	28X180	MITSUBISHI
70	ST12080	KP-526	MB294037	28X180	MITSUBISHI
71	ST12124	KP-529	MC999187	35X194	MITSUBISHI/FK
72	ST12072	KP-530	MC999420	35X190	MITSUBISHI FK416
73	ST120125	KP-531	MC811604	45X205	MITSUBISHI FM215
74	ST12082	KP-532	MC811605	50X243	MITSUBISHI
75	ST12083	KP-533	MC999193	50X243	MITSUBISHI
76	ST12073	KP-534	MB294272	28X180	MITSUBISHI
77	ST12084	KP-535	MB294273	28X180	MITSUBISHI
78	ST12086	KP-536	MB294274	25X165	MITSUBISHI
79	ST12085	KP-537	MB29425	25X165	MITSUBISHI
80	ST12087	KP-538	MC999970	45X216	MITSUBISHI
81	ST12088	KP-539	MC999980	50X243	MITSUBISHI
82	ST12074	KP-540	MC999984	35X189	MITSUBISHI FX416
83	ST12076	KP-548	MC998681/MK996662	35X196	MITSUBISHI
84	ST12109	KP-545	MK704570/MK70378/MC999187/MC99972 MC999986/MK999538/4002591225	50X243	MITSUBISHI
85	ST12126	KP-546	MC995305	28X180	MITSUBISHI FE
86	ST12075	KP-547	MB420595	30X180	MITSUBISHI FE449
87	ST12127	KP-549	MC997284	50X243	MITSUBISHI
88	ST12128	KP-551	MC993611	50X243	MITSUBISHI
89	ST12108	KP-554	MC998478	28X180	MITSUBISHI
现代HYUNDAI					
90	ST12094	K5677145000	K5677145000	28X180	HYUNDAI 2.5TK
91	ST12091	K5677145600	K5677145600	30X180	HYUNDAI 3.5TK
92	ST12095	K5677162001	K5677162001	35X190	HYUNDAI 5TK
93	ST12129			50X243	HYUNDAI 15TK
94	ST12139			40X60X231	HYUNDAI 24TK
起亚KIA					
95	ST12130	1.4T	1.4T	28X172	KIN
96	ST12131	2.5T	2.5T	30X174	KIN
97	ST12132	5T	5T	35X205	KIN

Samtin King pin kit

(Japanese Truck, American Truck, Russian Truck, Korean Truck)

排序	NO.SAMTIN	Model	OEM	Dimension of KING PIN(mm)	Suitable Model Series
					English
98	ST12133	15T	15T	50X252	KIN
99	ST12134	B-4.5T	B-4.5T	35X200	KIN
马自达MAZDA					
100	ST12103	KP-602	0559-99-330	28X172	MAZDA
101	ST12089	KP-605	1316-99-330	30X174	MAZDA T45/T3000
美国卡车AMERICAN TRUCK					
102	ST12113	KB466		23.4X178	
103	ST12114	KB849	R201426	48.79X250.8	AMERICAN TRUCK
俄罗斯卡车RUSSIAN TRUCK					
104	ST15001		532053001019-10	45X232	RUSSIAN TRUCK
105	ST15002			40/50X248	RUSSIAN TRUCK

Samtin King pin kit

(Japanese Truck, American Truck, Russian Truck, Korean Truck)

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
1	ST41001	1-43150-857-0L	ISUZUCXZ,CYZ,CXY,CYY,CYZ51,CXZ51	M58*1.5m:24*1.5L1=220;d1=32;d2=29;
2	ST41002	1-43150-856-0R	ISUZUCXZ,CYZ,CXY,CYY,CYZ51,CXZ51	
3	ST41005	1-43150-630-0R1-43150-349-01-43150-349-11-43150-563-11-43150-630-1	ISUZUCXZ,10PC1	M50*1.5m:24*2.0L1=169.5;d1=32.5;d2=29;
4	ST41006	1-43150-631-0L1-43150-350-01-43150-350-11-43150-564-11-43150-631-1	ISUZUCXZ,10PC1	
5	ST41015	1-43150-790-0R	ISUZU109C1	M50*1.5m:24*1.5L1=172;d1=32;d2=28.8;
6	ST41016	1-43150-791-0L	ISUZU109C1	
7	ST41019	1-43150-801-0R	ISUZU6WA1,6WF1,6WG1,187,10PE1,10PJ1	M56*1.5m:24*2.0L1=171.5;d1=32;d2=29.5;
8	ST41020	1-43150-802-0L	ISUZU6WA1,6WF1,6WG1,187,10PE1,10PJ1	
9	ST41023	1-43150-139-61-43150-439-1	ISUZU10PD1,SRM,I/S,VS,CVR,EXR,EXZ,CXG(6*2),FIRSTSTER,CXK,CXM,CXZ,CXH(8*2)/YEAR:83	M50*1.5m:24*2.0L1=169.5;d1=32.5;d2=29;
10	ST41024	1-43150-140-6L;1-43150-440-1L;	ISUZU10PD1,SRM,I/S,VS,CVR,EXR,EXZ,CXG(6*2),FIRSTSTER,CXK,CXM,CXZ,CXH(8*2)/YEAR:83	
11	ST41027	1-43150-141-4R;1-43150-141-1R;1-43150-141-2R;1-43150-042-1R;1-43150-042-2R	ISUZUTD,TP,TMK,SP,SL,VP,VL,I/S,SPZ/YEAR:73-83,8TON	M36*1.5m:24*2.0L1=172;d1=32.5;d2=29;
12	ST41028	1-43150-142-4L;1-43150-142-1L;1-43150-142-2L;1-43150-043-1L;1-43150-042-2L	ISUZUTD,TP,TMK,SP,SL,VP,VL,I/S,SPZ/YEAR:73-83,8TON	
13	ST41037	1-43150-901-0R1-43150-9011-43150-856	ISUZUCXZ,CYZ,CXY,CYY,CYZ51,CXZ51	M58*1.5m:24*2.0L1=198;d1=32;d2=29.5;
14	ST41038	1-43150-902-0L1-43150-9021-43150-857	ISUZUCXZ,CYZ,CXY,CYY,CYZ51,CXZ51	
15	ST41039	1-43150-670-1R	ISUZUROCKY195	M36*1.5m:22*1.5L1=122;d1=28;d2=25.5;
16	ST41040	1-43150-671-1L	ISUZUROCKY195	
17	ST41043	1-43150-677-0R	ISUZUFVR	M50*1.5;m:24*1.5; L1=172;d1=28;d2=25.3;
18	ST41044	1-43150-678-0L	ISUZUFVR	
19	ST41045	1-43150-090-0R;9-43150-133-0R;1-43150-025-0R	ISUZUTD,TP,TMK,I/S,JCR,FTR(LONGTHREAD)FVR	M36*1.5m:24*1.5L1=127.5;d1=28.5;d2=25.3;
20	ST41046	1-43150-091-0L;9-43150-134-0L;1-43150-026-0L	ISUZUTD,TP,TMK,I/S,JCR,FTR(LONGTHREAD)FVR	
21	ST41047	1-43150-626-0R	ISUZUSHORTTHREAD	M36*1.5m:24*1.5L1=127.5;d1=28.5;d2=25.3;
22	ST41048	1-43150-627-0L	ISUZUSHORTTHREAD	
23	ST41049	1-43150-113-2R;1-43150-113-1R;1-43150-056-0R;1-43150-367-1R;1-43150-114-2R;9-43150-155-0R;9-43150-159-0R;9-43150-184-0R	ISUZUTR,SBR,SCR,SDR,VBR,FBR,FCR	M20*1.5m:16*1.5; L1=120;d1=20.3;d2=18.1;
24	ST41050	1-43150-114-2L;1-43150-114-1L;1-43150-057-0L;1-43150-368-1L;1-43150-295-1L;9-43150-156-0L;9-43150-160-0L;9-43150-1855-0L	ISUZUTR,SBR,SCR,SDR,VBR,FBR,FCR	
25	ST41051	1-43150-679-2R	ISUZUTR,SBR,SCR,SDR,VBR,FBR,FCR	M20*1.5m:16*1.5; L1=126;d1=21.9;d2=20.1;
26	ST41052	1-43150-680-2L	ISUZUTR,SBR,SCR,SDR,VBR,FBR,FCR	

Samtin King pin kit

(Japanese Truck, American Truck, Russian Truck, Korean Truck)

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
1	ST41001	1-43150-857-0L	ISUZUCXZ,CYZ,CXY,CYY,CYZ51,CXZ51	M58*1.5m:24*1.5L1=220;d1=32;d2=29;
2	ST41002	1-43150-856-0R	ISUZUCXZ,CYZ,CXY,CYY,CYZ51,CXZ51	
3	ST41005	1-43150-630-0R1-43150-349-01-43150-349-11-43150-563-11-43150-630-1	ISUZUCXZ,10PC1	M50*1.5m:24*2.0L1=169.5;d1=32.5;d2=29;
4	ST41006	1-43150-631-0L1-43150-350-01-43150-350-11-43150-564-11-43150-631-1	ISUZUCXZ,10PC1	
5	ST41015	1-43150-790-0R	ISUZU109C1	M50*1.5m:24*1.5L1=172;d1=32;d2=28.8;
6	ST41016	1-43150-791-0L	ISUZU109C1	
7	ST41019	1-43150-801-0R	ISUZU6WA1,6WF1,6WG1,187,10PE1,10PJ1	M56*1.5m:24*2.0L1=171.5;d1=32;d2=29.5;
8	ST41020	1-43150-802-0L	ISUZU6WA1,6WF1,6WG1,187,10PE1,10PJ1	
9	ST41023	1-43150-139-61-43150-439-1	ISUZU10PD1,SRM,I/S,V,S,CV,R,EXR,EXZ,CXG(6*2),FIRSTSTER,CXK,CXM,CXZ,CXH(8*2)/YEAR:83	M50*1.5m:24*2.0L1=169.5;d1=32.5;d2=29;
10	ST41024	1-43150-140-6L;1-43150-440-1L;	ISUZU10PD1,SRM,I/S,V,S,CV,R,EXR,EXZ,CXG(6*2),FIRSTSTER,CXK,CXM,CXZ,CXH(8*2)/YEAR:83	
11	ST41027	1-43150-141-4R;1-43150-141-1R;1-43150-141-2R;1-43150-042-1R;1-43150-042-2R	ISUZUTD,TP,TMK,SP,SL,VP,VL,I/S,SPZ/YEAR:73-83,8TON	M36*1.5m:24*2.0L1=172;d1=32.5;d2=29;
12	ST41028	1-43150-142-4L;1-43150-142-1L;1-43150-142-2L;1-43150-043-1L;1-43150-042-2L	ISUZUTD,TP,TMK,SP,SL,VP,VL,I/S,SPZ/YEAR:73-83,8TON	
13	ST41037	1-43150-901-0R1-43150-9011-43150-856	ISUZUCXZ,CYZ,CXY,CYY,CYZ51,CXZ51	M58*1.5m:24*2.0L1=198;d1=32;d2=29.5;
14	ST41038	1-43150-902-0L1-43150-9021-43150-857	ISUZUCXZ,CYZ,CXY,CYY,CYZ51,CXZ51	
15	ST41039	1-43150-670-1R	ISUZUROCKY195	M36*1.5m:22*1.5L1=122;d1=28;d2=25.5;
16	ST41040	1-43150-671-1L	ISUZUROCKY195	
17	ST41043	1-43150-677-0R	ISUZUFVR	M50*1.5;m:24*1.5; L1=172;d1=28;d2=25.3;
18	ST41044	1-43150-678-0L	ISUZUFVR	
19	ST41045	1-43150-090-0R;9-43150-133-0R;1-43150-025-0R	ISUZUTD,TP,TMK,I/S,JCR,FTR(LONGTHREAD)FVR	M36*1.5m:24*1.5L1=127.5;d1=28.5;d2=25.3;
20	ST41046	1-43150-091-0L;9-43150-134-0L;1-43150-026-0L	ISUZUTD,TP,TMK,I/S,JCR,FTR(LONGTHREAD)FVR	
21	ST41047	1-43150-626-0R	ISUZUSHORTTHREAD	M36*1.5m:24*1.5L1=127.5;d1=28.5;d2=25.3;
22	ST41048	1-43150-627-0L	ISUZUSHORTTHREAD	
23	ST41049	1-43150-113-2R;1-43150-113-1R;1-43150-056-0R;1-43150-367-1R;1-43150-114-2R;9-43150-155-0R;9-43150-159-0R;9-43150-184-0R	ISUZUTR,SBR,SCR,SDR,VBR,FBR,FCR	M20*1.5m:16*1.5; L1=120;d1=20.3;d2=18.1;
24	ST41050	1-43150-114-2L;1-43150-114-1L;1-43150-057-0L;1-43150-368-1L;1-43150-295-1L;9-43150-156-0L;9-43150-160-0L;9-43150-1855-0L	ISUZUTR,SBR,SCR,SDR,VBR,FBR,FCR	
25	ST41051	1-43150-679-2R	ISUZUTR,SBR,SCR,SDR,VBR,FBR,FCR	M20*1.5m:16*1.5; L1=126;d1=21.9;d2=20.1;
26	ST41052	1-43150-680-2L	ISUZUTR,SBR,SCR,SDR,VBR,FBR,FCR	
27	ST41053	8972225090R;264133200113R	ISUZUNQR71,TATA613	M20*1.5m:16*1.5; L1=89;d1=20;d2=18;
28	ST41054	8972225100L;264133200112L	ISUZUNQR71,TATA613	
29	ST41055	JE-5890R	ISUZU6HE1,6BG1T,EH700	M27*1.5m:18*1.5; L1=116;d1=22;d2=20
30	ST41056	JE-5890L	ISUZU6HE1,6BG1T,EH700	
31	ST41057	1-43150-792R	ISUZU	M36*1.5m:24*1.5L1=170d1=32d2=29.5
32	ST41058	1-43150-793L	ISUZU	
33	ST41059	1-43150-351R	ISUZU	M26*1.5m:24*1.5L1=90d1=30.3d2=27 M36*1.5m:24*1.5L1=170d1=32.4d2=28.85
34	ST41060	1-43150-352L	ISUZU	
35	ST41061	8-94103-222-2R	ISUZUROCKY210,240	M36*1.5m:24*1.5L1=170d1=32.4d2=28.85
36	ST41062	8-94103-223-2L	ISUZUROCKY210,240	
37	ST41063	1-43150-435-1R	ISUZUROCKY210,240	M36*1.5m:24*1.5L1=170d1=32.4d2=28.85
38	ST41064	1-43150-436-1L	ISUZUROCKY210,240	
39	ST41065	1-43150-811-0R	ISUZUROCKY240,JUMBO	M50*1.5m:24*1.5L1=172d1=32.4d2=29
40	ST41066	1-43150-811-0L	ISUZUROCKY240,JUMBO	
41	ST41067	8-98054-851-0R	ISUZUDEGA欧V	M58*1.5m:24*2.0L1=198;d1=32;d2=29.45
42	ST41068	8-98054-852-0L	ISUZUDEGA欧V	
43	ST41069	8-98096-753-0R	ISUZU欧VI	M52*1.5m:24*2L1=198d1=32d2=29.45
44	ST41070	8-98096-754-0L	ISUZU欧VI	
45	ST41141	1-43150-630-0R	ISUZUCXZ10PC1	M50*1.5m:24*2L1=169.5d1=32d2=29.45
46	ST41142	1-43150-631-0L	ISUZUCXZ10PC1	
47	ST41143	1-43150-200-0R	ISUZUSKW	M30*1.5m:16*1.5L1=107d1=22.5d2=19.7
48	ST41144	1-43150-201-0L	ISUZUSKW	

Samtin King pin kit

(Japanese Truck, American Truck, Russian Truck, Korean Truck)

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
49	ST41145	1-43150-468R	ISUZU	M20*1.5m16*1.5L1=121d1=20d2=18
50	ST41146	1-43150-469L	ISUZU	
51	ST41147	1-43150-435-1R	ISUZU	
52	ST41148	1-43150-436-1L	ISUZU	M36*1.5m24*2L1=171d1=32.4d2=29
53	ST41007	45420-1600R;45420-1611R; 45420-1690R;45420-1550R	HINOFD,FF,FT,GD,FS271,KD,KG,SD,EK100,EF750	M44*2m20*1.5L1=205d1=28d2=25.5
54	ST41008	45430-1600L;45420-1611L; 45420-1690L;45420-1550L	HINOFD,FF,FT,GD,FS271,KD,KG,SD,EK100,EF750	
55	ST41009	45430-1750R;45420-2180R	HINOAK3H,GH3H,FF3H,LSH	M44*2m20*1.5L1=204d1=28d2=25.3
56	ST41010	45430-1740L;45420-2250L	HINOAK3H,GH3H,FF3H,LSH	
57	ST41011	45420-2660R;45420-2760	HINO(LM-L)	M44*2m20*1.5L1=234.5d1=28d2=25.3
58	ST41012	45420-2661L;45430-2760	HINO(LM-L)	
59	ST41109	45420-2740R	HINO700,E13C,E13CT	M44*2m20*1.5L1=244.5d1=28d2=25.3
60	ST41110	45430-2740L	HINO700,E13C,E13CT	
61	ST41111	45420-2800R	HINO500,HINO700,P11C	M52*2m24*1.5L1=214d1=30d2=27.2
62	ST41112	45430-2800L	HINO500,HINO700,P11C	
63	ST41113	45420-1250R	HINOLB	M44*2m18*1.5K1=182d1=24.3d2=21.4
64	ST41114	45420-1230L	HINOLB	
65	ST41115	45420-1600BR	HINOZM500,FS270(OLD)	M44*2m20*1.5L1=205d1=28.3d2=25.4
66	ST41116	45430-1600BL	HINOZM500,FS270(OLD)	
67	ST41117	45420-1590R	HINOFM2P	M27*1.5m18*1.5L1=113d1=22d2=19.5
68	ST41118	45430-1590L	HINOFM2P	
69	ST41119	45420-2391R	HINOAK1J,RM2K	M40*2.0m20*1.5L1=165d1=28d2=25.3
70	ST41120	45430-2391L	HINOAK1J,RM2K	
71	ST41121	45420-1110R	HINO2Y	M44*2m24*1.5L1=190d1=32d2=29.2
72	ST41122	45430-1100L	HINO2Y	
73	ST41123	45420-1020R	HINO	M44*2m20*1.5L1=191.5d1=30d2=25.5
74	ST41124	45430-1020L	HINO	
75	ST41125	44520-1580R	HINO	M60*2m20*1.5L1=259d1=28d2=25.3
76	ST41126	44520-1590L	HINO	
77	ST41127	45420-1710R;45046-39426R	HINOFC-FC2W	M32*1.5m18*1.5L1=128.5d1=22d2=19.5
78	ST41128	45430-1710L;45047-29266L	HINOFC-FC2W	
79	ST41129	45420-2630R	HINO	M40*1.5m24*2L1=166d1=28d2=26
80	ST41130	45430-2640L	HINO	
81	ST41131	45046-39485R	HINO	M25*1.5m18*1.5L1=125d1=22.1d2=19.4
82	ST41132	45047-39285L	HINO	
83	ST41133	10314R	HINO	M22*1.5m16*1.5L1=87d1=20.2d2=18.2
84	ST41134	10314L	HINO	
85	ST41141	42420-1880R	HINO	M22*1.5m20*1.5L1=78.5d1=28d2=26
86	ST41142	083-01013R	HINOJC-11BUS	M58*1.5m20*1.5L1=198d1=28.1d2=25.5
87	ST41143	083-01014L	HINOJC-11BUS	
88	ST41144	05046-39426	HINODYNA	M22*1.5m18*1.5L1=132.5d1=22d2=19.4
89	ST41145	05047-39266	HINODYNA	
90	ST41013	MC-891783R	MITSUBISHIFV415,FP	M42*1.5m24*1.5L1=174.5d1=30d2=27.5
91	ST41014	MC-891782L	MITSUBISHIFV415,FP	
92	ST41003	MC-806270R;MK-309050R	MITSUBISHIFM-516,FUSO,FV418,FV313	M48*1.5m18*1.5L1=179d1=24.5d2=22.5
93	ST41004	MC-806271L;MK-309051L	MITSUBISHIFM-516,FUSO,FV418,FV313	
94	ST41017	MC-891872L;MC-891861L;MK-448261L	MITSUBISHIFR515,FV517,6D24	M42*1.5m14*1.5L1=219d1=30d2=27.5
95	ST41018	MC-891873R;MC-891862R;MK-448262R	MITSUBISHIFR515,FV517,6D24	
96	ST41073	MC-891871R	MITSUBISHIFV505	M52*1.5m24*1.5L1=170d1=28d2=25.3
97	ST41074	MC-891870L	MITSUBISHIFV505	
98	ST41077	MC-8374091R	MITSUBISHIFV415	M42*1.5m24*1.5L1=172d1=30.2d2=27.7
99	ST41078	MC-8374090L	MITSUBISHIFV415	
100	ST41079	MC-891874R	MITSUBISHIFUSO350,6D24	M45*1.5m24*1.5L1=244.5d1=30d2=27.3
101	ST41080	MC891875L	MITSUBISHIFUSO350,6D24	

Samtin King pin kit

(Japanese Truck, American Truck, Russian Truck, Korean Truck)

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
102	ST41081	MC-813171R	MITSUBISHIFV419,8DC11	M39*1.5m24*1.5L1=160d1=30d2=27.2
103	ST41082	MC-813170L	MITSUBISHIFV419,8DC11	
104	ST41075	MC-805526R	MITSUBISHIFV416	M39*1.5m20*1.5L1=160d1=26.6d2=23.5
105	ST41076	MC-805527L	MITSUBISHIFV416	
106	ST41083	NW-033300R	MITSUBISHICANTER	M22*1.5m14*1.5L1=106d1=21.1d2=18.5
107	ST41084	NW-033001L	MITSUBISHICANTER	
108	ST41085	MC-891785R;MK-488262R	MITSUBISHIFP,FV515,6D24/YEAR:96	M42*1.5m24*1.5L1=219d1=30.2d2=27.7
109	ST41086	MC-891784L;MK-488261L	MITSUBISHIFP,FV515,6D24/YEAR:96	
110	ST41087	MC-806279R;MC-812879R	MITSUBISHIFP418,T620,T622,T650,T850,FV413/FUSO320	M42*1.5m20*1.5L1=172d1=25.7d2=23
111	ST41088	MC-806280L;MC-812880L	MITSUBISHIFP418,T620,T622,T650,T850,FV413/FUSO320	
112	ST41089	MC-881270R;MC-881272R	MITSUBISHIT620,T622,T650,6D15/FUSO#320	M42*1.5m20*1.5L1=172d1=26.5d2=23
113	ST41090	MC-881271L;MC-881273L	MITSUBISHIT620,T622,T650,6D15/FUSO#320	
114	ST41091	MC-810259R;13501-13600R; 13501-13100R;11011-22300R	MITSUBISHIFK115,FK116,FK215,FK216,FM215	M22*1.5m18*1.5L1=156L1=152d1=25d2=22.5
115	ST41092	MC-810258L;13501-13500L; 13501-13000L;11011-22400L	MITSUBISHIFK115,FK116,FK215,FK216,FM215	
116	ST41093	MR420082R	MITSUBISHIFUSO,FK215	M33*1.5m18*1.5L1=149d1=24.6d2=22.6
117	ST41094	MR420083L	MITSUBISHIFUSO,FK215	
118	ST41095	MC832322R	MITSUBISHI6D14,6D15	M22*1.5m16*1.5L1=102d1=21.8d2=20
119	ST41096	MC832323L	MITSUBISHI6D14,6D15	
120	ST41097	MC8374090R	MITSUBISHI	M26*1.5m24*1.5L1=90d1=30.3d2=27
121	ST41098	MC8374091L	MITSUBISHI	
122	ST41099	MC117897R	MITSUBISHI	M27*1.5m18*1.5L1=116d1=22.1d2=19.9
123	ST41100	MC118044L	MITSUBISHI	
124	ST41101	MC810258R	MITSUBISHI	M22*1.5m16*1.5L1=98d1=22d2=20.2
125	ST41102	MC810259L	MITSUBISHI	
126	ST41103	MK309711R	MITSUBISHISE-7893,CANTERFe657	M22*1.5m14*1.5L1=145d1=20.9d2=18.5
127	ST41104	MK309712L	MITSUBISHISE-7893,CANTERFe657	
128	ST41105	MK997628R	MITSUBISHI	M22*1.5m14*1.5L1=145d1=21d2=18.8
129	ST41106	MK997629L	MITSUBISHI	
130	ST41107	MK033300LR	MITSUBISHISE-7221,CANTERFe444(T210,220)	M20*1.5m14*1.5L1=92d1=19.1d2=17
131	ST41108	MK033301RL	MITSUBISHISE-7221,CANTERFe444(T210,220)	
132	ST41146	MK363168R	MITSUBISHI	M20*1.5m14*1.5L1=101.5d1=20d2=17.84
133	ST41147	MC320345	MITSUBISHI	M20*1.5m14*1.5L1=101.5d1=19d2=16.8
134	ST41148	MR997508R	MITSUBISHI	M20*1.5m14*1.5L1=130d1=21d2=18.5
135	ST41149	MR997509L	MITSUBISHI	
136	ST41150	MK997628R	MITSUBISHI	M22*1.5m14*1.5L1=126d1=24d2=18.6
137	ST41151	MK997629L	MITSUBISHI	
138	ST41025	48570-90212R	NISSANN/S,CPB15,CW53	M44*1.5m24*1.5L1=193d1=30d2=27.5
139	ST41026	48571-90212L	NISSANN/S,CPB15,CW53	
140	ST41029	48570-90065R;48570-90028R	NISSANCW51CD50.CD51.CW50.CW51.PD.RD.N/ SCK11CMF88	M44*1.5m24*1.5L1=146d1=30d2=27
141	ST41030	48571-90065L;48571-90028L	NISSANCW51CD50.CD51.CW50.CW51.PD.RD.N/ SCK11CMF88	
142	ST41031	48570-90075R	NISSANCW45,CW52,RE8,N/S,CPB12	M44*1.5m24*1.5L1=186.5d1=30.5d2=27.3
143	ST41032	48571-90076L	NISSANCW45,CW52,RE8,N/S,CPB12	
144	ST41033	48570-90218R	NISSANCW520,N/SCW46,CW54,RF8	M56*1.5m24*1.5L1=218d1=30d2=27.2
145	ST41034	48571-90218L	NISSANCW520,N/SCW46,CW54,RF8	
146	ST41035	48570-00Z05R	NISSANCW450	M49*1.5m24*1.5L1=218d1=30.7d2=27.3
147	ST41036	48571-00Z05L	NISSANCW450	
148	ST41135	48570-90214R	NISSANRG	M44*1.5m24*1.5L1=156.5d1=30d2=27
149	ST41136	48571-90205L	NISSANRG	



Samtin King pin kit

(Japanese Truck, American Truck, Russian Truck, Korean Truck)

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
150	ST41137	48570-00Z06R	NISSAN	M44*1.5m24*1.5L1=157d1=30.5d2=27.3
151	ST41138	48571-00Z06L	NISSAN	
152	ST41139	48570-00Z79R	NISSANCW487	M56*1.5m24*1.5L1=172d1=30.8d2=27.25
153	ST41140	48571-00Z79L	NISSANCW487	
154	ST41152	48570-Z5007R48570-Z5004	NISSANCMB89	M33*1.5m18*1.5L1=105d1=22.2d2=19.6
155	ST41153	48571-Z5007L48570-Z5004	NISSANCMB89	
156	ST41154	48570-0T810R	NISSANYU41	M24*1.5m14*1.5L1=119d1=20.7d2=16.8
157	ST41155	48570-0T810L	NISSANYU41	
158	ST41156	48570-Z5002R	NISSANCMF88	M31*1.5m18*1.5L1=218d1=30.7d2=27.3
159	ST41157	48571-Z5002L	NISSANCMF88	
160	ST41158	48570-90074R	NISSAN	M44*1.5m24*1.5L1=196d1=30.5d2=27.3
161	ST41159	48571-90074L	NISSAN	
162	ST41160	48570-C0400R	NISSAN	M25*1.5m18*1.5L1=127d1=22.9d2=19.3
163	ST41161	48571-C0400L	NISSAN	
164	ST41162	48570-90067R	NISSAN	M44*4.5m24*1.5L1=194d1=30d2=27
165	ST41163	48571-90067L	NISSAN	

Samtin King pin kit

Mercedes Benz Tie Rod End

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
 M= Thread metrie m= thread metrie pin d1=Taper diameter. Max size d2= Taper diameter. Min size L1= Center to end of shaft 				
1	ST45001	0004602948R;0004602848R; 0014600248R;0004600348R;0014600848R;0 014601248R;0004608948R; 0014600948R;0014602248R	LK:1517/L-1520/L MK:1417/K-1420/L/ LS-1422F/L/L/S/ S-1427F-1717/1824K/L 1720L/S-1722/K/L S-1727-1732-1726K/L NG:1414/K-1417C/ CK-1419C/CL/L 1420L/S-1422F/L/L/S/ S-1425L/S-S-1614K... L/S -1625-1626-1623K/L/L/S/S-1628A/L... SK:1729/1735L/L/S/K/S-1748L/L/S/S 1831/1838K/L/L/S/S-1834L-1834L/S/S 1840L/S-1844L/L/S/S-1850/1853/L/L/S/S...	L=124;M30*1.5;m24*1.5 d1=30d2=27
2	ST45002	0004603448L;0004603548L;0014600348L; 0004600648L;0014601448L;0014603748L; 0004603548L;0014601448L;0014602348L		
3	ST45003	0013308835R;0003300148R; 0014604148R;3023300035R; 3023300135R;3023300235R; 3023300135R;3023300335R	LK:814F-817F/ LO-914/917K/KO1114/1117 1124F-1217KO-1314K/KO1317K/KO/L/L/S/S/1320/ MK:1222F/S-1224F-1417K-1420L/L/L/S 1422F/L/L/S/S-1426L/S/S-1722/1726/1831/L... NG:1013KO-1017F/K/KO/L/S/S-1213/KS... SK:1729/1735...	L=118;M30*1.5;m20*1.5 d1=26d2=23.5
4	ST45004	0013300235L;0014603448L;0013300135L; 0004633529L;0004633429L;0004698348L; 0003383410L;0003307335L;0003305835L; 0003302335L;0003300248L		
5	ST45005	0013302135R;0013302635R;0003304035R; 0003307735R;0003302835R	1613KO-1617S-1626S/ LS-1632S/LS 1719S-1919S-1926S/ LS-1932S/LS 2026S(6X2)(6X4)-2032S(6X2)(6X4) 2226/L/S(6X2)-2226(6X4)-2232S(6X4) 2232/L(6X2)- 2232/L(6X2)-2232L(6X4)LPS 2232(6X4)-LPL2232(6X2)- 2626K/S(6X4)2628/K(6X4)-2632S(6X4)-3328K	L=152;M35*1.5;m20*1.5 d1=26d2=23.5
6	ST45006	0013302235L;0013302735L;0003304135L; 0003307835L;0003302935L		
7	ST45007	0003309735R;0003309935R; 0003301235R;0003307535R; 0003383429R;0003383529R	T2: 507D/DK-508D-510-609D/DK 611D-709D/DK-711D-714D-809D/DK 811D/DT/DK-814D	L=103;M24*1.5;m18*1.5 d1=22.5d2=20
8	ST45008	0003309935L;0003301335L		



Samtin King pin kit

Mercedes Benz Tie Rod End

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
9	ST45009	0004606848R;0004605748R; 0004606048R;0004607048R;0014601148R	ACTROS: 18.30-18.31-18.50 32.35-32.38-33.28BK-33.29 35.BK-35.35AK-35.35BK 35.36-35.38-35.44-35.50 38.50A-40.44	L=145;M30*1.5;m24*1.5 d1=30;d2=27
10	ST45010	0004606948L;0004605848L;0004606148L; 0004607148L;0014601248L		
11	ST45011	0003301435R;0003309335R; 0003307135R;0003309535R	L/LF/LKO/LS:911B-L1813(6X2/4) LP/LPK/LPS:811 LK:609D- 709D/K-711D-809D/K.. NG:1013K/KO/S-1017F/K/KO/LS/S.. T2:809/811D/DK/DT-814D/DA	L=106.5;M28*1.5;m18*1.5 d1=22.4;d2=20
12	ST45012	0003301535L;0003309435L; 0003307235L;0003309635L		
13	ST45013	0003308535R;0003300335R; 0003300635R;0003302410R;0004633229R	608-709-709K-711-808-809-811-813 911b-913-914-917- 1013-1114-1117 1120 Unimog U	L=99;M24*1.5;m16*1.5 d1=20;d2=18
14	ST45014	0003308635L;0003300235L; 0003300735L;0003308835L		
15	ST45015	0013300335R	LK/LN2:709/K-711-809/K-811K-814/F/K/LO/O/S-817/F/K/LO/LS 914/L/KO-917/L-1217/KO-1317/LS LP LP:608-908-809-811- 813-913 LP LPK:608-709-811-813-913 NG:1013/1213/1219/1424/F/K/L/LS/S	L=113;M30*1.5;m18*1.5 d1=22.5;d2=20
16	ST45016			
17	ST45017	ACHF241R		L=127;M30*1.5;m20*1.5 d1=26.6;d2=22.7
18	ST45018	ACHF242L		
19	ST45019	0004606848R;0004605748R; 0004606048R;0004607048R;0014601148R	ACTROS	L=124;M30*1.5;m27*1.5 d1=32;d2=29
20	ST45020	0004606948L;0004605848L; 0004606148L;0004607148L;0014601348L		
21	ST45021	0003302635R	OM309	L=160;M24*1.5;m14*1.5 d1=18.4;d2=16.2
22	ST45022	0003302735L		
23	ST45023	0003301435R	NEWOM352	L=103;M28*1.5;m18*1.5 d1=22.4;d2=20
24	ST45024	0003301535L		
25	ST45025	0003301135R	OLDOM352	L=104;M24*1.5;m18*1.5 d1=22.4;d2=20
26	ST45026	0003301235L		
27	ST45027	0092689289R	OM-402	L=90;M26*1.5;m24*1.5 d1=30.3;d2=27
28	ST45028	4022689289L		
29	ST45029	0013308535R		L=90;M26*1.5;m24*1.5 d1=30.3;d2=27
30	ST45030	0013308635L		
31	ST45031	0003304035R		L=167;M42*1.5;m30*1.5 d1=38;d2=34.3
32	ST45032	0003304135L		



Samtin King pin kit

VOLVO Tie Rod End

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
 M= Thread metrie m= thread metrie pin d1=Taper diameter. Max size d2= Taper diameter. Min size L1= Center to end of shaft 				
1	ST45201	1698846R;1505759R;1507823R; 1698532R;3092472R;6884002R; 366758R;6889479R;3090727R;3110002R	F7,F10,F12,F16,FE6,FE7,FL4,FL7,FL10,FL12,FS7, FH,FH12,FH16,FH565,FM,FM7,FM9,FM10,FM12, FS7,N10,N12,NH565,NL10,NL12, B6:BLE,B7:R/LE/L/LDD,B9:R/S/TL,B10:B/LE/L,B12:B/M, BUS:7350,7550,8300,8700,9300,9400, MARCOPOLOVIAGGIO1050	L=124;M30*1.5; m20*1.5d1=29.3;d2=24
2	ST45202	1698847L;1505758L;1507822L; 1698533L;3092471L;6884001L; 366757L;6889478L;3090728L;3110001L		
3	ST45203	1695776R;1507826R;1695585R; 1698557R;0356310R;6882111R; 85114146R;6889480R;6889482R	F12,FL7,FL10,FL12,B10:B/LE/M,B12,F10,F16,NL10,B9:SB10:B/M/BL E,B12:B/M	L=124;M30*1.5;m24*1.5 d1=31.7;d2=27.3
4	ST45204	1698840L;1131744L;1698558L; 6869744L;6882112L;1313744L; 85114147L;3092795L;6889481L		
5	ST45205	1357674R	114,124	L=131;M30*1.5;m24*1.5 d1=30;d2=27
6	ST45206	1357673L		
7	ST45207	1699401R;1131742R;1696901R;6889484R	F10F-F12F-FH16FHFL7FL-FL10FLN7N-N10N	L=170.5;M52*1.5;m20*1.5 d1=29;d2=24
8	ST45208	1699400L;1131741L;1696900L;6889483L		
9	ST45209	1668179R	FH12-16	L=180;M30*1.5;m20*1.5 d1=36.7;d2=23.75
10	ST45210			



Samtin King pin kit

SCANIA Tie Rod End

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
 M= Thread metrie m= thread metrie pin d1=Taper diameter. Max size d2= Taper diameter. Min size L1= Center to end of shaft 				
1	ST45101	283784R;395010R;	GP82M-GP82LB/LBS86-G/P/R93	L=124;M30*1.5;m24*1.5 d1=30d2=27
2	ST45102	283783L;395009L;468286R;1358793R		
3	ST45103	310980R;0310980R;468285L;1358792L	G93ML-93H/M113E/H/M142-143E/H/M	L=170.5;M52*1.5;m24*1.5 d1=30d2=27.3
4	ST45104	310979L;0310979L		
5	ST45105	325614R;1375228R;1912759R	3SERIES,4SERIES,P-G-R-TSERIES	L=95;M26*1.5;m24*1.5 d1=30d2=27
6	ST45106			
7	ST45107	1527234R;382745R;1668638R	F7,F10,F12,F16,FL6,FL7,FL10,FL12	L=90;M28*1.5;m12*1.5 d1=16;d2=14.5
8	ST45108			
9	ST45109	3092472R		L=118;M30*1.5;m20*1.5 d1=29;d2=24
10	ST45110	3092471L		



Samtin King pin kit

DAF Tie Rod End

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
 M= Thread metrie m= thread metrie pin d1=Taper diameter. Max size d2= Taper diameter. Min size L1= Center to end of shaft 				
1	ST45301	PX1458R	682N2/N3/N4 682T2/T3/T4	L=153;M17/16-12";m22*1.5 d1=29;d2=25.3
2	ST45302	PX1459L		
3	ST45303	67389R	F75/85/95 95XF	L=132;M48*1.5;m24*1.5 d1=30.3;d2=27
4	ST45304	67303L		
5	ST45305	67389R		L=132;M48*1.5;m24*1.5 d1=30.3;d2=27
6	ST45306	67606L		



Samtin King pin kit

FIAT Tie Rod End

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
 M= Thread metrie m= thread metrie pin d1=Taper diameter. Max size d2= Taper diameter. Min size L1= Center to end of shaft 				
1	ST45401	4510017R;	180NC/NT/NTS682N2/N3/N4682T2/T3/T4 690N1/N2/N3/N4691N/TS	L=174;M45*1.5;m22*1.5 d1=31.8;d2=27.6
2	ST45402	4510018L;4664349R		
3	ST45403	4025438R 4664347L	682N2/N3/N4;682T2/T3/T4	L=138.5;M30*1.5;m22*1.5 d1=25.7;d2=23.3
4	ST45404			
5	ST45405	4580782R	682N2/N3/N4;682T2/T3/T4	L=131.5;M38*1.5;m22*1.5 d1=25.9;d2=23.5
6	ST45406			

Samtin King pin kit

RENAULT Tie Rod End

No.	No.SAMTIN	OEM	SuitableCarModel 适用车型	Dimension 规格尺寸
 M= Thread metrie m= thread metrie pin d1=Taper diameter. Max size d2= Taper diameter. Min size L1= Center to end of shaft 				
1	ST45501	0287074R;5000803464R	GAMMA:C-G-R	L=141.5;M38*1.5;m20*1.5 d1=26.5;d2=23.5
2	ST45502	0297074L;5000803465L		
3	ST45503	0186599R;0003401207R; 5001831481R;5001832580R		L=122;M38*1.5;m24*1.5 d1=30.3;d2=27
4	ST45504	0196599L;0003401206L;5001832579L		
5	ST45505	0287350R;5000803460R		L=168;M52*1.5;m24*1.5 d1=30.3;d2=27
6	ST45506	0297350L;5000803459L		

SAMTIN Chinese Truck BUSHING

No.	No.SAMTIN	SuitableCarModel 适用车型	description 产品名称	dimension 尺寸
				ODxDxW(mm) 外径x内径x宽度
1	ST50001	NJ-131	钢板衬套springpinbushing	φ30*ε25*67
2	ST50002	134	钢板衬套springpinbushing	φ32*ε25*67
3	ST50003	EQ-153	钢板衬套 (前) springpinbushing (front)	φ36*ε30*88
4	ST50004	EQ-153	钢板衬套 (后) springpinbushing (rear)	φ42*ε35*88
5	ST50005	EQ-1061	钢板衬套 (前) springpinbushing (front)	φ30*ε25*74
6	ST50006	EQ-1061	钢板衬套 (后) springpinbushing (rear)	φ35*ε30*74
7	ST50007	151货车	钢板衬套 (前) springpinbushing (front)	φ31*ε25*74
8	ST50008	CA141	钢板衬套 (后) springpinbushing (rear)	φ37*ε30*74
9	ST50009	CA151	钢板衬套 (后) springpinbushing (rear)	φ37*ε30*88
10	ST50010	EQ-140T/144货车	钢板衬套 (前) springpinbushing (front)	φ35*ε30*88
11	ST50011	140T货车	钢板衬套 (后) springpinbushing (rear)	φ40*ε35*88
12	ST50012	140T	钢板衬套 (后) springpinbushing (rear)	φ40*ε35*100
13	ST50013	1491/斯太尔steyr	钢板衬套 (前) springpinbushing (front)	φ40*ε30*88
14	ST50014	1491/斯太尔steyr	钢板衬套 (后) springpinbushing (rear)	φ40*ε30*98
15	ST50015	EQ-140	钢板衬套 (前) springpinbushing (front)	φ35*ε30*74
16	ST50016	EQ-140	钢板衬套 (后) springpinbushing (rear)	φ40*ε35*74
17	ST50017	红岩HONGYAN	钢板衬套 (前) springpinbushing (front)	φ30*ε25*88
18	ST50018	红岩HONGYAN	钢板衬套 (后) springpinbushing (rear)	φ38*ε32*98
19	ST50019	九平柴NINEPINGCHAI	钢板衬套 (后) springpinbushing (rear)	φ43*ε35*98
20	ST50020	CA-151客车CA-151passengercar	钢板衬套 (前) springpinbushing (front)	φ38*ε30*88
21	ST50021	CA-151客车CA-151passengercar	钢板衬套 (后) springpinbushing (rear)	φ48*ε40*97
22	ST50022	153柳托王153LIUTUOKING	钢板衬套 (后加长) springpinbushing (rearLM-L)	φ42*ε35*98
23	ST50023	进口车型	钢板衬套springpinbushing	φ38*ε30*88
24	ST50024	进口车型	钢板衬套springpinbushing	φ38*ε30*98
25	ST50025	1049	钢板衬套 (前) springpinbushing (front)	φ34*ε28*68
26	ST50026	1049	钢板衬套 (后) springpinbushing (rear)	φ35*ε28*68
27	ST50027	进口车型	钢板衬套springpinbushing	φ46*ε40*98
28	ST50028	春兰CHUNLAN	钢板衬套springpinbushing	φ36*ε30*78
29	ST50029	T850	钢板衬套 (前) springpinbushing (front)	φ38*ε32*78
30	ST50030	T850	钢板衬套 (后) springpinbushing (rear)	φ38*ε32*88

SAMTIN Chinese Truck BUSHING

No.	No.SAMTIN	SuitableCarModel 适用车型	description 产品名称	dimension 尺寸
				ODxDxW(mm) 外径x内径x宽度
31	ST50031	金龙KINGLONG	钢板衬套 (前) springpinbushing (front)	φ35*φ30*74
32	ST50032	金龙KINGLONG	钢板衬套 (后) springpinbushing (rear)	φ42*φ35*74
33	ST50033	卡玛斯KAMAZ	钢板衬套springpinbushing	φ45*φ38*97
34	ST50034	奔驰Mercedes-Benz	钢板衬套springpinbushing	φ30*φ25*78
35	ST50035	柳托王LIUTUOKING	钢板衬套springpinbushing	φ42*φ35*100
36	ST50036	杭汽HTC	钢板衬套 (后) springpinbushing (rear)	φ40*φ35*100
37	ST50037	151	钢板衬套springpinbushing	φ48*φ40*98
38	ST50038	紫罗兰VIOLET/ZILUOLAN	钢板衬套springpinbushing	φ46*φ40*98
39	ST50039	CA-141	钢板衬套 (前) springpinbushing (front)	φ31*φ25*74
40	ST50040	CA-141	钢板衬套 (后) springpinbushing (rear)	φ37*φ30*74
41	ST50041	140T客车140Tpassengercar	钢板衬套springpinbushing	φ40*φ35*98
42	ST50042	五十铃ISUZU	钢板衬套springpinbushing	φ34*φ28*66
43	ST50043	CA-1048	钢板衬套springpinbushing	φ34*φ28*68

SAMTIN Japanese Truck BUSHING

No.	No.SAMTIN	description	Dimension
1	ST51001	Springpinbushing	30*25*68
2	ST51002	Springpinbushing	30*25*80
3	ST51003	Springpinbushing	30*25*88
4	ST51004	Springpinbushing	31*25*68
5	ST51005	Springpinbushing	31*25*78
6	ST51006	Springpinbushing	32*25*70
7	ST51007	Springpinbushing	34*28*68
8	ST51008	Springpinbushing	34*28*78
9	ST51009	Springpinbushing	34*28*88
10	ST51010	Springpinbushing	35*25*78
11	ST51011	Springpinbushing	35*28*70
12	ST51012	Springpinbushing	35*28*80
13	ST51013	Springpinbushing	35*30*78
14	ST51014	Springpinbushing	36*28*68(70)
15	ST51015	Springpinbushing	36*28*78
16	ST51016	Springpinbushing	36*30*68
17	ST51017	Springpinbushing	36*30*88
18	ST51018	Springpinbushing	36*30*98
19	ST51019	Springpinbushing	38*30*78
20	ST51020	Springpinbushing	38*30*88
21	ST51021	Springpinbushing	38*30*98
22	ST51022	Springpinbushing	38*32*78
23	ST51023	Springpinbushing	38*32*88
24	ST51024	Springpinbushing	38*32*98
25	ST51025	Springpinbushing	40*30*88
26	ST51026	Springpinbushing	40*30*98
27	ST51027	Springpinbushing	40*32*100
28	ST51028	Springpinbushing	42*32*78
29	ST51029	Springpinbushing	42*32*88
30	ST51030	Springpinbushing	42*32*98
31	ST51031	Springpinbushing	42*35*88
32	ST51032	Springpinbushing	42*35*98
33	ST51033	Springpinbushing	42*30*88
34	ST51034	Springpinbushing	44*32*88
35	ST51035	Springpinbushing	44*35*98
36	ST51036	Springpinbushing	46*38*88
37	ST51037	Springpinbushing	50*38*88
38	ST51038	kingpinbushing	56*50*55(Mitsubishi)
39	ST51039	kingpinbushing	56*50*65(Mitsubishi)
40	ST51040	kingpinbushing	52*47*55(Nissan)
41	ST51041	kingpinbushing	52*47*65(Nissan)
42	ST51042	kingpinbushing	48*40*42
43	ST51043	kingpinbushing	58*49.5*52
44	ST51044	kingpinbushing	58*50*52

SAMTIN Japanese Truck BUSHING

No.	No.SAMTIN	description	Dimension
45	ST51045	kingpinbushing	58*51*52
46	ST51046	balanceshaftbushing	110*100*90
47	ST51047	balanceshaftbushing	125*115*78
48	ST51048	balanceshaftbushing	135*125*83
49	ST51049	balanceshaftbushing	90*80*67

SAMTIN Auto Torque Rod Bushing

No.	No.SAMTIN	SuitableCarModel 适用车型		Dimension规格尺寸	UnitNetWeight 单个净重 (KG)	UnitGrossWeight 单个毛重 (KG)	Packingquantity 包装
		InEnglish	InChinese	O.D*height*centredistance*pitch-row 外径*高度*中心距离*孔距 (mm)			(pcs/box)
1	ST70001	Styernaturalrubber	STR天然橡胶芯	φ80*53*152*φ21			12
2	ST70002	DONGFENGBALON105(naturalrubber)	东风霸龙105 (天然胶)	φ105*52*152*φ21			6
3	ST70003	DONGFENGDALISHEN95(naturalrubber)	东风大力神95 (天然胶)	φ95*69*152*φ21			6
4	ST70004	DONGFENGKINLAND85	东风天龙85	φ85*54*152*φ21			12
5	ST70005	AOWEI75(naturalrubber)	奥威75 (天然胶)	φ75*53*130*φ25			12
6	ST70006	AOWEI85(naturalrubber)	奥威85 (天然胶)	φ85*54*130*φ25			12
7	ST70007	AOWEI95*130(naturalrubber)	奥威95*130 (天然胶)	φ95*57*130*φ25			6
8	ST70008	AOWEI95*152(naturalrubber)	奥威95*152 (天然胶)	φ95*75*152*φ25			6
9	ST70009	AOWEI100(naturalrubber)	奥威100 (天然胶)	φ100*75*152*φ25			6
10	ST70010	AOWEI108(naturalrubber)	奥威108 (天然胶)	φ108*82*152*φ25			6
11	ST70011	AOWEI110(naturalrubber)	奥威110 (天然胶)	φ110*78*152*φ25			6
12	ST70012	AOWEI95EIGHTHOLES(naturalrubber)	奥威95八孔 (天然胶)	φ95*57*118*φ19			8
13	ST70013	AOWEI108EIGHTHOLES(naturalrubber)	奥威108八孔 (天然胶)	φ108*82*178*φ21			6
14	ST70014	AOWEI110EIGHTHOLES(naturalrubber)	奥威110八孔 (天然胶)	φ110*78*178*φ18			6
15	ST70015	HOWO85*54	豪沃85*54胶芯	φ85*54*130*φ25			12
16	ST70016	HOWO85*57	豪沃85*57胶芯	φ85*57*152*φ21			12
17	ST70017	HOWO85*77	豪沃85*77胶芯	φ85*77*152*φ21			12
18	ST70018	HOWO85*73	豪沃85*73胶芯	φ85*73*152*φ21			12
19	ST70019	09TYPEactivity(knucklebearing) naturalrubber	09款活动胶芯 (关节轴承) 天然胶	φ90*57*130*φ25			8
20	ST70020	AUMAN80naturalrubber	欧曼80天然橡胶芯	φ80*53*110*φ19			12
21	ST70021	Mercedes-Benz95naturalrubber	奔驰95天然橡胶芯	φ95*57*152*φ21			6
22	ST70022			108*69*152*25			
23	ST70023	Mercedes-Benz108naturalrubber	奔驰108天然橡胶芯	φ108*69*152*φ21			6
24	ST70024	Mercedes-Benz100naturalrubber	奔驰100天然橡胶芯	φ100*75*152*φ21			6
25	ST70025	NEWDaweiφ90*64*152*25	新大威φ90*64*152*25	φ90*64*152*25			12
26	ST70026	DERON3000	德龙3000胶芯	φ100*70*152*φ19			6
27	ST70027	LIUQIBALON88*53	柳汽霸龙88*53胶芯	φ88*53*110*φ19			12
28	ST70028	LIUQIBALON90*64	柳汽霸龙90*64胶芯	φ90*64*152*21			6
29	ST70029	DONGFENG153	东风153胶芯	105*110*19			6
30	ST70030	AOWEI95*57*144*19	奥威95*57*144*19				
31	ST70031	85*57*130*25	85*57*130*25				
32	ST70032	85*57*144*17	85*57*144*17				

SAMTIN Universal joint

No.	No.SAMTIN	Suitable Car Type	
		In Chinese	In English
1	ST80001	6700万向节(33×93)	6700(33×93)
2	ST80002	130万向节铁圈(32×93)	BJ-130C(32×93)
3	ST80003	五十铃万向节内卡(29×50×77)	JIANGXIISUZU(29×50×77)
4	ST80004	141万向节 (39×118)	CA141 (39×118)
5	ST80005	140-3万向节 (41×118)	EQ-140-3 (41×118)
6	ST80006	G5-7126(49.2×148.4)	G5-7126 (49.2×148.4)
7	ST80007	212万向节(30×88)	BJ-212(30×88)
8	ST80008	五十铃万向节外卡(29×76)	SY1049ISUZU(29×76)

SAMTIN Universal joint

No.	No.SAMTIN	Suitable Car Type	
		In Chinese	In English
9	ST80009	130万向节(32×93)	BJ-130(32×93)
10	ST80010	131万向节(35×98)	NJ-131/130/136YUEJIN(35×98)
11	ST80011	6700万向节油咀(33×93)	6700fivepcsoilmouth(33×93)
12	ST80012	1060万向节(36×104)	EQ-1060/1061/T620DONGFENG(36×104)
13	ST80013	140万向节(39×118)	EQ140(39×118)
14	ST80014	W50万向节(45×126)	W50INFLOADER(45×126)
15	ST80015	153万向节(47×140)	EQ-153DONGFENG(47×140)
16	ST80016	153万向节加强型(47×140)	EQ-153KINGSIZE(47×140)
17	ST80017	6D142万向节(47×140)	EQ-6D142DONGFENG(47×140)
18	ST80018	1160K2万向节(48×127)	CA-1160K2JIEFANG(48×127)
19	ST80019	20DD万向节(43×136)	CKL-20DDNISSAN,QILONGWANG(43×136)
20	ST80020	TN141万向节(43×136)内槽	TN-141DONGFENG153Doublebridge(43×136)
21	ST80021	TD50A-D万向节(42×125)	TD50A-DISUZU,SUZUKI(42×125)
22	ST80022	江淮6782/0309万向节(42×120)	JAC6782/0309Passengercar(42×120)
23	ST80023	斯太尔0017万向节(48×116.4)	STEYR0017(48×116.4)
24	ST80024	斯太尔0125万向节(52×133)	STEYR0125(52×133) Steyr,HOWO,SHANXIAUTO,BEIBEN/Mercedes-Benz
25	ST80025	斯太尔0082万向节(57×144)	Steyr0082(57×144) Styer,HOWO,SHANXIAUTO,BEIBEN/Mercedes-Benz
26	ST80026	玛斯200/黄河162万向节(50×135)	MAZ200/HUANGHE162(50×135)HONGYANSmall
27	ST80027	玛斯525万向节(62×149)	MAZ525(62×149)CHONGQINGHONGYAN
28	ST80028	玛斯525万向节加强型(62×149)	MAZ525KINGSIZE(62×149)CHONGQINGHONGYAN
29	ST80029	亚斯210万向节(50×155)	YAZ210(50×155)BEIJING374
30	ST80030	大交通中桥万向节(59×168)	SH15TIntermediateaxle(59×168)
31	ST80031	别拉斯万向节(47×156)	BELAZ(47×156)
32	ST80032	别拉斯后万向节(62×173)	BELAZ(62×173)Rear
33	ST80033	0092奔驰-1万向节(57×152)	0092Mercedes-Benz-1(57×152)
34	ST80034	奔驰-2万向节(53×135)	Mercedes-Benz-2(53×135)
35	ST80035	奔驰-3万向节(52×147)	Mercedes-Benz-3(52×147)
36	ST80036	豪沃前63.5万向节(63.5×152)	HOWOFront63.5(63.5×152)
37	ST80037	豪沃后6800万向节配卡簧(68×166)	HOWORear6800(68×166)
38	ST80038	二汽大力神万向节(60×152)	DONGFENGDALISHEN(60×152)
39	ST80039	新大威悍威万向节(62×160)	NEUAWEI,HANWEI(62×160)
40	ST80040	奥威东风天龙万向节(62×170)	FAWAOWEI,DONGFENGKINLAND(62×170)
41	ST80041	奥威东风天龙万向节(64×155)	AOWEI,DONGFENGKINLAND(64×155)
42	ST80042	奥威J6旧款万向节(70×166)	AOWEI,J6(70×166)
43	ST80043	奥威J6新款万向节(70×178)	AOWEI,NEWJ6(70×178)
44	ST80044	52×130万向节(华菱搅拌车)	52×130CAMCMixer
45	ST80045	57×142万向节(霸龙重卡)	57×142BALON
46	ST80046	57×150万向节(三一重工搅拌车)	57×150SanyHeavyTruckMixer
47	ST80047	72×185万向节	72×185RussiaMineCar
48	ST80048	83×170万向节(扎钢机联轴器)	83×170
49	ST80049	SH760万向节(26×46)	SH760(26×46)
50	ST80050	SY6480万向节(29×47.4)	SY6480JINBEI(29×47.4)
51	ST80051	SY134万向节(30×54.8)	SY134(30×54.8)SHENYANG
52	ST80052	Z34607万向节(28×41.2/72) 农机专用	Z34607Tractor(28×41.2/72)
53	ST80053	XJ-213万向节内卡(27×52.5) 皮卡车	XJ-213ZHENZHOUPickuptrucks(27×52.5)
54	ST80054	XJ-213万向节外卡(27×81.75) 皮卡车	XJ-213ZHENZHOUPickuptrucks(27×81.75)
55	ST80055	GU-1100万向节(27×74.6) 皮卡车	GU-1100(27×74.6)Pickuptrucks
56	ST80056	GU-2000万向节(30.18×106.3) 依维柯	GU-2000(30.18×106.3)IVECO
57	ST80057	GU-2200万向节(30.18×92) 依维柯	GU-2200(30.18×92)IVECO
58	ST80058	GU-7530万向节(45×120) 客车	GU-7530(45×120)PassengerCar
59	ST80059	GU-4000万向节(47.6×135) 客车	GU-4000(47.6×135)PassengerCar
60	ST80060	JN-150万向节(44×120/172)	JN-150(44×120/172)
61	ST80061	CA-141加强版(39×118)	CA-141ExtrastrengthtypeNEWJIEFANG(39×118)
62	ST80062	ZK6800(68×89/165.5)	ZK6800(68×89/165.5)HOWO,BEIBEN/Mercedes-Benz,SHANXIAUTODERON
63	ST80063	FV413前(52×153.8) 三菱	FV413Front(52×153.8)MITSUBISHI
64	ST80064	FV413后(44×129) 三菱	FV413Rear(44×129)MITSUBISHI
65	ST80065	ZM443前(50×165) 日野	ZM443Front(50×165)HINO
66	ST80066	ZM443后(47×144) 日野	ZM443Rear(47×144)HINO
67	ST80067	GUM-80(46×142) 三菱	GUM-80(46×142)MITSUBISHIOEM:12018-01110
68	ST80068	GUN-43(55×163.8) 尼桑	GUN-43(55×163.8)NISSAN
69	ST80069	80×170万向节(扎钢机)	80×170
70	ST80070	81×170万向节(扎钢机)	81×170
71	ST80071	82×170万向节(扎钢机)	82×170
72	ST80072	84×170万向节(扎钢机)	84×170
73	ST80073	G5-5177(42.8×115)	G5-5177(42.8×115)WINGTYPE
74	ST80074	G5-6128(42.8×140.4)	G5-6128(42.8×140.4)Engineeringmachinery
75	ST80075	CXZ-187五十铃搅拌车(56×173.9)	CXZ-187(56×173.9)ISUZUMixer
76	ST80076	EQ-153转(153万向机)18×47	EQ-153(18×47)153Directionmachine
77	ST80077	EQ-140转(东风万向机)24×63	EQ-140(24×63)DONGFENGDirectionmachine
78	ST80078	EQ-130转(长江750)19×44	EQ-130(19×44)CHANGJIANG750
79	ST80079	CA6350长安之星(25×63)	CA6350(25×63)CHANGANSTAR
80	ST80080	LZ110(20×55) 柳州	LZ110(20×55)LIUZHOU
81	ST80081	WH110(20×55) 松花江	WH110(20×55)SONGHUAJIANG
82	ST80082	CH1018A(25.017×63.99) 昌河	CH1018A(25.017×63.99)CHANGHE
83	ST80083	LZ-111(25.02×63.99) 东风	LZ-111(25.02×63.99)DONGFENG
84	ST80084	CH110(20×59.5)	CH110(20×59.5)

SAMTIN Universal joint

No.	No.SAMTIN	Suitable Car Type	
		In Chinese	In English
85	ST80085	JX110 (22×29.6)	JX110 (22×29.6)
86	ST80086	NJ-131转 (24×62)	NJ-131 (24×62) NANJINGYUEJIN
87	ST80087	NJ-141转 (24×63)	NJ-141 (24×63) JIEFANG
88	ST80088	SC110 (20×59.5)	SC110 (20×59.5)
89	ST80089	SC6350A (25×64)	SC6350A (25×64)
90	ST80090	UJR-3302 (19×44.6)	UJR-3302 (19×44.6) OEM:4301-3401485
91	ST80091	UJ-2101 (23.8×61.2)	UJ-2101 (23.8×61.2) OEM:2101-2202025
92	ST80092	UJ-2101A (23.8×61.3)	UJ-2101A (23.8×61.3) OEM:21050-2202025
93	ST80093	UJ-2121 (28×71)	UJ-2121 (28×71) OEM:2121-2202025
94	ST80094	UJ-408 (28×42.5/73)	UJ-408 (28×42.5/73) OEM:408-2201025
95	ST80095	UJ-21213 (28×71)	UJ-21213 (28×71) OEM:2121-2202025
96	ST80096	UJ-412 (28×52.2/83)	UJ-412 (28×52.2/83) MOSKVICH412OEM:412-2201025
97	ST80097	UJR-5320 (28×37.2/68)	UJR-5320 (28×37.2/68) OEM:5320-3422039
98	ST80098	UJ3110 (30×55/88)	UJ3110 (30×55/88) OEM:31029-2201025
99	ST80099	UJ-53A (35×98)	UJ-53A (35×98) OEM:53A-2201025
100	ST80100	UJ-130Z (39×118)	UJ-130Z (39×118) OEM:4301-2201025A
101	ST80101	UJ-5320S (39×118)	UJ-5320S (39×118) OEM:5320-2201025
102	ST80102	UJ-5320B (50×135)	UJ-5320B (50×135) OEM:5320-2205025
103	ST80103	UJ-255B (50×155)	UJ-255B (50×155) OEM:4310-2205025
104	ST80104	UJ53205B (50×155)	UJ53205B (50×155) OEM:53205-2205025
105	ST80105	UJ-700 (62×173)	UJ-700 (62×173) OEM:540-2201025
106	ST80106	7555-2201025 (72×185)	7555-2201025 (72×185) OEM:7555-2201025
107	ST80107	GUT-12 (26×51.8)	GUT-12TOYOTA (26×51.8) OEM:04371-30011
108	ST80108	GUT-17 (29×49)	GUT-17TOYOTA (29×49) OEM:04371-30020
109	ST80109	GUT-21 (29×49)	GUT-21TOYOTA (29×49) OEM:04371-35020
110	ST80110	GUN-27 (25×40)	GUN-27NISSAN (25×40) OEM:37125-14627
111	ST80111	GUN-41 (43×135.5)	GUN-41NISSAN (43×135.5) OEM:37125-90128
112	ST80112	GUN-43 (55×163.8)	GUN-43NISSAN (55×163.8) OEM:37125-99027
113	ST80113	GUMZ-3 (32×57)	GUMZ-3MAZDA (32×57) OEM:0164-25-060
114	ST80114	GUM-71 (44×129)	GUM-71MITSUBISHI (44×129) OEM:14501-27000
115	ST80115	GUM-72 (36×104)	GUM-72MITSUBISHI (36×104) OEM:13518-2200
116	ST80116	GUM-82 (38×104)	GUM-82 (38×104)
117	ST80117	GUM-83 (52×153.8)	GUM-83MITSUBISHI (52×153.8) OEM:12019-10000
118	ST80118	GUM-87 (30×78)	GUM-87MITSUBISHI (30×78) OEM:MB000199
119	ST80119	GUM-91 (25×76.5)	GUM-91MITSUBISHI (25×76.5) OEM:MB000948
120	ST80120	GUM-96 (52×170)	GUM-96MITSUBISHI (52×170) OEM:MC998476
121	ST80121	GUH-62 (47×138)	GUH-62HINO (47×138) OEM:3-302-3403-01
122	ST80122	GUH-70 (47×138)	GUH-70 (47×138) OEM:37401-1061
123	ST80123	GUH-72 (47×144)	GUH-72HINO (47×144) OEM:37401-1080
124	ST80124	GUH-73 (50×165)	GUH-73HINO (50×165) OEM:37401-1021
125	ST80125	GUH-75 (58×175)	GUH-75HINO (58×175) OEM:37401-1180
126	ST80126	GUIS-52 (29×50/77)	GUIS-52SUZU (29×50/77) OEM:9-37300-065
127	ST80127	GUIS-55 (42×125)	GUIS-55SUZU (42×125) OEM:9037300-150
128	ST80128	GUIS-57 (48×145)	GUIS-57SUZU (48×145) OEM:9-37300-163
129	ST80129	GUIS-60 (49.2×148.4)	GUIS-60SUZU (49.2×148.4) OEM:9-37300-139-0
130	ST80130	GUIS-67 (56×173.9)	GUIS-67SUZU (56×173.9) OEM:1-37300-049-0
131	ST80131	GUIS-68 (50×155)	GUIS-68SUZU (50×155) OEM:1-37300-082-0
132	ST80132	G5-280X (49.2×154.9)	G5-280X (49.2×154.9)
133	ST80133	G5-281X (49.2×191.9)	G5-281X (49.2×191.9)
134	ST80134	GU40-110 (40×110)	GU40-110 (40×110) Farmmachinery
135	ST80135	GU-500 (23.8×61.3)	GU-500 (23.8×61.3)
136	ST80136	GU-1000 (27×81.75)	GU-1000 (27×81.75)
137	ST80137	GU-1780 (27×80)	GU-1780 (27×80)
138	ST80138	GU-2010 (32×106.3)	GU-2010 (32×106.3)
139	ST80139	GU-2300 (34.9×106.3)	GU-2300 (34.9×106.3)
140	ST80140	GU-3000 (39.69×115.95)	GU-3000 (39.69×115.95)
141	ST80141	GU-3500 (39.69×115.95)	GU-3500 (39.69×115.95)
142	ST80142	GU-5000 (49.2×154.7)	GU-5000 (49.2×154.7)
143	ST80143	GU-7300 (38×56)	GU-7300 (38×56)
144	ST80144	GU-7430 (35×96.8)	GU-7430 (35×96.8)
145	ST80145	GU-7460 (44×124.8)	GU-7460 (44×124.8)
146	ST80146	GU-7470 (42×66)	GU-7470 (42×66)
147	ST80147	GU-7520 (38×110)	GU-7520 (38×110)
148	ST80148	GU-7560 (52×133)	GU-7560 (52×133)
149	ST80149	GU-7600 (52×147)	GU-7600 (52×147)
150	ST80150	GU-7610 (53×135)	GU-7610 (53×135)
151	ST80151	GU-7620 (48×126)	GU-7620 (48×126)
152	ST80152	GU-7630 (57×152)	GU-7630 (57×152)
153	ST80153	GU-8130 (57×144)	GU-8130 (57×144)
154	ST80154	GU-9450 (38×148)	GU-9450 (38×148)
155	ST80155	GU-9730 (48×116.4)	GU-9730 (48×116.4)
156	ST80156	GU-59168 (59×168)	GU-59168 (59×168)
157	ST80157	U924 (65×190)	U924 (65×190)
158	ST80158	U954 (57×164)	U954 (57×164)
159	ST80159	U948 (48×161)	U948 (48×161)
160	ST80160	U992 (68×89/165.5)	U992 (68×89/165.5)
161	ST80161	斯太尔欧曼 (57×150)	SteyrAUMAN (57×150)
162	ST80162	二汽霸龙 (62×170)	BALON (62×170)
163	ST80163	解放霸威 (57×142)	JIEFANGAOWEI (57×142)

SAMTIN Universal joint

No.	No.SAMTIN	Suitable Car Type	
		In Chinese	In English
164	ST80164	BJ-1305 (30×88)	BJ-1305 (30×88)
165	ST80165	W50LK(R)东德依法 (45×126)	W50LK(R)DONGDEYIFA (45×126)
166	ST80166	CKL20DD-2 (43×136槽) (43×140面)	CKL20DD-2 (43×136GROOVE) (43×140SURFACE)
167	ST80167	GUM-8125x63.8	GUM-8125x63.8
168	ST80168	GUM-9330x55.1	GUM-9330x55.1
169	ST80169	GUN-4627x46	GUN-4627x46
170	ST80170	GUT-2422.08x57.3	GUT-2422.08x57.3
171	ST80171	G5-170X	G5-170X
172	ST80172	GU381050x52	GU381050x52
173	ST80173	MIXER52*130	MIXER52*130
174	ST80174	52*135	52*135

离合器轴承

Clutch release bearing

序号No.	型号Type	主要尺寸(mm)				适用车型 Suitablemodel
		单元内径 Unitinnerdiameter	轴承装配总高度 Bearingoverallheight	单元配合宽度 Unitoutwidth	与拨叉嵌配宽度 ClutchForkwidth	
1	996713带座withreleasebush	57.1	56	37	74.9	EQ-153
2	996713K带座withreleasebush	57.1	56.5	37.5	74.9	东风天龙DONGFENGKINLAND
3	996713KA1	57.1	61	42	74.9	哈齿6-75HACHI6-75
4	996713K5	57.1	69	50	74.9	一汽奥威FAWAOWEI
5	996713KH	57.1	81	62	74.9	柳特王LIUTEKING
6	996713KH2	57.1	97	78	74.9	153双桥Doublebridge
7	996713/66	57.1	66	47	74.9	哈齿6-75HACHI6-75
8	996713K/97	57.1	96.5	77.5	74.9	哈齿6-75HACHI6-75
9	996713K4	57.1	76	57	74.9	一汽重型FAWHeavy-duty
10	996713/4860F2	47.5	76	60	85.5	福田雷奥FOTONLEIAO
11	996713/4845F2	47.5	57	45	86	宇通客车YUTONGPassengercar
12	996713 (小孔) 带座 (micropore)withreleasebush	47.5	56	37	74.9	EQ-153
13	996713KA2-TX	57.1	59	47	74.5	新宇通NEWYUTONG
14	996714带座withreleasebush	57.1	59	40	75	斯太尔STEYR
15	996714-TX带座withreleasebush	57.1	59	40	75	斯太尔STEYR
16	996714BB/72	54.1	72	63	91.5	北奔BEIBEN
17	360111A带座withreleasebush	47.7	62	46	86	EQ-140
18	360111B带座withreleasebush	47.5	71	55	86	EQ-141
19	360111C带座withreleasebush	47.5	74	60	86	欧曼AUMAN
20	360111D带座withreleasebush	48.2	63	48	86	城市公交citybus
21	360111/145	47.7	61	39	86	EQ-145
22	360111/4851	47.5	65	51	86	太湖客车TAIHUbus
23	360111/4852	48	58	52	86	江淮客车JACbus
24	360111/4850	47.5	61	50	86	江淮JAC
25	360111/4847	47.5	62	47	86	EQ-140
26	996914带座withreleasebush	57.1	103	86	85.8	康明斯Cummins
27	986813带座withreleasebush	47.5	74	58	86	CA-151
28	986813/56	57.1	56	44	86	韶关135SHAOGUAN135
29	986813/59	47.5	59	44	86	韶关145SHAOGUAN145
30	986813/4853	47.5	63.5	52.5	86	北汽福田BaicFOTON
31	986813/4850	47.5	64.5	50	86	万里扬WANGLIYANG
32	688911加强型带座KINGSIZEwithreleasebush	44	51.5	39.5	53	BJ-130
33	688911/4445	44	54	45	53	一汽红塔FAWHONGTA
34	986911K带座withreleasebush	44	51.5	39.5	53	NJ-131
35	986911KA1带座withreleasebush	35	49.5	33.5	48	小霸王XIAOBAWANG
36	986911KA3带座withreleasebush	44	51.5	36.5	53	EQ-1061
37	986911K/43	35	43	33	48	福田FOTON
38	986911K/46	44	46	31	53	农用车FarmVehicle
39	986911K/4034	40	51.5	33.5	53.5	江淮6800JAC6800
40	986911K/4434	44	50.5	34.5	54	小帅铃XIAOSHUAILING
41	986911K2带座withreleasebush	44	54.5	39.5	53	EQ-1061
42	986911K3带座withreleasebush	44	52.5	37.5	53	EQ-1061
43	986911K3/44	35	44	34	48	朝柴CHAOCHAI
44	986911K3A1	35	50.5	34.5	48	时代轻卡SHIDAILIGHTTRUCK
45	986809K带座withreleasebush	36	42	29	43.5	长安星豹CHANGANSTARLEOPARD
46	986809KA1	33	55	44	44	CA-1026
47	986809KB1	33	65	54	44	CA-1046
48	986809K2带座withreleasebush	35	49.2	37.2	48	EQ-1060
49	CT5740F3	57.1	59	40	75	斯太尔STEYR
50	CT5747F3	57.1	59	47	74.5	新宇通NEWYUTONG
51	CT5740F3-K	57.1	56	40	86	一汽公交FAWBUS

离合器轴承

Clutch release bearing

序号No.	型号Type	主要尺寸(mm)				适用车型 Sunitablemodel
		单元内径 Unitinnerdiameter	轴承装配总高度 Bearingoverallheight	单元配合宽度 Unitoutwidth	与拨叉嵌配宽度 ClutchForkwidth	
52	CT4445F2	44	62	45	85.8	金龙中巴KINGLONGBUS
53	CT5739F3	57.1	51	39	75	斯太尔STEYR
54	81TKB7013	47.5	75.5	59.5	86	运煤王YUNMEIKING
55	81NZ4821	47.5	75.5	60	85.8	五吨王5T
56	81NZ4821大孔	57.1	81.5	66	85.8	五吨王5T
57	81NZ5521	55	75.5	60	85.8	九平柴NINEPINGCHAI
58	NZ5721	57	62	42	74.8	巨能王JUNENGWANG
59	NT4847F2	47.5	63	47	85.8	宇通公交YUTONGBUS
60	NT5549F2	55.1	63.5	48.5	85.8	欧曼先锋AUMANXIANFENG
61	NT5742F2	57.1	62	42	74.9	一汽奥威FAWAOWEI
62	81CT4846F2	47.5	61	46	86	江淮中卡JACMIDDLETRUCK
63	81CT4847F3	47.5	65.5	47	75	安凯客车ANKAIPassengercar
64	86NT5760F2	57	80	60	85.8	解放四大JIEFANGSIDA
65	62CT4440F2	44	55	40	53.5	NJ1020
66	68NT4864F2	47.5	81	62.5	84.8	福田轻卡FOTONLIGHTTRUCK
67	68CT4852F2	48	66	52	86	江淮客车JACBUS
68	68CT4456F2	44	65.5	55	55.5	三吨王3T
69	68CT4438F2	44	55	37.5	55.5	南京轻卡NANJINLIGHTTRUCK
70	76CT4847F2	47.6	57.5	47	59.5	CA1061K
71	78CT5753F2	57.1	70	53	74.8	东风天锦DONGFENGtianJING
72	78CT5737F3	57.1	56	37	74.9	东风12TDONGFENG12T
73	78CT4845F2	47.5	64	45	74.8	东风天锦DONGFENGtianJING
74	85CT5765F2	57.1	78	65	86	春兰12TCHUNLAN12T
75	85CT5787F2	57.1	104	87	86	东风DOGNFENG
76	85CT5740F3	57.1	55	40	85.9	解放双桥JIEFANGDOUBLEBRIDGE
77	9686808KA1	33	55	44	44	CA1026
78	9686808KB1	33	65	54	44	CA1046
79	54CT3321-A1	33	55.5	45.5	43.5	CA1026
80	54RCT3521	35	48.5	32.5	47	小霸王XIAOBAWANG
81	54RCT3538F2改进Improved	35	53.5	37.5	48	跃进YUEJING
82	62RCT3530F2改进Improved	35	46	30	48	欧马可Omarco
83	62RCT3503	35.1	47	38	48	一汽红塔FAW-HONGTA
84	48RCT3321F0	33.5	30	21	49.8	昌河CHANGHE
85	54TKA3501带座withreleasebush	35	48.5	32.5	48	五十铃ISUZU
86	50RCT3534F0	35	44.5	34	44	金杯JINBEI
87	48RCT3303	33	27.5	24	41.5	长安之星CHANGANSTAR
88	0732A	35.5	52	42.5	51	
89	0621B	36	58	42	67.5	
90	70CL5781F0	57	105.5	81	78	一汽奥威FAWAOWEI
91	70CL6081F0	60	105.5	81	78	红岩HONGYAN
92	70CL5791F0	57	115.5	91	78	豪沃09HOWO09
93	86CL6089F0/C	60	114	89	77.9	大欧曼BIGAUMAN
94	86CL6395F0/C	63	120	95	85.9	豪沃HOWO
95	86CL6082F0/C	60	106	82	128	新大康NEWDAKANG
96	86CL6392F0	63.2	117	92	85.9	重汽T7HSINOTRUKT7H
97	86CL6389F0/C	63.2	112	89	85.9	法士特FASHITE
98	86CL6395F0/J(C124C203)	63.2	115	95	85.9	南京徐工NANJUNXCMG
99	86CL6089F0/J(C124C131)	60.2	112	89	77.9	伊顿YIDUN
100	3151000755	60.2	106	84	128	
101	3151000154	66.2	90	78	134	
102	3151000887	63.2	112	89	93.6	
103	1601080-T38V0	67.1	145	123	134	天龙KINGLAND
104	CT5755F3	57.1	64.5	55	74.9	公交BUS
105	CT5737F3 (3151000395)	57.8	56	37	74.9	客车Passengercar
106	CT5752F3	57.1	62	52	74.9	宇通客车YUTONGPassengercar
107	16N-02050-TX	57.1	57	38	74.9	东风系列DONGFENG
108	986911K3-16Q07	44.1	52	37	53	EQ-1061
109	50RCT3304	33.5	33.3	22.3	75	
110	505202112	47.5	72.5	57	74.9	
111	81CT4859F2	47.5	77	60	85.8	
112	81TKL4801	48.2	58	45	59	
113	60RCT3525F0	35.1	48	25	52	
114	81ZT4846F2	47.5	61	47	85.8	
115	CT4853F2	47.5	71	55	85.8	
116	44RCT2823F0	28.1	28.5	23	44	
117	9688211带座withreleasebush	37.2	49	36	55.7	
118	3151000167	57.5	59	40.5	74.9	
119	62RCT3541F2	35.1	53	41	49	
120	62RCT3331F3	33.1	43	31	49.9	
121	54RCT3221F0	32.2	32.5	21	64	
122	60RCT3235F0	32.4	47	35	40.5	
123	360111A座(带耐磨片) withreleasebushwithwear-resistantplates	47.5	63	48	86	EQ-140
124	CT5747F3/C	57.1	66	47	74.9	法斯特FASITE
125	78CT5759F2	57.2	77	59	74.9	法斯特FASITE
126	360111/4840	47.7	55	40	85.9	
127	996911A带座withreleasebush	35.2	52	37	53	

离合器轴承

Clutch release bearing

序号No.	型号Type	主要尺寸(mm)				适用车型 Sunitablemodel
		单元内径 Unitinnerdiameter	轴承装配总高度 Bearingoverallheight	单元配合宽度 Unitoutwidth	与拨叉嵌配宽度 ClutchForkwidth	
128	CT4445F2 (带油孔) withoilhole	44.1	61	45	85.9	
129	986809K/MW254	36.3	38	26	43	
130	3151231031	38.5	50	26	46	
131	NT4867F0	48.2	78	67	85.8	
132	RCTS28SA	28.3	32.5	21.5	56.5	
133	48RCT3322F0	33.5	29	24.5	38.5	
134	48RCT3204F0	32.5	33	21.5	60.5	
135	48RCT3222F0	32.3	29	22	45	
136	54RCT3421F0/A	34.5	33	21	44	
137	55TKB3203	32.5	41	33	45.8	
138	62RCT3533F0	35.5	45	35	47.5	
139	24521039	28.5	26	22	44.8	
140	3151231031	39	50	26	46.2	
141	3151000958	57.1	77	58.5	74.9	
142	1-87610109-0	56.5	50	40	67.5	
143	3151000034	61	112	90	78	
144	3151000144	64.5	120	96	85.5	
145	3151000844	63.5	119	93	85.8	
146	3151000278	62	152	129	127.5	
147	3151000549	62	115	92	127.5	
148	3151000971	63.2	104	82	98	
149	3151000218	66.2	90	78	134	
150	86CL6395F0/C (宽耳) width	63.2	120	95	85.9	豪沃HOWO
151	50RCT3322F0	33.5	32	24	73	
152	50RCT3221F0A	32.1	31	21	45.9	
153	44RCT2802	28.2	34.5	24	56.5	
154	85CT5759F2	57.1	74	59	85.9	
155	78CT5737F0	57.1	56	37	74.9	
156	81CT4867F2	47.8	83	67	63.9	
157	3151068101	45.1	60	42	64.9	
158	3151095043	42.2	60	50	50	
159	3151000156	61.1	108	85	/	
160	现代创虎HYUNDAICHUANGHU	60.5	88.5	65	135.5	
161	CT5756F0(0501.328.744)	57.7	75	56	75	
162	6T120L-0040	57.7	65	56	75	
163	6G120L-0040	57.1	62.5	44	75	
164	J75-1601030-7	57.1	70	60	74.5	
165	85CT5787F0	57.1	104	87	86	东风DONGFENG
166	81NT5549F2	55.4	65	49	85.9	
167	986813-78拨叉宽Forkwidth	48	78	67	86	
168	CT3530F2-65	35.1	46	30	48	
169	48RCT3322(新)NEW	33.3	31	22	75	
170	55CT3741F3	37.5	51	41	48	
171	WG9925160613/2	63.5	119	92	94	
172	5G40L-0040A3	47.5	87	48	86	
173	5876101160	35.5	49	26	52.2	
174	86CL6395F0PHC (41301-Y44Q0)	63.2	122	95	85.9	
175	8-97255313-0(C-1605620-00-00)	48.5	52.5	33	59.5	
176	16D5-02050	47.5	74	60	86	
177	H4161060003A0	63.2	112	91	93.9	
178	43030-V7100	29.5	66.3	/	/	
179	43030-V7113	29.5	60.1	/	/	
180	CT3533F0	35.5	43	33	47.5	
181	81ZT4854F2	47.8	70	54	86	
182	505202111	47.7	66	48	74.5	
183	31230-87309	35.3	50	36	57	
184	B-1604851-40-01	47.8	60	51	64	
185	M-1604854-30-00	47.8	64	54	64.5	
186	3151082001	61.1	111.5	95	/	
187	62RCT3742F3	37.1	52	42	49	
188	523L-0040A2	35.3	46	30	47.8	
189	360111加宽耳width	47.5	62	46	86	
190	78CT5747F0(FQZC23100X57X47F0)	57.5	66	47	74.9	
191	360111/340	47.5	54	45	86	
192	360111/4860	47.5	74	60	86	
193	86CL6082F0天龙KINGLAND	60.1	104	82	128	
194	86CL6389F0(法雷奥款)VALEO	63.2	117	89	93.9	
195	85CT5765F0	57.5	78	65	86	
196	1840-1601180	61.1	128	114	135	
197	184-1601180	60.3	135	115	118.5	

离合器轴承
Clutch release bearing

序号No.	型号Model	类别Type	size主要尺寸(mm)		
			内径 ID	外径OD	宽W
1	688808	推力球离合器轴承 trust ball bearing	40	66.7	14.5
2	588909	推力球离合器轴承 trust ball bearing	45	72.7	16.5
3	588911 (688911)	推力球离合器轴承 trust ball bearing	52.388	85.7	20.2
4	9688211	推力球离合器轴承 trust ball bearing	55	91.5	22.5
5	9688213	推力球离合器轴承 trust ball bearing	65	101.7	22.5
6	688711K	推力球离合器轴承 trust ball bearing	55	91.5	22.5
7	588913K	推力球离合器轴承 trust ball bearing	65	97	19
8	9686808K	角接触自调心离合器轴承 Angular contact self-aligning clutch bearing	40	82.2	23.8
9	54TKA3501	角接触自调心离合器轴承 Angular contact self-aligning clutch bearing	40	82.2	22.8
10	986708	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	40	69.6	18.5
11	996708	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	40	68	15.5
12	996709K	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	45	74	17
13	986808K2 (SF0823)	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	40	66.5	19.5
14	986910	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	52.388	87.5	20.5
15	986809	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	45	73.7	17
16	986809K	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	45	73.7	17
17	986809K2	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	45	73.7	17.3
18	986911K	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	53	83.3	19.5
19	986911K2	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	53	83.3	22.5
20	986911K3	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	53	83.3	20.5
21	588911加强型 extra strength (688911加强型extra strength)	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	52.388	84	19.5
22	996911K (986911K加强型extra strength)	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	53	84	19.5
23	360111	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	55	90	18
24	360111K	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	55	90	18
25	986813	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	65	101.7	22.5
26	996713 (986813加强型extra strength)	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	65	102	22
27	996914	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	70	110	25
28	986809加强型extra strength	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	45	74	17
29	986911K2加强型extra strength	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	53	84	22.5
30	986911K3加强型extra strength	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	53	84	20.5
31	1527693(不带座) without release bush	角接触非调心离合器轴承 Angular contact non self-aligning clutch bearing	76	115	28.5

汽车轮胎螺栓总成
AUTO TIRE BOLT ASSEMBLY

序号No.	产品名称Model	Length螺栓长度 (单位:mm)	Wheelhub end thread specification 轮毂端螺纹规格(mm)	Tire end thread specification 轮胎端螺纹规格(mm)	packing quantity (pcs/box) 每件套数
1	EQ-140、CA-151前轮胎螺栓 (左) EQ-140,CA-151 front wheel bolt(L)	92	M20×1.5	M20×1.5	30
2	EQ-140、CA-151前轮胎螺栓 (右) EQ-140,CA-151 front wheel bolt(R)	92	M20×1.5	M20×1.5	30
3	EQ-140、CA-151Φ27后轮胎活动环螺栓 (左) EQ-140,CA-151Φ27 rear wheel activities ring bolt(L)	133	M20×1.75	M27×2	20
4	EQ-140、CA-151Φ27后轮胎活动环螺栓 (右) EQ-140,CA-151Φ27 rear wheel activities ring bolt(R)	133	M20×1.75	M27×2	20
5	EQ-153前轮胎螺栓 (左) EQ-153 front wheel bolt(L)	105	M22×1.5	M24×1.5	30
6	EQ-153前轮胎螺栓 (右) EQ-153 front wheel bolt(R)	105	M22×1.5	M24×1.5	30
7	EQ-153后轮胎活动环螺栓 (左) EQ-153 rear wheel activities ring bolt(L)	135	M22×1.75	M30×2	20
8	EQ-153后轮胎活动环螺栓 (右) EQ-153 rear wheel activities ring bolt(R)	135	M22×1.75	M30×2	20
9	EQ-1061前轮胎螺栓 (左) EQ-1061 front wheel bolt(L)	80	M20×1.5	M20×1.5	30
10	EQ-1061前轮胎螺栓 (右) EQ-1061 front wheel bolt(R)	80	M20×1.5	M20×1.5	30
11	EQ-1061后轮胎活动环螺栓 (左) EQ-1061 rear wheel activities ring bolt(L)	115	M20×1.75	M30×2	30
12	EQ-1061后轮胎活动环螺栓 (右) EQ-1061 rear wheel activities ring bolt(R)	115	M20×1.75	M30×2	30
13	V型STR前轮胎活动环螺栓(左右通用)V type STR front activities ring bolt(L/R)	104	M23×1.75	M23×1.75	30
14	STR后轮胎活动环螺栓(左右通用)STR rear wheel activities ring bolt(L/R)	123	M23×1.75	M23×1.75	30
15	柳特王前轮胎活动环螺栓(左右通用)LIUTEWANG front activities ring bolt(L/R)	125	M22×1.75	M22×1.75	30
16	柳特王后轮胎活动环螺栓(左右通用)LIUTEWANG rear wheel activities ring bolt(L/R)	140	M22×1.75	M24×1.75	30
17	五吨王前轮胎活动环螺栓(左右通用)5T front wheel activities ring bolt(L/R)	112	M22×1.75	M22×1.75	30
18	五吨王后轮胎活动环螺栓(左右通用)5T rear wheel activities ring bolt(L/R)	132	M22×1.75	M22×1.75	30
19	EQ-153 (加长) 后轮胎活动环螺栓 (左) EQ-153(leanghtening) rear wheel activities ring bolt(L)	145	M22×1.75	M30×2	20
20	EQ-153 (加长) 后轮胎活动环螺栓 (右) EQ-153(leanghtening) rear wheel activities ring bolt(R)	145	M22×1.75	M30×2	20

汽车轮胎螺栓总成

AUTO TIRE BOLT ASSEMBLY

序号No.	产品名称Model	Length螺栓长度 (单位:mm)	Wheelhubendthrea dspecification 轮毂端螺纹规格(mm)	Tireendthreadspec ification 轮胎端螺纹规格(mm)	packing quantity (pcs/box) 每件套数
21	EQ 140 (加粗) 后轮胎活动环螺栓 (左) EQ 140(bold)rearwheelactivitiesringbolt(L)	136	M20×1.75	M30×2	20
22	EQ-140 (加粗) 后轮胎活动环螺栓 (右) EQ-140(bold)rearwheelactivitiesringbolt(R)	136	M20×1.75	M30×2	20
23	斯太尔 (加长加粗) 后轮胎活动环螺栓 (左右通用) STR(lengtheningandbold)rearwheelactivitiesringbolt(L/R)	133		M23×1.75	30
24	紫罗兰、十三吨桥前轮胎活动环螺栓 (左右通用) VIOLET,13TBridgefrontwheelactivitiesringbolt(L/R)	93		M22×1.5	30
25	紫罗兰、十三吨桥后轮胎活动环螺栓 (左右通用) VIOLET,13TBridgerearwheelactivitiesringbolt(L/R)	114		M22×1.75	30
26	EQ-153小芯双垫环后轮胎螺栓 (左) EQ-153smallcoreereardoubleblackringbolt(L)	144	M22×1.5	M24×1.75	20
27	EQ-153小芯双垫环后轮胎螺栓 (右) EQ-153smallcoreereardoubleblackringbolt(R)	144	M22×1.5	M24×1.75	20
28	EQ-140小芯双垫环后轮胎螺栓 (左) EQ-140smallcoreereardoubleblackringbolt(L)	124	M20×1.5	M22×1.75	20
29	EQ-140小芯双垫环后轮胎螺栓 (右) EQ-140smallcoreereardoubleblackringbolt(R)	124	M20×1.5	M22×1.75	20
30	红岩加长型后轮胎活动环螺栓 (左右通用) HONGYANlengtheningrearwheelactivitiesbolt(L/R)	130		M22×1.5	30
31	美国约克后轮胎活动环螺栓 (左右通用) USAYORKrearwheelactivitiesringbolt(L/R)	110		M22×1.5	30
32	新富华桥16T后轮胎活动环螺栓 (左右通用) XINFUHUQAIO16Trearwheelactivitiesringbolt(L/R)	130	M22×1.75	M22×1.75	30
33	457桥、解放九平柴后轮分体式螺栓总成 (左右通用) 457Bridge,JIEFANGNINEPINGCHArearsplitbolt(L/R)	135	M22×1.5	M24×1.75	30
34	V型斯太尔 (加长)、欧曼雄狮后轮胎活动环螺栓总成 (左右通用) VTYPESTR(lengthening),AUMANXIONGSHIrearwheelactivitiesbolt(L/R)	133		M23×1.75	30
35	紫罗兰后轮分体式螺栓总成 (左右通用)VIOLETrearbolt(L/R)	130		M22×1.5	30
36	东风天龙(120圆头)后轮胎活动环螺栓总成 (左右通用) DONGFENGKINGLAND(120fillisterhead)rearwheelactivitiesringbolt(L/R)	120		M22×1.5	30
37	BPW后轮胎活动环螺栓总成 (左右通用)BPWrearwheelactivitiesringbolt(L/R)	114	M22×2	M22×1.75	30
38	新富华桥20T后轮胎活动环螺栓总成 (左右通用) XINFUHUQAIO20Trearwheelactivitiesringbolt(L/R)	125	M22×1.5	M24×1.5	30
39	西德桥14T后轮胎活动环螺栓总成 (左右通用) IDEQIAO14Trearwheelactivitiesringbolt(L/R)	125	M22×1.75	M24×1.75	30
40	一汽威威、奥威485桥后轮活动环螺栓总成 (左右通用) FAWHANWEI,AOWEI485rearwheelactivitiesringbolt(L/R)	120		M24×1.75	30
41	江淮6782后轮活动环螺栓总成(左)JAC6782rearwheelactivitiesringbolt(L)	125	M22×1.5	M30×2	30
42	江淮6782后轮活动环螺栓总成(右)JAC6782rearwheelactivitiesringbolt®	125	M22×1.5	M30×2	30
43	V型斯太尔 (加长加粗) 后轮胎活动环螺栓总成 (左右通用) VTYPESTR(lengtheningandbold)rearwheelactivitiesringbolt(L/R)	133		M23×1.75	30
44	V型大力神后轮胎活动环螺栓总成 (左右通用) VTYPEDALISHENrearwheelactivitiesringbolt(L/R)	130		M22×1.75	30
45	北方奔驰 (加长) 后轮胎活动环螺栓总成 (左右通用) BEIBEN(lengthening)rearwheelactivitiesringbolt(L/R)	130		M22×1.5	30
46	福田608、欧曼280后轮胎活动环螺栓总成 (左右通用) FOTON608,AUMAN280rearwheelactivitiesringbolt(L/R)	131	M20×1.75	M22×1.75	30
47	宇通6129后轮胎活动环螺栓总成 (左右通用)YUTONG6129rearwheelactivitiesringbolt(L/R)	118		M22×1.75	30
48	V型天龙(121长)后轮胎活动环螺栓总成 (左右通用) VTYPEKINGLAND(121length)rearwheelactivitiesringbolt(L/R)	121		M22×1.75	30
49	V型斯太尔 (加强型) 后轮胎活动环螺栓总成 (左右通用) VTYPESTR(KINGSIZE)rearwheelactivitiesringbolt(L/R)	145		M22×1.75	30
50	V型红岩(加长型)后轮胎活动环螺栓总成 (左右通用) VTYPEHONGYAN(Lengthening)rearwheelactivitiesringbolt(L/R)	133		M22×1.75	30
51	紫罗兰 (加强型) 后轮胎活动环螺栓总成 (左右通用) VIOLET(KINGSIZE)rearwheelactivitiesringbolt(L/R)	130		M22×1.5	30
52	柳特王 (加强型) 后轮胎活动环螺栓总成 (左右通用) LIUTEWANG(KINGSIZE)rearwheelactivitiesringbolt(L/R)	140	M22×1.75	M22×1.75	30
53	柳特王(加长型)后轮胎活动环螺栓总成 (左右通用) LIUTEWANG(Lengthening)rearwheelactivitiesringbolt(L/R)	145	M22×1.75	M24×1.75	30
54	东风天龙加强型(125切边)后轮胎活动环螺栓总成 (左右通用) DONGFENGKINGLANDKINGSIZE(125trimming) rearwheelactivitiesringbolt(L/R)	125		M22×1.5	30
55	V型天龙(115长)后轮胎活动环螺栓总成 (左右通用) VTYPEKINGLAND(115)rearwheelactivitiesringbolt(L/R)	115		M22×1.75	30
56	V型天龙前轮胎活动环螺栓总成 (左右通用) VTYPEKINGLANDfrontwheelactivitiesringbolt(L/R)	100		M22×1.75	30
57	V型斯太尔后轮胎活动环螺栓总成 (左右通用) VTYPESTRrearwheelactivitiesringbolt(L/R)	120		M22×1.5	30
58	东风霸龙后轮胎活动环螺栓总成 (左右通用) DONGFENGBALONrearwheelactivitiesringbolt(L/R)	140	M20×1.5	M24×1.5	30
59	德龙F3000前轮胎活动环螺栓总成 (左右通用) DERONF3000frontwheelactivitiesringbolt(L/R)	81		M22×1.5	30
60	V型红岩前轮胎活动环螺栓总成 (左右通用) VTYPEHONGYANfrontactivitiesringbolt(L/R)	100		M22×1.75	30
61	V型大力神(加强型)后轮胎活动环螺栓总成 (左右通用) VTYPEDALISHEN(KINGSIZE)rearwheelactivitiesringbolt(L/R)	150		M22×1.75	30
62	V型豪沃(碟刹)前轮胎活动环螺栓总成 (左右通用) VTYPEHOWODiscbrakefrontwheelactivitiesringbolt(L/R)	86		M23×1.75	30

汽车轮胎螺栓总成
AUTO TIRE BOLT ASSEMBLY

序号No.	产品名称Model	Length螺栓长度 (单位:mm)	Wheelhubendthrea dspecification 轮毂端螺纹规格(mm)	Tireendthreadspe cification 轮胎端螺纹规格(mm)	packing quantity (pcs/box) 每件套数
63	东风大力神(双帽)前轮胎活动环螺栓总成(左右通用) DONGFENGDALISHEN(Doublenut)frontwheelactivitiesringbolt(L/R)	120	M22×1.75	M22×1.75	30
64	柳特王(加粗)后轮胎活动环螺栓总成(左右通用) LIUTEWANG(BOLD)rearwheelactivitiesringbolt(L/R)	140	M22×1.75	M24×1.75	30
65	V型STR(140长)后轮VTYPESTR(140)rear	140		M23×1.75	30
66	V型红岩(140长)后轮VTYPEHONGYAN(140)rear	140		M22×1.75	30
67	汉德(120长)后轮HANDE(120)rear	120		M22×1.5	30
68	J6领航(130长)后轮JCLINGHAN(130)rear	130		M22×1.5	30
69	柳特王(防尘帽)后轮LIUTEWANGDustcaprear	140	M22×1.75	M24×1.75	30
70	V型STR(防尘帽)后轮VTYPESTRDustcaprear	140		M23×1.75	30
71	V型红岩(防尘帽)后轮VTYPEHONGYANDustcaprear	140		M22×1.75	30
72	V型大力神(防尘帽)后轮VTYPEDALISHENDustcaprear	140		M22×1.75	30
73	V型天龙(防尘帽)后轮VTYPEKINGLANDDustcaprear	126		M22×1.75	30
74	解放A6T后轮JIEFANGA6TRear	140		M22×1.5	30
75	新霸龙后轮NEWBALONDRear	140		M24×1.75	30
76	J6领航(110长)后轮J6LINGHANG(110)rear	110		M22×1.5	30
77	柳特王(145长)防尘帽后轮LIUTEWANG(145)Dustcaprear	145	M22×1.75	M24×1.75	30
78	V型STR(145长)防尘帽后轮VTYPESTR(145)Dustcaprear	145		M23×1.75	30
79	V型STR(140长)后轮(无滚花)VTYPESTR(140)rear	140		M23×1.75	30
80	V型红岩(140长)后轮(无滚花)VTYPEHONGYAN(140)rear(noknurling)	140		M22×1.75	30

中间传动轴支架总成
Auto Intermediate Shaft Bracket Assembly

No.排序	SuitableCarModel型号名称	BearingModel 所配轴承型号	Bearingdimension 轴承规格 (内径X外径X宽度) (IDxODxW)	BoltCenter 安装孔距 (mm)	Packingquantity 每件套数 (sets/box)
1	EQ-140	3000210	φ50×φ90×30	230	6盒/件
2	宇通客车(140加宽)YUTONGPassengerCar(EQ-140,Widen)	3000210	φ50×φ90×30	230	6盒/件
3	EQ-1060、1061/208	6208	φ40×φ80×18	185	6盒/件
4	EQ-1060、1061/307	6307	φ35×φ80×21	185	6盒/件
5	NJ-131/208	6208	φ40×φ80×18	180	6盒/件
6	NJ-131/307	180307	φ35×φ80×21	180	6盒/件
7	BJ-1041/208	180208	φ40×φ80×18	160	6盒/件
8	BJ-1041/307	180307	φ35×φ80×21	160	6盒/件
9	HF-6700/208	180208	φ40×φ80×18	180	6盒/件
10	HF-6700/307	180307	φ35×φ80×21	180	6盒/件
11	HF-6700(四孔)4HOLES	180208	φ40×φ80×18	160	6盒/件
12	HF-6800	180208	φ40×φ80×18	165	6盒/件
13	五十铃SUZU	3G4503/32K	φ32×φ75×20	160	6盒/件
14	五十铃(四孔)SUZU4HOLES	3G4503/32K	φ32×φ75×20	160	6盒/件
15	CA-1046	180307	φ35×φ80×21	130	6盒/件
16	解放三吨王JIEFANG3T	180208	φ40×φ80×18	130	6盒/件
17	解放九平柴JIEFANGSIXPINGCHAI	6210	φ50×φ90×20	160	6盒/件
18	解放九平柴JIEFANGNINEPINGCHAI	6211	φ55×φ100×21	210	6盒/件
19	解放四大(60内径)JIEFANGSIDA60MM	180212	φ60×φ110×22	220	6盒/件
20	斯太尔(60内径)STEYR60MM	280212K	φ60×φ110×36	200	6盒/件
21	斯太尔(65内径)STEYR65MM	280313KY	φ65×φ110×36	200	6盒/件
22	斯太尔(70内径)STEYR70MM	6014AAA-2RS	φ70×φ110×36	200	6盒/件
23	豪沃08款(70内径)HOWO0870MM	6014-2RS	φ70×φ110×20	220	6盒/件
24	豪沃09款(70内径)HOWO0970MM	60115K	φ70×φ115×30	220	6盒/件
25	赛龙(50内径)SAILONG50MM	6210-2RS	φ50×φ90×20	230	6盒/件
26	赛龙(55内径)SAILONG55MM	6211-2RS	φ55×φ100×21	230	6盒/件
27	东风霸龙(65内径)DONGFENGBALONG65MM	280213KA	φ65×φ110×36	230	6盒/件
28	东风霸龙(70内径)DONGFENGBALONG70MM	6014AAA-2RS	φ70×φ110×36	230	6盒/件
29	一汽奥威FAWAOWEI	6214-2RS	φ70×φ125×24	250	3盒/件
30	紫罗兰(65内径)VIOLET/ZILUOLAN65MM	6213	φ65×φ120×23	295	3盒/件
31	紫罗兰(70内径)VIOLET/ZILUOLAN70MM	6214	φ70×φ125×24	295	3盒/件
32	紫罗兰(80内径)VIOLET/ZILUOLAN80MM	6016-2RS	φ80×φ125×22	295	3盒/件
33	EQ-153(双桥)EQ-153DoubleBridge	6213	φ65×φ120×23	295	3盒/件
34	北方奔驰(60内径)BEIBEN60MM	280212KA	φ60×φ110×36	245	3盒/件
35	北方奔驰(65内径)BEIBEN65MM	280213KA	φ65×φ110×36	245	3盒/件
36	北方奔驰(70内径)BEIBEN70MM	6014-2RS	φ70×φ110×20	245	3盒/件
37	东风小天籁DONGFENGXIAOTIANJIN	3000210	φ50×φ90×30	170	6盒/件
38	福田驭菱(30内径)FUTONYULING30MM	6206-2RS	φ30×φ62×16	155	6盒/件
39	黄河少帅(55内径)HUANGHESHUAOSHUAIS5MM	88511	φ55×φ100×36	230	6盒/件
40	小解放J6(50内径)SMALLJIEFANG50MM	6210-2RS	φ50×φ90×20	210	3盒/件
41	新解放J6(70内径)JIEFANGJ670MM	6214-2RS	φ70×φ125×24	252	3盒/件

中间传动轴支架总成

Auto Intermediate Shaft Bracket Assembly

No.排序	SuitableCarModel型号名称	BearingModel 所配轴承型号	Bearingdimension 轴承规格 (内径X外径X宽度) (IDxODxW)	BoltCenter 安装孔距 (mm)	Packingquantity 每件套数 (sets/box)
42	东风天锦153DONGFENGtianJIN153	6213	ø65×ø120×23	225	3盒/件
43	华菱（70内径）CAMC70MM	280214KA	ø70×ø110×36	250	3盒/件
44	江淮格尔发(四孔)JACGALLOP4HOLES	280215K	ø75×ø130×45	250	3盒/件
45	东风天锦紫罗兰(80内径)DONGFENGtianJINVIOLET80MM	6016	ø80×ø125×22	225	3盒/件
46	德龙F3000（四孔）DERONF30004HOLES	280116K	ø80×ø125×36	250	3盒/件
47	东风天龙DONGFENGKINLAND	6220	ø100×ø180×34	375	2盒/件
48	德龙F3000DERONF3000	280116K	ø80×ø125×36	250	3盒/件
49	东风天锦紫罗兰(65内径)DONGFENGtianJINVIOLET65MM	6213	ø65×ø120×23	225	3盒/件
50	欧曼曼九AUMANMAN9	6014AAA-2RS	ø70×ø110×36	250	3盒/件
51	大解放J6（80内径）BIGJIEFANGJ680MM	6216-2RS	ø80×ø140×26	265	3盒/件
52	江淮威铃（EQ-140四孔）JACWEILING(EQ-1404HOLES)	3000210	ø50×ø90×30	230	3盒/件
53	东风霸龙（60内径）DONGFENGBALONG60MM	280212K	ø60×ø110×36	230	6盒/件
54	一汽悍威（65内径）FAWHANWEI65MM	280213KA	ø65×ø110×36	220	6盒/件
55	一汽悍威（70内径）FAWHANWEI70MM	280214KA	ø70×ø110×36	220	6盒/件
56	解放四大(65内径)JIEFANGSIDA65MM	6212-2RS	ø65×ø110×22	220	6盒/件
57	豪沃10款（70内径）HOWO1070MM	280214KA	ø70×ø110×36	250	6盒/件
58	北方奔驰（70内径）加厚BEIBEN70MMthickening	280214KA	ø70×ø110×36	245	3盒/件
59	东风天锦（40内径）DONGFENGtianJIN40MM	6208	ø40×ø80×18	149	6盒/件
60	豪沃T7H（75内径）HOWOT7H75MM	280215KAA	ø75×ø120×30	250	6盒/件
61	豪沃轻卡（55内径）HOWOLIGHTTRUCK55MM	3000211	ø55×ø90×30	230	6盒/件

横拉杆接头总成

SAMTIN-TIE ROD END

No.序号	Model产品名称	Ballheadthreads pecification 球头端螺纹规格	Ballendthreads pecification 球座端螺纹规格(mm)	Ballpintaper diameter 球销锥度直径(mm)	packingquantity (sets/box) 每件盒数
1	BJ-1041	M16×1.5	M20×1.5	Φ18.1	18
2	EQ-140	M18×1.5	M27×1.5	Φ20	12
3	CA-151	M20×1.5	M30×1.5	Φ23.5	6
4	EQ-153	M24×1.5	M44×1.5	Φ27.2	4
5	EQ-1060	M16×1.5	M22×1.5	Φ17.5	18
6	EQ-1061	M16×1.5	M24×1.5	Φ17.5	18
7	红岩HONGYAN	M24×1.5	M30×1.5	Φ27.2	8
8	斯太尔STEYR	M20×1.5	M30×1.5	Φ23.5	8
9	BJ-130	M14×1.5	M18×1.5	Φ15.6	18
10	CA-1046	M14×1.5	M30×1.5	Φ15.6	12
11	CA-16T	M24×1.5	M36×1.5	Φ27.5	6
12	江淮6800JAC6800	M16×1.5	M33×1.5	Φ17.5	12
13	江淮6782JAC6782	M18×1.5	M33×1.5	Φ19.6	12
14	一汽悍威FAWHANWEI	M20×1.5	M36×1.5	Φ23.5	6
16	青岛悍威QINGDAOHANWEI	M20×1.5	M30×1.5	Φ23.5	6
17	欧曼（小孔）AUMANMicropore	M20×1.5	M42×1.5	Φ23.5	4
18	欧曼（大孔）AUMANBIGPORE	M20×1.5	M44×1.5	Φ23.5	4
19	华菱（大孔）CAMCBIGPORE	M24×1.5	M56×1.5	Φ29	4
20	新大威NEWDawei	M20×1.5	M30×1.5	Φ23.5	6
21	北方奔驰BEIBEN	M24×1.5	M30×1.5	Φ29	8
26	东风天龙DONGFENGKINLAND	M24×1.5	M44×1.5	Φ27.2	4
27	江淮格尔发JACGALLOP	M24×1.5	M42×1.5	Φ27.2	4
28	金龙6791KINGLONG6791	M18×1.5	M30×1.5	Φ20	6
31	一汽金卡王FAWKINGKAKING	M16×1.5	M20×1.5	Φ18.1	12
32	红塔金铃HONGTAJINLING	M16×1.5	M24×1.5	Φ17.5	12
33	小金龙(欧曼奇兵)SMALLKINGLONG(AUMANQIBING)	M18×1.5	M30×1.5	Φ20	8
34	大金龙BIGKINGLONG	M24×1.5	M30×1.5	Φ28.1	8
35	欧曼GTLAUMANGTL	M24×1.5	M44×1.5	Φ27.5	4
36	华菱之星CAMCSTAR	M24×1.5	M56×1.5	Φ27.2	4
37	霸铃V63BALINGV63	M14×1.5	M20×1.5	Φ15.6	18
38	EQ-144	M20×1.5	M30×1.5	Φ22	8
39	BJ-130（改装1041销）refitted1041	M16×1.5	M18×1.5	Φ18.1	18
40	EQ-1061（改装140销）refitted140	M18×1.5	M24×1.5	Φ20	12
41	EQ-140(改装1060销)refitted1060	M16×1.5	M27×1.5	Φ17.5	12
42	CA-1046(改装1041销)refitted1041	M16×1.5	M30×1.5	Φ18.1	12
43	CA-141	M20×1.5	M30×1.5	Φ22	6
44	NJ-131	M16×1.5	M18×1.5	Φ17.5	18
45	小霸龙SMALLBALONG	M14×1.5	M24×1.5	Φ15.6	18
46	EQ-1060（改装130销）refitted130	M14×1.5	M22×1.5	Φ15.6	18
47	EQ-140(改装1041销)refitted1041	M16×1.5	M27×1.5	Φ18.1	18
48	福田一代FOTON I	M20×1.5	M30×1.5	Φ24.5	8
49	大运430DAYUN430	M20×1.5	M36×1.5	Φ23.5	6

