



SINCE 1994



沧州鼎固脚手架有限公司

CANGZHOU DINGGU SCAFFOLDING CO.,LTD

沧州市金帝五金制品有限公司
CANGZHOU JINDI HARDWARE PRODUCTS CO.,LTD



www.jdgscaffolding.com





公司简介 COMPANY INTRODUCTION

鼎固集团成立于 1994 年，是一家集研发、制造、销售与服务于一体的综合性企业。

集团旗下拥有三大生产基地：沧州金帝五金制品有限公司、沧州鼎固脚手架有限公司以及沧州鼎固进出口贸易有限公司。

自 2008 年涉足脚手架及模板行业以来，鼎固集团始终秉承“品质决定安全，安全重于一切”的经营理念。

我们的产品远销中东、美洲、欧洲及亚洲各地，赢得了全球客户的信赖与认可。

我们坚持“客户至上”的原则，提供定制化的解决方案及全方位的技术支持，致力于助力全球建筑项目实现安全、高效与可持续发展。

JDG Group Founded in 1994, is an integrated enterprise combining R&D, manufacturing, sales, and service.

The Group consists of three major production bases: Cangzhou Jindi Hardware Products Co., Ltd., Cangzhou Dinggu Scaffolding Co., Ltd., and Cangzhou JDG Import & Export Trade Co., Ltd.

Since entering the scaffolding and formwork industry in 2008, JDG Group has adhered to the philosophy of “Quality Determines Safety, and Safety Is Our Top Priority.”

Our products are widely exported to the Middle East, America, Europe, and Asia, earning the trust and recognition of customers worldwide.

We uphold the principle of customer first, providing customized solutions and comprehensive technical support to empower the safe, efficient, and sustainable development of construction projects around the world.



沧州鼎固脚手架有限公司
CANGZHOU DINGGU SCAFFOLDING CO.,LTD
沧州市金帝五金制品有限公司
CANGZHOU JINDI HARDWARE PRODUCTS CO.,LTD

目录 CONTENTS

公司简介 Company Introduction	1
证书 Certificate.....	3
扣件式脚手架 Scaffolding Coupler System.....	4
轮盘式脚手架 Ringlock Scaffolding System.....	6
碗扣式脚手架 Cuplock Scaffolding System.....	10
门架式脚手架 Frame Scaffolding System.....	14
可调钢支撑 Adjustable Steel Shoring Prop System.....	18
模板系列 Formwork System.....	22
可调底座/顶托 Adjustable Screw Jack Base/U Head	28
快拆脚手架 Fast Ringlock Scaffolding System.....	31
其他脚手架配件 Other Scaffolding Products	32
钢筋弯曲机 Steel Bar Bending Machine	35



企业资质 COMPANY INTRODUCTION

Certificate CN21/10072

The management systems of

Cangzhou JDG Scaffolding Co., Ltd.

Unified Social Credit Code: 91130921989285376
Business Registration Address: Chuchengli Village, Zhangganton Town, Cang County, Cangzhou City, Hebei Province, P.R. China
Business Operation Address: Chuchengli Village, Zhangganton Town, Cang County, Cangzhou City, Hebei Province, P.R. China

has been assessed and certified as meeting the requirements of

ISO 9001:2015

For the following activities

Production of scaffolding accessories and formwork accessories

This certificate is valid from 10 February 2024 until 09 February 2027 and remains valid subject to satisfactory surveillance audits.
Issue 2. Certified since 10 February 2021

Authorized by
Jonathan Hall
Global Head - Certification Services

SGS United Kingdom Ltd
Rosemead Business Park, Elmstone Park, Cheshire, CH65 9EL UK
T +44 (0)151 3044466 - www.sgs.com

The certification information can be verified on the web site of Certification and Accreditation Administration of the People's Republic of China
www.cca.gov.cn

Page 1 of 1

第 77523450 号

商 标 注 册 证

核定使用商品/服务项目 (国际分类: 6)
第 6 类: 建筑用金属架; 金属脚手架配件; 五金器具; 钢模板; 金属脚手架; 金属护栏; 金属建筑材料; 建筑用金属柱; 建筑用金属加固材料; 金属带式拉紧 (截止)

注 册 人 沧州鼎固脚手架有限公司

注册人地址 河北省沧州市沧县张官屯乡邱庄子村

注册日期 2024年09月07日 有效期至 2034年09月06日

局 长 申 立 南 发证机关

SGS

TEST REPORT

No.: NJIN2505001178ML01_EN
Date: 2025-05-20
Page: 3 of 4

Before test After test

Test curve

Member of the SGS Group (SGS SA)

SGS

TEST REPORT

No.: SHIN2503000506CM01_EN
Date: 2025-03-19
Page: 3 of 4

Test Item: Failure Load Test
Test Method: With Reference to EN 1065:1998 Clause 10.2.5 and Client's Requirement
Sample Description:
Specimen: 1pc
Inner tube: 48mm*3mm (wall thickness)
Outer tube: 60mm*2.5mm (wall thickness)
Adjustable height: 1740mm~3150mm
Weight: 13.86kg

Test Condition:
Test height: 3000mm, 1pc (Provided by Client)
The diameter of steel ball: 50mm

Test Procedure:
1) Place the adjustable steel prop on a steel plane with the inclined angle 1°, the steel prop was assembled to be tested at the test height.
2) Apply a axial compression test load via a steel ball at the head of the prop with an eccentricity of 10mm.
3) The load shall be increased until the plastic deformation occurs or the test load cannot be increased usefully.
4) Record the failure load and the failure mode.

Test Result:

Test Item	Test Height(mm)	Failure Load (kN)	Failure Mode
Failure Load Test	3000	27.87	The inner tube was bent

Member of the SGS Group (SGS SA)

SGS

TEST REPORT

No.: SHIN2503000506CM01_EN
Date: 2025-03-19
Page: 4 of 4

Test Photo(s):

Before Test

In Test After Test

The test report shall only be used for clients' scientific research, teaching, internal quality control, product research and development, etc... and just for internal reference.
*****End of report*****

Member of the SGS Group (SGS SA)

沧州鼎固脚手架有限公司
CANGZHOU DINGGU SCAFFOLDING CO.,LTD

检测 报 告

试件批号	4.2kg模板夹	钢号	
试验日期	20250111	试验人	
试件形状		尺寸(mm)	
So(mm²)		标距率	
Lo(mm)	/	引伸计标距	50
Lu(mm)		A(%)	/
断面尺寸		Su(mm²)	
Z(%)	/	Pa(kN)	61.54
ReL(MPa)	/	Rel(kN)	33.12
ReH(MPa)	/	ReL(kN)	33.12
Rp(MPa)	/	Rp(kN)	0.52
Rt(MPa)	/	Rt(kN)	/
屈服比	/	屈服比	/
At(%)	/	At(%)	/

力(kN) 力-变形曲线

变形(mm)

Member of the SGS Group (SGS SA)

SGS

TEST REPORT

No.: NJIN2505001178ML01_EN
Date: 2025-05-20
Page: 2 of 4

Tensile Test
Test Method: GB/T 2890-2022

Test Item	Specimen type	Tensile strength (R _m) (MPa)	Maximum force (F _m) (kN)	Proof strength (R _{p0.2}) (MPa)	Elongation after fracture(A) L _u =5d (%)	Percentage total elongation at maximum force (Agg) L _u =100 (%)
Result-001	Unmachined specimen	1094	193.35	920	12.0	9.0

During test

Member of the SGS Group (SGS SA)

SGS

TEST REPORT

No.: SHIN2503000506CM01_EN
Date: 2025-03-19
Page: 2 of 4

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Failure Load Test	With Reference to EN 1065:1998 Clause 10.2.5 and Client's Requirement	See Result	N/A

Note:
Pass: Meet the requirements;
Fail: Does not meet the requirements;
N/A: Not Apply to the judgment.

Original Sample Photo:

Member of the SGS Group (SGS SA)

沧州鼎固脚手架有限公司
CANGZHOU DINGGU SCAFFOLDING CO.,LTD

Certificate No.: CZJDG251007002

QUALITY CERTIFICATE

Product Specification			Chemical Composition %				Mechanical Property	
Item	Grade	Weight	C	S	Si	Mn	P	Loading Capacity at 250 mm
Solid Base Jack	Q235	3.92	0.2	0.046	0.32	1.35	0.041	194 Kn

制表人: 邢国艳
Lister: Ms.Eva

审核人: 张树利
Verifier: Mr. Zhang

复印无效
Copying invalid

日期: 2025-05-20
Date: 2025-05-20

Member of the SGS Group (SGS SA)



扣件式脚手架 SCAFFOLDING COUPLER SYSTEM

扣件式钢管脚手架系统零件少，安装简单，便于拆卸。各种性能都比较优越，如抗断性、抗滑性、抗变形、抗脱、抗锈等。是世界上普遍应用的脚手架系统之一。

For scaffold coupler system, parts are fewer and installation is simple and convenient, also easy to remove. All kinds of performances are superior, such as skid resistance, resistance to deformation, rust protection, etc. It is one of the scaffold systems which is widely used around the world.



配件 ATTACHMENT PARTS

产品图片 product Images					
品名 Item	JDG-JC01 英式锻造旋转扣件 British Forged Swivel Coupler	JDG-JC02 英式锻造固定扣件 British Forged Double Coupler	JDG-JC03 英式防滑直角扣件 British Type Double Coupler	JDG-JC04 英式防滑旋转扣件 British Type Swivel Coupler	JDG-JC05 英式锻造梯形扣件 British Forged Girder Coupler
型号 Size	Φ48.3mm	Φ48.3mm	Φ48.3mm	Φ48.3mm	Φ48.3mm
重量 Weight	1.1kg	0.98kg	0.95kg	1.15kg/1.25kg	1.5kg
表面处理 Surface Treatment	Gal.zinc / HDG	Gal.zinc / HDG	Gal.zinc / HDG	Gal.zinc / HDG	Gal.zinc / HDG

产品图片 product Images					
品名 Item	JDG-JC06 普通德式直角扣件 German Type Double Coupler	JDG-JC07 普通德式旋转扣件 German Type Swivel Coupler	JDG-JC08 德式锻压固定防滑扣件 German Forged Double Coupler	JDG-JC09 德式锻压旋转防滑扣件 German Forged Swivel Coupler	JDG-JC10 旋转扣件 Swivel Coupler
型号 Size	Φ48.3mm	Φ48.3mm	Φ48.3mm	Φ48.3mm	Φ60*48.3mm
重量 Weight	1.05kg	1.30kg	1.25kg	1.35kg	1.45kg
表面处理 Surface Treatment	Gal.zinc / HDG	Gal.zinc / HDG	Gal.zinc / HDG	Gal.zinc / HDG	Gal.zinc

产品图片 product Images					
品名 Item	JDG-JC11 直角扣件 Double Coupler	JDG-JC12 日式冲压旋转扣件 JIS Pressed Swivel Coupler	JDG-JC13 日式冲压固定扣件 JIS Pressed Double Coupler	JDG-JC14 英式冲压直角扣件 BS1139 Pressed Double Coupler	JDG-JC15 英式冲压旋转扣件 BS1139 Pressed Swivel Coupler
型号 Size	Φ60*48.3mm	Φ48.6*3mm	Φ48.6*3mm	Φ48.3*5mm	Φ48.3*5mm
重量 Weight	1.35kg	0.65kg	0.65kg	0.84kg	1.03kg
表面处理 Surface Treatment	Gal.zinc	Gal.zinc	Gal.zinc	Gal.zinc	Gal.zinc

产品图片 product Images					
品名 Item	JDG-JC16 英式冲压猪耳扣件 BS1139 Pressed Putlog Coupler	JDG-JC17 英式冲压对接扣件 BS1139 Pressed Sleeve Coupler	JDG-JC18 英式冲压对接扣件 BS1139 Pressed Sleeve Coupler	JDG-JC19 冲压扣件 Pressed Coupler	JDG-JC20 韩式支撑钩 Korean Support Clamp
型号 Size	Φ48.3mm	Φ48.3*5mm	Φ48.3*5mm	Φ48.3mm	Φ48.3*4mm
重量 Weight	0.65kg	0.9kg	1.10kg	1.5kg	0.55kg
表面处理 Surface Treatment	Gal.zinc	Gal.zinc	Gal.zinc / HDG	Gal.zinc	Gal.zinc



轮盘式脚手架 RINGLOCK SCAFFOLDING SYSTEM

轮盘脚手架系统是世界上应用最为广泛的脚手架系统。其优点很多，如减少用钢量、易拆装和使用寿命长，可长达 20 年，这些优点可以大幅降低成本。

Ringlock System is the most popular used scaffolding system in the world. It will greatly reduce the cost because of the following advantages

1. Using less pipes
2. Easy to install
3. It can be used again and again for nearly 20 years



轮盘式脚手架 RINGLOCK SCAFFOLDING SYSTEM

产品图片 product Images	品名 Item	型号 Size	重量 Weight
	立杆 Standard Φ48*3.2mm Q235/Q345	1.0m	4.9kg
	立杆 Standard Φ48*3.2mm Q235/Q345	1.5m	7.8kg
	立杆 Standard Φ48*3.2mm Q235/Q345	2.0m	9.7kg
	立杆 Standard Φ48*3.2mm Q235/Q345	3.0m	14.4kg
	立杆 Standard Φ48*3.2mm Q235/Q345	4.0m	19.1kg
	横杆 Ledger Φ48*3.2mm Q235/Q345	0.425m	2.3kg
	横杆 Ledger Φ48*3.2mm Q235/Q345	0.638m	3.2kg
	横杆 Ledger Φ48*3.2mm Q235/Q345	0.9m	4kg
	横杆 Ledger Φ48*3.2mm Q235/Q345	0.935m	4.18kg
	横杆 Ledger Φ48*3.2mm Q235/Q345	1.25m	5.34kg
	横杆 Ledger Φ48*3.2mm Q235/Q345	1.8m	7.36kg
	横杆 Ledger Φ48*3.2mm Q235/Q345	2.7m	10.36kg
	水平斜杆 Horizontal Diagonal Braces Φ48*3.2mm Q235/Q345	0.9*1.25m	6.28kg
	水平斜杆 Horizontal Diagonal Braces Φ48*3.2mm Q235/Q345	1.25*1.8m	8.6kg
	水平斜杆 Horizontal Diagonal Braces Φ48*3.2mm Q235/Q345	1.25*2.7m	11.45kg
	垂直斜杆 Vertical Diagonal Braces Φ48*3.2mm Q235/Q345	0.9*2.0m	8.88kg
	垂直斜杆 Vertical Diagonal Braces Φ48*3.2mm Q235/Q345	0.935*2.0m	8.93kg
	垂直斜杆 Vertical Diagonal Braces Φ48*3.2mm Q235/Q345	1.25*2.0m	9.4kg
	垂直斜杆 Vertical Diagonal Braces Φ48*3.2mm Q235/Q345	1.8*2.0m	10.5kg
	垂直斜杆 Vertical Diagonal Braces Φ48*3.2mm Q235/Q345	2.7*2.0m	12.8kg



产品图片 product Images				
品名 Item	JDG-RS01 轮盘/圆盘 Ringlock / Rossete / Flange	JDG-RS02 轮盘/圆盘 Ringlock / Rossete / Flange	JDG-RS03 轮盘/圆盘 Ringlock / Rossete / Flange	JDG-RS04 轮盘/圆盘 Ringlock / Rossete / Flange
型号 Size	Φ49mm	Φ49mm	Φ61mm	Φ49mm
厚度 Thickness	8mm	9.75mm	9.5mm	9mm
重量 Weight	0.42kg	0.48kg	0.48kg	0.41kg

产品图片 product Images				
品名 Item	JDG-RS05 轮盘/圆盘 Ringlock / Rossete / Flange	JDG-RS06 轮盘/圆盘 Ringlock / Rossete / Flange	JDG-RS07 轮盘/圆盘 Ringlock / Rossete / Flange	JDG-RS08 轮盘/圆盘 Ringlock / Rossete / Flange
型号 Size	Φ49mm	Φ48mm	Φ49mm	Φ60mm
厚度 Thickness	9mm	7mm	9mm	9mm
重量 Weight	0.36kg	0.25kg	0.26kg	0.5kg

产品图片 product Images				
品名 Item	JDG-RS09 横锁 Ledger End	JDG-RS10 斜锁 Brace End	JDG-RS11 横锁 Ledger End	JDG-RS12 斜锁 Brace End
重量 Weight	0.5kg	0.53kg	0.41kg	0.41kg
表面处理 Surface Treatment	Black / Gal. Zinc /HDG	Black / Gal. Zinc /HDG	Black / Gal. Zinc /HDG	Black / Gal. Zinc /HDG

产品图片 product Images				
品名 Item	JDG-RS13 斜锁 Brace End	JDG-RS14 斜锁 Brace End	JDG-RS15 斜锁 Brace End	JDG-RS16 横锁 Ledger End
重量 Weight	0.61kg	0.59kg	0.45kg	0.35kg
表面处理 Surface Treatment	Black / Gal. Zinc /HDG	Black / Gal. Zinc /HDG	Black / Gal. Zinc /HDG	Black / Gal. Zinc /HDG




配件 ATTACHMENT PARTS

产品图片 product Images				
品名 Item	JDG-RS17 斜锁 Brace End	JDG-RS18 斜锁 Brace End	JDG-RS19 韩式锁头 Korean Ledger End	JDG-RS20 韩式锁头 Korean Ledger End
重量 Weight	0.39kg	0.58kg	0.3kg	0.19kg
表面处理 Surface Treatment	Black / Gal. Zinc /HDG	Black / Gal. Zinc /HDG	Black / Gal.zinc	Black / Gal.zinc

产品图片 product Images				
品名 Item	JDG-RS21 冲压插销 Pressed Lock Pin	JDG-RS22 插销 Lock Pin	JDG-RS23 锻造插销 Forged Lock Pin	JDG-RS24 冲压内接扣件 Pressed Inner Joint Pin
重量 Weight	135g	110g	130g	0.97kg
表面处理 Surface Treatment	Black / Gal. Zinc /HDG	Black / Gal. Zinc /HDG	Black / Gal. Zinc /HDG	Gal.Zinc

产品图片 product Images				
品名 Item	JDG-RS25 轮盘脚手架接头 RingLock Base Collar	JDG-RS26 三角架 Side Bracket	JDG-RS27 梯子 Ledder	JDG-RS28 梯子 Ledder
型号 Size	Φ48*60mm	Φ48mm	According to Customer's Requirement	According to Customer's Requirement
重量 Weight	1.63kg	8kg		
表面处理 Surface Treatment	Gal.Zinc	Gal.Zinc		

产品图片 product Images				
品名 Item	JDG-RS29 踏板 Walking Board			
型号 Size	480mm/According to customer's requirement			
表面处理 Surface Treatment	Gal.zinc/HDG			



碗扣式脚手架 CUP LOCK SCAFFOLDING SYSTEM

碗扣脚手架系统是世界上应用最为广泛的脚手架系统之一。该系统包含上下碗、立杆、横杆、限位销、插片和底座等等。

Cuplock System is one of the most popular used scaffolding system in the world. It is consisted of cuplock, vertical, ledger, limit pins, blades and base etc.



配件 ATTACHMENT PARTS

产品图片 product Images	型号 Size	重量 Weight	表面处理 Surface Treatment
 带接头立杆 Standard With Spigot Φ48.3*3.2mm Q235 / Q345	1m	5.5kg	HD Zinc / Gal.Zinc / Black
	2m	11.4kg	
	3m	16.6kg	
 不带接头立杆 Standard Without Spigot Φ48.3*3.2mm Q235 / Q345	0.4m	2.4kg	
	0.8m	4.6kg	
	1.3m	6.6kg	
	1.8m	9.1kg	
	2.3m	11.6kg	
	0.6m	2.65kg	
	0.9m	3.73kg	
 横杆 Ledger Φ48.3*3.2mm Q235 / Q345	1.0m	4.1kg	
	1.2m	4.81kg	
	1.3m	5.17kg	
	1.6m	6.24kg	
	1.8m	6.96kg	
	2.5m	9.5kg	
 斜拉杆 Diagonal Brace Φ48.3*3.2mm Q235 / Q345	1.8*1.5m 2.343m	8.7kg	
	1.8*2.0m 2.691m	9.8kg	
	2.5*1.5m 2.916m	10.7kg	
	2.5*2.0m 3.202m	11.5kg	
	3.0*2.0m 3.606m	13kg	



产品图片 product Images	型号 Size	重量 Weight	表面处理 Surface Treatment
 中间横梁 Intermediate Transom Φ48.3*3.2mm Q235 / Q345	0.565m	2.8kg	HD Zinc / Gal.Zinc / Black
	0.795m	3.7kg	
	1.3m	5.5kg	
	1.8m	7.3kg	
	2.5m	16.5kg	
 三角支架 Board Bracket Φ48.3*3.2mm Q235 / Q345	0.565m	6.3kg	
	0.795m	7.7kg	



产品图片 product Images			
品名 Item	JDG-CS01 铸造上碗扣 Casted Top Cup	JDG-CS02 冲压下碗扣 Pressed Bottom Cup	JDG-CS03 冲压下碗扣 Pressed Bottom Cup
材质 Material	Cast Iron	Q235	Q235
壁厚 Thickness		4mm	5mm
重量 Weight	0.43kg	190g	240g
表面处理 Surface Treatment	Black	Black	Black


产品图片 product Images			
品名 Item	JDG-CS04 铸造插片 Casted Blade	JDG-CS05 锻造插片 Forged Blade	JDG-CS06 碗扣铸铁内接扣件 Casted Inner Joint Pin
材质 Material	Cast Iron	Q235	Cast Iron
重量 Weight	240g	220g	1.13kg
表面处理 Surface Treatment	Black	Black	Black



门架式脚手架 FRAME SCAFFOLDING SYSTEM

门架脚手架由主门架，水平门架，斜拉杆，踏板，可调底座或者脚手架脚轮组成。广泛应用于各种装修工程或者移动工作平台。

Consisting of main frame, horizontal frame, cross brace, stage board, adjustable base or scaffolding casters. It can be widely used for all kinds of decoration engineering or mobile working platforms.




配件 ATTACHMENT PARTS



产品图片 product Images					
品名 Item	JDG-FS01 连接棒 Pressed Inner Joint Pin	JDG-FS02 连接棒 Pressed Inner Joint Pin	JDG-FS03 连接棒 Pressed Joint Pin	JDG-FS04 连接棒 Pressed Joint Pin	JDG-FS05 连接棒 Pressed Joint Pin
型号 Size	Φ34.5mm	Φ36.5mm	Φ42mm	Φ36mm	Φ42mm
壁厚 Thickness	2.25mm	3mm	2mm	2mm	4mm
重量 Weight	0.45kg	0.53kg	0.4kg	0.37kg	0.64kg
表面处理 Surface Treatment	Galvanized Zinc	Galvanized Zinc	Galvanized Zinc	Galvanized Zinc	Galvanized Zinc


产品图片 product Images					
品名 Item	JDG-FS06 门架落眼销 Frame Lock Pin	JDG-FS07 门架落眼销 Frame Lock Pin	JDG-FS08 门架落眼销 Frame Lock Pin	JDG-FS09 门架落眼销 Frame Lock Pin	JDG-FS10 销子 Snap Pin
型号 Size	Φ12*52mm	Φ12.7*56mm	Φ16*73mm	Φ12.5*56mm	9*76mm
重量 Weight	50g	60g	152g	57g	57g
表面处理 Surface Treatment	Black / Galvanized Zinc	Black / Galvanized Zinc	Black / Galvanized Zinc	Black / Galvanized Zinc	Galvanized Zinc

产品图片 product Images					
品名 Item	JDG-FS11 脚手架橡胶脚轮 Scaffold Rubber Caster	JDG-FS12 脚手架PU脚轮 Scaffold PU Caster	JDG-FS13 弹簧卡 Spring Rivet/ Retainer	JDG-FS14 直钩销 Toggle Pin	JDG-FS15 爬梯 Ladder
型号 Size	6 inch/ 8 inch/ 10 inch	6 inch/ 8 inch/ 10 inch	25g	61g	2000mm



产品图片 product Images			
品名 Item	JDG-FS16	JDG-FS17	JDG-FS18
重量 Weight	7.0kg	2.5kg	5kg
表面处理 Surface Treatment	Power coated/Gal.zinc	Power coated/Gal.zinc	Power coated/Gal.zinc


产品图片 product Images			
品名 Item	JDG-FS19	JDG-FS20	JDG-FS21
重量 Weight	9.3kg	6.6kg	18.6kg
表面处理 Surface Treatment	Power coated/Gal.zinc	Power coated/Gal.zinc	Power coated/Gal.zinc

产品图片 product Images			
品名 Item	JDG-FS22	JDG-FS23	JDG-FS24
重量 Weight	12kg	15.5kg	6.8kg
表面处理 Surface Treatment	Power coated/Gal.zinc	Power coated/Gal.zinc	Power coated/Gal.zinc

产品图片 product Images		
品名 Item	JDG-FS25	JDG-FS26
重量 Weight	8.5kg	6kg
表面处理 Surface Treatment	Power coated/Gal.zinc	Power coated/Gal.zinc



配件 ATTACHMENT PARTS

产品图片 product Images					
品名 Item	JDG-FS27				
型号 Size	φ27*2.0*1730	φ26.9*2.5*1052	φ26.9*2.5*1406	φ26.9*2.5*2012	φ26.9*2.5*2428
重量 Weight	4.5kg	3.32kg	4.36kg	6.16kg	7.39kg
表面处理 Surface Treatment	Power coated/Gal.zinc				

产品图片 product Images			
品名 Item	JDG-FS28		
型号 Size	2000mm	3000mm	4000mm
重量 Weight	7.8kg	11.3kg	14.6kg
表面处理 Surface Treatment	Power coated/Gal.zinc		

产品图片 product Images		
品名 Item	JDG-FS29 手动钢筋折弯机 Manual Rebar bend machine	JDG-FS30 手动钢筋折弯机 Manual Rebar bend machine
重量 Weight	3.8kg	4.7kg
表面处理 Surface Treatment	Power coated/ Gal.zinc	Power coated/ Gal.zinc




可调钢支撑 ADJUSTABLE STEEL SHORING PROP SYSTEM

钢支撑用途和优点:

1. 土木工程支撑。
2. 可根据需求随意调整高度。
3. 使用寿命长。
4. 安装、拆除方便。

Shoring Prop Usages and Advantages:

1. Shoring for construction and civil engineering
2. Easy height adjustment
3. Long life for usage
4. Easy and simple assembly and dismantle



套杯钢支撑 Cup Prop					
	高度 Length	外管 Outer Tube	内管 Inner tube	重量 Weight	表面处理 (Surface)
	1.7-3.0m	48*1.8mm	40*1.8mm	7.6kg	Gal.zinc / HDG / Powder Coated
	2.0-3.6m	48*1.5mm	40*2.5mm	9.5kg	
	2.2-4.0m	48*2.0mm	40*3.0mm	12.5kg	
	1.6-3.0m	56*2.2mm	48*2.2mm	10.5kg	
	2.0-3.6m	56*1.8mm	48*2.0mm	11.2kg	
	2.2-4.0m	56*2.0mm	48*2.0mm	12.3kg	

螺母钢支撑 Nut Prop					
	高度 Length	外管 Outer Tube	内管 Inner tube	重量 Weight	表面处理 (Surface)
	1.7-3.1m	60*2.5mm	48*3.0mm	14kg	Gal.zinc / HDG / Powder Coated
	2.0-3.5m	60*2.5mm	48*3.5mm	16.3kg	
	2.2-4.0m	60*2.5mm	48*2.5mm	15.5kg	
	2.25-4.0m	76*2.5mm	63*3.0mm	24.2kg	



防脱落钢支撑
Prop with anti-withdrawal system



铸造套杯
Casted prop nut



外管直接滚丝 non-welded prop



斜支撑 Push-pull Prop 25kg



钢支撑三脚架 Prop Tripod 8.5kg



配件 ATTACHMENT PARTS

产品图片 product Images					
品名 Item	JDG-SP01 钢支撑螺母 Prop Nut	JDG-SP02 钢支撑螺母 Prop Nut	JDG-SP03 钢支撑螺母 Prop Nut	JDG-SP04 钢支撑螺母 Prop Nut	JDG-SP05 钢支撑螺母 Prop Nut
重量 Weight	0.52kg	0.44kg	0.72kg	0.69kg	0.54kg
表面处理 Surface Treatment	Black/Gal.Zinc	Black/Gal.Zinc	Black/Gal.Zinc	Black/Gal.Zinc	Black/Gal.Zinc

产品图片 product Images					
品名 Item	JDG-SP06 钢支撑螺母 Prop Nut	JDG-SP07 钢支撑螺母 Prop Nut	JDG-SP08 钢支撑螺母 Prop Nut	JDG-SP09 钢支撑螺母 Prop Nut	JDG-SP10 钢支撑螺母 Prop Nut
重量 Weight	0.75kg	0.42kg	0.67kg	0.41kg	0.53kg
表面处理 Surface Treatment	Black/Gal.Zinc	Black/Gal.Zinc	Black/Gal.Zinc	Black/Gal.Zinc	Black/Gal.Zinc


产品图片 product Images					
品名 Item	JDG-SP11 钢支撑螺母 Prop Nut	JDG-SP12 钢支撑螺母 Prop Nut	JDG-SP13 钢支撑螺母 Prop Nut	JDG-SP14 钢支撑丝头 Prop Sleeve	JDG-SP15 钢支撑底板 Prop Plate
重量 Weight	0.76kg	0.5kg	0.9kg		
表面处理 Surface Treatment	Black/Gal.Zinc	Black/Gal.Zinc	Black/Gal.Zinc	Black/Gal.Zinc	Black/Gal.Zinc

产品图片 product Images					
品名 Item	JDG-SP16 钢支撑绳销 Prop Wire Pin	JDG-SP17 钢支撑盖销 Prop Cap Pin	JDG-SP18 回型钩 G pin	JDG-SP19 角铁U托 Forkhead	JDG-SP20 钢支撑套杯 Prop Cup
重量 Weight	0.1kg	Φ12-14mm	Φ12-16mm	2kg/2.5kg	1kg/1.1kg
表面处理 Surface Treatment	Gal.Zinc	Gal.Zinc	Gal.Zinc	Gal.Zinc	Gal.Zinc



模板系列 FORMWORK SYSTEM

模板系统配件用重型材料生产而成，以满足由更厚的墙、桥梁、隧道和其他模板结构引起的更高的强度需求。
Formwork system accessories are produced from heavy duty materials to meet higher strength requirements arising from thicker wall, bridge, tunnel and other formwork structures.





配件 ATTACHMENT PARTS

产品图片 product Images						
品名 Item	JDG-FA01 地脚螺母 Anchor Nut	JDG-FA02 地脚螺母 Anchor Nut	JDG-FA03 地脚螺母 Anchor Nut	JDG-FA04 地脚螺母 Anchor Nut	JDG-FA05 地脚螺母 Anchor Nut	JDG-FA06 地脚螺母 Anchor Nut
型号 Size	Φ50mm	Φ70mm	Φ80mm	Φ90mm	Φ90mm	Φ90mm
重量 Weight	0.26kg	0.4kg	0.64kg	0.42kg	0.45kg	0.5kg


产品图片 product Images						
品名 Item	JDG-FA07 地脚螺母 Anchor Nut	JDG-FA08 地脚螺母 Anchor Nut	JDG-FA09 地脚螺母 Anchor Nut	JDG-FA10 地脚螺母 Anchor Nut	JDG-FA11 地脚螺母 Anchor Nut	JDG-FA12 地脚螺母 Anchor Nut
型号 Size	Φ100mm	Φ100mm	Φ100mm	Φ100mm	Φ100mm	Φ110mm
重量 Weight	0.53kg	0.55kg	0.56kg	0.64kg	0.66kg	0.76kg

产品图片 product Images						
品名 Item	JDG-FA13 地脚螺母 Anchor Nut	JDG-FA14 地脚螺母 Anchor Nut	JDG-FA15 地脚螺母 Anchor Nut	JDG-FA16 组合套 Swivel Nut	JDG-FA17 山形母 Wing Nut	JDG-FA18 锻造地脚螺母 Forged Anchor Nut
型号 Size	Φ110mm	Φ110mm	Φ130mm	Φ120*120mm	15/17mm	Φ70mm
重量 Weight	0.82kg	0.85kg	0.95kg	1.1kg	0.32kg	0.5kg

产品图片 product Images						
品名 Item	JDG-FA19 锻造地脚螺母 Forged Anchor Nut	JDG-FA20 锻造地脚螺母 Forged Anchor Nut	JDG-FA21 锻造地脚螺母 Forged Anchor Nut	JDG-FA22 锻造地脚螺母 Forged Anchor Nut	JDG-FA23 锻造组合套 Forged Swivel Nut	JDG-FA24 锻造组合套 Forged Swivel Nut
型号 Size	Φ90mm	Φ100mm	Φ110mm	Φ110mm	Φ117*117mm	Φ120mm
重量 Weight	0.57kg	0.68kg	0.85kg	0.9kg	1.5kg	1.1kg

产品图片 product Images						
品名 Item	JDG-FA25 止水阀 Water Stopper	JDG-FA26 止水阀 Water Stopper	JDG-FA27 椎体 Steel Cone	JDG-FA28 椎体 Steel Cone	JDG-FA29 冷轧螺杆 Cold Rolled Tie Rod	JDG-FA30 热轧螺杆 Hot Rolled Tie Rod
型号 Size	L=110mm	L=113mm	L=75mm	L=100mm	15/17mm	15/17mm
重量 Weight	0.42kg	0.54kg	0.34kg	0.57kg	1.5kg/m	1.4kg/m



产品图片 product Images					
品名 Item	JDG-FA31 铸造直夹具 Casted Straight Clamp	JDG-FA32 铸造直角夹具 Casted L Clamp	JDG-FA33 冲压直角夹具 Pressed L Clamp	JDG-FA34 冲压大夹具 Pressed Panel Clamp	JDG-FA35 冲压大夹具 Pressed Panel Clamp
重量 Weight	3.3kg	5.8kg	6.8kg	3.9kg	4.2kg
表面处理 Surface Treatment	Gal. zinc	Gal. zinc	Gal. zinc	Gal. zinc	Gal. zinc

产品图片 product Images					
品名 Item	JDG-FA36 铸造大夹具 Casted Panel Clamp	JDG-FA37 铸造大夹具 Casted Panel Clamp	JDG-FA38 铸造大夹具 Casted Panel Clamp	JDG-FA39 锻造大夹具 Forged Panel Clamp	JDG-FA40 可调节夹具 Adjustable Clamp
重量 Weight	2.8kg	2.4kg	2.4kg	3.2kg	4.7kg
表面处理 Surface Treatment	Black / Gal. zinc	Black / Gal. zinc	Black / Gal. zinc	Black / Gal. zinc	Gal. zinc

产品图片 product Images					
品名 Item	JDG-FA41 模板夹 Formwork Clamp	JDG-FA42 模板夹 Formwork Clamp	JDG-FA43 锻造模板扣 Forged Panel Lock	JDG-FA44 铸造模板扣 Casted Panel Lock	JDG-FA45 左右钩 Right-Left Hook Set
重量 Weight	0.64kg	0.64kg	0.46kg	0.45kg	0.79kg
表面处理 Surface Treatment	Gal. zinc	Gal. zinc	Gal. zinc	Gal. zinc	Gal. zinc



» 配件 ATTACHMENT PARTS

产品图片 product Images						
品名 Item	JDG-FA46 快速夹 Rapid Clamp	JDG-FA47 快速夹 Rapid Clamp	JDG-FA48 快速夹 Rapid Clamp	JDG-FA49 凸焊快速夹 Projection Welding Rapid Clamp	JDG-FA50 快速夹 Rapid Clamp	JDG-FA51 快速夹 Rapid Clamp
型号 Size	69*105*3mm	69*105*3mm	75*105*4mm	69*105*3.5mm	75*110*3.75mm	75*110*4mm
重量 Weight	0.31kg	0.33kg	0.4kg	0.35kg	0.42kg	0.45kg
表面处理 Surface Treatment	Power coated/ Gal.zinc	Power coated/ Gal.zinc	Power coated/ Gal.zinc	Power coated/ Gal.zinc	Power coated/ Gal.zinc	Power coated/ Gal.zinc

产品图片 product Images				
品名 Item	JDG-FA52 铸铁快速夹 Casted Rapid Clamp	JDG-FA53 铸铁蝴蝶扣 Casted Wedge Clamp	JDG-FA54 快速夹工具 Rapid Clamp Tensioner	JDG-FA55 快速夹工具 Rapid Clamp Tensioner
重量 Weight	0.39kg	0.39kg	2.9kg	3.2kg
表面处理 Surface Treatment	Gal.zinc	Gal.zinc	Gal.zinc	Gal.zinc



OTHER FORMWORK FITTINGS 其他模板配件

产品图片 product Images						
品名 Item	JDG-FA56 垫片 Washer	JDG-FA57 模板夹 Formwork Clamp	JDG-FA58 C型夹 C-Clamp	JDG-FA59 模板配件 Formwork Fitting	JDG-FA60 模板夹 Formwork Clamp	JDG-FA61 模板销子 Formwork Pin
重量 Weight	0.98kg	0.37kg	1.12kg	284g / 271g / 257g	1kg	50g

产品图片 product Images						
品名 Item	JDG-FA62 垫片 Washer	JDG-FA63 垫片 Washer	JDG-FA64 模板销子 Formwork Pin Lock	JDG-FA65 模板销子 Formwork Pin Lock	JDG-FA66 六角螺母 Hex Nut	JDG-FA67 六角螺母 Hex Nut
重量 Weight	0.33kg	0.63kg	697g	189g	100mm 338g	60mm 216g



JDG-FA68 H20 Beam




JDG-FA69 Aluminum Beam





JDG-FA70



可调底座/顶托 ADJUSTABLE SCREW JACK BASE / U HEAD

可调底座 / 顶托是脚手架系统的重要组成部分,广泛应用于轮盘脚手架系统、碗扣脚手架系统、扣件脚手架系统、门架脚手架系统以及其他脚手架和模板建筑系统。

Adjustable Screw Jack Base / U Head is one of the most components in scaffolding systems. It is widely used in ringlock scaffolding system, cuplock scaffolding system, coupler scaffolding system, frame scaffolding system, other scaffoldings and formworks.



产品图片 product Images	品名 Item	型号 Size	壁厚 Thickness	长度 Length	表面处理 Surface Treatment
	空心可调底座 Hollow Jack Base	φ34	4mm	600mm	Gal.zinc/HDG
		φ38	4mm	600mm	Gal.zinc/HDG
		φ42	5mm	600mm	Gal.zinc/HDG
		φ48	5mm	800mm	Gal.zinc/HDG
	空心可调U托 Hollow U Head	φ34	4mm	600mm	Gal.zinc/HDG
		φ38	4mm	600mm	Gal.zinc/HDG
		φ42	5mm	600mm	Gal.zinc/HDG
		φ48	5mm	800mm	Gal.zinc/HDG
	实心可调底座 Solid Jack Base	φ30		600mm	Gal.zinc/HDG
		φ32		400mm	Gal.zinc/HDG
		φ34		800mm	Gal.zinc/HDG
	实心可调U托 Solid U Head	φ30		600mm	Gal.zinc/HDG
		φ32		400mm	Gal.zinc/HDG
		φ34		800mm	Gal.zinc/HDG



产品图片 product Images				
品名 Item	JDG-AS01 螺母 Jack Nut	JDG-AS02 螺母 Jack Nut	JDG-AS03 螺母 Jack Nut	JDG-AS04 螺母 Jack Nut
尺寸 Sizes	38*6.35mm	40*6mm	48*6.35mm	48*6mm
长度 Length	150mm	150mm	220mm	240mm
重量 Weight	0.48kg	0.55kg	0.95kg	0.7kg

产品图片 product Images				
品名 Item	JDG-AS05 螺母 Jack Nut	JDG-AS06 螺母 Jack Nut	JDG-AS07 螺母 Jack Nut	JDG-AS08 螺母 Jack Nut
尺寸 Sizes	45*6.35mm	38*6.35mm	32*6.35mm	45*6.35mm
长度 Length	190mm	250mm	160mm	150mm
重量 Weight	0.65kg	1kg	0.83kg	0.83kg



快拆脚手架

FAST RINGLOCK SCAFFOLDING SYSTEM



快拆脚手架系统是最新设计的脚手架系统。其优点很多，如

1、具有自锁能力；
2、无任何活动零件；
3、运输、储存、搭设、拆除方便快捷；
4、受力性能合理；
5、可以自由调节；
6、组装合理，安全性、稳定性好

Fast Ringlock Scaffolding System is a new design scaffolding system. It has many advantages.

1. Self-Lock
2. No movable parts
3. Easy to transport, storage, the erection and dismantle
4.Rational performance of force
5.Can be adjusted freely
6.Reasonable assembly, good security and stability

品名 Item	尺寸 Size	表面处理 Surface Treatment
 快拆脚手架立杆 Fast Ringlock Standard Dia.48*2.75/3.0/3.25mm Q235/Q345	0.3m	Painting / Gal.Zinc
	0.6m	Painting / Gal.Zinc
	0.9m	Painting / Gal.Zinc
	1.2m	Painting / Gal.Zinc
	1.5m	Painting / Gal.Zinc
	1.8m	Painting / Gal.Zinc
	2.1m	Painting / Gal.Zinc
	2.4m	Painting / Gal.Zinc
	3.0m	Painting / Gal.Zinc
 快拆脚手架横杆 Fast Ringlock Ledger Dia.48*2.75/3.0/3.25mm Q235/Q345	0.3m	Painting / Gal.Zinc
	0.6m	Painting / Gal.Zinc
	0.9m	Painting / Gal.Zinc
	1.2m	Painting / Gal.Zinc
	1.5m	Painting / Gal.Zinc
	1.8m	Painting / Gal.Zinc
	2.4m	Painting / Gal.Zinc
	3.0m	Painting / Gal.Zinc

配件详图 Detailed Photos of Accessories



其他脚手架配件 OTHER SCAFFOLDING PRODUCTS

面向中东市场以以色列市场为主的供应各类脚手架配件, 适配多种主流脚手架系统, 服务建筑施工、翻新及市政工程。

优势:

1. 高强度钢材, 承重可靠;
2. 镀锌防腐, 适应沿海气候;
3. 精度标准统一, 通用互换性强;
4. 连接稳固, 施工安全;
5. 规格丰富, 可定制, 稳定批量供货。

We supply various scaffolding accessories to the Middle Eastern market, primarily Israel, compatible with multiple mainstream scaffolding systems for construction, renovation and municipal works.

Advantages:

- 1.High-strength steel for reliable load capacity;
- 2.Galvanized against coastal corrosion;
- 3.Standardized precision with good interchangeability;
- 4.Stable connection for safer operation;
- 5.Abundant & customizable specifications with consistent bulk supply





钩子 Hook



托盘 Pallet



四爪U托 U Jack with forkhead



C 型钢 C Channel Steel

产品图片 product Images					
品名 Item	JDG-SS01 Korean Right-left Clamp 韩式左右夹具	JDG-SS02 Small plate 小底座	JDG-SS03 Crossing 十字架	JDG-SS04 Crossing 十字架	JDG-SS05 Crossing 十字架
重量 Weight	1kg	0.52kg	1.6kg	1.9kg	1.9kg

产品图片 product Images					
品名 Item	JDG-SS06 Joint Pin 连接件	JDG-SS07 Ledger 横杆	JDG-SS08 Scaffolding Pin 小扇子	JDG-SS09 Small U Head 小U托	JDG-SS10 Box 周转筐
重量 Weight	0.5kg	1.9kg	0.2kg	0.9kg	58kg



脚手架钢管 scaffolding Tube all kinds of sizes



连墙支撑 Wall Connection Support



STEEL BAR BENDING MACHINE

钢筋弯曲机

产品图片 product Images				
品名 Item	GF20A钢筋弯箍机(数控款)	GF20B钢筋弯箍机(数控款)	GF25钢筋弯箍机(数控款)	GF32钢筋弯箍机(数控款)
型号 Size	GF20A型	GF20B型	GF25型	GF32型
功率 Power	2.2KW/380V	2.2KW/380V	3KW/380V	3KW/380V
弯曲速度 Bending speed	25-30r/min	25-30r/min	25-30r/min	20-25r/min
弯曲能力 Bending ability	≤18mm	≤18mm	≤22mm	≤28mm
尺寸 Dimensions	800x550x850mm	800x550x850mm	850x600x900mm	750x700x850mm
重量 Weight	90kg	95kg	130kg	200kg

产品图片 product Images			
品名 Item	GW40A钢筋弯曲机	GW40B钢筋弯曲机	GW40C钢筋弯曲机(数控款)
型号 Size	GW40A型	GW40B型	GW40C型
功率 Power	3KW/380V	3KW/380V	3KW/380V
弯曲速度 Bending speed	10-20r/min	10-20r/min	10-20r/min
弯曲能力 Bending ability	≤32mm	≤32mm	≤28mm
尺寸 Dimensions	850x770x840mm	800x700x900mm	890x820x820mm
重量 Weight	310kg	330kg	245kg



钢筋弯曲机

STEEL BAR BENDING MACHINE

◀◀

产品图片 product Images			
品名 Item	GW50A钢筋弯曲机	GW50B钢筋弯曲机	GW50C钢筋弯曲机(数控款)
型号 Size	GW50A型	GW50B型	GW50C型
功率 Power	4KW/380V	4KW/380V	4KW/380V
弯曲速度 Bending speed	10-20r/min	10-20r/min	10-20r/min
弯曲能力 Bending ability	≤36mm	≤36mm	≤36mm
尺寸 Dimensions	970x750x850mm	960x900x900mm	970x750x810mm
重量 Weight	400kg	440kg	320kg

产品图片 product Images			
品名 Item	GWH24钢筋弯弧机	GWH32钢筋弯弧机	GWH36钢筋弯弧机
型号 Size	GWH24型	GWH32型	GWH32型
功率 Power	3KW/380V	4KW/380V	4KW/380V
弯曲速度 Bending speed	20m/min	20m/min	20m/min
弯曲能力 Bending ability	6-25mm	18-28mm	18-32mm
尺寸 Dimensions	≥300mm	≥500mm	≥500mm
重量 Weight	210kg	240kg	330kg





沧州鼎固脚手架有限公司

CANGZHOU DINGGU SCAFFOLDING CO.,LTD

沧州市金帝五金制品有限公司

CANGZHOU JINDI HARDWARE PRODUCTS CO.,LTD

Address: Qiuzhuangzi Village, Cang County,
Cangzhou City, Hebei Province, China

Tel: +86-317-2135656

Mob: +86 13722771053

Fax: +86-317-8781919

E-mail: junekang@jdgscaffolding.com

jdg@jdgscaffolding.com

Website: www.jdgscaffolding.com