



CHUZHOU JINCHENG METALWORK CO.,LTD

JINCHENG CATALOGUE





INTRODUCTION CATEGORY

INTRODUCTION	1-2
RINGLOCK STANDARD.....	3-4
RINGLOCK LEDGER O/U TYPE.....	5
RINGLOCK BAY BRACE.....	6
RINGLOCK TRUSS LEDGER/INTERLOCKING TOEBOARD.....	7
RINGLOCK STEEL PLANK 320MM/STEEL PLANK 240MM.....	8-9
RINGLOCK STEEL PLANK 300MM/STEEL PLANK 210MM.....	10
RINGLOCK INFILL PLANK.....	11
RINGLOCK LATTICE GIRDER.....	12
RINGLOCK STAIRWAY STRINGER/STAIR TREAD.....	13-14
STAIR GUARDRAIL/STAIR HANDRAIL.....	15-16
BASE COLLAR/600MM SCREW JACK.....	17
GIN WHEEL/DAVIT ARM.....	18
SIDE BRACKET/LEG LOCK.....	19
GAP COVER PLATE.....	20
RINGLOCK ALUMINUM STANDARD.....	21
ALUMINUM LEDGER/BAY BRACE.....	22
ALUMINUM TRUSS LEDGER/TOEBOARD.....	23
ALUMINUM DECK 610MM/ALUMINUM DECK 320MM.....	24-25
FULL ALUMINUM ACCESS DECK/ALUMINUM LADDER.....	26
ALUMINUM LATTICE BEAM/ALUMINUM DECK WITH PLYWOOD.....	27-32
CUPLOCK VERTICAL/HORIZONTAL/BRACE.....	33
CUPLOCK SIDE BRACKET/STEEL LADDER/LADDER BRACKET.....	34
CUPLOCK TRUSS LEDGER/STEEL PLANK.....	35
MASON FRAME.....	36-37
WALK THROUGH FRAME/SNAP ON FRAME/SHORING FRAME.....	38-40
ANGLE BRACE/SHORING COUPLING/SHORING U HEAD/HITCH PIN.....	41
STEEL/ALUMINUM EURO FRAME AND DOUBLE GUARDRAIL.....	42
STEEL SINGLE GUARDRAIL&OUTER/INNER HANDRAIL.....	43
CONSOLE BRACE/ALUMINUM DECK.....	44
ALUMINUM L FRAME/STAIR U HOOKS.....	45
ALUMINUM TOP END FRAME/BASE U TRANSOM.....	46
SHORING PROP.....	47
RINGLOCK ASSEMBLY.....	48
EVENT SYSTEMS.....	49-50
ALUMINUM TOWER/ALUMINUM FRAME/ALUMINUM BARRIER.....	51-54
WORKSHOP	55-58
CERTIFICATE	59-69




INTRODUCTION

Chuzhou Jincheng Metalwork Co. , Ltd is a large-scale professional corporation which manufactures and exports steel and aluminum scaffold products with 500 containers monthly,integrates designing, manufacturing and sales in China. There are four factories with more than 1180 employees, covering an area of about 128,000 square meters. The new factory has a hot dip galvanized workshop which is fully automatic.

We offer a range of qualified products,such as ringlock scaffold,cuplock scaffold, kwikstage scaffold, frame systems and aluminum scaffold.Most of our products are exported to Europe, North America, South America,Oceania,etc.

JCSF is a company committed to providing the highest qualified products. Our QA/QC program and company core values ensure qualified products while saving our customers' time and money.Our goods passed many testings,such as loading capacity testing and welding penetration testing, also got many authoritative certifications ,such as ISO9001:2015, EN3834-2 welding quality system certification,EN1090-2/3 steel and aluminum structure welding quality system certification. Moreover,our goods are in line with the standard of EN12811, EN12810, AS1576, AS1577. With sufficient automatic equipment and the skilled workers,our goods quality can be guaranteed . Meanwhile, HDG is done by ourselves and the quality can be controlled to be the best. We have an experienced R&D team and the ability to research the new products quickly.All these factors together have allowed JCSF to be one of the largest scaffolding suppliers in China.





OUR FACTORY-JCSF GROUP





STEEL RINGLOCK SYSTEM COMPONENTS

STANDARD WITH CRIMPED SPIGOT



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
01.050.00	Standard 0.5m/1'8" (1 Ring) - Crimped Spigot	0.5	1'8"	3.23
01.100.00	Standard 1.0m/3'3" (2 Ring) - Crimped Spigot	1.0	3'3"	5.52
01.150.00	Standard 1.5m/4'11" (3 Ring) - Crimped Spigot	1.5	4'11"	7.81
01.200.00	Standard 2.0m/6'6" (4 Ring) - Crimped Spigot	2.0	6'6"	10.1
01.250.00	Standard 2.5m/8'2" (5 Ring) - Crimped Spigot	2.5	8'2"	12.38
01.300.00	Standard 3.0m/9'9" (6 Ring) - Crimped Spigot	3.0	9'9"	14.67
01.400.00	Standard 4.0m/13'1" (8 Ring) - Crimped Spigot	4.0	13'1"	19.25



STEEL RINGLOCK SYSTEM COMPONENTS

STANDARD WITHOUT SPIGOT



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
02.100.00	Standard 1.0m/3'3" (2 Ring) - No Spigot	1.0	3'3"	4.57
02.150.00	Standard 1.5m/4'11" (3 Ring) - No Spigot	1.5	4'11"	6.84
02.200.00	Standard 2.0m/6'6" (4 Ring) - No Spigot	2.0	6'6"	9.14
02.250.00	Standard 2.5m/8'2" (5 Ring) - No Spigot	2.5	8'2"	11.43
02.300.00	Standard 3.0m/9'9" (6 Ring) - No Spigot	3.0	9'9"	13.71
02.400.00	Standard 4.0m/13'1" (8 Ring) - No Spigot	4.0	13'1"	18.29



STEEL RINGLOCK SYSTEM COMPONENTS

LEDGER O/U TYPE



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
03.039.00	Ledger O-Type 0.39m/1'3"	0.39	1'3"	2.05
03.065.00	Ledger O-Type 0.65m/2'2"	0.65	2'2"	2.94
03.073.00	Ledger O-Type 0.73m/2'5"	0.73	2'5"	3.27
03.104.00	Ledger O-Type 1.04m/3'5"	1.04	3'5"	4.35
03.106.00	Ledger O-Type 1.065m/3'6"	1.065	3'6"	4.41
03.109.00	Ledger O-Type 1.09m/3'7"	1.09	3'7"	4.49
03.115.00	Ledger O-Type 1.15m/3'10"	1.15	3'10"	4.71
03.152.00	Ledger O-Type 1.52m/5'	1.52	5'	6.04
03.157.00	Ledger O-Type 1.57m/5'2"	1.57	5'2"	6.21
03.182.00	Ledger O-Type 1.82m/6'	1.82	6'	7.13
03.207.00	Ledger O-Type 2.07m/6'10"	2.07	6'10"	8.03
03.213.00	Ledger O-Type 2.13m/7'	2.13	7'	8.2
03.243.00	Ledger O-Type 2.43m/8'	2.43	8'	9.29
03.257.00	Ledger O-Type 2.57m/8'6"	2.57	8'6"	9.81
03.305.00	Ledger O-Type 3.05m/10'	3.05	10'	11.47
03.307.00	Ledger O-Type 3.07m/10'1"	3.07	10'1"	11.58



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
04.073.00	Ledger U-Type 0.73m/2'5"	0.73	2'5"	3.05
04.109.00	Ledger U-Type 1.09m/3'7"	1.09	3'7"	6.08
04.140.00	Ledger U-Type 1.40m/4'7"	1.40	4'7"	7.78
04.157.00	Ledger U-Type 1.57m/5'2"	1.57	5'2"	8.72



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
05.207.10	Bay Brace 1.0 x 2.07m/6'10"	2.07	6'10"	7.45
05.213.10	Bay Brace 1.0 x 2.13m/7'	2.13	7'	7.58
05.257.10	Bay Brace 1.0 x 2.57m/8'5"	2.57	8'5"	8.64
05.305.10	Bay Brace 1.0 x 3.05m/10'	3.05	10'	9.81
05.307.10	Bay Brace 1.0 x 3.07m/10'1"	3.07	10'1"	9.86
05.243.15	Bay Brace 1.5 x 2.43m/8'	2.43	8'	8.86
05.257.15	Bay Brace 1.5 x 2.57m/8'5"	2.57	8'5"	9.24
05.305.15	Bay Brace 1.5 x 3.05m/10'	3.05	10'	10.25
05.307.15	Bay Brace 1.5 x 3.07m/10'1"	3.07	10'1"	10.38
05.073.20	Bay Brace 2.0 x 0.73m/2'5"	0.73	2'5"	7.24
05.157.20	Bay Brace 2.0 x 1.57m/5'2"	1.57	5'2"	8.13
05.243.20	Bay Brace 2.0 x 2.43m/8'0"	2.43	8'0"	9.66
05.257.20	Bay Brace 2.0 x 2.57m/8'6"	2.57	8'6"	9.91
05.305.20	Bay Brace 2.0 x 3.05m/10'0"	3.05	10'0"	10.93
05.307.20	Bay Brace 2.0 x 3.07m/10'1"	3.07	10'1"	10.96



STEEL RINGLOCK SYSTEM COMPONENTS

TRUSS LEDGER/INTERLOCKING TOEBOARD



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
06.140.00	Truss Ledger O-Type 1.40m/4'7"	1.40	4'7"	9.38
06.157.00	Truss Ledger O-Type 1.57m/5'2"	1.57	5'2"	10.39
06.182.00	Truss Ledger O-Type 1.82m/6'	1.82	6'	12.38
06.207.50	Truss Ledger O-Type 2.07m/6'10"	2.07	6'10"	13.76
06.213.00	Truss Ledger O-Type 2.13m/7'	2.13	7'	14.1
06.243.00	Truss Ledger O-Type 2.43m/8'	2.43	8'	16.35
06.257.00	Truss Ledger O-Type 2.57m/8'5"	2.57	8'5"	17.13
06.305.00	Truss Ledger O-Type 3.05m/10'	3.05	10'	20.38
06.307.00	Truss Ledger O-Type 3.07m/10'1"	3.07	10'1"	20.51



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
07.035.00	Interlocking Toeboard 0.35m/1'2"	0.35	1'2"	1.29
07.106.00	Interlocking Toeboard 1.065M/3'6"	1.065	3'6"	3.36
07.157.00	Interlocking Toeboard 1.57m/5'2"	1.57	5'2"	4.82
07.213.00	Interlocking Toeboard 2.13m/7'0"	2.13	7'0"	6.44
07.243.00	Interlocking Toeboard 2.43m/8'0"	2.43	8'0"	7.34
07.305.00	Interlocking Toeboard 3.05m/10'	3.05	10'	9.11



STEEL RINGLOCK SYSTEM COMPONENTS

STEEL PLANK 320MM-O-TYPE



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
08.073.00	Steel Plank 320mm - O-Type 0.73m/2'5"	0.73	2'5"	7.12
08.104.00	Steel Plank 320mm - O-Type 1.04/3'5"	1.04	3'5"	9.18
08.109.00	Steel Plank 320mm - O-Type 1.09m/3'7"	1.09	3'7"	9.54
08.140.00	Steel Plank 320mm - O-Type 1.40m/4'7"	1.40	4'7"	11.66
08.157.00	Steel Plank 320mm - O-Type 1.57m/5'2"	1.57	5'2"	12.83
08.207.00	Steel Plank 320mm - O-Type 2.07m/6'10"	2.07	6'10"	16.22
08.257.00	Steel Plank 320mm - O-Type 2.57m/8'5"	2.57	8'5"	19.63
08.307.00	Steel Plank 320mm - O-Type 3.07m/10'1"	3.07	10'1"	23.02



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
09.073.00	Steel Plank 320mm - O-Type 0.73m/2'5"	0.73	2'5"	7.32
09.109.00	Steel Plank 320mm - O-Type 1.09m/3'7"	1.09	3'7"	9.74
09.140.00	Steel Plank 320mm - O-Type 1.40m/4'7"	1.40	4'7"	11.86
09.157.00	Steel Plank 320mm - O-Type 1.57m/5'2"	1.57	5'2"	13.28
09.207.00	Steel Plank 320mm - O-Type 2.07m/6'10"	2.07	6'10"	16.67
09.257.00	Steel Plank 320mm - O-Type 2.57m/8'5"	2.57	8'5"	20.07
09.307.00	Steel Plank 320mm - O-Type 3.07m/10'1"	3.07	10'1"	23.47



STEEL RINGLOCK MODULAR COMPONENTS

STEEL PLANK 320MM-U-TYPE/STEEL PLANK 240MM



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
10.073.00	Steel Plank 320mm - U-Type 0.73m/2'5"	0.73	2'5"	5.89
10.109.00	Steel Plank 320mm - U-Type 1.09m/3'7"	1.09	3'7"	8.16
10.140.00	Steel Plank 320mm - U-Type 1.40m/4'7"	1.40	4'7"	10.16
10.157.00	Steel Plank 320mm - U-Type 1.57m/5'2"	1.57	5'2"	11.27
10.207.00	Steel Plank 320mm - U-Type 2.07m/6'10"	2.07	6'10"	14.45
10.257.00	Steel Plank 320mm - U-Type 2.57m/8'5"	2.57	8'5"	17.68
10.307.00	Steel Plank 320mm - U-Type 3.07m/10'1"	3.07	10'1"	20.86



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
11.065.00	Steel Plank 240mm - O-Type 0.65m/2'2"	0.65	2'2"	5.86
11.106.00	Steel Plank 240mm- O-Type 1.065m/3'6"	1.065	3'6"	8.3
11.115.00	Steel Plank 240mm - O-Type 1.15m/3'10"	1.15	3'10"	8.8
11.157.00	Steel Plank 240mm- O-Type 1.57m/5'2"	1.57	5'2"	11.34
11.213.00	Steel Plank 240mm - O-Type 2.13m/7'	2.13	7'	14.68
11.257.00	Steel Plank 240mm - O-Type 2.57m/8'6"	2.57	8'6"	17.25
11.305.00	Steel Plank 240mm - O-Type 3.05m/10'	3.05	10'	20.16




STEEL RINGLOCK MODULAR COMPONENTS

STEEL PLANK 300MM-O-TYPE/STEEL PLANK 210MM



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
12.075.00	Steel Plank 300mm - O-Type 0.75m/2'6"	0.75	2'6"	8.10
12.100.00	Steel Plank 300mm - O-Type 1.0m/3'3"	1.00	3'3"	9.77
12.150.00	Steel Plank 300mm - O-Type 1.5m/4'11"	1.5	4'11"	13.1
12.200.00	Steel Plank 300mm - O-Type 2.0m/6'6"	2.0	6'6"	16.43
12.250.00	Steel Plank 300mm - O-Type 2.5m/8'2"	2.5	8'2"	19.76
12.300.00	Steel Plank 300mm - O-Type 3.0m/9'9"	3.0	9'9"	23.10



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
13.075.00	Steel Plank 210mm - O-Type 0.75m/2'6"	0.75	2'6"	5.53
13.100.00	Steel Plank 210mm - O-Type 1.0m/3'3"	1.0	3'3"	6.73
13.150.00	Steel Plank 210mm - O-Type 1.5m/4'11"	1.5	4'11"	9.14
13.200.00	Steel Plank 210mm - O-Type 2.0m/6'6"	2.0	6'6"	11.54
13.250.00	Steel Plank 210mm - O-Type 2.5m/8'2"	2.5	8'2"	13.94
13.300.00	Steel Plank 210mm - O-Type 3.0m/9'9"	3.0	9'9"	16.34




CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
14.073.00	Infill Plank 0.73m/2'5"	0.73	2'5"	2.8
14.106.00	Infill Plank 1.065m/3'6"	1.065	3'6"	4.41
14.157.00	Infill Plank 1.57m/5'2"	1.57	5'2"	6.8
14.207.00	Infill Plank 2.07m/6'10"	2.07	6'10"	9.09
14.213.00	Infill Plank 2.13m/7'	2.13	7'	9.46
14.243.00	Infill Plank 2.43m/8'	2.43	8'	10.92
14.257.00	Infill Plank 2.57m/8'5"	2.57	8'5"	11.44
14.305.00	Infill Plank 3.05m/10'	3.05	10'	13.82
14.307.00	Infill Plank 3.07m/10'1"	3.07	10'1"	13.85



STEEL RINGLOCK SYSTEM COMPONENTS

LATTICE GIRDER



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
15.207.00	Lattice Girder 2.07m/6'10" - No Spigot	2.07	6'10"	24.10
15.257.00	Lattice Girder 2.57m/ 8' 5" - No Spigot	2.57	8' 5"	28.87
15.307.00	Lattice Girder 3.07m/10'1" - No Spigot	3.07	10'1"	33.75
15.426.00	Lattice Girder 4.26m/14' - No Spigot	4.26	14'	46.55
15.514.00	Lattice Girder 5.14m/16'0" - No Spigot	5.14	16'0"	55.25
15.517.00	Lattice Girder 5.17m/17' - No Spigot	5.17	17'	55.59
15.614.00	Lattice Girder 6.14m/20'0" - No Spigot	6.14	20'0"	64.87
15.639.00	Lattice Girder 6.39m/21' - No Spigot	6.39	21'	68.58
15.771.00	Lattice Girder 7.71m/25'0" - No Spigot	7.71	25'0"	82.26
15.852.00	Lattice Girder 8.52m/28' - No Spigot	8.52	28'	90.61



STEEL RINGLOCK SYSTEM COMPONENTS

STAIRWAY STRINGER



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
16.200.00	U Stairway Stringer -2 Step			9.51
16.500.00	U Stairway Stringer -5 Step			24.36
16.600.00	U Stairway Stringer -6 Step			25.41
16.800.00	U Stairway Stringer -8 Step			40.70
16.900.00	U Stairway Stringer -9 Step			44.26



STEEL RINGLOCK SYSTEM COMPONENTS

STAIR TREAD/STAIR STRINGER



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
17.081.00	Stair Tread 0.81m/32' (2'8")	0.81	32' (2'8")	8.27
17.089.00	Stair Tread 0.89m/34" (2'11")	0.89	34' (2'11")	8.62
17.152.00	Stair Tread 1.52m/5'	1.52	5'	11.67



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
18.106.00	Stair Stringer 1.067mx1.0m			15.80
18.213.00	Stair Stringer 2.13mx2.0m			27.22



STEEL RINGLOCK SYSTEM COMPONENTS

STAIR GUARDRAIL



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
19.200.00	Stair Guardrail For 2 Step			10.20
19.500.00	Stair Guardrail For 5 Step			27.78
19.600.00	Stair Guardrail For 6 Step			30.12
19.800.00	Stair Guardrail For 8 Step			41.50
19.900.00	Stair Guardrail For 9 Step			46.25



STEEL RINGLOCK SYSTEM COMPONENTS

STAIR HANDRAIL



	ITEM	SIZE		WEIGHT
CODE	DESCRIPTION	METRE	FEET	KG
20.000.00	Steel Outer Handrail			18.9



	ITEM	SIZE		WEIGHT
CODE	DESCRIPTION	METRE	FEET	KG
21.000.00	Steel Inner Handrail			9.9



STEEL RINGLOCK SYSTEM COMPONENTS

BASE COLLAR / 600MM SCREW JACK



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
22.235.00	Starter/Base Collar 235mm			1.41
22.355.00	Starter/Base Collar 355mm			2.43



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
23.600.00	Screwjack/Basejack 600mm			3.81



STEEL RINGLOCK SYSTEM COMPONENTS

GIN WHEEL/DAVIT ARM



	ITEM	SIZE		WEIGHT
CODE	DESCRIPTION	METRE	FEET	KG
24.000.00	10" Gin wheel			5.3



	ITEM	SIZE		WEIGHT
CODE	DESCRIPTION	METRE	FEET	KG
25.000.00	Davit arm			9.87



STEEL RINGLOCK SYSTEM COMPONENTS

SIDE BRACKET/LEG LOCK



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
26.039.00	Side Bracket 0.39m/1'3"	0.39	1'3"	5.11
26.073.00	Side Bracket 0.73m/2'5"	0.73	2'5"	7.28




CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
27.000.00	Leg Lock (Suspended Scaffold)			3.26



STEEL RINGLOCK SYSTEM COMPONENTS

GAP COVER PLATE



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
28.039.00	Steel Gap Cover Plate 0.39m/1'3"	0.39	1'3"	1.04
28.045.00	Steel Gap Cover Plate 0.45m/1'6"	0.45	1'6"	1.31
28.073.00	Steel Gap Cover Plate 0.73m/2'5"	0.73	2'5"	2.3
28.109.00	Steel Gap Cover Plate 1.09m/3'7"	1.09	3'7"	3.7
28.140.00	Steel Gap Cover Plate 1.40m/4'7"	1.40	4'7"	5.0
28.157.00	Steel Gap Cover Plate 1.57m/5'2"	1.57	5'2"	5.7
28.207.00	Steel Gap Cover Plate 2.07m/6'10"	2.07	6'10"	7.6
28.257.00	Steel Gap Cover Plate 2.57m/8'6"	2.57	8'6"	9.5
28.307.00	Steel Gap Cover Plate 3.07m/10'1"	3.07	10'1"	11.5



ALUMINUM RINGLOCK SYSTEM COMPONENTS

ALUMINUM STANDARD



CODE	ITEM	SIZE		WEIGHT
	DESCRIPTION	METRE	FEET	KG
29.050.00	Aluminum Standard 0.5m/1'8" (1 Ring)	0.5	1'8"	1.29
29.100.00	Aluminum Standard 1.0m/3'3" (2 Ring)	1.0	3'3"	2.24
29.150.00	Aluminum Standard 1.5m/4'11" (3 Ring)	1.5	4'11"	3.19
29.200.00	Aluminum Standard 2.0m/6'6" (4 Ring)	2.0	6'6"	4.14
29.250.00	Aluminum Standard 2.5m/8'2" (5 Ring)	2.5	8'2"	5.09
29.300.00	Aluminum Standard 3.0m/9'9" (6 Ring)	3.0	9'9"	6.04
29.400.00	Aluminum Standard 4.0m/13'1" (8 Ring)	4.0	13'1"	7.95



ALUMINUM RINGLOCK SYSTEM COMPONENTS

ALUMINUM LEDGER/BAY BRACE



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
30.073.00	Aluminum Ledger 0.73m/2'5"	0.73	2'5"	1.55
30.104.00	Aluminum Ledger 1.04m/3'5"	1.04	3'5"	2.00
30.109.00	Aluminum Ledger 1.09m/3'7"	1.09	3'7"	2.08
30.140.00	Aluminum Ledger 1.40m/4'7"	1.40	4'7"	2.55
30.157.00	Aluminum Ledger 1.57m/5'2"	1.57	5'2"	2.81
30.207.00	Aluminum Ledger 2.07m/6'10"	2.07	6'10"	3.56
30.257.00	Aluminum Ledger 2.57m/8'6"	2.57	8'6"	4.31
30.307.00	Aluminum Ledger 3.07m/10'1"	3.07	10'1"	5.06



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
31.073.00	Aluminum Bay Brace 0.73/2'5"x2.0m	0.73	2'5"	3.33
31.109.00	Aluminum Bay Brace 1.09/3'7"x2.0m	1.09	3'7"	3.47
31.140.00	Aluminum Bay Brace 1.40/4'7"x2.0m	1.40	4'7"	3.64
31.157.00	Aluminum Bay Brace 1.57/5'2"x2.0m	1.57	5'2"	3.75
31.207.00	Aluminum Bay Brace 2.07/6'10"x2.0m	2.07	6'10"	4.12
31.257.00	Aluminum Bay Brace 2.57/8'6"x2.0m	2.57	8'6"	4.54
31.307.00	Aluminum Bay Brace 3.07/10'1"x2.0m	3.07	10'1"	5.00



ALUMINUM RINGLOCK SYSTEM COMPONENTS

ALUMINUM TRUSS LEDGER/TOEBOARD



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
32.182.00	Aluminum Truss Ledger 1.82m/6'	1.82	6'	5.08
32.207.00	Aluminum Truss Ledger 2.07m/6'10"	2.07	6'10"	5.64
32.213.00	Aluminum Truss Ledger 2.13m/7'	2.13	7'	5.78
32.243.00	Aluminum Truss Ledger 2.43m/8'	2.43	8'	6.66
32.257.00	Aluminum Truss Ledger 2.57m/8'5"	2.57	8'5"	6.96
32.305.00	Aluminum Truss Ledger 3.05m/10'	3.05	10'	8.24
32.307.00	Aluminum Truss Ledger 3.07m/10'1"	3.07	10'1"	8.29



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
33.073.00	Aluminum Toeboard 0.73m/2'5"	0.73	2'5"	1.6
33.109.00	Aluminum Toeboard 1.09m/3'7"	1.09	3'7"	2.15
33.157.00	Aluminum Toeboard 1.57m/5'2"	1.57	5'2"	2.89
33.207.00	Aluminum Toeboard 2.07m/6'10"	2.07	6'10"	3.66
33.257.00	Aluminum Toeboard 2.57m/8'6"	2.57	8'6"	4.42
33.307.00	Aluminum Toeboard 3.07m/10'1"	3.07	10'1"	5.19



ALUMINUM WORKING PLATFORMS

ALUMINUM DECK



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
34.073.00	Aluminum Deck 0.73m/2'5"x0.61m	0.73	2'5"	5.50
34.109.00	Aluminum Deck 1.09m/3'7"x0.61m	1.09	3'7"	8.00
34.157.00	Aluminum Deck 1.57m/5'2"x0.61m	1.57	5'2"	11.20
34.207.00	Aluminum Deck 2.07m/6'10"x0.61m	2.07	6'10"	14.60
34.257.00	Aluminum Deck 2.57m/8'6"x0.61m	2.57	8'6"	17.82
34.307.00	Aluminum Deck 3.07m/10'1"x0.61m	3.07	10'1"	21.20



ALUMINUM WORKING PLATFORMS

ALUMINUM DECK



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
35.073.00	Aluminum Deck 0.73m/2'5"x0.32m	0.73	2'5"	4.44
35.109.00	Aluminum Deck 1.09m/3'7"x0.32m	1.09	3'7"	4.93
35.157.00	Aluminum Deck 1.57m/5'2"x0.32m	1.57	5'2"	6.88
35.207.00	Aluminum Deck 2.07m/6'10"x0.32m	2.07	6'10"	8.93
35.257.00	Aluminum Deck 2.57m/8'6"x0.32m	2.57	8'6"	11.03
35.307.00	Aluminum Deck 3.07m/10'1"x0.32m	3.07	10'1"	13.03



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
36.073.00	Aluminum Deck 0.73m/2'5"x0.32m	0.73	2'5"	3.65
36.109.00	Aluminum Deck 1.09m/3'7"x0.32m	1.09	3'7"	4.86
36.157.00	Aluminum Deck 1.57m/5'2"x0.32m	1.57	5'2"	6.70
36.207.00	Aluminum Deck 2.07m/6'10"x0.32m	2.07	6'10"	8.60
36.257.00	Aluminum Deck 2.57m/8'6"x0.32m	2.57	8'6"	10.40
36.307.00	Aluminum Deck 3.07m/10'1"x0.32m	3.07	10'1"	12.34



ALUMINUM WORKING PLATFORMS

FULL ALUMINUM ACCESS DECK/ALUMINUM LADDER



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
37.207.00	Full Aluminum Access Deck With Ladder 2.07m/6'10"x0.61mx2.0m	2.07	6'10"	22.3
37.257.00	Full Aluminum Access Deck With Ladder 2.57m/8'6"x0.61mx2.0m	2.57	8'6"	26.2
37.307.00	Full Aluminum Access Deck With Ladder 3.07m/10'1"x0.61mx2.0m	3.07	10'1"	29.5



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
38.000.00	Aluminum Ladder			3.50



ALUMINUM WORKING PLATFORMS

ALUMINUM LATTICE BEAM




CODE	ITEM	SIZE		WEIGHT
	DESCRIPTION	METRE	FEET	KG
39.300.00	Aluminum Lattice Beam 3.0m/9'10"x0.45m	3.0	9'10"	13.50
39.400.00	Aluminum Lattice Beam 4.0m/13'2"x0.45m	4.0	13'2"	17.10
39.500.00	Aluminum Lattice Beam 5.0m/16'5"x0.45m	5.0	16'5"	21.00
39.600.00	Aluminum Lattice Beam 6.0m/19'8"x0.45m	6.0	19'8"	24.90
39.800.00	Aluminum Lattice Beam 8.0m/26'3"x0.45m	8.0	26'3"	32.70



ALUMINUM WORKING PLATFORMS

ALUMINUM DECK WITH PLYWOOD




CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
40.207.00	Aluminum Plywood Deck 2.07m/6'10"x0.61m	2.07	6'10"	19.2
40.257.00	Aluminum Plywood Deck 2.57m/8'6"x0.61m	2.57	8'6"	23.8
40.307.00	Aluminum Plywood Deck 3.07m/10'1"x0.61m	3.07	10'1"	28.4



ALUMINUM WORKING PLATFORMS

ALUMINUM PLYWOOD ACCESS DECK



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
41.213.00	Aluminum Plywood Access Deck 2.13m/7'x0.61m	2.13	7'	20.4
41.243.00	Aluminum Plywood Access Deck 2.43m/8'x0.61m	2.43	8'	23.3
41.305.00	Aluminum Plywood Access Deck 3.05m/10'x0.61m	3.05	10'	29.2



ALUMINUM WORKING PLATFORMS

ALUMINUM PLYWOOD DECK WITH O HOOK



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
42.213.00	Aluminum Plywood Deck 2.13m/7'x0.61m	2.13	7'	20.2
42.243.00	Aluminum Plywood Deck 2.43m/8'x0.61m	2.43	8'	23.1
42.305.00	Aluminum Plywood Deck 3.05m/10'x0.61m	3.05	10'	29.0



ALUMINUM WORKING PLATFORMS

ALUMINUM PLYWOOD DECK WITH U HOOK



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
43.207.00	Aluminum Plywood Deck 2.07m/6'10"x0.61m	2.07	6'10"	19.5
43.257.00	Aluminum Plywood Deck 2.57m/8'6"x0.61m	2.57	8'6"	24.2
43.307.00	Aluminum Plywood Deck 3.07m/10'1"x0.61m	3.07	10'1"	28.9



ALUMINUM WORKING PLATFORMS

ALUMINUM PLYWOOD ACCESS DECK WITH LADDER



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
44.207.00	Aluminum Plywood Access Deck With Ladder 2.07m/6'10"x0.61m	2.07	6'10"	23.2
44.257.00	Aluminum Plywood Access Deck With Ladder 2.57m/8'6"x0.61m	2.57	8'6"	27.9
44.307.00	Aluminum Plywood Access Deck With Ladder 3.07m/10'1"x0.61m	3.07	10'1"	32.6



CUPLOCK COMPONENTS

CUPLOCK VERTICAL/HORIZONTAL/BRACE



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
45.050.00	Cuplock Vertical 0.5m/1'8"	0.5	1'8"	3.55
45.100.00	Cuplock Vertical 1.0m/3'3"	1.0	3'3"	6.10
45.150.00	Cuplock Vertical 1.5m/4'11"	1.5	4'11"	8.66
45.200.00	Cuplock Vertical 2.0m/6'6"	2.0	6'6"	11.22
45.250.00	Cuplock Vertical 2.5m/8'2"	2.5	8'2"	13.78
45.300.00	Cuplock Vertical 3.0m/9'9"	3.0	9'9"	16.34




CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
46.121.00	Cuplock Horizontal 1.21m/4'	1.21	4'	4.61
46.152.00	Cuplock Horizontal 1.52m/5'	1.52	5'	5.70
46.182.00	Cuplock Horizontal 1.82m/6'	1.82	6'	6.78
46.213.00	Cuplock Horizontal 2.13m/7'	2.13	7'	7.86
46.243.00	Cuplock Horizontal 2.43m/8'	2.43	8'	8.95
46.305.00	Cuplock Horizontal 3.05m/10'	3.05	10'	11.13




CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
47.152.00	Cuplock Brace 1.52m/5'x2.0m	1.52	5'	7.64
47.213.00	Cuplock Brace 2.13m/7'x2.0m	2.13	7'	8.73
47.243.00	Cuplock Brace 2.43m/8'x2.0m	2.43	8'	9.33
47.305.00	Cuplock Brace 3.05m/10'x2.0m	3.05	10'	10.63

CUPLOCK COMPONENTS

CUPLOCK SIDE BRACKET/STEEL LADDER/LADDER BRACKET




CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
48.100.00	Cuplock Side Bracket One Board			3.43
48.200.00	Cuplock Side Bracket Two Board			6.08
48.300.00	Cuplock Side Bracket Three Board			7.46




CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
49.300.00	Steel Ladder3'			6.21
49.500.00	Steel Ladder5'			9.73
49.000.00	Ladder Bracket			3.26

CUPLOCK COMPONENTS

CUPLOCK TRUSS LEDGER/STEEL PLANK



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
50.157.00	Cuplock Truss Ledger 1.57m/5'2"	1.57	5'2"	10.43
50.207.00	Cuplock Truss Ledger 2.07m/6'10"	2.07	6'10"	13.88
50.213.00	Cuplock Truss Ledger 2.13m/7'	2.13	7'	14.24
50.243.00	Cuplock Truss Ledger 2.43m/8'	2.43	8'	16.55
50.257.00	Cuplock Truss Ledger 2.57m/8'5"	2.57	8'5"	17.33
50.305.00	Cuplock Truss Ledger 3.05m/10'	3.05	10'	20.65
50.307.00	Cuplock Truss Ledger 3.07m/10'1"	3.07	10'1"	20.78



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
51.061.00	Cuplock Steel Plank 0.61m/2'0"	0.61	2'0"	4.7
51.091.00	Cuplock Steel Plank 0.914m/3'	0.914	3'	6.45
51.106.00	Cuplock Steel Plank 1.067m/3'6"	1.067	3'6"	7.32
51.121.00	Cuplock Steel Plank 1.219m/4'	1.219	4'	8.19
51.152.00	Cuplock Steel Plank 1.524m/5'	1.524	5'	9.94
51.182.00	Cuplock Steel Plank 1.829m/6'	1.829	6'	11.69
51.213.00	Cuplock Steel Plank 2.13m/7'	2.13	7'	13.44
51.243.00	Cuplock Steel Plank 2.438m/8'	2.438	8'	15.19
51.305.00	Cuplock Steel Plank 3.05m/10'	3.05	10'	18.69



FRAME WITH CANADIAN LOCK

MASON FRAME




CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
52.520.00	Mason Frame 5'Wx2'H			11.02
52.530.00	Mason Frame 5'Wx3'H			12.67
52.540.00	Mason Frame 5'Wx4'H			15.35
52.550.00	Mason Frame 5'Wx5'H			17.10



FRAME WITH FLIP LOCK

MASON FRAME




CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
53.520.00	Mason Frame 5'Wx2'H			10.74
53.530.00	Mason Frame 5'Wx3'H			12.39
53.540.00	Mason Frame 5'Wx4'H			15.07
53.550.00	Mason Frame 5'Wx5'H			16.82




WALK THROUGH FRAME WITH CANADIAN LOCK


WALK THROUGH FRAME



CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
54.364.00	Walk Through Frame 3'Wx6'4"H			16.46
54.464.00	Walk Through Frame 4'Wx6'4"H			18.62
54.564.00	Walk Through Frame 5'Wx6'4"H			19.79




CODE	ITEM	SIZE		WEIGHT
	DESCRIPTION	METRE	FEET	KG
55.368.00	Snap On Frame 3'WX6'8"H			15.36




CODE	ITEM DESCRIPTION	SIZE		WEIGHT
		METRE	FEET	KG
56.230.00	Shoring Frame 2'Wx3'H			13.49
56.250.00	Shoring Frame 2'Wx5'H			21.23
56.430.00	Shoring Frame 4'Wx3'H			16.42
56.440.00	Shoring Frame 4'Wx4'H			22.44
56.450.00	Shoring Frame 4'Wx5'H			25.63
56.460.00	Shoring Frame 4'Wx6'H			31.65

ANGLE BRACE


ANGLE BRACE



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
57.434.00	Angle Brace 4x'3'x4'			4.50
57.634.00	Angle Brace 6x'3'x4'			5.66
57.734.00	Angle Brace 7x'3'x4'			6.06
57.834.00	Angle Brace 8x'3'x4'			6.40
57.103.00	Angle Brace 10x'3'x4'			10.30



Shoring Coupling



Shoring U Head



Hitch Pin

CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
58.001.00	Shoring Coupling			0.79
58.002.00	Shoring U Head			6.79
58.003.00	Hitch Pin			0.13




EURO FRAME COMPONENTS

STEEL/ALUMINUM EURO FRAME



CODE	ITEM	SIZE		WEIGHT
	DESCRIPTION	METRE	FEET	KG
59.067.00	Aluminum Euro Frame 0.67m/2'2"x0.73m	0.67	2'2"	4.22
59.100.00	Aluminum Euro Frame 1.0m/3'3"x0.73m	1.0	3'3"	5.37
59.150.00	Aluminum Euro Frame 1.5m/4'11"x0.73m	1.5	4'11"	6.80
59.200.00	Aluminum Euro Frame 2.0m/6'6"x0.73m	2.0	6'6"	8.65



CODE	ITEM	SIZE		WEIGHT
	DESCRIPTION	METRE	FEET	KG
60.157.00	Aluminum Double Guardrail 1.57m/5'2"	1.57	5'2"	3.20
60.207.00	Aluminum Double Guardrail 2.07m/6'10"	2.07	6'10"	3.90
60.257.00	Aluminum Double Guardrail 2.57m/8'5"	2.57	8'5"	4.90
60.307.00	Aluminum Double Guardrail 3.07m/10'1"	3.07	10'1"	5.60



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
61.073.00	Steel Single Guardrail 0.73m/2'5"	0.73	2'5"	1.53
61.109.00	Steel Single Guardrail 1.09m/3'7"	1.09	3'7"	2.17
61.157.00	Steel Single Guardrail 1.57m/5'2"	1.57	5'2"	3.04
61.207.00	Steel Single Guardrai 2.07m/6'10"	2.07	6'10"	3.94
61.257.00	Steel Single Guardrail 2.57m/8'6"	2.57	8'6"	4.84
61.307.00	Steel Single Guardrail 3.07m/10'1"	3.07	10'1"	5.74



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
62.000.00	Steel Outer Handrail			18.9



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
63.000.00	Steel Inner Handrail			9.9



EURO FRAME COMPONENTS

CONSOLE BRACE/ALUMINUM DECK



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
64.207.00	Console Brace 2.07m/6'10"x2.0m	2.07	6'10"	6.54
64.257.00	Console Brace 2.57m/8'6"x2.0m	2.57	8'6"	7.32
64.307.00	Console Brace 3.07m/10'1"x2.0m	3.07	10'1"	8.17



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
65.257.00	Full Aluminum Access Deck With Ladder U Hooks 2.57m/8'6"x0.61m	2.57	8'6"	23.5
65.307.00	Full Aluminum Access Deck With Ladder U Hooks 3.07m/10'1"x0.61m	3.07	10'1"	28.0



EURO FRAME COMPONENTS

ALUMINUM L FRAME/STAIR U HOOKS



CODE	ITEM	SIZE		WEIGHT
	DESCRIPTION	METRE	FEET	KG
66.100.00	Aluminum L Frame 1.0m/3'3"x0.73m	1.0	3'3"	2.61



CODE	ITEM	SIZE		WEIGHT
	DESCRIPTION	METRE	FEET	KG
67.257.00	Aluminum Stair U Hooks 2.57m/8'6"x0.64mx2.0m	2.57	8'6"	31.4
67.307.00	Aluminum Stair U Hooks 3.07m/10'1"x0.64mx2.0m	3.07	10'1"	35.4



EURO FRAME COMPONENTS

ALUMINUM TOP END FRAME/BASE U TRANSOM



	ITEM	SIZE		WEIGHT
CODE	DESCRIPTION	METRE	FEET	KG
68.100.00	Aluminum Top End Frame 1.0m/3'3"x0.73m	1.0	3'3"	4.80



	ITEM	SIZE		WEIGHT
CODE	DESCRIPTION	METRE	FEET	KG
69.000.00	Base U Transom			1.10



CODE	ITEM DESCRIPTION	SIZE		WEIGHT KG
		METRE	FEET	
70.000.00	Shoring Prop 2.0m-3.35m			21.67
70.001.00	Shoring Prop 2.6m-4.0m			24.44



RINGLOCK ASSEMBLY

RINGLOCK STEEL/ALUMINUM ASSEMBLY












ALUMINUM TOWER

ALUMINUM TOWER








ALUMINUM BARRIER

ALUMINUM BARRIER











CERTIFICATE

of Conformity

Registration No.: AK 50617295 0001

Product: Frame
(Aluminum ringlock system)

Tested according to: AS 1576.3:2015+A1

Identification: Type Designation
One set of aluminum ringlock system
Serial No.: SHM20231005168
Remark:
1. Refer to test report 02240013 001 for details.
2. The certificate is valid until 19.01.2029.
3. The product complies only with Appendix B of
AS 1576.3:2015+A1.



© TÜV, TÜV and TÜV are registered trademarks. Utilization and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CERTIFICATE

of Conformity

Registration No.: AK 50617120 0001

Product: Frame
(Aluminum Frame system)

Tested according to: EN 12811-3:2002

Identification: Type Designation
One set of aluminum frame system
Serial No.: SHM20231005167
Remark:
1. Refer to test report 02240011 001 for details.
2. The certificate is valid until 19.01.2029.
3. The product complies only with clause 8 of
EN 12811-3:2002.
4. No comparison between calculated deflection result
and test deflection result, which is not within the
scope of this investigation.



© TÜV, TÜV and TÜV are registered trademarks. Utilization and application requires prior approval.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

Certificate

Standard **ISO 9001:2015**

Certificate Registr. No. **01 100 1632730**

Certificate Holder: **Chuzhou Jincheng Metalwork Co., Ltd.**
Unified Social Credit Code: 91341103669459155R
Registration Address: No. 801, Xinglong Road, Nanqiao New District, Chuzhou City, 239050 Anhui, P. R. China
Operation Address: same as above

including the locations according to annex

Scope: **Production and Sales of Scaffold**

Proof has been furnished by means of an audit that the requirements of ISO 9001:2015 are met.

Validity: The certificate is valid from 2026-02-23 until 2029-02-22.
It remains valid subject to satisfactory surveillance audits.
First certification 2017
This certificate information can be searched on Certipedia website
<https://www.certipedia.com>

2026-01-06


TÜV Rheinland Cert GmbH
Am Grauen Stein · 51105 Köln

Administrative office: TÜV Rheinland China Ltd., Room 301, 3F and Room 403, 4F,
Building 4, No.15, Ronghua South Road, Beijing Economic-Technological Development
Area, Beijing, 100176, P. R. China

Certificate

Inspection of the welding quality requirements according ISO 3834

Certificate no.: 01 240 CHN/A-16 0026.02

Name and address of the
certificate holder: **Chuzhou Jincheng Metalwork Co., Ltd.
No. 801, Xinglong Road Nanqiao New District,
Chuzhou City
239050 Anhui
P.R. China**

It is hereby certified that the manufacturer has furnished
proof of the quality requirements according to the test basis.
The mentioned company:

- operates a quality system which ensures that the
manufacture and inspection of the products stated in our
report, are in compliance with applicable technical
standards and regulations;
- employs qualified supervisory and inspection personnel;
- has qualified welding processes and welding personnel;
- has adequate facilities permitting manufacture and inspection of
welded products.

Test basis: **EN ISO 3834-2**

Audit report no.: 01 202 CHN/A-16 0026

Scope: **The scope of the inspection and other relevant data are
given in the annex to the certificate.**

Manufacturing plant: see annex 2

Validity: **This certificate is valid until 2028-09-30.**

Cologne, 2025-03-28


Dipl.-Ing. Achim Makowka
Certification Body for welding manufacturers

TÜV Rheinland Industrie Service GmbH
Certification Body for welding manufacturers
Am Grauen Stein, D-51105 Cologne

M-012-Rev24

Number/Numer: T3.9.5 MS-0049299

Revision/Rewizja: 1

Page/Strona: 1 z 2

CERTIFICATE

conformity of the Factory Production Control

2627-CPR-1090-1.CN0105.TÜVRH.26.00

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulations - CPR)

This certificate applies to the following construction product:

Construction product	Structural components and kits for steel and aluminum structures to EXC 3 according to EN 1090-2:2018+A1:2024, EN 1090-3:2019
Intended use	for load-bearing structures in all types of construction works
CE-marking method	ZA.3.2, ZA.3.4 according to EN 1090-1:2009+A1:2011
Manufacturer	Chuzhou Jincheng Metalwork Co., Ltd. No. 801, Xinglong Road, Nanqiao New District, 239050 Chuzhou City, Anhui Province China
Manufacturing plants Production facility of the manufacturer	#1 No. 801, Xinglong Road, Nanqiao New District, 239050 Chuzhou City, Anhui Province, China #2 No. 2, Chuning West Road, Wuyi Town, 239050 Chuzhou City, Anhui Province, China #3 No. 1252, Shuangying Road, Nanqiao New District, 239050 Chuzhou City, Anhui Province, China #4 No. 15, Lvzhao Road, Nanqiao New District, 239050 Chuzhou City, Anhui Province, China
Confirmation	This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the EN 1090-1:2009+A1:2011 under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements.
Date of first issue	10.04.2026
Validity	This certificate will remain valid as long as neither the harmonised standard, the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.
Next Surveillance inspection	09.04.2027
Place and date of issue	Zabrze, 10.04.2026

© TÜV, TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

Ewa Krajewska
Notified Body



 **TÜVRheinland®**
Precisely Right.

www.tuv.com



AC 141

Number/Number: T3.9.6 MS-0049299

Revision/Rewizja: 1

Page/Strona: 1 z 2

WELDING CERTIFICATE

8610-1090-2/3.CN0105.TÜVRH.26.00

in accordance with EN 1090-1:2009+A1:2011, table B.1 for execution of structural steel components and aluminium EN 1090-2:2018+A1:2024, EN 1090-3:2019

Manufacturer	Chuzhou Jincheng Metalwork Co., Ltd. No. 801, Xinglong Road, Nanqiao New District, 239050 Chuzhou City, Anhui Province China
Manufacturing plants Production facility of the manufacturer	#1 No. 801, Xinglong Road, Nanqiao New District, 239050 Chuzhou City, Anhui Province, China #2 No. 2, Chuning West Road, Wuyi Town, 239050 Chuzhou City, Anhui Province, China #3 No. 1252, Shuangying Road, Nanqiao New District, 239050 Chuzhou City, Anhui Province, China #4 No. 15, Lvzhao Road, Nanqiao New District, 239050 Chuzhou City, Anhui Province, China
Technical specification	EN 1090-2:2018+A1:2024, EN 1090-3:2019
Execution class(es)	EXC 3 according to EN 1090-2:2018+A1:2024, EN 1090-3:2019
Welding Process(es) (Reference no acc. to EN ISO 4063)	131 - MIG welding with solid wire electrode, fully mechanized 141 - TIG gas tungsten arc welding 135 - Metal active gas welding, fully mechanized
Material group	1.1; 1.2; 2.1; 23.1; according to CEN ISO/TR 15608
Responsible welding coordinator	IWE CNIWE02847/A01
Confirmation	All provisions concerning welding as described in the above mentioned technical specification(s) were applied.
Begin of validity	10.04.2026
Period of validity	09.04.2027
Place and date of issue	Zabrze, 10.04.2026

© TÜV, TÜV and TÜV are registered trademarks. Utilization and application requires prior approval.

Ewa Krajewska
Certification Body



 **TÜVRheinland®**
Precisely Right.

www.tuv.com

CERTIFICATE

of Conformity

Registration No.: CL 50690543 0001
Report No.: 02250109 001

Page 页 1 / 1

Holder: Chuzhou Jincheng Metalwork Co., Ltd.
No. 801, Xinglong Road Nanqiao New District,
Chuzhou City
239050 Anhui
P.R. China

Product: Frame
(Scaffold)

Certification acc. to: EN 1004-1:2020

Type of product certification scheme: Type testing

Identification: Type designation
Aluminum Mobile Tower [Model: I] (Caster wheel with Screw Jack,
Steel Base Beam, Steel Base Ledger, Aluminum Frame, Aluminum
Single Guardrail, Aluminum Diagonal, Full Aluminum Deck)
Serial No. : Engineering samples
Remark:
1.Refer to test report 02250109 001 for details.
2.The product complies with EN 1004-1:2020 Clause 8.2 and 8.3.1.

The certificate of conformity refers to the above mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned above. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Date of issue: 2025-08-12
Certification body: TÜV Rheinland (China) Ltd.


Certifier signature: Xiao Ling



© TÜV, TÜV and TÜV are registered trademarks. Utilization and application requires prior approval.

莱茵检测认证服务(中国)有限公司, 北京市北京经济技术开发区荣华中路15号院4号楼3层301室, 4层403室, 100176
TÜV Rheinland (China) Ltd., Room 301, 3F and Room 403, 4F, Building 4, No. 15, Ronghua South Road, Beijing Economic-Technological Development Area, Beijing, 100176
Tel: +86 10 8524 2222 Fax: +86 10 8524 2200 <http://www.tuv.com>

www.tuv.com

 **TÜVRheinland®**
Precisely Right.

Template V1.3

CERTIFICATE

of Conformity

Registration No.: CL 50690538 0001
Report No.: 02250108 001

Page 页 1 / 1

Holder: Chuzhou Jincheng Metalwork Co., Ltd.
No. 801, Xinglong Road Nanqiao New District,
Chuzhou City
239050 Anhui
P.R. China

Product: Frame
(Scaffold)

Certification acc. to: EN 1004-1:2020

Type of product certification scheme: Type testing

Identification: Type designation
Aluminum Folded Frame Tower (Caster Wheel with Screw Jack,
Aluminum Ladder frame, Aluminum Folded Part, Aluminum Plywood
Deck)
Serial No. : Engineering samples
Remark:
1. Refer to test report 02250108 001 for details.
2. The product complies with EN 1004-1:2020 Clause 8.2 and 8.3.1.

The certificate of conformity refers to the above mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned above. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Date of issue: 2025-08-12

Certification body: TÜV Rheinland (China) Ltd.


Certifier signature: Xiao Ling



© TÜV, TÜV and TÜV are registered trademarks. Utilization and application requires prior approval.

莱茵检测认证服务(中国)有限公司, 北京市北京经济技术开发区荣华南路15号院4号楼3层301室, 4层403室, 100176
TÜV Rheinland (China) Ltd., Room 301, 3F and Room 403, 4F, Building 4, No. 15, Ronghua South Road, Beijing Economic-Technological Development Area, Beijing, 100176
Tel: +86 10 8524 2222 Fax: +86 10 8524 2200 <http://www.tuv.com>

www.tuv.com

 **TÜVRheinland®**
Precisely Right.

Template V3.3

CERTIFICATE

of Conformity

Registration No.: CL 50669077 0001**Report No.:** 02250047 001

Holder: Chuzhou Jincheng Metalwork Co., Ltd.
No. 801, Xinglong Road Nanqiao New District,
Chuzhou City
239050 Anhui
P.R. China

Product: Frame
(Scaffolding Platforms & Stairs)

Identification: Type designation
Scaffolding Platforms: 2572×610A, 2572×610B, 2572×640,
3072×640, 3050×483, 3072×610A, 3072×610B, 2438×489,
2133×483, 2133×489, 2072×640, 2072×610, 2130×740, 1570×704,
1325×755, 2675×755, 2438×740, 2500×600, 2500×640, 3000×640,
3000×600.
Scaffolding Stairs: 3072×640×2000, 2572×640×2000,
3050×729×2000.
Serial No. : Engineering samples
Remark: 1. Refer to test report 02250047 001 for details.
2. The certificate is valid until 16.03.2030.
3. The product complies only with clause 6.2.2, 6.2.4 and 6.3.1 of
EN12811-1:2003;

Certification acc. to: EN 12811-1:2003

Type of product certification scheme: Type testing

The certificate of conformity refers to the above mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned above. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Date of issue: 2025-03-17**Certification body:** TÜV Rheinland (China) Ltd.**Certifier signature:** Xiao Ling

© TÜV, TÜV and TÜV are registered trademarks. Utilization and application requires prior approval.

莱茵检测认证服务(中国)有限公司, 北京市经济技术开发区荣华南路15号院4号楼3层301室、12层1203室(北京自贸试验区高端产业片区亦庄组团), 100176
TÜV Rheinland (China) Ltd., Room 301, 3F and Room 1203, 12F, Building 4, No. 15, Ronghua South Road, Beijing Economic-Technological Development Area, Beijing (Yizhuang
group in high-end industrial area of Beijing Pilot Free Trade Zone), P.R. China, 100176
Tel: +86 10 8524 2222 Fax: +86 10 8524 2200 <http://www.tuv.com>

CERTIFICATE

of Conformity

Registration No.: CL 50693853 0001

Report No.: 15052494 002

Page 1 / 1

Holder: Chuzhou Jincheng Metalwork Co., Ltd.
No. 801, Xinglong Road Nanqiao New District,
Chuzhou City
239050 Anhui
P.R. China

Product: Frame
(Ringlock system scaffolding & steel planks)

Certification acc. to: AS/NZS 1576.2:2016
AS/NZS 1576.3:2015
AS/NZS 1577:2018

Type of product certification scheme: Type testing

Identification: Type designation
Bay dimension 2.57m*2.57m
Serial No. : Engineering samples
Remark:
1.Refer to test report 15052494 002 for details.
2.The certificate is valid until 23.04.2030.
3.The product has been verified as compliant only with APPENDIX H of AS/NZS 1576.2:2016;
APPENDIX B of AS/NZS 1576.3:2015;
APPENDIX A, APPENDIX B, APPENDIX D of AS/NZS 1577:2018.

The certificate of conformity refers to the above mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned above. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Date of issue: 2025-09-04

Certification body: TÜV Rheinland (China) Ltd.



Certifier signature: Xiao Ling



© TÜV, TÜV and TÜV are registered trademarks. Utilization and application requires prior approval.

莱茵检测认证服务(中国)有限公司, 北京市北京经济技术开发区荣华南路15号院4号楼3层301室, 4层403室, 100176
TÜV Rheinland (China) Ltd., Room 301, 3F and Room 403, 4F, Building 4, No. 15, Ronghua South Road, Beijing Economic-Technological Development Area, Beijing, 100176
Tel: +86 10 8524 2222 Fax: +86 10 8524 2200 <http://www.tuv.com>

www.tuv.com

 **TÜVRheinland®**
Precisely Right.

Template V1.3

CERTIFICATE of Conformity

Registration No.: CL 50693847 0001
Report No.: 15052475 002

Page 页 1 / 1

Holder: Chuzhou Jincheng Metalwork Co., Ltd.
No. 801, Xinglong Road Nanqiao New District,
Chuzhou City
239050 Anhui
P.R. China

Product: Frame
(Ringlock system scaffolding & steel planks)

Certification acc. to: EN 12811-1:2003
EN 12810-2:2003
EN 12811-3:2002

Type of product certification scheme: Type testing

Identification: Type designation
Bay dimension 2.57m*2.57m
Serial No. : Engineering samples
Remark:
1.Refer to test report 15052475 002 for details.
2.The certificate is valid until 23.04.2030.
3.The product has been verified as compliant only with Annex B of
EN 12810-2:2003;
clause 6.2.2 and 6.2.3 of EN 12811-1:2003;
clause 6.3.1 and 8 of EN 12811-3:2002.

The certificate of conformity refers to the above mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned above. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Date of issue: 2025-09-04
Certification body: TÜV Rheinland (China) Ltd.


Certifier signature: Xiao Ling



© TÜV, TÜV and TÜV are registered trademarks. Utilization in and application requires prior approval.

莱茵检测认证服务(中国)有限公司, 北京市北京经济技术开发区荣华南路15号院4号楼3层301室, 4层403室, 100176
TÜV Rheinland (China) Ltd., Room 301, 3F and Room 403, 4F, Building 4, No. 15, Ronghua South Road, Beijing Economic-Technological Development Area, Beijing, 100176
Tel: +86 10 8524 2222 Fax: +86 10 8524 2200 <http://www.tuv.com>

www.tuv.com

 **TÜVRheinland®**
Precisely Right.

Template V1.3



CHUZHOU JINCHENG METALWORK CO.,LTD

ADD/No.801 Xinglong Road,Wuyi Town,Chuzhou City,Anhui province,China.

TEL/+86(0550)3917003

Website/www.jinchengscaffold.com

www.jincheng-scaffold.com

