


DECOSSE
HIGH-END
AUTOMOTIVE FILTERS
德科斯高端汽车过滤器

走进德科斯
INTO THE
DEKESI

1 PART 1

Let's walk into Dekesi
Organization profile



ABOUT DEKESI

Hebei Dekesi Auto Parts Co., Ltd. was founded in 1999, focusing on the research, development, manufacturing, and service of commercial vehicle filters above the national VI standard. As Hebei Province is a provincial key enterprise with a history of 23 years, it has formed a group company with three major brands of YLDI, HLFF, DECOSSE as its core competitiveness.

Decosse Group covers an area of 67,000 square meters, with a dust-free workshop covering an area of 300 million square meters and a storage area of 20,000 square meters. The annual output is about 20 million sets of filters (8 million sets of air filters, 4 million sets of oil filters, 6 million sets of fuel filters, 2 million sets of cabin air filters)

The annual output value reaches 300 million RMB, generating 8 million tax payments.



8000SKU/ OBM/ODM/OEM/ High-end Filter manufacturer

ABOUT DEKESI

GROUP INTRODUCTION

集团简介

100 Mu
Occupied Area


30000 m²
Workshop without dust

20000 m²
Warehouse

20million Set
Filter

0.3 Billion
Annual output value

8 million
Tax Amount



Hebei Dekesi Auto Parts Co., Ltd
Manager Mr. Xinguo Han


He is a persistent theory practical! He is good at investing, strategy manage and enterprise manage. Manager Han has been a leader in filter field with 10 years' hard work in China. He makes Decosse a grouping industry with 3 brands. His story is very popular in the filter field. Many people all take the example of him. He is a legend and successful enterpriser with self-confidence. He is always believing he can do everything he can do. He is full of passion and will never says never. He with his more than 400 staff will be on a bright way to be more successful!



德科斯发展历程

The History of Decosse Group

- **2000.5** Tian Hao filter factory was founded.
- **2006.9** Yilandi filter Co.,Ltd was founded.
- **2006.9** Yilandi heavy-load filter brand was registered and we started the first high-end brand
- **2010.2** Beijing Haolvfeifan technology Co.,Ltd.
- **2010.8** We are the first factory to imported spin-on flow line and produce high-quality oil and fuel filter.
- **2011.3** Beijing Haolvfeifan heavy-load filter brand was registered and we started the second high-end brand.
- **2014.3** Heibei Decosse auto parts Co., Ltd was founded.
- **2014.5** Decosse high-end car filter brand was registered and we started the third high-end brand.
- **2014.8** Hebei Sailang trading Co.,Ltd was founded.
- **2014.9** Hebei Sailang has deep corporation with American HV
- **2015.4** Tianhao filter market operation department was founded in Jinan and three brands was operating.
- **2016.1** Shandong Modi International Trading Co.,Ltd was founded. Open our eyes to the whole world.
- **2016.3** Decosse products has passed the high standard test and got the certification for BV.
- **2016.4** Beijing University of Aeronautics and Astronautics experimental base started the development of filters.
- **2016.8** Adopt lean management to ensure our products reach the high quality request.
- **2017.3** New plant was finished building
- **2017.10** Decosse products conference in Hangzhou, the products have a great updaton




德科斯发展历程

The History of Decosse Group

- **2018.08** Dekesi Partnership model is landed.
- **2018.12** Dekesi IATF 16949 quality certification is passed.
- **2019.08** Nuotai Lubrication Co.,Ltd is founded.
- **2019.09** Dekesi passed high and new technology certification.
- **2019.10** Decosse brand's lubrication conference.
- **2019.12** Dekesi set up provincial R&D center.
- **2020.02** Nuotai lubricant professional market service team was officially established
- **2021.03** Jiuna New Material Technology Co., Ltd. was established.
- **2021.04** Hebei Chengwo Enterprise management Technology Research Center Co., Ltd. was established

.....



8000SKU/ OBM/ODM/OEM/ High-end Filter manufacturer/ Professional Team Service

A LITTLE-KNOWN LITTLE STORY 鲜为人知的小故事





The Great Event of Decosse Group



EXCITING MEMORIES

精彩回忆


2017 德科斯集团 品牌战略发布会



2019 德科斯 润滑油发布会



2020 年 德科斯峰会



Lubrication Conference

20 周年豪礼 送不停



大订单交付



大宗物料储备



The Great Event of Decosse Group



CEO-Han Xinguo



Details of updation



CSO-Han Xiao



Interview on the spot

The Great Event of Decosse Group



Updated Production CSO-Han Xiao



Lucky agent

sign contract on the spot

Career Distribution

CAREER DISTRIBUTION

Dekesi factory

Address : Auto part industry Qinghe county
Xingtai Hebei province
Occupied area : 70,000m²
Floor area : 50,000m²



Sailang trading company

Address: Qinghe county
Occupied area : 300m²
Floor area : 300m²



Sales company Beijing

Address : No.28 Information
Road Zhongguancun Branch
Building Haidian district
Beijing
Area : 200m²



Headquarters Jinan Shandong

Address : Quanli
ressortment city Tianqiao
district Jinan Shandong
province
Occupied area : 225m²
Floor area : 1,125m²




Shandong Modi International Trading Co., Ltd.

Address : Quanli ressortment city
Tianqiao district Jinan Shandong
province
Occupied area : 225m²
Floor area : 1,125m²



Annual sales



40 million

2009

60million

2011

80million

2013

120million

2015


200 million

2016

PART
2

Let's walk into Dekesi

Our factory



Dekesi

Chinese Hebei Dekesi Manufacturer

Hebei Dekesi Auto Parts Co., Ltd. with fixed assets of ¥150 million .The factory covers an area of 100 *mu*.


Address: Northern Xiangjiang street and the eastern side of Wuzhishan Road auto and motorcycle industry accumulation area, Qinghe county, Hebei province China. Its floor area is 48,000m² . It is mainly composed of thevarious department for raw material,air filter,spin-on oil filter, punching stretch and storeroom ,office, testing entertainment and so on.




New production lines are installed, 3 for spin-on oil filters,9 for air filters,and 5 for punching and stretch separately.

Annual output will increase incredibly after all put into production, including 8 million sets of air filter,6 million sets of oil filter, 4 million sets of fuel filter and 2 million sets of cabin air filter.And the annual output value will be 200 million yuan. More than 5 million yuan will be paid for tax.





paper- folding craft



Filter Production Line





Filter Production Line

Filter Production Line



Raw Material Stock



Raw Material Stock




A large red square frame with a thin border, enclosing the 'PART 03' text.

PART 03

Let's walk into Dekesi

Our company





Supplier
Assessment

Supplier Assessment Certificate

Certification No. 11142224_T

Shandong Modi International Trading Co., Ltd.

山东莫迪国际贸易有限公司

<http://yilandi.en.alibaba.com>

Onsite assessment of the following areas was conducted by Bureau Veritas :

☒ Company Overview	☒ Human Resources
☒ Current Export Situation	☒ Export Business Capacity
☒ Quality Assurance	☒ Company Development/Expansion Plans
☒ Certification & Photos	☒ Company and Product Samples

Valid: 24 Mar 2016 to 23 Mar 2017

Issued by:  Alibaba.com®
Date of Issue: 24 Mar 2016

Assessed by:
Certificate No. 11142224_T



Signature:


Title: Director for Bureau Veritas Certification Greater China

山东莫迪国际贸易有限公司

Shandong Modi International Trading Co.Ltd



Hebei Sailang Trading Co. has a deep
corporation with American HV

May 4th, 2016 is a memorable day.

American HV filter paper Qinghe branch is open



HV leaders come and conduct our work




Products Show Hall





Decosse Group

Products Show Hall




Enterprise honor



Enterprise honor

Key enterprise in Hebei Province, ISO/TS 16949/ISO9001 quality system certification, Hebei Province specialized, refined, special, and new small and medium-sized enterprises, Hebei Province technology-based small and medium-sized enterprises, Hebei Province industrial enterprise research and development institutions, high-tech enterprises, and EU CE certification international standard supporting enterprises.

Member of China Internal Combustion Engine Industry Association, China Filter Industry Association, China Lubricant Industry Association, and leading enterprise in China's automotive parts filter industry



Alibaba.com Assessed Supplier



**Supplier
Assessment**

Certificate Number: 11142224_T

Presented to

Shandong Modi International Trading Co., Ltd.

山东莫迪国际贸易有限公司

For details, please refer to <http://yilandi.en.alibaba.com>

Assessed by Mr. Rexar Liu on 23 Mar 2016. Valid from: 24 Mar 2016, Valid until: 23 Mar 2017.

Signature:

Title: Director for Bureau Veritas Certification Greater China



**Supplier
Assessment**

Supplier Assessment Certificate

Certification No. 11142224_T

Shandong Modi International Trading Co., Ltd.

山东莫迪国际贸易有限公司

<http://yilandi.en.alibaba.com>

Onsite assessment of the following areas was conducted by Bureau Veritas :

☒ Company Overview	☒ Human Resources
☒ Current Export Situation	☒ Export Business Capacity
☒ Quality Assurance	☒ Company Development/Expansion Plans
☒ Certification & Photos	☒ Company and Product Samples

Valid: 24 Mar 2016 to 23 Mar 2017

Issued by: **Alibaba.com®**
Date of Issue: 24 Mar 2016

Assessed by:
Certificate No. 11142224_T




Signature:

Title: Director for Bureau Veritas Certification Greater China



let's walk into Dekesi

Our brand



OUR BRAND

Three high-end brands



国际品质
坚若磐石

全国服务热线
4006-020-121



厚重伊兰迪®
完美滤清器

全国服务热线
4006-121386



滤清经典
卡友首选

全国服务热线
400-0686966

Hebei Dekesi Auto Parts Co., Ltd. has successfully operated three major high-end brands: *Yilandi heavy-load filter*, *Haolyfeifan heavy-load filter* and *Decosse* with 20 million annual output, which bring us a good reputation in filter market.





伊兰迪滤清器

生活因您而精彩 蓝天因您而美丽

Life is because of you and the brilliant blue sky is beautiful for you

ALL CHEMICAL FIBER AIR FILTER

全化纤空滤



**All chemical
fiber F9
nanometers**



**improving
filtration
accuracy
by 5 times**

**Super large
intake volume**



**3-fold increase
in flow rate**

**Waterproof
and moisture
resistant**



**suitable for
various harsh
environments**



**The latest adhesive
folding process
ensures that the
filter material does
not deform and the
flow path is clear**



**Multi layer filter
material
with a dust
capacity of 5
times larger**



**100000 km
maintenance
free**

NANO TECHNOLOGY SELF DUST REMOVAL AIR FILTER 纳米科技自除尘空滤



4-6万
KM

Application guide: Replacement mileage: 40000 to 60000 kilometers, dedicated to China VI, high-precision filtration, super large intake volume, fuel-efficient and gas saving, 40000 kilometers without blowing, prominent: decosse.nanopro Patent technology patent number: ZL 2018 3 0539311.4



Higher filtration accuracy: higher filtration efficiency, uniform distribution of nanofibers, no voids, high air permeability, and low pressure difference



Better moisture resistance: patented special polymer technology with wear resistance, high strength, and water repellent function, ensuring no stuffiness in rainy days




Longer service life: better recovery, nanofiber diameter distribution and aggregation, strong bonding force between nanofibers and substrate, good filter stiffness, good back blowing effect, and can continue to maintain high dust volume after back blowing



Self cleaning function: Imported surface filtering material, two-dimensional spider web nanofiber structure, true surface filtration, dust forms fluffy ash cake on its surface, which is more easily blown off by back blowing, and the dust falls off with a gentle tap

GUOLIU FUEL-EFFICIENT VERSION AIR FILTER 国六省油版空滤



High gradient: deep filtration, efficient self dust removal



High traffic: No stuffy driving on rainy days, strong driving power on high altitudes



Long lifespan: Special origami increases filtration area, with one origami covering three



Fuel saving: sufficient intake, large ash capacity, solves air filter blockage, weak acceleration, achieves full fuel combustion, strong power, and saves fuel

SPIRAL WIND

螺旋风



Efficient filtration:
Efficient filtration
of fine ash, deep
dust holding



Reduce resistance:
Adequate intake
ensures strong
engine power



Improving efficiency:
Special ultra-fine
fibers, mesh coating
treatment



Improving waterproofing:
special treatment with
acrylic acid for higher
stiffness and moisture
resistance

FUEL FILTER (60000~100000 KM)



1. Filter cup: The water collecting cup is made of ETPU filter material, which is resistant to low temperature -50°C and high temperature $+125^{\circ}\text{C}$ in the working environment. It has high strength and does not break, and is made of high-quality and stable plastic material. After pulse and high and low temperature tests, it is resistant to impact, durable to use, does not crack at low temperature, does not deform at high temperature, and is matched with high-quality sealing rings to ensure no leakage
2. Filter paper: imported composite fiber filter material+inner support mesh, high flow filtration, low flow resistance, strong hydrophobicity, fuel flow rate per second more than twice that of similar products, higher impurity filtration accuracy, complete oil-water separation of 99.99%, dust capacity of more than 4 times of similar products, strengthened support to ensure that the filter paper does not deform
3. Thickened shell: National standard Baosteel, advanced forming technology, uniform thickness, pressure resistant, anti-corrosion, rust proof design, strong pulse resistance
4. The shell undergoes high-temperature cleaning to remove oil and dust, resulting in a smooth and delicate surface with a high-end texture
5. UV printing with textured texture, outstanding appearance and exquisite touch

Imported composite fiber filter material, mastering the core filtration technology of high-pressure common rail, designed for the Chinese market fuel, solving four core problems: common rail failure, difficult starting, stalling midway, and inability to climb slopes. Protecting the fuel nozzle for long-lasting endurance, even better than you imagine!

FUEL FILTER (30000~60000 KM)

燃油滤 (3 ~ 6 万公里)



1. The high-quality diesel filter adopts a national standard treasure with a thickness of 1.0 mm

The super strong thickness of steel and materials fully ensures the product

High pressure resistance ensures that the product does not burst or deform,

More suitable for heavy-duty engines according to National VI standards

2. Adopting high-performance imported composite filter paper to cover the market

Wider range of quality engine oil applications on the market

3. The filter paper can maintain good performance throughout its entire life cycle

Filter performance, extend service life, and reduce usage costs

This makes the filtration efficiency more stable, meeting the needs of heavy-duty truck engines lubrication system requirements

4. The original flow resistance is low, which helps with engine lubrication,

Reducing friction between internal parts of the engine helps to reduce

Engine fuel consumption

FUEL FILTER (30000~60000 KM)




- ① Adopting imported chemical fiber filter material, bipolar filtration, low flow resistance, strong hydrophobicity, and non deformable filter paper, longer product lifespan, high flow filtration: diesel filters out more than twice as much per second as similar products.
- ② The complete separation of oil and water reaches 99.99%.
- ③ The dust capacity is more than three times higher than similar products: imported fiber filter materials.
- ④ The water collecting cup adopts ETPU filter material, which is resistant to low temperature -50°C , high temperature $+125^{\circ}\text{C}$ in the working environment, and has high strength without rupture

Imported composite fiber filter material, mastering the core filtration technology of high-pressure common rail, designed for the Chinese market fuel, solving four core problems: common rail failure, difficult starting, stalling midway, and inability to climb slopes. Protecting the fuel nozzle for long-lasting endurance, even better than you imagine!

FUEL FILTER (60000~100000 KM)



1. The industry pioneered the use of integrated stretching and patented technology, which poses a challenge to the quality of steel through integrated stretching. Higher requirements have been met, with a thickness of 1.0 according to the national standard Baosteel



2. The top 6 corners are integrated with the shell to maximize strength. For ordinary products, the welding process makes the nuts easy to fall off and the welding points prone to oil leakage,

HIGH END ENVIRONMENTAL PROTECTION FILTER: MULTI-LAYER TECHNOLOGY · INTERNATIONAL EDITION

High pressure and high temperature resistance, China VI engine deep filtration solution



Same type of host
Finland filter material



5-layer stepped filtering
Higher accuracy



Better oil-water
separation effect



Large dust
capacity and
longer lifespan



All chemical fiber
reinforced support
without deformation



Ultrasonic welding
with full filtration

Heavy-load oil/fuel filter



伊兰迪品牌 完美表现 伊兰迪品牌 完美表现 伊兰迪品牌 完美表现 伊兰迪品牌 完美表现 伊兰迪品牌 完美表现 伊兰迪品牌 完美表现 伊兰迪品牌 完美表现 伊兰迪品牌 完美表现 伊兰迪品牌 完美表现 伊兰迪品牌 完美表现



产品质量保证书 Product quality insurance book

伊兰迪重载滤清器有限公司保证其产品在交货一年内无缺陷。产品如因材料和工艺问题引致的缺陷可以调换。

在一个不大可能出现的情况下，如因我们的产品有缺陷而导致该发动机损坏，我们将保证还原该发动机至损坏前的状态。这样的担保并不包括我们的产品被滥用、安装错误、改装、意外事故以及被不当使用的情况。

一切投诉与索赔都必须经独立的、有资格的权威汽车行业所认证。

伊兰迪重载滤清器有限公司不接受第三者投诉，也不接受有关遗失和使用费用增加的投诉。

我们保留产品的原有设计和有关使用范围、使用方法的规定的权利。

Ylandi Heavy-load Filter Co.,Ltd. guarantee our products to free of defects for a period of one year. After delivery product due to material and workmanship, Will be replaced.

In an unlikely event, when engine failure occurs due solely to our defective product, we will restore the engine to the condition as before failure. This Warranty does not cover misuse, abuse, faulty installation, modification, accident or incorrect application.

All claims must be certified by an independent qualified automotive trade.

Ylandi Heavy-load Filter Co.,Ltd.will not be liable to any third party claims, losses or expenses related to defective claims.

We reserve the right to improve our product, range, Design, and application as and when we deem necessary.

伊兰迪重载滤清器有限公司
YILANDI HEAVY-LOAD FILTER CO.,LTD.

Four core enchantments



Package



昊滤非凡滤清器

电控高压共轨 助力排放升级





昊滤非凡®

HLFF HEAVY-LOAD FILTER



Heavy-load air filter

Haolvfeifan launches a series of high precision American HV filter products specialized for heavy-load trucks to protect the engine from the beginning. This kind of filter element is made of high precision American HV filter paper. The filter paper adopts imported special folding equipment, and the number of paper folding is arranged in high density to guarantee the filter can absorb air efficiently and ensure the optimal proportion of water and fuel. The filtering precision is over 98%, thus improve the dust hold ability and the service life. The high humidity resistance can avoid inadequate fuel combustion and emissions of pollution caused by humidity environment brings about the increase in the filter intake resistance or inadequate intake.

PU glue : Korean high-quality PU glue, high density, aging resistant, soft and toughness, tension, guarantee against low temperature and high temperature, will not dehisce, to ensure 100% seal.



ALL CHEMICAL FIBER AIR FILTER



全化纤 F9 纳米
过滤精度提高 5 倍

**All chemical fiber
F9 Nano material**
Filter accuracy
increased by 5
times



超大进气量
流量提高 3 倍

**Excessive
intake volume**
Flow rate
increases by 3
times



防水抗潮
适用于各种
恶劣环境

**Waterproof and
moisture resistant**
Suitable for various
harsh environments



最新铺胶折纸工艺
滤材不变形，
流道清晰

**The latest adhesive
folding process**
The filter material does
not deform and the flow
channel is clear



多层滤材
容尘大 5 倍

**Multi layer
filter material**
5 times larger
dust capacity



里程
10 万免维护

Mileage
100000km
maintenance
free

NANO TECHNOLOGY SELF DUST REMOVAL AIR FILTER

纳米科技自除尘空滤



4-6万
KM

Application guide:


Replacement mileage: 40000 to 60000 kilometers, dedicated to China VI, high-precision filtration, super large intake volume, fuel-efficient and gas saving, 40000 kilometers without blowing, prominent: decosse.nanopro Patent technology patent number: ZL 2018 3 0539311.4

Better moisture resistance:


patented special polymer technology with wear resistance, high strength, and water repellent function, ensuring no stuffiness in rainy days

Self cleaning function:

Imported surface filtering material, two-dimensional spider web nanofiber structure, true surface filtration, dust forms fluffy ash cake on its surface, which is more easily blown off by back blowing, and the dust falls off with a gentle tap



Normal filter material



Nano filter material

Higher filtration accuracy:

higher filtration efficiency, uniform distribution of nanofibers, no voids, high air permeability, and low pressure difference

Longer service life:

better recovery, nanofiber diameter distribution and aggregation, strong bonding force between nanofibers and substrate, good filter stiffness, good back blowing effect, and can continue to maintain high dust volume after back blowing

Triple air intake

Patented technology has lower initial and operational resistance, lighter throttle, faster acceleration, stronger power, and more fuel-efficient performance

昊濾非凡

HLFF

GUOLIU FUEL-EFFICIENT VERSION AIR FILTER



High gradient

Deep filtration, efficient self dust removal



High flow rate

No stuffy driving on rainy days, powerful driving on high altitudes



Long lifespan

Special origami to increase filter area, one top three



Fuel saving

Adequate intake, large ash capacity, solves air filter blockage, weak acceleration, achieves full fuel combustion, strong power, and saves fuel



SPIRAL WIND

螺旋风



Efficient filtration

Efficient filtration of fine ash and deep dust containment



Reduce resistance

Adequate intake ensures strong engine power



Improve efficiency

Special ultra-fine fibers with mesh coating treatment



Improve waterproofing

Special treatment of acrylic acid for higher stiffness and moisture resistance



Heavy-load oil fuel filter

Haolvfeifan filters adopt the efficient filter media, and ensure that each paper core is imported professional curing paper! In the process of folding drum geometry, high density array, precision filtering, high dust-capacity! To ensure the high strength of paper core, no distortion, no bypass!

The housing of Haolvfeifan fine oil&fuel filters are adopted the Baosteel with 1.0mm thickness. The super thickness of the material fully guarantees the high pressure resistance of the product, To ensure that the product does not burst and no distortion.It' s better for the standard of high pressure common rail Euro III/IV/ V /VI China IV/ V heavy-load series engine.



昊瀚非凡
MULTI-TEMPERATURE FILTER

Filter cup

The water collecting cup adopts ETPU filter material, and the working environment is resistant to low temperature -50 °C, high temperature +125 °C, high strength resistant, high-quality and stable plastic material that has undergone pulse and high/low temperature tests, is resistant to impact, usage, low temperature cracking, high temperature deformation, and high-quality sealing rings to ensure no leakage

Filter paper

Imported composite fiber filter material+inner support mesh, high flow filtration, low flow resistance, strong hydrophobicity, per second the fuel flow rate is more than twice that of similar products, the impurity filtration accuracy is higher, and the complete separation of oil and water is achieved 99.99%, with a dust capacity of more than 4 times that of similar products, and strengthened support to ensure that the filter paper does not deform

Thickened shell

national standard Baosteel, advanced forming technology, uniform thickness, pressure resistant, anti-corrosion and rust proof design, strong pulse resistance

Shell

After high-temperature cleaning, oil and dust removal, the surface is smooth and delicate, with a high-end texture

Outstanding UV printing with concave convex texture and exquisite

FUEL FILTER 420 (60000~100000 KM) 燃油滤 420 (6 ~ 10万公里)



FUEL FILTER PL420 (30000-60000KM)

Using imported chemical fiber filter materials

Bipolar filtration, low flow resistance, strong hydrophobicity, non deformable filter paper, longer product life, high flow filtration, diesel filtration per second more than twice that of similar products

Complete oil-water separation

Up to 99.99%

The dust capacity is more than three times higher than that of similar products

Imported fiber filter materials

The water cup uses ETPU filter material

Working environment resistant to low temperature -50 °C, high temperature +125 °C, high strength without rupture

Temperature

The heater is turned on at a temperature of 5 °C and turned off at a temperature of 30 °C. The sensor is made of nickel plated brass surface, sensitivity guarantee, working environment temperature -40 °C to 125 °C.





昊濾非凡®
HLFF HEAVY-LOAD FILTER



OIL FILTER(60000-100000KM)

Market research has found that many diesel filter housings are made of low-quality steel, which is excessively stretched and causes tensile marks, resulting in cracks and oil leakage.

1. The HLFF premium diesel filter adopts the national standard Baosteel with a thickness of 1.0, and the material's ultra strong thickness fully ensures the high pressure resistance of the product, ensuring that the product does not burst or deform, and is more suitable for heavy-duty engines in accordance with the national VI standard
2. Adopting high-performance imported composite filter paper to cover a wider range of quality engine oil applications in the market
3. The filter paper can maintain good filtration performance throughout its entire life cycle, extend its service life, reduce usage costs, and achieve more stable filtration efficiency, meeting the requirements of heavy-duty truck engine lubrication systems
4. The original flow resistance is low, which helps to lubricate the engine, reduce friction between internal parts of the engine, and help reduce engine fuel consumption.

NUT PRODUCTS


螺帽产品



1. The industry pioneered the use of integral stretching, patented technology (integral stretching puts higher requirements on the quality of steel, with a thickness of 1.0 according to the national standard Baosteel)

2. The top 6 corners are integrated with the shell, maximizing strength.

Ordinary products: Welding process, nuts are prone to detachment, and welding points are prone to oil leakage







Decosse high-end filter is one of the highest degree of automation Chinese filter professional production enterprises. We research and develop our principal parts and core filtering material of our products independently which have come through all kinds of high-standard testing to guarantee the stability of quality. Our company has built the thorough lean production system and gotten the French BV certificate. With the spirit of “quality, credit and honesty” and “Always adhere to the quality of the host”, company supplies the best product and service for you.

Unified Image Shop

Unified products, Unified service & Unified overall image. Agencies should decorate their storefront according to the unified model and appointed materials, at the same time they should unify the signs and costumes.


Site decoration publicity planning: Decoration scheme according to the headquarters to provide a unified program decoration. At the same time they should carry out publicity and planning activities.

They should design publicity materials, and distribute leaflets, so that they let the surrounding consumers to know.






Decosse high-end filters absorb air efficiently to guarantee the best ratio of air and fuel blend, which makes Decosse high-end filter have high capacity of dust and lower resistance ability. Really realize: higher capacity of dust, longer service period.



Automotive PU air filter

Decosse high-end filters adopt Germany Gassina special filter paper, which has the characteristics of high stiffness, good water resistance, long-term impermeable. The special craft of origami and high density stable folding paper can make sure the shape does not appear transformation.

Decosse high-end PU air filter, the PU glue chooses from Korean LKS company. PU 's high density, anti-aging, smooth surface, high-end texture, soft and tenacity, tension and high restorability guarantee the filter can confront low temperature and high temperature, and will not out of shape.



Decosse high-end filters with non-woven fabrics.
This kind of filters are adopted the high-efficiency
double non-woven fabrics.

Automotive PP air filters

Advantage of high-efficiency double non-woven fabrics:

- It can remove the tiny particles and reduce engine abrasion then extend the engine's life.
- It can promote the fuel burning and make sure of the stability.
- It has large dust-capacity then it can make the filter's life long.
- It has high stiffness, moisture-resistant, under pressure then it can ensure that the filtering effect is in no danger of anything going wrong




Fuction: Effectively prevent gas pollution

Dust, pollen, coal ash and oxynitride or ozone do harm to passengers' health every moment, especially for children and the human who is allergic and asthmatic. Choosing Decosse high-end filter which has dedusting, deodorizing, degerming, dispelling peculiar smell capacity can provide cozy healthy environment.



Automotive cabin air filters



DECOSSE
DECOSSE AUTOMOTIVE FILTERS

Deceosse high-end cabin air filter elements totally adopt double-check US Freudenberg filament hot rolling non-woven fabrics, 100% put an end to gas pollution.

Big surface area of non-woven fabrics and fast filtering speed provide a quite higher air flow, which can realize the best state of ventilating in the car.

With strong absorption force and high wearing resistance, even the smallest particle can be filtered. The filtering quality of the whole service period is consistent.



Automotive Spin-on oil filter

Fuction: Provide the best protection for the engine!

Engine oil lubricates all moving and functional parts. In combustion process, it will produce ash particle and remnant, but these things may enter into the oil in engine, pollute the oil.

Then the oil will become stick, which will lead to providing oil insufficiency. It will be difficult to ensure anti-corrosion, and then the engine performance will be down. Fuel consumption will increase. Sometimes, it will damage the engine.



DECOSSE
DECOSSE AUTOMOTIVE FILTERS

Decosse high-end oil filters totally adopt excellent Germany importing dedicated filter paper to ensure the filtering quality, purify oil reliably, sweep the dirt, dust, carbon deposition, coal ash ect. Filter folding is increased and inner drum is arranged in a rule, which will increase the filtering areas and the working life.

The shell is totally adopted by Shanghai Baosteel with 0.8mm thick superior steel. Screw plate is used by Hansteel Group's iron plate. Thick plate is used by Korea iron plate, which has the performance of high pressure-resistance, corrosion-resistance, to ensure that the structure is firm and durable. Unique steel plate marking, engraving at the top of the shell, showing a distinctive brand culture.





DECOSSE
DECOSSE AUTOMOTIVE FILTERS

The glue is used by importing American brands, to ensure the quality. All parts must be passed the total check and leakage check to confirm the quality.

The rubber cushion is customized by Shanghai to ensure the leakproofness and stability, high temperature resistance, lower temperature resistance, long-time working life.

The shell is adopted by unified black dusting, white roll printing process. These designs highlight the noble quality and enterprise culture.

Spin-on oil filter





Environmental
oil filter



Environmental oil filter (paper oil filter)

The number of paper folding is increased so it improves the filter areas. Inner drum is more organized, so it improves the working life. Decosse high-end oil filters can reliably remove impurities in the oil pipeline. Cleaning oil can reduce the friction of bearings, lubrication gap and moving parts, to help keep the engine life.

- Filter materials are all adopted by professional import.
- All of the plastic parts are oil resistance, high temperature resistance and high pressure resistance.
- Other spare plastic parts use the NBR rubbers which have the feature of oil resistance, high temperature resistance and high pressure resistance.
- Unique technology, exquisite production, quality assurance.



DECOSSE
DECOSSE AUTOMOTIVE FILTERS

Automotive fuel filter

The clean fuel is the basic requirement for the trouble-free operation of the vehicle. Fuel reach the injection system or the carburetor through fuel pump, especially in the modern injection system, the particles in the fuel will increase the abrasion. Moisture in the fuel may also cause corrosion and lead to the severe damage of the injection system. Modern engine constantly use less and less fuel to deliver more and more power. It can be only done by very sensitive and complex components, such as fuel injection system. After filter the dust particles and the water in the fuel, can avoid the severe damage caused by corrosion and abrasion.

- Decosse high-end fuel filter adopt German J.C. Binzer which has very high oil-water separation efficiency.
- The shell adopt Shanghai Baosteel to ensure the structure much more firmly and durable.
- Filtering the dust, particles and water in the fuel efficiently, thus avoid the abrasion and corrosion of the fuel injection system.



德科赛思就在你身边!



Decosse®
Always adhere to the quality of the host
始终坚持主机品质 **德科赛思**

Product packaging





Product packaging





产品质量保证书

德科斯公司保证其产品在交货一年内无缺陷。产品如因材料和工艺问题引致的缺陷可以调换。

在一个不大可能出现的情况下，如因我们产品有缺陷而导致该发动机损坏，我们将保证还原该发动机至损坏前的状态。这样的担保并不包括我们产品被滥用、安装错误、改装、意外事故以及被不当使用的情况。

一切投诉与索赔都必须经独立的、有资格的权威汽车行业所认证。

德科斯公司不接受第三者投诉，也不接受有关遗失和使用费用增加的投诉。

我们保留产品的原有设计和有关使用范围、使用方法规定的权利。

PRODUCT QUALITY INSURANCE BOOK

Decosse guarantee our products to free of defects for a period of one year. After delivery product due to material and workmanship, Will be replaced.

In an unlikely event, when engine failure occurs due solely to our defective product, we will restore the engine to the condition as before failure. This Warranty does not cover misuse, abuse, faulty installation, modification, accident or incorrect application.

All claims must be certified by an independent qualified automotive trade.

Decosse will not be liable to any third party claims, losses or expenses related to defective claims.

We reserve the right to improve our product, range, Design, and application as and when we deem necessary.



德科斯高端汽车过滤器
DECOSSE HIGH-END AUTOMOTIVE FILTERS

送真芯！
送爱心！

详情请关注
德科赛思官方
微信公众平台


400-6020121



PART

05

Let's walk into Dekesi
Our team



We have more than 500 agents in domestic market. Products in the domestic selling at the same time, has been successfully to the world. We have exported our filters to Europe, America, Southeast Asia, Africa, South Asia, the Middle East and other countries and regions.

Haolvfeifan agencies



Yilandi agencies



Decosse agencies



YOUR FUTURE, OUR FUTURE!

We have more than 500 agents in domestic market. Products in the domestic selling at the same time, has been successfully to the world. We have exported our filters to Europe, America, Southeast Asia, Africa, South Asia, the Middle East and other countries and regions.





- Brazilian customers come to visit Decosse
- -2017.7.25



- Chairman Han Xinguo explains the process of the filter for the government leaders
- 2017.10.10


- Qinghe Government Visits and Directs
- 2017.10.10



Russian Customer came to our
factory 2017

Iran Customer came to our factory
in Dec.2016

Korean Customer came to our
booth 2016



Get together with high-end Decosse filters! Host quality wins the future!

Welcome to join us and to be the lucky one!

Parts of distributors



深圳 • 余国顺



天津 • 高保林



聊城 • 王华君



潍坊 • 邢宇强



东莞 • 杨杰



高碑 • 魏洋



平度 • 王少峰

Get together with high-end Decosse filters! Host quality wins the future!

Welcome to join us and to be the next lucky one!

Parts of distributors



石家庄 • 孙耀青



伊春 • 龙伟



中山 • 郑思洪



泉州 • 郭瑞彪



湛江 • 熊军



太原 • 耿磊



Get together with high-end Decosse filters! Host quality wins the future!

Welcome to join us and to be the next lucky one!

Parts of distributors



东莞 • 陈伟光



沈阳 • 郭丽宁



长春 • 崔敬



杭州 • 郭楠



烟台 • 董亚波



大石桥 • 吴佩站



Get together with Haolvfeifan heavy-load filters to make you
successful in career!!

Parts of distributors



包头 • 王树宝



商丘 • 李威宏



重庆 • 张晓兵



宿州 • 张骏



宜昌 • 张庆松



宁夏 • 桂勇亮



Get together with Haolvfeifan heavy-load filters to make you
successful in career!!

Parts of distributors



上海 • 魏贵峰




哈尔滨 • 邓友



怀来 • 赵保友



杭州 • 王涛



临沂 • 王跃超



昆明 • 严磊



High quality can achieve your dream! Welcome to join

Yilandi heavy-load filters!!

Parts of distributors



沈阳 • 葛中飞



大连 • 王吉信



淄博 • 魏文多



太原 • 王世强



郑州 • 毕新伟



无锡 • 李磊



High quality can achieve your dream! Welcome to join

Yilandi heavy-load filters!!

Parts of distributors



南昌 • 梁吉方



上海 • 马金辉



杜丹江 • 刘银仓



徐州 • 刘桂英



宁夏 • 傲茂龙




杭州 • 唐浩



PART
06


Let's walk into Dekesi
Automechanika



Shanghai Automechanika in 2016



Shanghai Automechanika in 2016



Our products are popular by customers



Our products are popular by customers




Our products are popular by customers





7
PART
7

Let's walk into Dekesi
Product catalogue









RENAULT VI KERAX 430 DXI

5000812484	OIL FILTER	Height : 260 mm Outer Diameter : 108 mm Thread Size : 1 3/8-16 UN
7420998346	FUEL FILTER	Outer Diameter : 108 mm Height : 130 mm Thread Size : 1-14 UNS
7420541381	FUEL FILTER	Outer Diameter : 108 mm Height : 262.5 mm Inner Diameter 1 : 93 mm Inner Diameter 2 : 104 mm Thread Size : M 32 X 1.5
7421267820	AIR DRYER	Height : 165mm Inner Diameter 1 : 98mm Inner Diameter 2 : 110mm Ø : 140mm Thread Size : M 39 x 1.5
5000814407	OIL FILTER	Outer Diameter : 58mm Inner Diameter 1 : 18mm Inner Diameter 2 : 18mm Height : 100mm
7421337557 21337557	AIR FILTER	Outer Diameter 1 : 323mm Outer Diameter 2 : 307mm Inner Diameter 1 : 197mm Inner Diameter 2 : 168mm Height : 422mm

DECOSSE
DECOSSE AUTOMOTIVE FILTERS



www.decosse.cn

Things come from ingenuity and products come from care



OEM NO.:

5000812484 OIL FILTER

7420998346 FUEL FILTER

7420541381 FUEL FILTER

7421267820 AIR DRYER

5000814407 OIL FILTER

7421337557 AIR FILTER

Vehicle: RENAULT VI KERAX 430 DXI

MAN TGA 41.440TGA SERIES

51125030061 Pu1059X	FUEL FILTER	Outer Diameter : 95mm Height : 174mm Inner Diameter : 14mm
81125010021 Pu911	FUEL FILTER	Length: 89 mm Width: 89 mm Height: 65.5 mm
5105504-0122 HU13125 x	OIL FILTER	Outer Diameter 1 : 113mm Outer Diameter : 113mm Inner Diameter 1 : 56mm Height : 202mm Inner Diameter : 45mm
81521086025 432 410 244 2	AIR DRYER	Height : 165mm Inner Diameter 1 : 98mm Inner Diameter 2 : 110mm Ø : 140mm Thread Size : M 39 x 1.5
81084050016 81084050017	AIR FILTER	Outer Diameter : 267 mm Inner Diameter : 170 mm Height : 510 mm
81619100019	CABIN AIR FILTER	Length : 466.5 mm Width : 177 mm Height : 70 mm
81473016005	OIL FILTER	Outer Diameter : 60mm Height : 100mm Inner Diameter : 18mm

DECOSSE
DECOSSE AUTOMOTIVE FILTERS



OEM NO.:

51125030061 FUEL FILTER

81125010021 FUEL FILTER

5105504-0122 OIL FILTER

81521086025 AIR DRYER

81084050016+81084050017 AIR FILTER

81619100019 CABIN AIR FILTER

81473016005 OIL FILTER

Vehicle: MAN TGA 41.440 TGA SERIES

www.decosse.cn

Things come from ingenuity and products come from care

IVECO TRAKKER 440

504213799	OIL FILTER	Outer Diameter : 138 mm Height : 348 mm Thread Size : S 126 X 4
2992544	OIL FILTER	Outer Diameter : 108mm Height : 229mm Thread Size : M 30 X 2
2994048	FUEL FILTER	Outer Diameter : 108mm Height : 168mm Thread Size : M 16 X 1.5
1907612	AIR DRYER	Inner Diameter 1 : 100mm Height : 165mm Seal diam. : 111mm Outer Diameter : 136mm Thread Size : M39x1.5
2991793	AIR FILTER	Outer Diameter : 327mm Inner Diameter 1 : 10.5mm Height : 621mm Inner Diameter : 216mm
2992662	FUEL FILTER	Outer Diameter : 96mm Height : 196mm Thread Size Exit : M 16 X 1.5
42568992	HYDRAULIC FILTER	Height : 149mm Inner Diameter 1 : 18mm Inner Diameter 2 : 18mm Outer Diameter : 58mm

DECOSSE
DECOSSE AUTOMOTIVE FILTERS



OEM NO.:

504213799 OIL FILTER
2992544 OIL FILTER
2994048 FUEL FILTER
1907612 AIR DRYER
2991793 AIR FILTER
2992662 FUEL FILTER
42568992 HYDRAULIC FILTER
Vehicle: IVECO TRAKKER 440

www.decosse.cn

Things come from ingenuity and products come from care

CATEAPILLAA 143H

3283655	FUEL FILTER	Outer Diameter 1 : 125mm Inner Diameter 1 : 52mm Length 1 : 265mm
1R1807--LF667	OIL FILTER	Outer Diameter : 108mm Height : 261mm Thread Size : 1 1/8-16 UN
1R1808	OIL FILTER	Outer Diameter : 136mm Height : 302mm Thread Size : 1 1/2-16 UN-2B
1R0750--FF185	FUEL FILTER	Outer Diameter : 93mm Height : 175mm Thread Size : 1-14 UNS -1B
6I0273/4	AIR FILTER	Outer Diameter : 292mm Height : 344mm Inner Diameter : 183mm
1G8878	OIL FILTER	Outer Diameter : 94mm Height : 240mm Thread Size : 1 3/8-12 UNF
1R0722	OIL FILTER	Outer Diameter : 129 mm Inner Diameter : 85 mm Height : 280 mm



DECOSSE
DECOSSE AUTOMOTIVE FILTERS

OEM NO.:

- 3283655 fuel filter
- 1R1807 oil filter
- 1R1808 oil filter
- 1R0750 fuel filter
- 6I0273/4 air filter
- 1G8878 oil filter
- 1R0722 oil filter

Vehicle: CATERPILLAR 143H

www.decosse.cn

Things come from ingenuity and products come from care

DAF XF106.510

1927474	Urea Filter	Outer Diameter 1 : 53.0mm Height : 95.0mm Inner Diameter 1 : 22.6mm Inner Diameter 2 : 8.0mm Outer Diameter 2 : 44.3mm
1643072	OIL FILTER	Outer Diameter 1 : 6mm Outer Diameter : 104mm Height : 145mm Outer Diameter 2 : 11mm
1681575	AIR DRYER	Height : 165mm Outer Diameter : 139mm Connecting thread : M41 x 1.5
1433649	FUEL FILTER	Outer Diameter : 108mm Height : 230mm Thread Size : S 80 X 3 Thread Size Exit : 1-14 UNS
1854407	AIR FILTER	Outer Diameter : 262mm Outer Diameter 1 : 282mm Height : 512mm Inner Diameter : 148mm
1855687	HYDRAULIC FILTER	Height : 149mm Inner Diameter 1 : 18mm Inner Diameter 2 : 18mm Outer Diameter : 58mm

DECOSSE
DECOSSE AUTOMOTIVE FILTERS



OEM NO.:

1927474 UREA FILTER

1643072 OIL FILTER

1681575 AIR DRYER

1433649 FUEL FILTER

1854407 AIR FILTER

1855687 HYDRAULIC FILTER

Vehicle: DAF XF106.510

www.decosse.cn

Things come from ingenuity and products come from care

SCANIA R560 R SERIES

1873018	FUEL FILTER	Outer Diameter : 86 mm Inner Diameter : 38 mm Height : 187 mm
1381235	OIL FILTER	Outer Diameter : 84 mm Inner Diameter : 19.4 mm Height : 107 mm
1873014	OIL FILTER	Height : 253 mm Outer Diameter : 102mm Inner Diameter : 44.5 mm
1774598	AIR DRYER	Outer Diameter : 136mm Outer Diameter 1 : 139.5mm Inner Diameter 2 : 110mm Height : 176mm Inner Diameter 1 : 99.2mm Thread Size : G 1 1/4
1335680 1335678	AIR FILTER	Outer Diameter : 304mm Height : 528mm Inner Diameter : 169mm
1913500	CABIN AIR FILTER	Length : 377 mm Width : 136 mm Height : 20 mm
1301696	HYDRAULIC FILTER	Height : 117mm Thread Size : M23x1.5 Outer Diameter : 100.5mm
153468	OIL FILTER	Outer Diameter : 58mm Inner Diameter 1 : 18mm Inner Diameter 2 : 18mm Height : 100mm

DECOSSE
DECOSSE AUTOMOTIVE FILTERS



OEM NO.:

1873018 FUEL FILTER

1381235 OIL FILTER

1873014 OIL FILTER

1335680+ 1335678 AIR FILTER

1913500 CABIN AIR FILTER

1301696 HYDRAULIC FILTER

153468 OIL FILTER

Vehicle: SCANIA R560 R SERIES

www.decosse.cn


Things come from ingenuity and products come from care

Decosse truck filter



Thermo King TK Precedent S600 C600 S610 S700

Decosse truck filter



MERCEDES-BENZ ACTROS MP4 / MP5




Decosse truck filter

**MERCEDES-BENZ
ACTROS MP4 / MP5
A0040949004**



Decosse truck filter



MERCEDES-BENZ ACTROS MP4 / MP5



Decosse truck air filter



Scania truck air filter

Decosse volvo truck filter



DECOSSE NO.:

DAP-L9007-01

OEM NO.:

C321447/C311410

E452L/LX713

P780622/20732726

Vehicle:

RENAULT TRUCKS

VOLVO FL III 2013/05-

VOLVO FL II 2006/05-



DECOSSE NO.:

8149064

OEM NO.:

21834199/AF4540/LX1587

Size:

Outer diameter : 303mm

Inner Diameter : 152mm

Height : 411mm

Vehicle:

VOLVO



DECOSSE NO.:

KLP3242

OEM NO.:

21337557/ C33013/7421337443

Size:

Outer diameter : 323.0 mm

Inner Diameter : 194.0 mm

Height : 424 mm

Vehicle:

VOLVO

Volvo truck oil filter/fuel filter

21707132/
21707134/
22480372

► OIL FILTER ◀



DECOSSE NO.:
21707132
OEM NO.:
WP 11 102/3 /477556-5
50 00 812 484/H240W01
21170573/LF3654
Size:
OD : 108mm H : 260mm
ID 2 : 104mm OD2 : 93mm
Thread Size : 1 3/8-16 UN
Vehicle:
VOLVO / RENAULT TRUCKS

► OIL FILTER ◀



DECOSSE NO.:
21707134
OEM NO.:
466634-3/LF667/W11102/36
W 11 102/4/ W11102/26
478736/5000670699/P550519
Size:
OD : 108mm H : 260mm
ID 2 : 104mm OD2 : 93mm
Thread Size : 1 1/8-16 UN
Vehicle:
VOLVO B10 / VOLVO FM12
RENAULT TRUCKS

► FUEL FILTER ◀



DECOSSE NO.:
22480372
OEM NO.:
WDK 11 102/13 WDK 11 102/23
WDK1102/25 / 612630080087
20815011/21763342/FF5507
Size:
OD : 108mm H : 262mm
ID 2 : 103mm OD2 : 93mm
Thread Size : M 32 X 1.5
Vehicle:
VOLVO / RENAULT TRUCKS

Decosse Automotive filter

CABIN AIR FILTER



DECOSSE NO.:

0008301218

OEM NO.:

CUK3855/A 0008301

P955632/AF55722

Size:

Length : 378 mm

Width : 131.5 mm

Height : 40 mm

Vehicle:

BENZ ACTROS

OIL FILTER



DECOSSE NO.:

DO-DZ50098

OEM NO.:

06J 115 561B/ 06J 115 403 C

06H 115 403/ OC 456

Size:

OD : 76 mm

ID 1 : 62 mm

ID2 : 71 mm

H : 123 mm

Thread Size : M 27 X 1.5

GAS FILTER



DECOSSE NO.:

201V01804-0044

OEM NO.:

201V01804-0044

Vehicle:

Sinotuck Howo SITRAK truck

Decosse Automotive filter

► OIL FILTER ◀



DECOSSE NO.:

DO-FT50152

OEM NO.:

90915-YZZD2/90915-20002

90915-20001/1S7G-6714-DA

Size:

76*75 3/4-16 UNF-2B

Vehicle:

TOYOTA-SUPER 90

-HILUX 2W-PEUGEOT405

-ROA-FOTON+CHERY

-VW-JETTA1.4

www.decosse.cn

► OIL FILTER ◀



DECOSSE NO.:

DJ-FT50147

OEM NO.:

04152-31090/ HU7019 z

04152-31110/04152-YZZA1

Vehicle:

TOYOTA-CAMARY FOR USA

► OIL FILTER ◀



DECOSSE NO.:

DJ-XD50195

OEM NO.:

26320-3CAA0/ OX 417D

Vehicle:

SANTAFE-SORENTO



OEM.NO: 13717534825

Application: Peugeot Citroen



OEM.NO: 330129620

Application: Santana 3000



OEM.NO: 4GD133843

Application: 2012 Audi A6



OEM.NO: 96553450

Application: Buick Excelle



OEM.NO: 17220-5A2-A00

Application: GAC Honda Accord



OEM.NO: 28113-4T600

Application: KIA Sportage



OEM.NO: 16546-JN30A-C139


Application: Nissan Teana



OEM.NO: 28113-2P100

Application: Tucsun Santafei

Decosse
始终坚持主机品质 德科赛思



OEM.NO: 96554421

Application: Buick Excelle

Decosse
始终坚持主机品质 德科赛思



OEM.NO: CW657421

Application: Galant 2.0

Decosse
始终坚持主机品质 德科赛思



OEM.NO: B-8121020

Application: Dongfeng Joyear

Decosse
始终坚持主机品质 德科赛思



OEM.NO: 68120-08040

Application: Rexton 2.7


Decosse
始终坚持主机品质 德科赛思



OEM.NO: 64119163328

Application: BMW 7

Decosse
始终坚持主机品质 德科赛思



OEM.NO: 80291-S84-A01

Application: Honda Fit

Decosse
始终坚持主机品质 德科赛思



OEM.NO: 4B0-819-439B

Application: Audi A6/1.8T

Decosse
始终坚持主机品质 德科赛思



OEM.NO: 4F0133439A

Application: Audi Skoda



OEM.NO: PF457G

Application: Buick Lacrosse



OEM.NO: 2711800009

Application: Benz C180



OEM.NO: 19260345

Application: 2012 Regal 2.0



OEM.NO: 11427508969

Application: BMW



OEM.NO: 04152-31080

Application: Toyota Crown 3.0



OEM.NO: 25010792

Application: Buick Lacrosse



OEM.NO: 15400-PLC-004

Application: Honda Accord



OEM.NO: 90915-10001

Application: Toyota Vios 1.3

More information: Please
contact us to get the
newest products or price
list by Email.

Any question, kindly let us
know. We will be
appreciated for that.



德科斯高端汽车过滤器

Decosse high-end automotive filters

National service hotline: 400-6020121

Shandong Modi International Trading Co., Ltd.

Tele. : 0086-0531-85806692 85806672 85806673

Email: mdfilter02@decosse.cn

Hebei Dekesi Auto Parts Co., Ltd.

Tel.: 0086-0319-8168688 8168588

Email: hanxinguo@decosse.cn

Website: www.decosse.cn

Thanks

Dekesi high-end automotive filters

Our near-term goal: Owning 800-1000 exclusive shops all around China in 1-3 years

Our medium-term goal: Building over 10 provincial transfer stations all around China in 3-5 years

Our long-term goal: Being a company having exclusive shops in the international market

Final goal: Being a world-wide famous brand