

定制产品



公司名称：邢台市欧尚橡塑制品有限公司
开户行：中国建设银行股份有限公司邢台任县支行
税号：91130526MA07K6CN3X
账号：13050165760800000011
行号：105132700243
手机：18831936319 17363096667
QQ：173345241
邮箱：xtchenghan@163.com



NLK[®]



邢台市欧尚橡塑制品有限公司

Xingtai Auchan Rubber and Plastic Products Co., Ltd.

简介 Company Profile

邢台市欧尚橡塑制品有限公司，坐落于仁泽区，做橡胶行业20余年，2015年因公司发展需要变更为现在《邢台市欧尚橡塑制品有限公司》（商标NLK）专注于橡塑制品领域，积累了丰富的行业经验。完全按照IATF 16949质量管理体系模式，现已成为集研发、生产、销售、服务为一体的现代化新型公司。

本公司专业生产：旋转油封，组合油封，O型圈，TPU、液压油缸密封件及各种异型橡塑杂件、广泛应用于：工程机械、重汽、卡车、矿山设备、工矿设备、液压。农机、汽车、健身器材、PVC管道密封等多种行业及各中机械配套。

NLK密封以“质量第一，价格优惠，服务快捷，共同发展的原则”竭诚为广大用户服务，欢迎新老客户来电，可按要求（来图，来样）加工定制。

Xingtai Auchan Rubber and Plastic Products Co., Ltd., located in Renze District, has been engaged in the rubber industry for more than 20 years. In 2015, due to the needs of the company's development, it was changed to Xingtai Auchan Rubber and Plastic Products Co., Ltd. (trademark NLK), which focuses on the field of rubber and plastic products and has accumulated rich industry experience. Completely following the IATF 16949 quality management system model, it has now become a modern new type of company integrating research and development, production, sales, and service.

Our company specializes in producing: rotary oil seals, combination oil seals, O-rings, TPU, Hydraulic cylinder seals and various special-shaped rubber and plastic miscellaneous parts are widely used in engineering machinery, heavy trucks, mining equipment, industrial and mining equipment, and hydraulic systems. Various industries such as agricultural machinery, automobiles, fitness equipment, PVC pipe sealing, and supporting machinery.

NLK Sealing is dedicated to serving our customers with the principles of "quality first, price discounts, fast service, and common development". We welcome new and old customers to call and can customize according to their requirements (drawings, samples).


目录 Contents

1.油封结构	1.OIL SEAL structure	01
2.O型圈	2.O-RINGS	02
3.组合油封	3.Combined OIL SEAL	03
4.复式油封/旋转油封	4.Composite oil seal/rotary oil seal	04
5.骨架油封	5.Skeleton OIL SEAL	05
6.汽车油封	6.Automotive oil seal	06
7.IDI密封圈	7. IDI sealing ring	07
8.HBY缓冲环	8.HBY buffer ring	08
9.SPGW密封圈	9.SPGW sealing ring	09
10.DKBI防尘	10.DKBI dust prevention	10
11.SPGO格莱圈	11.SPGO Circle	11
12.HBTS 斯特封	12.HBTS Stefeng	12
13.WR/WAT酚醛夹布	13.WR/WAT	13
14.KDAS组合密封	14.KDAS combination seal	14
15.油缸密封件	15.Oil cylinder seal	15
16.密封件	16. Seals	16
17.国产挖机目录	17.Excavator catalog	17
18.进口挖机目录	18.Excavator catalog	18
19.装载机目录	19.Loader Catalog	19
20.O型圈盒	20.O-ring Box/kit	20

油封形式>>

1. Standard Type of Oil Seals :			
Design Type	C Rubber O.D. Design	B Metal O.D. Design	A Metal O.D. Design With Reinforce Case
S Type Single Lip Spring Loaded	 SC	 SB	 SA
T Type Twin Lip Spring Loaded	 TC	 TB	 TA
V Type Single Lip Springless	 VC	 VB	 VA
K Type Twin Lip Springless	 KC	 KB	 KA
D Type Double Lip Spring Loaded Recommended Sealing for two media	 DC	 DB	 DA

O型圈>>



橡胶种类	标准缩写	硬度范围	适用温度	属性
氟橡胶	FKM	50—95	-40—230	耐高温、耐油、耐化学性
四丙氟橡胶	APLAS	60—90	-30—200	耐酸碱、耐高温水蒸气
丁腈橡胶	NBR	40—95	-55—120	耐油耐磨
氢化丁腈橡胶	HNBR	50—95	-55—150	耐磨耐油、耐冷媒
硅橡胶	VMQ	40—80	-100—300	耐高温、耐低温、无毒无味
全氟醚橡胶	FFKM	70—90	-20—327	几乎能在各种恶劣环境下使用
聚氨酯	AU/EU	60—95	-80—100	耐磨耐高压、抗老化耐水解
天然橡胶	NR	40—90	-50—100	气密性好、伸长性好
三元乙丙橡胶	EPDM	40—90	-55—150	耐强酸强碱、抗老化耐臭氧
氟硅橡胶	FVMQ	45—80	-60—232	耐油、耐酸碱、耐热耐寒
氯丁橡胶	CR	50—90	-40—125	耐臭氧、抗老化、耐化学性

组合油封>>



复式油封>>




骨架油封>>



汽车油封>>




IDI>>



IDI T YOE ROD SEAL(RECIPROCATING)

油封尺寸及沟槽尺寸/OF SEAL AND GROOVE					编号 NO.	
d	D	H	Ha	Hb	标准	耐热
30	40	5.8	6	9	IDI30*40*6	IDI30*40*6H
30	40	6.5	7	10	IDI30*40*7	IDI30*40*7H
32	42	6.8	7.2	10.2	IDI32*42*7.2	IDI32*42*7.2H
35	45	5.8	6	9	IDI35*45*6	IDI35*45*6H
35	45	6.5	7	9	IDI35*45*7	IDI35*45*7H
36	46	7.5	8	10	IDI36*46*8	IDI36*46*8H
40	48	5.8	6	9	IDI40*48*6	IDI40*48*6H
40	50	5.8	6	9	IDI40*50*6	IDI40*50*6H
40	50	6.5	7	10	IDI40*50*7	IDI40*50*7H
40	50	7.5	8	10	IDI40*50*8	IDI40*50*8H
42	50	5.5	5.7	8.7	IDI42*50*5.7	IDI42*50*5.7H
42	50	5.8	6	9	IDI42*50*6	IDI42*50*6H
45	55	6.5	7	10	IDI42*50*7	IDI42*50*7H
45	55	7.5	8	10	IDI45*55*8	IDI45*55*8H
50	60	5.8	6	9	IDI50*60*6	IDI50*60*6H
50	60	7.8	8	10	IDI50*60*8	IDI50*60*8H
50	63	9.5	10	13	IDI50*63*10	IDI50*63*10H
50	65	8.5	9	12	IDI50*65*9	IDI50*65*9H
55	65	5.8	6	9	IDI55*65*9	IDI55*65*9H
55	65	7.8	8	10	IDI55*65*8	IDI55*65*8H
55	68	9.5	10	13	IDI55*68*10	IDI55*68*10H
55	70	8.5	9	12	IDI55*70*9	IDI55*70*9H
60	70	5.8	6	9	IDI60*70*6	IDI60*70*6H
60	70	7.8	8	10	IDI60*70*8	IDI60*70*8H
60	73	9.5	10	13	IDI60*73*10	IDI60*73*10H
60	75	8.5	9	12	IDI60*75*9	IDI60*75*9H
65	75	5.8	6	9	IDI65*75*6	IDI65*75*6H
65	75	7.8	8	10	IDI65*75*8	IDI65*75*8H
65	78	9.5	10	13	IDI65*78*10	IDI65*78*10H
65	80	8.5	9	12	IDI65*80*9	IDI65*80*9H
70	80	7.8	8	10	IDI70*80*8	IDI70*80*8H
70	83	9.5	10	13	IDI70*83*10	IDI70*83*10H
70	85	8.5	9	12	IDI70*85*9	IDI70*85*9H
70	90	11.5	12	15	IDI70*90*12	IDI70*90*12H
75	85	5.8	6	9	IDI75*85*6	IDI75*85*6H
75	85	9.5	8	10	IDI75*85*8	IDI75*85*8H
75	88	8.5	10	13	IDI75*88*10	IDI75*88*10H
75	90	7.8	9	12	IDI75*90*10	IDI75*90*10H
80	90	9.5	8	10	IDI80*90*8	IDI80*90*8H
80	93	8.5	10	13	IDI80*93*10	IDI80*93*10H
80	95	9.5	9	12	IDI80*95*9	IDI80*95*9H
80	95	8.5	10	13	IDI80*95*10	IDI80*95*10H
85	100	9.5	9	12	IDI85*100*9	IDI85*100*9H
85	100	10	10	13	IDI85*100*10	IDI85*100*10H
85	105	11.5	12	15	IDI85*105*12	IDI85*105*12H

HBV>>




最大工作压力	35MPa	42MPa	50MPa
B尺寸	d + 0.8	d + 0.4	d + 0.25

HBV Buffering seal

油封尺寸及沟槽尺寸/OF SEAL AND				编号 NO.	
d	D	h	H	标准	耐热
40	55.5	6	6.3	HBV40	HBV40H
45	60.5			HBV45	HBV45H
50	65.5			HBV50	HBV50H
55	70.5			HBV55	HBV55H
60	75.5			HBV60	HBV60H
65	80.5			HBV65	HBV65H
70	85.5			HBV70	HBV70H
75	90.5			HBV75	HBV75H
80	95.5			HBV80	HBV80H
85	100.5			HBV85	HBV85H
90	105.5			HBV90	HBV90H
95	110.5			HBV95	HBV95H
100	115.5			HBV100	HBV100H
105	120.5			HBV105	HBV105H
110	125.5			HBV110	HBV110H
115	130.5			HBV115	HBV115H
120	135.5			HBV120	HBV120H
125	140.5			HBV125	HBV125H
130	145.5	6	6.3	HBV130	HBV130H
135	150.5			HBV135	HBV135H
140	155.5			HBV140	HBV140H
145	160.5			HBV145	HBV145H
150	165.5			HBV150	HBV150H
155	170.5			HBV155	HBV155H
160	175.5			HBV160	HBV160H
165	180.5			HBV165	HBV165H
170	185.5			HBV170	HBV170H
175	190.5			HBV175	HBV175H
180	195.5			HBV180	HBV180H


SPGW>>



SPGW Piston seal


NOMinal size of Packing, and Housing dimensions					SPGW
NO.	D	d	h	H	ITEM NO.
65	65	50	10.5	11	
70	70	55	10.5	11	
75	75	60	10.5	11	
80	80	65	10.5	11	
85	85	70	10.5	11	
90	90	75	10.5	11	
95	95	80	10.5	11	
100	100	85	12	12.5	
105	105	90	12	12.5	
110	110	95	12	12.5	
115	115	100	12	12.5	
120	120	105	12	12.5	
125	125	102	15.5	16	
130	130	107	15.5	16	
135	135	112	15.5	16	
140	140	117	15.5	16	
145	145	122	15.5	16	
150	150	127	15.5	16	
155	155	132	15.5	16	
160	160	137	15.5	16	
170	170	147	15.5	16	
175	175	152	15.5	16	
180	180	157	15.5	16	
185	185	162	15.5	16	
190	190	167	15.5	16	
195	195	172	15.5	16	
200	200	177	15.5	16	
205	205	182	15.5	16	
210	210	187	15.5	16	
215	215	192	15.5	16	
220	220	197	15.5	16	

DKBI>>




DKB Dust seal

油封尺寸及沟槽尺寸/SIZE OF SEAL AND GROOVE						编号 NO.	
d	D	t	h	H	B	S	耐热
22	34	6	9	+0.5	4	29	DKBI22
25	37			6		32	DKBI25
28	40			+0.3		35	DKBI28
30	42			+0.5		37	DKBI30
35	47					39	DKBI35
40	52	47	DKBI40				
45	57	52	DKBI45				
50	62	57	DKBI50				
55	69	+0.6	11	62		DKBI55	
60	74			67		DKBI60	
65	79			72		DKBI65	
70	84			77		DKBI70	
75	89			82		DKBI75	
80	94			87		DKBI80	
85	99			92		DKBI85	
90	104			97		DKBI90	
95	109			102		DKBI95	
100	114			107		DKBI100	
105	121	113	DKBI105				
110	126	+0.6	12	118	DKBI110		
115	131			9	123	DKBI115	
120	136			+0.4	128	DKBI120	
125	141			+0.6	133	DKBI125	
130	146				138	DKBI130	
140	160	150	DKBI140				
150	170	160	DKBI150				
160	180	+0.4	170		DKBI160		



NO.	规格/D*H	NO.	规格/D*H	NO.	规格/D*H
	20*3		80*4.2		160*8.1
	25*3.5		80*6.3		165*8.1
	28*3.2		85*4.2		170*6.3
	30*3.2		85*6.3		175*8.1
	32*3.2		90*4.2		180*6.3
	35*3.2		90*6.3		180*8.1
	20*4.2		90*8.1		185*8.1
	25*4.2		95*6.3		190*8.1
	28*4.2		100*4.2		195*8.1
	30*4.2		100*6.3		200*8.1
	32*4.2		100*8.1		210*8.1
	35*4.2		105*6.3		220*8.1
	36*4.2		110*6.3		225*8.1
	38*4.2		110*8.1		230*8.1
	40*4.2		115*6.3		240*8.1
	40*6.3		115*8.1		250*8.1
	45*4.2		120*4.2		260*8.1
	45*6.3		120*6.3		270*8.1
	50*4.2		120*8.1		280*8.1
	50*6.3		125*6.3		290*8.1
	55*4.2		125*8.1		300*8.1
	55*6.3		130*4.2		310*8.1
	60*4.2		130*6.3		315*8.1
	60*6.3		130*8.1		320*8.1
	63*4.2		135*8.1		330*8.1
	63*6.3		140*6.3		340*8.1
	65*4.2		140*8.1		350*8.1
	65*6.3		145*8.1		360*8.1
	70*4.2		150*6.3		370*8.1
	70*6.3		150*8.1		380*8.1
	75*4.2		155*8.1		390*8.1
	75*6.3		160*6.3		400*8.1



NO.	规格/d*H	NO.	规格/d*H	NO.	规格/d*H
	20*3.2		65*6.3		190*6.3
	25*3.2		70*4.2		200*8.1
	28*3.2		70*6.3		210*8.1
	30*3.2		75*4.2		220*8.1
	32*3.2		75*6.3		230*8.1
	35*3.2		80*4.2		240*8.1
	20*4.2		80*6.3		250*8.1
	22*4.2		85*6.3		260*8.1
	25*4.2		90*6.3		270*8.1
	28*4.2		100*6.3		280*8.1
	30*4.2		105*6.3		290*8.1
	32*4.2		110*6.3		300*8.1
	35*4.2		115*6.3		310*8.1
	36*4.2		120*6.3		320*8.1
	38*4.2		125*6.3		330*8.1
	40*4.2		130*6.3		340*8.1
	40*6.3		135*6.3		350*8.1
	45*4.2		140*6.3		360*8.1
	45*6.3		150*6		370*8.1
	50*4.2		150*8.1		380*8.1
	50*6.3		155*6.3		400*8.1
	55*4.2		160*6.3		420*8.1
	55*6.3		160*8.1		440*8.1
	60*4.2		170*6.3		450*8.1
	60*6.3		170*8.1		460*8.1
	63*4.2		175*6.3		470*8.1
	63*6.3		180*6.3		480*8.1
	65*4.2		180*8.1		500*8.1

压力/Mpa	温度℃	速度 m/s	介质	可提供直径范围
—	54+200	1	过氧化氢溶液, 水乙醇溶液, 磷酸酯溶液, 低黏石油及液压油	14-440MM

d	D	h	t	H		d	D	h	t	H
22	26	8	2	8		99	105	25	3	25
24	28	8	2	8		104	110	25	3	25
27	31	8	2	8		106	112	30	3	30
29	33	10	2	10		109	115	30	3	30
31	35	10	2	10		114	120	30	3	30
34	38	10	2	10		119	125	30	3	30
36	40	10	2	10		123	130	30	3.5	30
37	41	15	2	15		125	132	35	3.5	30
38	43	15	2.5	15		133	140	35	3.5	30
40	45	15	2.5	15		143	150	35	3.5	30
45	50	15	2.5	15		150	157	40	3.5	40
50	55	15	2.5	15		153	160	40	3.5	40
51	56	15	2.5	15		157	165	45	4	45
55	60	15	2.5	15		162	170	45	4	45
56	61	15	2.5	15		172	180	45	4	45
58	63	15	2.5	15		177	185	45	4	45
60	65	20	2.5	20		182	190	45	4	45
61	66	20	2.5	20		192	200	45	4	45
64	69	20	2.5	20		197	205	50	4	50
65	70	20	2.5	20		202	210	50	4	50
66	71	20	2.5	20		212	220	50	4	50
70	75	20	2.5	20		217	225	50	4	50
75	80	20	2.5	20		222	230	50	4	50
79	85	25	3	25		232	240	50	4	50
84	90	25	3	25		242	250	50	4	50
89	95	25	3	25		252	260	60	4	60
94	100	25	3	25		262	270	60	4	60

规格			高		规格		高		单价		规格			高		单价	
Specifications					Specifications				RMB		Specifications					RMB	
DAS020-011	17.7	33.80			DAS070-054	26.7	69.00				DAS150-125/1	38.1	155.00				
DAS022-013	17.7	33.80			DAS070-055	28.9	69.00				DAS150-128	36.7	155.00				
DAS025-015/1	20.5	34.30			DAS075-055	35.1	75.00				DAS150-133	40.9	155.00				
DAS025-015	29.1	34.30			DAS075-059	26.7	75.00				DAS155-130	44.4	160.00				
DAS025-016	17.7	34.30			DAS080-060	35.1	79.00				DAS160-130/1	38.1	165.00				
DAS028-019	17.7	34.60			DAS080-062	29.7	79.00				DAS160-130	44.4	165.00				
DAS030-021	17.7	34.60			DAS080-066	32.9	79.00				DAS160-135	44.4	160.00				
DAS032-022/1	20.7	37.00			DAS085-065	35.1	85.00				DAS160-143	40.9	169.00				
DAS032-022	29.1	37.00			DAS090-070	35.1	90.00				DAS160-138	36.7	169.00				
DAS032-024	21.9	37.00			DAS090-072	29.7	90.00				DAS165-140	44.4	175.00				
DAS035-025/1	29.1	38.00			DAS090-076	32.9	90.00				DAS170-145	50.8	185.00				
DAS035-025	29.1	38.00			DAS095-075	35.1	95.00				DAS175-150	50.8	195.00				
DAS040-024	31.1	40.00			DAS100-080	37.7	104.00				DAS180-155	50.8	190.00				
DAS040-026	20.7	40.00			DAS100-075	35.1	100.00				DAS180-150	48.1	230.00				
DAS040-030	29.1	40.00			DAS100-082	29.7	104.00				DAS185-160	50.8	215.00				
DAS040-30/1	20.5	40.00			DAS100-086	32.9	104.00				DAS190-165	50.8	220.00				
DAS040-30/2	20.5	40.00			DAS105-080	35.1	105.00				DAS195-170	50.8	235.00				
DAS042-028	20.7	42.00			DAS110-085	35.1	105.00				DAS200-175	50.8	247.00				
DAS045-029	31.1	44.00			DAS110-092	29.7	109.00				DAS210-185	50.8	260.00				
DAS045-031	20.7	44.00			DAS110-096	32.9	109.00				DAS220-190	48.1	330.00				
DAS045-035	29.1	44.00			DAS115-090	35.1	115.00				DAS220-195	50.8	280.00				
DAS050-034/1	26.7	46.00			DAS115-097	29.7	115.00				DAS230-205	50.8	310.00				
DAS050-034	31.1	46.00			DAS120-095	35.1	120.00				DAS240-215	50.8	320.00				
DAS050-038	28.9	46.00			DAS120-106	32.9	120.00				DAS250-225	50.8	330.00				
DAS055-039/1	26.7	52.00			DAS125-100	38.1	125.00				DAS250-220	48.1	400.00				
DAS055-039	31.1	52.00			DAS125-103	36.7	130.00				DAS260-235	50.8	550.00				
DAS056-040	26.7	52.00			DAS125-108	40.9	130.00				DAS260-235	60.5	550.00				
DAS060-041/1	26.7	56.00			DAS130-105/1	38.1	140.00				DAS270-245	50.8	650.00				
DAS060-044	31.1	56.00			DAS130-105	44.4	135.00										

油缸密封件>>



密封件>>



国产挖机>>

国产挖掘机油缸密封件可供机型目录表

	挖掘机厂家	配 套 机 型	备注
1	柳工挖掘机	CLG906C恒立CLG906 CLG907 CLG908 CLG915 CLG926恒立 CLG922LCKYB CLG923C CLG925LC CLG936恒立CLG936 NEW CLG205C CLG220-3 CLG-230 CLG230 KYB CLG230 OLD CLG220 NEM	
2	三一挖掘机	SY55 SY*5-9 SY65/65-9 SY60 SY75/75-9 SY135 SY200-3 SY210 SY215-8/9 SY225S-8 SY230 KYB SY235东洋SY235-8【东洋KYB】 SY235C-8【恒立】SY285 SY335 KYB365/365【KYB恒立东洋】	
3	徐工挖掘机	XE60 XE130XE80 XE210 XE220 XE230 XE250 XE230B XE 322 XE330 XCG55-8 XCG88 XCG220XCG220LC XCG210LC-8 XCG330 XCG450-8	
4	龙工挖掘机	龙工60-7龙工215龙工6150龙工6225龙工6235龙工6225东洋龙工6235东洋 龙工6060/6065/6085	
5	福田雷沃挖掘机	FR85-7【NEW东洋YG】FR60-7【NEW东洋YG】 FR 65-7 FR75-7 FR80H-8 FR150-7 FR210【恒立】FR260-7【东洋恒立】	
6	中联重科挖掘机	ZE60E ZE80E ZE150 ZE205 ZE230 ZE230F 7F2607F3107F3157F330	
7	山河智能挖掘机	SWE50 SWE60 SWE65 SWE70 SWE80 SWE230 SWE220旋挖	
8	久保田挖掘机	久保田U35N 久保田U50久保田U55N久保田151久保田161久保田185	
9	厦工挖掘机	厦工XG820厦工XG825厦工XG825LC厦工XG150厦工XG60 厦TXG80厦工XG820HL	
10	玉柴挖掘机	YC20 YC35 YC45-6 YC50-8 YC60/60-8 YC65 YC85 YC85-7/8 135-7/8 YC225-8【恒立】	
11	力士德挖掘机	力士德SC70力士德SC130-7力士德SC200-8力士德SC220-7 力士德SC220-7【KYB】力士德SC360【东洋】	
12	临工沃得 晋工黄河挖掘机	临工60临工210临工250沃得W60-7沃得W85沃得W139沃得W239-7 晋T906晋T924黄河220	
13	彭浦贵挖詹阳 石川岛挖掘机	彭浦SW210LC彭浦SW220LC彭浦SW200-3【恒立】贵挖161-3贵挖210 贵挖GW200贵挖220詹阳630詹阳210-3詹阳200【OCD】 石川岛IHI5C 石川岛IHI60石川岛IHI35NX石川岛IHI200	

进口挖机>>

进口挖掘机油缸密封件可供机型目录表

	挖掘机厂家	配 套 机 型	备注
1	小松挖掘机 KOMATSU	PC50 PC50-7 PC60-6/7/7B/7C PC70-6/8 PC100N-6 PC130-7 PC150-5 PC160-7 PC200-5/7/8 PC210-6/6D PC220-2/3 PC220-6/7/8PC240-7/8/9 PC270-7/8 PC300-7 PC360-7 PC400-6/7 PC450-7/7E PC650-8 PC700-8	
2	日立挖掘机 HITACHI	EX60-1/2 EX75-3 EX100-2/3/5 EX120-2/3/4/5 EX150 EX200-2/3/5/7 EX210-5加长臂EX220-5 EX270 EX300-5 EX400 EX750 EX750正铲 EX1100 ZAX55 ZAX50U-2 ZAX60 ZAX70 ZAX80 ZAX110 ZAX120 ZAX 200-3 ZAX210K-3 ZAX210加长臂 ZAX230 ZAX240 ZAX250-3 ZAX270新款老款 ZAX330-3 ZAX330-3G ZAX360-3-3G ZAX360H-3 ZAX450-3 ZAX470H-3 ZAX870-3ZAX870H-3	
3	现代挖掘机 HYUNDAI	R55-7 R60-7/9 R80-7 R110-7 R130LC-5 R150-7/9 R190-5 R150W-7/9 R200LC R200W-5 R210-5D R210W-5D R215-9 R215LC-7 R215W-9 R220-5 R225-7/9 R245-7 R260-7 R260LC-5/9 R265LC-5/9 R290LC-1/3 R305-7新款R335LC-7/9 R370-7 R385-9 R450 R455-7 R455LC-7	
4	斗山大宇挖掘机 DOOSAN	DH55-V DH60-7 DH150 DH220-2/3/5/7 DH220LC-9E DH225-7/9 DH 258-5 DH280-3 DH350 DH370-7 DH420-7 DH450YG DH500-7 DX225-7/9 DX80-7 DX225LC-8 DX260LC-7 DX380	
5	卡特挖掘机 CATERPILLAR	CAT110B CAT140G CAT200B CAT200E CAT240 CAT300B CAT300E CAT312B/C/D CAT315D/C CAT320C CAT320D CAT322B CAT322D CAT325B/C/D CAT330B/C/D CAT345B/D CAT450	
6	住友挖掘机 SUMITOMO	SH60 SH75U SH100 SH100-2 SH200不带电脑SH200-1/2 SH200-A3/Z3 SH210-5 SH220-1/2/3 SH225-3 SH240-3/5/7 SH300-2/3 SH330-5加长臂 SH350B-3/5 SH120 LS580E/F LS280E/F SH210-5/7电喷	
7	神钢挖掘机 KOBELCO	SK55-3/C SK60系列SK75系列SK80系列SK100系列SK120系列SK130/135系列 SK200系列SK210系列SK220系列SK230/235系列SK250系列SK300/310系列 SK350系列SK450/460系列	
8	沃尔沃挖掘机 VOLVO	EC55BLC EC140B EC210BLC EC240BLC EC290BLC EC360BLC EC360BLC EC460BLC EC460BLC NEW	
9	加藤挖掘机 KATO	HD250 HD308 HD700-5 HD820-3 HD450V HD1023 HD1430 HD1430-3/5 HD700SE HD700SE-2 HD900-5/7	
10	凯斯挖掘机 CASE	CE55 CE75B CE130B CE210A CE210B CE240A CE240B CE360A CE360B CE460A CE460B	
11	众友挖掘机 JCM	JCM921 JCM 921东洋JCM923 JCM913 JCM913B JCM 923D JCM924C JCM906 JCM907 JCM907B	

装载机>>

装载机油缸密封件可提供机械目录表			
序列号	装载机品名	配套机型	
1	徐工	50G、50GN、300F、300K、300KN、30E、30G、320、300FN、300KN、500K、500KL、500KN、500KV、500D、500F、500FN、500KN、500FV、521、液压件	
2	柳工	15/18、20、816、30E、835、836、835H、375、40B、842、50C、50CN、50E、852、850H、855、855N、855H、856、856H、862、862H、870、870H、50 夹爪、50 侧卸缸	
3	临工	918、930、933、936（德州、天一、金立）、40F、933F、933D、952（德州、天一、金立）、952H、952F、952L、953（德州、天一、金立、银花）953F、953N、953FN、955、955F、955FN、955FC、956（德州、金立、天一）、956L、956F、958、958F、968、968F、968V	
4	龙工	816、833、30F、50D、850（N/D/F）、855（B/D/N/EK）、853（B/N）、50EX、860、862	
5	厦工	15、918、932、935H、942、40D、50D、951、951-3、953、953-3、955、955-3、955H、956、956-2、956N、958、958H	
6	福田	917、935、936、952、953、955、956、968	
7	斗山	501、503、303	
8	成工	30B、30B-II、30BIII、（德州、长液、海特、统型）50E、50E-II、50E-III（德州、长液、海特、统型、海陵达）、932、956、955	
9	山工	30F、30E、50F-II、50F 统型、60F、660B、650、650B、652B、952、956	
10	常林	933、936、30-3-5、30E、956、50E、50E-2、50E-5、955、60H、50 夹爪	
11	晋工	757、756、737、755	
12	沃德	153、153、136	
13	德工	50G、956、958、30G	
14	小装综合包	63/30、63/35、70/40、70/45、80/40、80/45、80/50、90/45、90/50、90/55、100/55、100/60、110/70、120/80	

盒装O型圈>>

