



▶▶ 产品索引

以人为先 诚信为本 专业制造 追求卓越
Honesty Professional Excellence

浙江海格威液压科技有限公司
Zhejiang HGW Hydraulics Technology Co., Ltd.

地址: 中国.浙江.宁波市宁海县南部滨海新区创新路9号
ADD: No. 9 Innovation East Road, South Binhai New Area, Ninghai,
Ningbo City, Zhejiang Province, 315033, P.R. China
电话(Tel): 86-0574-88166668 传真(Fax): 86-0574-88166669
邮箱(E-mail): info@haigewei.com 网址: <http://www.haigewei.com>
服务热线(Hotline): **400 9998 475**



上海海格威流体连接件有限公司
Shanghai HGW Fluid Conveyance Co., Ltd.

地址: 中国·上海市奉贤区善乐路313号 (光善路口)
ADD: No.313,Shanle Road,Fengxian District,Shanghai,201405,P.R.China
电话(Tel): 86-021-340300001 传真(Fax): 86-021-54320056
邮箱(E-mail): info@haigewei.com 网址: <http://www.haigewei.com>
服务热线(Hotline): 400 9998 475



【2020版】

HGW FLUID CONVEYANCE

ENTERPRISE INTRODUCTION

企业简介

海格威成立于2002年7月，是一家研发、生产、销售流体连接件的公司。公司的主打产品为过渡接头、胶管接头、快速接头、油管、油管总成。

十七年来，公司一直遵循诚信经营，质量第一，客户至上的原则，一步一个脚印，发展成为拥有3个工厂，300名员工的企业。并在行业内得到了广泛的认可和好评。

公司的主要生产基地位于宁波市宁海县，工厂占地80余亩，总投资超亿元，目前拥有400余台高性能CNC机床。

我们的产品广泛用于工程机械、地下建机、矿产、码头、军工、造船、农机、冶金等行业，并且远销欧美等质量要求苛刻的地区。

HGW was founded in Jul. 2002. We have more than 17 years' experience in R&D, manufacturing and sale fluid connectors. Hydraulic adaptors, hose fittings, oil pipe and pipe assembly are our main products.

The company is located in Ninghai, Ningbo. Own 80 acres of land and our total investment exceeded 100 million RMB. Now, we have 350 employees more than 400 CNC.

Our products are widely used in engineering machinery, underground equipment, mineral products, wharf, military project, shipbuilding, farm machinery, metallurgy, etc. Our products are also sold to Europe and American.



1996.11 上海北京东路603号，“历史”的起点。
1996.11, No.603 Beijing Road, Shanghai. The beginning of history.

2002.7 上海海格威（母公司）成立。
2002.7, Shanghai HGW plant set up.

2009.9 宁波海格威新生产基地落成。
2009.9, Ningbo HGW plant set up.

2016.7 上海海格威扩大搬迁至奉贤基地。
2016.7, Shanghai HGW plant extend and remove

2017.5 宁海生产基地正式成立。
2017.5, Mayer plant set up.

浙江海格威液压科技有限公司
Zhejiang HGW Hydraulics Technology Co., Ltd.

招聘
等你来！

浙江海格威液压科技有限公司
Zhejiang HGW Hydraulics Technology Co., Ltd.

ENTERPRISE CAPACITY

企业实力

公司占地80余亩，目前拥有生产厂房40000多平米，各类锻造、车削、弯管、钻孔等设备400余台。

公司自成立之日起即推行智能化生产，信息化管理的“智造”理念。配备智能化生产设备。试行“物联网”概念，提升客户采购体验，实现远程下单，远程跟踪可能。

工厂可实现熄灯作业和无人作业的高智能化生产模式。

Ninghai factory own 80 acres of land and forty thousand square meters for production. We have about 400 equipments including swage, lathe, pipe bender and drilling machine.




Intelligent production and information management are our "Smart" idea. We have intelligent production equipment. Experimenting the concept of internet of things to improve customer's experience of purchasing, and to make remote order and remote tracking possible.

Our company achieved a high-intelligence production mode that we can work without lights or even without man.



公司已通过ISO9001-2015审核。计量室配备硬度计，投影仪，测长仪，三坐标，轮廓仪及光谱仪，压力测试机和盐雾试验机检测设备等，使产品品质得以有效的保证。

We have passed ISO 9001-2015 audit. We have sclerometer, overhead projector, metroscope, CMM, contourgraph, spectrograph, compression testing machine and salt spraying tester. The quality is guaranteed.



过渡接头系列



软管总成系列



DIRECTORY

目录

09 一体式软管接头

09 公制24°锥系列、英管螺纹60°锥面密封、美制JIC螺纹70°密封、SAE法兰系列

10 套筒

10-15 软管接头







10 公制平面密封、球面密封软管接头
10 公制74°锥密封软管接头
11 公制螺纹24°锥密封轻/重系列软管接头
11 卡套式直管软管接头
11 英锥管外螺纹密封、英管螺纹球面密封系列软管接头
11-12 英管螺纹60°锥密封、60°外锥面双六角系列软管接头
12 美制JIC螺纹74°锥面、74°锥面双六角系列软管接头
12 美制布锥管外螺纹、SAE螺纹90°内锥面、ORFS螺纹平面密封系列软管接头
12-13 SAE法兰轻/重系列软管接头
13 日式英制螺纹60°锥密封软管接头
13 高压水管接头、SAE标准矿用接头、双面连接芯软管接头
13-14 铰接软管接头
14 英制螺纹剥内胶系列软管接头
14 美制ORFS平面、JIC螺纹74°密封剥内胶系列软管接头
14 公制螺纹24°锥密封重系列剥内胶软管接头
14-15 SAE法兰剥内胶系列软管接头
15 插入芯软管接头

15-25 过渡接头




15 公制螺纹O形圈平面密封接头
16-17 公制螺纹卡套接头
17-18 公制螺纹74°锥密封接头
18-20 日式英管螺纹60°锥密封接头
20 英锥管螺纹B SPT接头
21 美制锥管螺纹NPT接头
21-23 美制螺纹74°锥面扩口接头
23-24 美制螺纹O形圈平面密封ORFS接头
24 6162法兰接头
25 SAE矿用快换接头
25 其他接头

26 快速接头




公制24° 锥系列

 10411Y 公制外螺纹24° 内锥面锥系列 METRIC MALE 24° CONE SEAT L.T. DIN 3863	 10411Y-T 公制外螺纹24° 内锥带O形锥系列 METRIC MALE 24° CONE O-RING L.T. DIN 3865	 2044 1Y-T 45°公制内螺纹24°锥带O形锥系列 45°METRIC FEMALE 24° CONE O-RING L.T. DIN 3865	 2049 1Y-T 90°公制内螺纹24°锥带O形锥系列 90°METRIC FEMALE 24° CONE O-RING L.T. ISO 12151-2—DIN 3865
 10511Y 公制外螺纹24° 内锥面锥系列 METRIC MALE 24° CONE SEAT H.T. DIN 3863	 20511Y-T 公制内螺纹24° 锥带O形锥面系列 METRIC FEMALE 24° CONE O-RING H.T. DIN 3865	 2054 1Y-T 45°公制内螺纹24°锥带O形锥面系列 45°METRIC FEMALE 24° CONE O-RING H.T. DIN 3865	 2059 1Y-T 90°公制内螺纹24° 锥带O形锥面系列 90°METRIC FEMALE 24° CONE O-RING H.T. DIN 3865







英管螺纹60° 锥面密封

 12611Y 英管外螺纹60° 内锥面 BSP MALE 60° CONE SEAT	 22611Y 英管内螺纹60° 外锥面 BSP FEMALE 60° CONE	 2264 1Y 45°英管内螺纹60° 外锥面 45°BSP FEMALE 60° CONE	 2269 1Y 90°英管内螺纹60° 外锥面 90°BSP FEMALE 60° CONE
--	---	---	--






类制JIC螺纹74° 密封

 16711Y 类制JIC外螺纹74° 内锥面 JIC MALE 74° CONE SEAT	 26711Y 类制JIC内螺纹74° 内锥面 JIC FEMALE 74° CONE SEAT	 2674 1Y 45°类制JIC内螺纹74° 内锥面 45°JIC FEMALE 74° CONE SEAT	 2679 1Y 90°类制JIC内螺纹74° 内锥面 90°JIC FEMALE 74° CONE SEAT
---	---	---	--









SAE法兰系列

 87311Y SAE 法兰 3000 PSI SAE FLANGE 3000 PSI	 8734 1Y 45°SAE 法兰 3000 PSI 45°SAE FLANGE 3000 PSI	 8739 1Y 90°SAE 法兰 3000 PSI 90°SAE FLANGE 3000 PSI	 87611Y SAE 法兰 6000 PSI SAE FLANGE 6000 PSI
 8769 1Y 90°SAE 法兰 6000 PSI 90°SAE FLANGE 6000 PSI	 8764 1Y 45°SAE 法兰 6000 PSI 45°SAE FLANGE 6000 PSI		





套筒

 00110-A SAE100R1AT/EN 853 18N 软管套筒 FERRULE FOR SAE100R1AT/EN 853 18N HOSE	 00110 SAE100R1AT/EN 853 18N 软管套筒 FERRULE FOR SAE100R1AT/EN 853 18N HOSE	 00200 SAE100R2AT/EN 853 28N 软管套筒 FERRULE FOR SAE100R2AT/EN 853 28N HOSE	 00210 SAE100R2AT/DIN 20022 28N 软管套筒 FERRULE FOR SAE100R2AT/DIN 20022 28N HOSE
 00310 SAE100R2AT/EN 853 28N 软管套筒 FERRULE FOR SAE100R2AT/EN 853 28N HOSE	 00400 4SP, 4SH/12-16, R1206-16 软管套筒 FERRULE FOR 4SP, 4SH/12-16, R1206-16 HOSE	 00621 GB/T 10644 R13/SAE 100R18/EN 856 R13 软管内外嵌套锁紧 INTERLOCK FERRULE FOR GB/T 10644 R13/SAE 100R18/EN 856 R13 HOSE	 00401 4SH, R12/32 软管套筒 FERRULE FOR 4SH, R12/32 HOSE
 01400 R12/20-24 软管套筒 FERRULE FOR R12/20-24 HOSE	 00018 SAE 100 R7 软管套筒 FERRULE FOR SAE 100 R7 HOSE	 00TF0 特氟龙软管 FERRULE FOR TEFLON HOSE	









公制平面密封、球面密封软管接头

 10311 公制外螺纹平面O形面密封 O-RING METRIC MALE FLAT SEAL 参考REF.JB/T 9088	 20211-T 公制内螺纹平面 METRIC FEMALE FLAT SEAT 参考REF.GB/T 9085.3	 20231-T 90°公制内螺纹平面 90°METRIC FEMALE FLAT SEAT 参考REF.GB/T 9085.3	 20241-T 45°公制内螺纹平面 45°METRIC FEMALE FLAT SEAT 参考REF.GB/T 9085.3
 20291-T 90°公制内螺纹平面 90°METRIC FEMALE FLAT SEAT 参考REF.GB/T 9085.3	 20111-T 公制内螺纹球面 METRIC FEMALE MULTISEAL	 20141-T 45°公制内螺纹球面 45°METRIC FEMALE MULTISEAL	 20191-T 90°公制内螺纹球面 90°METRIC FEMALE MULTISEAL




公制74° 锥密封软管接头

 10711 国际公制外螺纹74° 外锥面 GB METRIC MALE 74° CONE	 20711 国际公制内螺纹74° 内锥面 GB METRIC FEMALE 74° CONE SEAT	 20741 45°国际公制内螺纹74° 内锥面 45°GB METRIC FEMALE 74° CONE SEAT	 20791 90°国际公制内螺纹74° 内锥面 90°GB METRIC FEMALE 74° CONE SEAT
--	---	---	---






公制螺纹24° 锥密封轻/重系列软管接头

 10411 公制外螺纹24°内锥面轻系列 METRIC MALE 24° CONE SEAT L.T.DIN 3853/TISO 8434-1—DIN 8861	 20411-T 公制内螺纹24°锥带O形圈轻系列 METRIC FEMALE 24° CONE O-RING L.T.DIN 3865	 20441-T 45°公制内螺纹24°锥带O形圈轻系列 45°METRIC FEMALE 24° CONE O-RING L.T.DIN 3866	 20491-T 90°公制内螺纹24°锥带O形圈轻系列 90°METRIC FEMALE 24° CONE O-RING L.TISO 12151-2—DIN 8865
 10511 公制外螺纹24°内锥面重系列 METRIC MALE 24° CONE SEAT H.T.DIN 3863	 20511-T 公制内螺纹24°锥带O形圈重系列 METRIC FEMALE 24° CONE O-RING H.T.DIN 3865	 20541-T 45°公制内螺纹24°锥带O形圈重系列 45°METRIC FEMALE 24° CONE O-RING H.T.DIN 3866	 20591-T 90°公制内螺纹24°锥带O形圈重系列 90°METRIC FEMALE 24° CONE O-RING H.T.DIN 3865





卡套式直管软管接头

 50011 卡套式直管 METRIC STANDPIPE STRAIGHT DIN 2353	 50041 45°公制DIN 2353卡套式直管 45°METRIC STANDPIPE STRAIGHT DIN 2353	 50091 90°公制DIN 2353卡套式直管 90°METRIC STANDPIPE STRAIGHT DIN 2353
--	--	---






英锥管外螺纹密封、英管螺纹球面密封系列软管接头

 13011-SP 英锥管外螺纹 BSP MALE	 22111-T 英锥管内螺纹球面 BSP FEMALE MULTISEAL	 22141-T 45°英锥管内螺纹球面 45°BSP FEMALE MULTISEAL	 22191-T 90°英锥管内螺纹球面 90°BSP FEMALE MULTISEAL
 22211 英锥管内螺纹平面 BSP FEMALE FLAT SEAT	 22241 45°英锥管内螺纹平面 45°BSP FEMALE FLAT SEAT	 22291 90°英锥管内螺纹平面 90°BSP FEMALE FLAT SEAT	






英管螺纹60° 锥密封、60° 外锥面双六角系列软管接头

 12611 英管外螺纹60°内锥面 BSP MALE 60° CONE SEAT	 12611A 英管外螺纹60°内锥面或六角端可用 锥面锥密封的双相接头 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL	 22611-T 英管内螺纹60°外锥面 BSP FEMALE 60° CONE	 22641-T 46°英管内螺纹60°外锥面 46°BSP FEMALE 60° CONE
--	--	--	---





美制JIC螺纹74° 锥面、74° 锥面双六角系列软管接头


 16711 美制JIC外螺纹74°外锥面 JIC MALE 74° CONE	 26711-T 美制JIC内螺纹74°内锥面 JIC FEMALE 74° CONE SEAT SAE J514	 26741 46°美制JIC内螺纹74°内锥面 46°JIC FEMALE 74° CONE SEAT SAE J514	 26791 90°美制JIC内螺纹74°内锥面 90°JIC FEMALE 74° CONE SEAT SAE J514
 26711D 美制JIC内螺纹74°内锥面双六角 JIC FEMALE 74° CONE SEAT DOUBLE HEXAGON SAE J514	 26711D-9M 美制JIC内螺纹74°内锥面双六角 JIC FEMALE 74° CONE SEAT DOUBLE HEXAGON SAE J514	 26791K 90°美制紧凑型JIC内螺纹74°内锥面 90°JIC COMPACT FEMALE 74° CONE SEAT	

美制布锥管外螺纹、SAE螺纹90° 内锥面、ORFS螺纹平面密封系列软管接头


 15011 布锥管外螺纹 NPT MALE	 27811 美制SAE内螺纹90°内锥面 SAE FEMALE 90° CONE SEAT SAE J519	 27891 90°美制SAE内螺纹90°内锥面 90°SAE FEMALE 90° CONE SEAT SAE J519	 14211 美制ORFS外螺纹平面O形圈密封 ORFS MALE O-RING SEAL ISO 8434-3—SAE J1463
 24211-T 美制ORFS内螺纹平面 ORFS FEMALE FLAT SEAT ISO 12151-1—SAE J516	 24241-T 46°美制ORFS内螺纹平面 46°ORFS FEMALE FLAT SEAT ISO 12151-1—SAE J516	 24291-T 90°美制ORFS内螺纹平面 90°ORFS FEMALE FLAT SEAT ISO 12151-1—SAE J516	

SAE法兰轻/重系列软管接头


 87311 SAE 法兰 3000 PSI SAE FLANGE 3000 PSI ISO 12151-3—SAE J516	 87341 46°SAE 法兰 3000 PSI 46°SAE FLANGE 3000 PSI ISO 12151-3—SAE J516	 87391 90°SAE 法兰 3000 PSI 90°SAE FLANGE 3000 PSI ISO 12151-3—SAE J516	 87611 SAE 法兰 6000 PSI SAE FLANGE 6000 PSI ISO 12151-3—SAE J516
--	--	--	--




日式英制螺纹60° 锥密封软管接头




高压水管接头、SAE标准矿用接头、双面连接芯软管接头




铰接软管接头




英制螺纹剥内胶系列软管接头




美制ORFS平面、JIC螺纹74° 密封剥内胶系列软管接头




公制螺纹24° 锥密封重系列剥内胶软管接头




SAE法兰剥内胶系列软管接头






插入芯软管接头




















过渡接头

公制螺纹O形圈平面密封接头











公制螺纹卡套接头















 1CO, 1DO 美制锥纹O形圈密封接头ISO 11825 UN UNF THREAD STUD ENDS WITH O-RING SEALING ISO 11825	 1CO9, 1DO9 90°弯头美制锥纹O形圈密封接头ISO 11825 90°ELBOW UN UNF THREAD ADJUSTABLE STUD ENDS WITH O-RING SEALING ISO 11825	 ACCO-OG, ADDO-OG 美制锥纹可调O形圈密封接头三通 UN UNF THREAD ADJUSTABLE STUD ENDS WITH O-RING SEALING RUN TEE	 ACOC-OG, ADOD-OG 美制锥纹可调O形圈密封接头分支三通 UN UNF THREAD ADJUSTABLE STUD ENDS WITH O-RING SEALING BRANCH TEE
 1CB, 1DB 英制锥纹60°锥密封接头组合密封两用端 BSPP THREAD 60° CONE SEALING OR BONDED SEAL STUD ENDS	 1CB-WD, 1DB-WD 英制锥纹密封接头 BSPP THREAD WITH CAPTIVE SEAL	 2BC-WD, 2BD-WD 英制锥纹密封接头 公制内螺纹24°锥O形圈密封 BSPP THREAD WITH CAPTIVE SEAL METRIC FEMALE 24° CONE O-RING SEALING	 ZWC, 2WD 焊接接头 WELD FITTINGS
 1CM, 1DM 公制锥纹60°锥密封接头组合密封两用端 METRIC THREAD 60° CONE SEALING OR BONDED SEAL STUD ENDS	 1CM-WD, 1DM-WD 公制锥纹密封接头 METRIC THREAD WITH CAPTIVE SEAL	 2MC-WD, 2MD-WD 公制锥纹密封接头 公制内螺纹24°锥O形圈密封 METRIC THREAD WITH CAPTIVE SEAL METRIC FEMALE 24° CONE O-RING SEALING	 1CW, 1DW 焊接接头 WELD FITTINGS
 1C-Y, 1D-Y 圆柱直通接头 CYLINDER STRAIGHT BULKHEAD	 5CB, 5DB 英制内螺纹 BSPP FEMALE	 5CB-G, 5DB-G 铜密封接头英制压力接头 BSP PRESSURE GAUGE CONNECTOR WITH COPPER SEALING RING	 7BC-GS, 7BD-GS 铜密封接头英制压力接头 BSP PRESSURE GAUGE CONNECTOR WITH COPPER SEALING RING
 5CM, 5DM 公制内螺纹 METRIC FEMALE	 NL, NS 卡套螺母 RETAINING NUTS	 RL, RS 卡套 CUTTING RING	

公制螺纹74° 锥密封接头



















 1Q 公制外螺纹74°外锥 METRIC MALE 74° CONE	 AQ 公制外螺纹74°外锥三通 METRIC MALE 74° CONE TEE	 2Q9 公制外螺纹74°外锥/公制内螺纹74°内锥 METRIC MALE 74° CONE METRIC FEMALE 74° SEAT	 4Q 公制外螺纹74°外锥堵头 METRIC MALE 74° CONE PLUG
--	--	---	---












 6Q 公制外螺纹74°外锥直通接头 METRIC MALE 74° CONE BULKHEAD	 1QN 公制外螺纹74°外锥/布锥管外螺纹 METRIC MALE 74° CONE/NPT MALE	 1QN9 90°弯头公制外螺纹74°外锥/布锥管外螺纹 90°ELBOW METRIC MALE 74° CONE/NPT MALE	 1QT-SP 公制外螺纹74°外锥/英制管外螺纹 METRIC MALE 74° CONE/BSPT MALE
 1QT9-SP 90°弯头公制外螺纹74°外锥/英制管外螺纹 90°ELBOW METRIC MALE 74° CONE/BSPT MALE	 NB200-Q 公制74°锥式管接头螺母GB/T 5047 METRIC 74° CONE FLARED NUT GB/T 5047	 NB500-Q 公制74°锥式管接头衬套GB/T 5046 METRIC 74° CONE FLARED SLEEVE GB/T 5046	

日式英管螺纹60° 锥密封接头









 1K 日本公制60°外锥 JIS METRIC MALE 60° CONE	 1KH 日本公制60°外锥/ 公制外螺纹可调内锥密封接头ISO 149-2 JIS METRIC MALE 60° CONE/METRIC ADJUSTABLE STUD END S-SERIES ISO 149-2	 1KH9-OG 90°弯日本公制60°外锥/ 公制外螺纹可调内锥密封接头ISO 149-2 90°ELBOW JIS METRIC MALE 60° CONE/METRIC ADJUSTABLE STUD END S-SERIES ISO 149-2	 1KT-SP 公制外螺纹60°外锥/英制管外螺纹 METRIC MALE 60° CONE/BSPT MALE
 1KG 日本公制外螺纹60°外锥/英制外螺纹O形圈 JIS METRIC MALE 60° CONE/BSPT MALE-RING	 1KG9-OG 90°弯日本公制外螺纹/英制外螺纹O形圈可调内锥 90°ELBOW JIS METRIC MALE/BSPT MALE-RING ADJUSTABLE END	 1S 日本英制外螺纹60°外锥 JIS GAS MALE 60° CONE	 4S 日本英制外螺纹60°外锥堵头 JIS GAS MALE 60° CONE
 6S 日本英制外螺纹60°外锥直通接头 JIS GAS MALE 60° CONE BULKHEAD	 1S9 日本英制外螺纹60°外锥/英制外螺纹O形圈 JIS GAS MALE 60° CONE / BSPT MALE O-RING	 1S99-OG 90°弯日本英制外螺纹60°外锥/ 英制外螺纹O形圈可调内锥 90°ELBOW JIS GAS MALE 60° CONE / BSPT MALE O-RING ADJUSTABLE STUD END	 1ST-SP 日本英制外螺纹60°外锥/英制管外螺纹 JIS GAS MALE 60° CONE / BSPT MALE
 1ST9-SP 90°弯日本英制外螺纹60°外锥/英制管外螺纹 90°ELBOW JIS GAS MALE 60° CONE / BSPT MALE			

日式英管螺纹60° 锥密封接头













 1B 英管外螺纹60°内锥或六角端用组合密封/ BSP MALE DOUBLE USE FOR 60° SEAT OR BONDED SEAL	 1BS 90°英管外螺纹60°内锥 90° ELBOW BSP MALE 60° SEAT	 2B 英管外螺纹60°内锥或六角端用组合密封/ 英管内螺纹60°内锥 BSP MALE DOUBLE USE FOR 80° SEAT OR BONDED SEAL	 2BS 90°英管外螺纹60°内锥/英管内螺纹60°外锥 90° ELBOW BSP MALE 60° SEAT / BSP FEMALE 60° CONE
 3B 英管内螺纹60°外锥 BSP FEMALE 60° CONE	 3BS 90°英管内螺纹60°外锥 90° BSP FEMALE 60° CONE	 4B 英管外螺纹60°内锥或六角端用组合密封接头 BSP MALE 60° SEAT BULKHEAD	 6B 英管外螺纹60°内锥过板接头 BSP MALE 60° SEAT BULKHEAD
 9B 英管内螺纹60°外锥接头 BSP FEMALE 60° CONE PLUG	 AB 英管外螺纹60°内锥三通 BSP MALE 60° SEAT TEE	 BB 英管外螺纹60°内锥/英管内螺纹60°外锥三通 BSP MALE 60° SEAT / BSP FEMALE 60° CONE BRANCH TEE	 CB 英管外螺纹60°内锥/英管内螺纹60°外锥三通 BSP MALE 60° SEAT / BSP FEMALE 60° CONE RUN TEE
 DB 英管内螺纹60°外锥三通 BSP FEMALE 60° CONE TEE	 1BT-SP 90°英管外螺纹60°内锥/英管内螺纹60°外锥 ELBOW BSP MALE 60° SEAT / BSP FEMALE 60° CONE	 1BT4-SP 45°英管外螺纹60°内锥/英管内螺纹60°外锥 45° ELBOW BSP MALE 60° SEAT / BSP FEMALE 60° CONE	 1BT9-SP 90°英管外螺纹60°内锥/英管内螺纹60°外锥 90° ELBOW BSP MALE 60° SEAT / BSP FEMALE 60° CONE
 1BN 英管外螺纹60°内锥或六角端用组合密封/ 美制布管外螺纹 BSP MALE DOUBLE USE FOR 80° CONE SEAT OR BONDED SEAL / NPT MALE	 1BN9 90°英管外螺纹60°内锥/美制布管外螺纹 90° ELBOW BSP MALE DOUBLE USE FOR 80° NPT MALE	 1BG 英管外螺纹60°内锥或六角端用组合密封/ 英管外螺纹O形圈 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSP MALE O-RING	 1BG9-OG 90°英管外螺纹60°内锥/英管外螺纹O形圈可调节端 90° ELBOW BSP MALE 60° SEAT / BSP MALE O-RING ADJUSTABLE STUD END
 1BJ 英管外螺纹60°内锥或六角端用组合密封/ 美制JIC外螺纹74°外锥 BSP MALE DOUBLE USE FOR 80° CONE SEAT OR BONDED SEAL / JIC MALE 74° CONE	 1BL 英管外螺纹60°内锥或六角端用组合密封/ 公制外螺纹组合密封 BSP MALE DOUBLE USE FOR 80° CONE SEAT OR BONDED SEAL / METRIC MALE WITH BONDED SEAL	 1BM 英管外螺纹60°内锥或六角端用组合密封/ 公制外螺纹60°内锥或六角端用组合密封 BSP MALE DOUBLE USE FOR 80° CONE SEAT OR BONDED SEAL / METRIC MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL	 1BW 英管外螺纹60°内锥或六角端用组合密封/ 对接管 BSP MALE DOUBLE USE FOR 80° CONE SEAT OR BONDED SEAL / BUTT-WELD TUBE
 2WB 对接管/英管内螺纹60°外锥 BUTT-WELD TUBE / BSP FEMALE 60° CONE	 1B-WD 英管外螺纹60°内锥或六角端用组合密封/ 英管外螺纹组合密封 BSP MALE DOUBLE USE FOR 80° CONE SEAT OR BONDED SEAL / BSP MALE CAPTIVE SEAL	 2BJ-WD 布管外螺纹组合密封/美制JIC内螺纹74°内锥 BSP MALE CAPTIVE SEAL / JIC FEMALE 74° SEAT	 2NB 布管外螺纹/英管内螺纹60°外锥 NPT MALE / BSP FEMALE 60° CONE

 2NB9 90°布管外螺纹/英管内螺纹60°外锥 90° ELBOW NPT MALE / BSP FEMALE 60° CONE	 2TB-SP 英管外螺纹/英管内螺纹60°外锥 BSP MALE / BSP FEMALE 60° CONE	 2TB9-SP 90°布管外螺纹/英管内螺纹60°外锥 90° ELBOW BSP MALE / BSP FEMALE 60° CONE	 4BN-WD 英管外螺纹组合密封内六角塞头 BSP MALE CAPTIVE SEAL HOLLOW HEX PLUG
 4B-WD 英管外螺纹组合密封接头 BSP MALE CAPTIVE SEAL PLUG	 5B 英管外螺纹60°内锥或六角端用组合密封/ 英管内螺纹ISO 1179 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSP FEMALE ISO 1179	 5B9 90°布管外螺纹60°内锥/英管内螺纹ISO 1179 90° ELBOW BSP MALE 60° SEAT / BSP FEMALE ISO 1179	 7B 英管内螺纹ISO 1179 BSP FEMALE ISO 1179
 7TB-S 英管外螺纹/英管内螺纹60°外锥 BSP FEMALE / BSP FEMALE 60° CONE	 7B9-PK 90°英管内螺纹ISO 1179 90° BSP FEMALE ISO 1179 TEE	 GB-PK 英管内螺纹ISO 1179 三通 BSP FEMALE ISO 1179 TEE	 8BN 英管外螺纹60°内锥或六角端用组合密封/ 美制布管外螺纹 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / NPT FEMALE
 5B-WD 英管外螺纹组合密封/英管内螺纹ISO 1179 BSP MALE CAPTIVE SEAL / BSP FEMALE ISO 1179	 5BT 英管外螺纹60°内锥或六角端用组合密封/ 英管外螺纹 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / BSP FEMALE	 2B-G 英管外螺纹60°内锥/英管内螺纹接头 BSP MALE 60° SEAT / BSP FEMALE PRESSURE GAUGE CONNECTORS	









英锥管螺纹BSPT接头




























 1T-SP 英锥管外螺纹 BSPT MALE	 1T9-SP 90°英锥管外螺纹 90° ELBOW BSPT MALE	 4T-SP 英锥管外螺纹塞头 BSPT MALE PLUG	 4TN 英锥管外螺纹内六角塞头 BSPT MALE HOLLOW HEX PLUG
 5T-SP 英锥管外螺纹/英锥管内螺纹 BSPT MALE / BSPT FEMALE	 5T9-SP 90°英锥管外螺纹/英锥管内螺纹 90° ELBOW BSPT MALE / BSPT FEMALE	 7T 英锥管内螺纹 BSPT FEMALE	 7T9-PK 90°英锥管内螺纹 90° ELBOW BSPT FEMALE
 GT-PK 英锥管内螺纹三通 BSPT FEMALE TEE			





美制锥管螺纹NPT接头

 1N 美制锥管外螺纹 NPT MALE	 1NB 90° 有布锥管外螺纹 90° ELBOW NPT MALE	 4N 美制锥管外螺纹接头 NPT MALE PLUG	 4NN 美制锥管外螺纹内六角接头 NPT MALE HOLLOW HEX PLUG
 5N 布锥管外螺纹/布锥管内螺纹 NPT MALE/NPT FEMALE	 5NB 90° 布锥管外螺纹/布锥管内螺纹 90° ELBOW NPT MALE/NPT FEMALE	 JN 布锥管内螺纹/布锥管外螺纹三通 NPT FEMALE/NPT MALE BRANCH TEE	 HN 美制布锥管内螺纹/布锥管外螺纹分支三通 NPT FEMALE /NPT MALE RUN TEE
 7N 美制布锥管内螺纹 NPT FEMALE	 7NB-PK 90° 有美制布锥管内螺纹 90° ELBOW NPT FEMALE	 GN-PK 美制布锥管内螺纹三通 NPT FEMALE TEE	 1NO 美制布锥管外螺纹/美制SAE外螺纹带O形圈系列 ISO 11926-3 NPT MALE/SAE O-RING BOSS L-SERIES ISO 11926-3
 5NO 美制布锥管外螺纹/美制SAE内螺纹ISO 11926-1 NPT MALE/SAE FEMALE ISO 11926-1	 5ON 美制SAE外螺纹带O形圈系列 ISO 11926-3/美制布锥管内螺纹 SAE O-RING BOSS L-SERIES ISO 11926-3/NPT FEMALE	 5ON 英管外螺纹O形圈/美制布锥管内螺纹 BSP MALE O-RING/NPT FEMALE	














美制螺纹74° 锥面扩口接头









 1J 美制JIC外螺纹74°外锥 JIC MALE 74° CONE	 1JB 90° 有美制JIC外螺纹74°外锥 90° ELBOW JIC MALE 74° CONE	 2J 美制JIC外螺纹74°外锥/JIC内螺纹74°内锥 JIC MALE 74° CONE/JIC FEMALE 74° SEAT	 2JB 90° 有美制JIC外螺纹74°外锥/JIC内螺纹74°内锥 90° ELBOW JIC MALE 74° CONE/ JIC FEMALE 74° SEAT
 5J-S 美制JIC外螺纹/美制JIC内螺纹 JIC MALE /JIC FEMALE	 AJ 美制JIC外螺纹74°外锥三通 JIC MALE 74° CONE TEE	 BJ 美制JIC外螺纹74°外锥/ 美制JIC内螺纹74°内锥分支三通 JIC MALE 74° CONE/ JIC FEMALE 74° BRANCH TEE	 CJ 美制JIC外螺纹74°外锥/ 美制JIC内螺纹74°内锥分支三通 JIC MALE 74° CONE/ JIC FEMALE 74° SEAT RUN TEE

 DJ 美制JIC内螺纹74°内锥三通 JIC FEMALE 74° SEAT TEE	 2WJ 焊接管带JIC内螺纹74°内锥 BUTT-WELD TUBE/JIC FEMALE 74° SEAT	 3J 美制JIC内螺纹74°内锥 JIC FEMALE 74° SEAT	 4J 美制JIC外螺纹74°外锥接头 JIC MALE 74° CONE PLUG
 9J 美制JIC内螺纹74°内锥接头 JIC FEMALE 74° SEAT PLUG	 9J-CAP JIC 74° 内螺纹接头 JIC 74° FEMALE PLUG	 6J 美制JIC外螺纹74°外锥过板接头 JIC MALE 74° CONE BULKHEAD	 6JB 90° 有美制JIC外螺纹74°外锥过板接头 90° ELBOW JIC MALE 74° CONE BULKHEAD
 1JN JIC外螺纹74°外锥/布锥管外螺纹 JIC MALE 74° CONE /NPT MALE	 1JNB 90° 有JIC外螺纹74°外锥/布锥管外螺纹 90° ELBOW JIC MALE 74° CONE /NPT MALE	 AJN 美制JIC外螺纹74°外锥/布锥管外螺纹分支三通 JIC MALE 74° CONE /NPT MALE RUN TEE	 AJNJ 美制JIC外螺纹74°外锥/布锥管外螺纹分支三通 JIC MALE 74° CONE /NPT MALE BRANCH TEE
 2NJ 布锥管外螺纹/JIC内螺纹74°内锥 NPT MALE / JIC FEMALE 74° SEAT	 5JN 美制JIC外螺纹74°外锥/布锥管内螺纹 JIC MALE 74° CONE /NPT FEMALE	 5JNB 90° 有JIC外螺纹74°外锥/布锥管内螺纹 90° ELBOW JIC MALE 74° CONE /NPT FEMALE	 1JT-SP 美制JIC外螺纹74°外锥/英管外螺纹 JIC MALE 74° CONE /BSPT MALE
 1JT9-SP 90° 有美制JIC外螺纹74°外锥/英管外螺纹 90° ELBOW JIC MALE 74° CONE /BSPT MALE	 7NJ-S 布锥管内螺纹/JIC内螺纹74°内锥 NPT FEMALE /JIC FEMALE 74° SEAT	 2TJ-SP 英管外螺纹/美制JIC内螺纹74°内锥 BSP MALE/JIC FEMALE 74° SEAT	 1JO 美制JIC外螺纹74°外锥/ SAE外螺纹带O形圈系列ISO 11926-3 JIC MALE 74° CONE / SAE O-RING BOSS L-SERIES ISO 11926-3
 1JO9-OG 90° 有美制JIC外螺纹74°外锥/ SAE外螺纹带O形圈系列ISO 11926-3 90° ELBOW JIC MALE 74° CONE / SAE O-RING BOSS L-SERIES ISO 11926-3	 AJJO-OG 美制JIC外螺纹74°外锥/ SAE外螺纹带O形圈系列ISO 11926-3分支三通 JIC MALE 74° CONE /SAE O-RING BOSS L-SERIES ISO 11926-3 RUN TEE	 AJJOJ-OG 美制JIC外螺纹74°外锥/ SAE外螺纹带O形圈系列ISO 11926-3分支三通 JIC MALE 74° CONE /SAE O-RING BOSS L-SERIES ISO 11926-3 BRANCH TEE	 1JG 美制JIC外螺纹74°外锥/英管外螺纹O形圈 JIC MALE 74° CONE /BSP MALE O-RING
 1JG9-OG 90° 有美制JIC外螺纹74°外锥/ 美制外螺纹O形圈 90° ELBOW JIC MALE 74° CONE / BSP MALE O-RING	 AJGJ-OG JIC外螺纹74°外锥/美制外螺纹O形圈分支三通 90° ELBOW JIC MALE 74° CONE / BSP MALE O-RING BRANCH TEE	 AJGJ-OG JIC外螺纹74°外锥/美制外螺纹O形圈分支三通 90° ELBOW JIC MALE 74° CONE / BSP MALE O-RING RUN TEE	 1JB-WD JIC外螺纹74°外锥/美制外螺纹O形圈 JIC MALE 74° CONE / BSP MALE CAPTIVE SEAL

















 1JM-WD JIC外锥74°外锥/公制外锥密封密封 JIC MALE 74° CONE / METRIC MALE CAPTIVE SEAL	 20J SAE外锥O形圈系列ISO 11926-3/ JIC内锥74°内锥 SAE O-RING BOSS L-SERIES ISO 11926-3/ JIC FEMALE 74° SEAT	 NB200 JIC扩口管接头螺母 JIC FLARE TUBE END NUT	 NB300 JIC英寸管接头 JIC INCH SLEEVE
 NB500 JIC公制管接头 JIC METRIC SLEEVE			

美制螺纹O形圈平面密封ORFS接头







 1F 美制ORFS外锥O形圈平面密封 ORFS MALE O-RING	 1F9 90°弯制ORFS外锥O形圈平面密封 90° ELBOW ORFS MALE O-RING	 2F 美制ORFS外锥O形圈平面密封/ORFS内锥 ORFS MALE O-RING/ORFS FEMALE	 2F9 90°弯制ORFS外锥O形圈平面密封/ORFS内锥 90° ELBOW ORFS MALE O-RING/ORFS FEMALE
 AF 美制ORFS外锥O形圈平面密封三通 ORFS MALE O-RING TEE	 CF 美制ORFS外锥O形圈平面密封/ 美制ORFS内锥O形圈平面密封三通 ORFS MALE O-RING/ORFS FEMALE RUN TEE	 3F 美制ORFS内锥 ORFS FEMALE	 4F 美制ORFS外锥O形圈平面密封接头 ORFS FEMALE O-RING PLUG
 9F 美制ORFS内锥接头 ORFS FEMALE PLUG	 6F 美制ORFS外锥O形圈平面密封接头 ORFS FEMALE O-RING BULKHEAD	 8F 美制ORFS螺母 ORFS LOCK NUT	 1FO 美制ORFS外锥O形圈平面密封/ 美制SAE外锥O形圈系列ISO 11926-2 ORFS MALE O-RING/ SAE O-RING BOSS S-SERIES ISO 11926-2
 1F9-OG 90°弯制ORFS外锥O形圈平面密封/ 美制SAE外锥O形圈系列ISO 11926-2 90° ELBOW ORFS MALE O-RING/ SAE O-RING BOSS S-SERIES ISO 11926-2	 AFFO-OG 美制ORFS外锥O形圈平面密封/ 美制SAE外锥O形圈系列ISO 11926-2 ORFS MALE O-RING/SAE O-RING BOSS S-SERIES ISO 11926-2 RUN TEE	 AFOF-OG 美制ORFS外锥O形圈平面密封/ 美制SAE外锥O形圈系列ISO 11926-2 ORFS MALE O-RING/SAE O-RING BOSS S-SERIES ISO 11926-2 BRANCH TEE	 2FO 美制SAE外锥O形圈系列ISO 11926-2/ ORFS内锥 SAE O-RING BOSS S-SERIES ISO 11926-2/ ORFS FEMALE

 20F9-OG 90°弯制SAE外锥O形圈系列 ISO 11926-2/ORFS内锥 90° ELBOW SAE O-RING BOSS S-SERIES ISO 11926-2/ORFS FEMALE	 NB200-F ORFS管端螺母 ORFS TUBE END NUT	 NB300-F ORFS英寸管接头 ORFS INCH SLEEVE	 NB500-F ORFS公制管接头 ORFS METRIC SLEEVE
 2NU 布管管外锥/美制NPSM内锥60°外锥 NPT MALE/NPSM FEMALE 90° CONE	 7NU-S 布管管外锥/美制NPSM内锥60°外锥 NPT FEMALE/NPSM FEMALE 90° CONE	 2NU9 90°弯制布管管外锥/美制NPSM内锥60°外锥 90° ELBOW NPT MALE/NPSM FEMALE 90° CONE	 7NU9-S 90°弯制布管管外锥/美制NPSM内锥60°外锥 90° ELBOW NPT FEMALE/NPSM FEMALE 90° CONE






6162法兰接头

 1CFL, 1DFL 公制法兰卡箍式/轻系列法兰ISO 6162-1 METRIC MALE BITE TYPE/ L-SERIES FLANGE ISO 6162-1	 1CFL9, 1DFL9 90°弯制法兰卡箍式/轻系列法兰ISO 6162-1 90° ELBOW METRIC MALE BITE TYPE/ L-SERIES FLANGE ISO 6162-1	 1DFS 公制法兰卡箍式/重系列法兰ISO 6162-2 METRIC MALE BITE TYPE/ H-SERIES FLANGE ISO 6162-2	 1DFS9 90°弯制法兰卡箍式/重系列法兰ISO 6162-2 90° ELBOW METRIC MALE BITE TYPE/ H-SERIES FLANGE ISO 6162-2
 1JFL 美制JIC外锥74°外锥/轻系列法兰ISO 6162-1 JIC MALE 74° CONE/ L-SERIES FLANGE ISO 6162-1	 1JFL9 90°弯制JIC外锥74°外锥/ 轻系列法兰ISO 6162-1 90° ELBOW JIC MALE 74° CONE/ L-SERIES FLANGE ISO 6162-1	 1JFS 美制JIC外锥74°外锥/重系列法兰ISO 6162-2 JIC MALE 74° CONE/ S-SERIES FLANGE ISO 6162-2	 1JFS9 90°弯制JIC外锥74°外锥/ 重系列法兰ISO 6162-2 90° ELBOW JIC MALE 74° CONE/ S-SERIES FLANGE ISO 6162-2
 1FSW 重系列法兰ISO 6162-2/焊接管 S-SERIES FLANGE ISO 6162-2/WELD TUBE	 1FLW 轻系列法兰ISO 6162-2/焊接管 L-SERIES FLANGE ISO 6162-2/WELD TUBE	 FL ISO 6162-1-SAE J518 轻系列对开法兰夹 ISO 6162-1-SAE J518 L-SERIES SPLIT FLANGE CLAMPS	 FS ISO 6162-2-SAE J518 重系列对开法兰夹 ISO 6162-2-SAE J518 S-SERIES SPLIT FLANGE CLAMPS
 FL-W ISO 6162-1-SAE J518 轻系列整体法兰夹 ISO 6162-1-SAE J518 L-SERIES WHOLE FLANGE CLAMPS	 FS-W ISO 6162-2-SAE J518 重系列整体法兰夹 ISO 6162-2-SAE J518 S-SERIES WHOLE FLANGE CLAMPS	 4FL, 4FS ISO 6162 轻/重系列法兰堵头 ISO 6162 L/S-SERIES FLANGE PLUG	 4PL-M, 4FS-M ISO 6162 轻/重系列平面法兰堵头 ISO 6162 L/S-SERIES FLANGE PLUG















SAE矿用快换接头

 1Y 快换外接头 SAE J1467 CLIP FASTENER MALE SAE J1467	 2Y 快换外接头 / 快换内接头 SAE J1467 CLIP FASTENER MALE / CLIP FASTENER FEMALE SAE J1467	 2Y 90°弯快换外接头 / 快换内接头 SAE J1467 90° ELBOW CLIP FASTENER MALE / CLIP FASTENER FEMALE SAE J1467	 4Y 快换外接头堵头 SAE J1467 CLIP FASTENER MALE PLUG SAE J1467
 7Y 快换内接头 SAE J1467 CLIP FASTENER FEMALE SAE J1467	 2NY 布嘴管外螺纹 / 快换内接头 SAE J1467 NPT MALE/CLIP FASTENER FEMALE SAE J1467	 2ZY 英制管螺纹组合接头 DIN 3852-2 A型 / 快换内接头 SAE J1467 CLIP FASTENER FEMALE SAE J1467	

其他接头

 4MN-WD 公制外螺纹密封座封内六角堵头 METRIC MALE CAPTIVE SEAL HOLLOW HEX PLUG	 4H 公制外螺纹经聚四氟乙烯 ISO 6149-3 METRIC MALE L-SERIES PLUG ISO 6149-3	 4ON 美制SAE外螺纹带O形圈 内六角堵头经聚四氟乙烯 ISO 11926-3 SAE O-RING BOSS HOLLOW HEX PLUG L-SERIES ISO 11926-3	 4O 美制SAE外螺纹带O形圈 堵头经聚四氟乙烯 ISO 11926-3 SAE O-RING BOSS PLUG L-SERIES ISO 11926-3
 1H-H 公制外螺纹重系列 ISO 6149-2 METRIC MALE S-SERIES ISO 6149-2	 5O 美制SAE外螺纹带O形圈经聚四氟乙烯 ISO 11926-3/ 美制SAE内螺纹 ISO 11926-1 SAE O-RING BOSS L-SERIES ISO 11926-3/ SAE FEMALE ISO 11926-1	 U-Y U形卡 STAPLE	

快速接头

 HGW-1005-F 母插座 (Socket)	 HGW-1005-M 公插座 (Plug)	 HGW-1034-F 母插座 (Socket)	 HGW-1034-M 公插座 (Plug)
 HGW-1010-F 母插座 (Socket)	 HGW-1010-M 公插座 (Plug)	 HGW-1011-F 母插座 (Socket)	 HGW-1011-M 公插座 (Plug)
 HGW-1015-F 母插座 (Socket)	 HGW-1015-M 公插座 (Plug)	 HGW-1003-F 母插座 (Socket)	 HGW-1003-M 公插座 (Plug)
 JB-ZQ4434-86-F 母插座 (Socket)	 JB-ZQ4434-86-M 公插座 (Plug)	 JB-ZQ4078-97-F 母插座 (Socket)	 JB-ZQ4078-97-M 公插座 (Plug)