LYJSS®



More Wear-Resistant
更耐磨

Ultra Toughest
超坚韧

www.gtopparts.com

给所有客户提供具有性价比、定制化、高品质的耐磨件产品

Provide all customers with cost-effective, customised, high-quality wear parts products



CATALOGUE 目录

企业发展史 History 04

企业简介 Company Profile 06

合作伙伴 Cooperation Partners 08

10 刀板 Blades

12 挖掘机锻造斗齿 Forning bucket teeth for excavator

14 挖掘机斗齿 Bucket teeth for excavator

16 装载机斗齿 Bucket teeth for loaders

20 斗销 螺栓 定制 Others

22 全球市场 Global market

中国工程机械装载机行业整体铸造高耐磨切削板诞生地
中国工程机械耐磨件知名品牌和整机主流供应商

The birthplace of the overall casting of high wear-resistant cutting plates in China's construction machinery loader industry
Renowned brand of wear-resistant parts for Chinese construction machinery and mainstream supplier of complete machines

HISTORY

企业发展史

1986

洛阳市钢峰工程机械制造有限公司始建于1986年。

G-TOP was founded in 1986.

2003

新增潮膜砂工艺，通过ISO9001:2000质量体系认证。

added the wet film sand process. Passed ISO9001:2000 quality system certification.

2006

第一块军工材料耐磨刀板诞生，同年消失模第一个耐磨合金斗齿调试成功。

The first military material wear-resistant cutting plate was born, and in the same year, the first wear-resistant alloy bucket tooth of the lost foam was successfully debugged.

1999

建立新厂区，面积46000平方米，第一个砂型耐磨合金斗齿调试成功。

Establish a new factory area with an area of 46000 square meters, and successfully debug the first sand mold wear-resistant alloy bucket teeth.

2006

新增钢模覆碳铸造工艺、V法工艺、消失模工艺。

New steel mold carbon coating casting process, V-method process, and lost foam process have been added.

2015

新增精密熔模铸造复合工艺。

New precision investment casting composite process.

2020

公司获得：“河南省企业技术中心”、“河南省专精特新中小企业”、“国家专精特新小巨人企业”推荐企业，等荣誉称号。

The company has been awarded honorary titles such as "Henan Enterprise Technology Center", "Henan Province Specialized, Refined, Unique and New Small and Medium sized Enterprises", and "National Specialized, Refined, Unique and New Small Giant Enterprises".

2016-2017

新增精密熔模铸造硅溶胶工艺

覆膜砂壳型工艺

Newly added precision investment casting process and coated sand mold process.

2023

公司荣获“国家高新技术企业”。

The company has been awarded the title of "National High tech Enterprise"

2013

通过ISO9001:2008质量体系认证。

Passed ISO9001:2008 quality system certification.



Company Profile 企业简介

洛阳市钢峰工程机械制造有限公司始建于1986年，公司占地100余亩，办公及科研楼建筑面积7000平方米，生产厂房建筑面积60000平方米，生产工艺有：消失模铸造、精密铸造、水玻璃砂型铸造、覆膜砂铸造、锻造、耐磨合金钢等。

公司是一家专业生产铸钢以及高强度耐磨铸钢件的综合型企业，是国家高新技术企业、国家“专精特新”小巨人企业、中国铸造协会千家重点企业之一。（产品涉及工程机械、农业机械、矿山机械、汽车、铁路机车、轨道交通等领域配套件类逾2000个品种）主要产品铲运机斗齿体和工程机械铲刃板，现已成为徐工、三一、卡特彼勒（青州）、斗山、常林、龙工、临工、雷沃重工、厦工、陕汽、同力重工、宇通重工、中国一拖(洛阳)等大型企业配套产品，是同类产品的先导者，占有较大的市场份额。产品随各大型工程机械配套厂家，远销欧洲、非洲、东南亚等十几个国家和地区；轨距块、铁座、垫板等铁路系列产品，受到中铁宝桥、中铁宝工、北车集团、中铁山桥等国内大中型轨道装备公司的认可好评。公司先后多次被国家、省、市授予“全国质量达标企业”、“河南省民营企业就业和社会保障先进单位”、“中国铸造行业千家重点骨干企业”、河南省铸锻行业“综合实力50强企业”，“LYJSS”商标荣膺“河南省著名商标”，“金山寺”荣获中国驰名商标。

洛阳钢峰，现已成为中国工程机械斗齿体、铲刃板等配套产品主要生产基地！



G-TOP was founded in 1986. The company covers an area of more than 100 acres, with an office and research building area of 7,000 square meters and a production workshop area of 60,000 square meters. The production processes include: lost foam casting, precision casting, water glass sand casting, coated sand casting, forging and wear-resistant alloy steel.

G-TOP is a comprehensive enterprise specializing in the production of wear-resistant steel castings, high-strength wear-resistant alloy steel parts and forged parts. It is one of the 1,000 key enterprises of the China Foundry Association. The products cover nearly 2,000 varieties in the fields of construction machinery, agricultural machinery, mining machinery, automobiles, railway locomotives, rail transit, etc. It has now become a supplier to Caterpillar, Develon (Doosan), Sany, XCMG, Tonly Heavy Industries, Lonking, SDLG, Lovol Heavy Industry, XGMA, Changlin, SHACMAN, Yutong Heavy Industry and other main manufacturers. G-TOP is a pioneer in construction machinery accessories. Our products are exported to more than a dozen countries and regions such as Europe, Africa, and Southeast Asia with various large-scale construction machinery manufacturers. The company has been awarded the "National Quality Standard Enterprise" and "Top 50 Comprehensive Strength Enterprises" by the state for many times, and " LYJSS " has won the well-known trademark in China.

G-TOP has now become the main production base for China's construction machinery bucket teeth, scraper blades and other supporting products!

PARTNERS

合作伙伴





立志成为最可靠的工程机械设备耐磨件供应商，为全世界的合作伙伴提供优质服务。

Aspire to become the most reliable supplier of wear-resistant parts for construction machinery equipment, providing high-quality services to partners around the world.

BLADES

刀板

Loader Blade, Guard Plates, Grader Arc Plates, Snow Shovel Plates

装载机刀板，护板，平地机弧板，铲雪板


高硬度
High Hardness

高抗拉强度
High Tensile Strength

优良的冲击韧性
Superior Impact Toughness

LYJSS supplies wear-resistant blade plates and arc plates for loaders and graders, which have undergone quenching and tempering treatment to meet the wear resistance requirements under harsh working conditions.

钢峰供应装载机、平地机耐磨刀板、弧板产品，经过淬火和调质处理，以应对在恶劣工况下的耐磨要求。



Product Features
产品特点

1. The product is compatible with mainstream host manufacturers in the market.

   产品适配市场主流主机厂商。

2. The blade product of LYJSS is suitable for fields such as construction machinery and mining operations.

   钢峰刀板产品适用于工程机械、矿山作业等领域。

3. The product supports OEM replacement parts or customized according to customer needs.

   产品支持主机厂替换配件或按客户需求量身定制。

4. Provide you with cost-effective, customized, high-quality wear-resistant blade product options.

   为您提供具有性价比、定制化、高品质的耐磨刀板产品选择。

Product List
产品清单

Series List Of Loader				
Models	Name	Part Number	Machine model	Dimension(mm)
XCMG	徐工5377主刀板	Z5GN.30.1-10	XCMG 50	3016*260*30
	徐工5379主刀板	300KV.30.1-1	XCMG 30	2482*220*30
	徐工5698主刀板	500KV.32A.1-4	XCMG 50/60	3200*240*30
	徐工5800主刀板	500KV.32IVA.1-3	XCMG 50/60	3500*240*30
	徐工左副刃板	500KV.32V.2-1-Z	XCMG 50	1548*245*28
	徐工右副刃板	500KV.32V.2-1-R	XCMG 50	1548*245*28
	徐工副刀板	500KV.32V.2-1-S	XCMG 50	1548*318*28
	徐工500KV副刃板	GF19.09.10-3	XCMG 50	1506*318*28
	徐工600FH可换刀板	600FN.30.2-1A	XCMG 60	1598*318*28
SDLG	临工5217主刀板	2917003997	SDLG 955F	3016*260*30
	临工5346主刀板	2917002542	SDLG 933/935	3060*260*30
	临工耐磨板	2917018636	SDLG 975	2188*396*30
	临工耐磨板	2917018637	SDLG 975	696*396*30
	临工中耐磨板	2917009644	SDLG 955F	1684*398*30
	临工中耐磨板	2917009645	SDLG 955F	661*398*30
	临工耐磨板	2917019947	SDLG 968	1884*396*30
	临工耐磨板	2917019948	SDLG 968	598*396*30
	临工耐磨板	2917008957	SDLG 968	1918*396*30
	临工耐磨板	2917008958	SDLG 968	616*396*30
	临工耐磨板	2917018387	SDLG 968	1945*396*30
	临工耐磨板	2917018388	SDLG 968	671*396*30
LIUGONG	(209)柳工50C加厚刀板主刀板	LG50C-JH	LIUGONG 50	3000*250*40
	(5206)柳工30主刀板	GF05.06.01-3	LIUGONG 30	2470*225*22
	(207)柳工50主刀板	LG50C-GB	LIUGONG 50	2950*250*40
	(240)柳工855主刀板	GF14.11.03	LIUGONG 855N	2920*280*32
	柳工850H中副刃板	17A8933	LIUGONG 850H	1200*300*32
	柳工850H边副刃板	17A8934	LIUGONG 850H	400*264*32
	柳工中副刃板	GF09.10.4-2	LIUGONG 50	380*250*40
	柳工边副板(左)	GF09.10.4-1	LIUGONG 50	376*245*40
	柳工边副板(右)	GF09.10.4-3	LIUGONG 50	376*245*40
	柳工956耐磨板	97A2260C5-JH-2	LIUGONG 956	400*280*40
	柳工956耐磨板	97A2266C5-JH-2	LIUGONG 956	1300*300*40
LONKING	(388)龙工50主刀板	LG50E.11101-A	LONKING 50	3000*250*29
	(5412)龙工50加长刀板	LG50E.11101-J	LONKING 50	3100*250*32
	龙工50中副刃板	LG853DGV.22I.02-002	LONKING 50	1636*342*32
	龙工50侧副刃板	LG853DGV.22I.02-001	LONKING 50	676*342*32
	龙工863中副刃板	GF2021.04.14-2	LONKING 863	3100*250*30
	龙工863边副刃板	GF2021.04.14-1	LONKING 863	3100*250*30
	龙工副刃板	LG855K.11-01-021	LONKING 855K	320*250*32
	龙工60NG中副刃板	GF2018.06.14	LONKING 60	3100*250*30
LOVOL	福田副刀板	9F696-73B000003A0		1479.5*290*28
	福田副刀板	9F696-73B000004A0		1479.5*290*28
	福田中副刃板	9H030-73D000003A0		1940*330*32
	福田侧副刃板	9H030-73D000004A0		623*330*32
GRADER	平地机刀板(14孔)	GF2023.11.13		1982*203*19
	平地机刀板(13孔小)	GF2024.03.22-1		1829*203*19
	平地机刀板(13孔大)	GF2024.03.22-2		1829*203*19
	平地机刀板(14孔大)	GF2024.03.22-3		1982*203*19
	平地机刀板(15孔小)	GF2024.03.22-4		2133*203*19
	平地机刀板(15孔大)	GF2024.03.22-5		2133*203*19

*以上为钢峰畅销产品，对于未列出的产品，请发送至lygangfeng@163.com了解更多信息。

EXCAVATOR WEAR PARTS

挖掘机耐磨件

Excavator forging bucket teeth
挖掘机锻造斗齿

高硬度
High Hardness

高抗拉强度
High Tensile Strength

优良的冲击韧性
Superior Impact Toughness

LYJSS supplies a full range of forged bucket teeth for excavators, using advanced forging and heat treatment processes to significantly improve the hardness and wear resistance of the bucket teeth.

钢峰供应全系列挖掘机锻造斗齿产品，采用先进的锻造和热处理工艺，显著提升斗齿的硬度和耐磨性。



Product Features
产品特点

1. Using high-quality alloy steel raw materials and applying advanced forging technology to ensure the bucket teeth have precise shape and uniform structure.

   采用优质合金钢原料，应用先进锻造工艺，保证斗齿形状精准，结构均匀。

2. The product is compatible with mainstream models both domestically and internationally.

   产品适配国内外主流机型。

3. The product supports OEM replacement parts or customized according to customer needs.

   产品支持主机厂替换配件或按客户需求量身定制。

Product List
产品清单

Series List				
Models	Name	Part Number	Weight(kg)	Length(mm)
CAT	卡特320岩石齿套	1U3352RC	6.8	270
	卡特325岩石齿套	7T3402RC	9.5	325
	卡特325尖型齿套	7T3402TL	8.2	365
	卡特330岩石齿套	9W8452RC	12.5	350
	卡特330尖型齿套	9W8452TL	10.9	418
	卡特345岩石齿套	9W8552RC	19.6	363
	卡特345尖型齿套	9W8552TL	15.4	447
	卡特365岩石齿套	6I6602RC	33	455
	卡特365尖型齿套	LC600TL	23.8	530
DOOSON	斗山220岩石齿套	2713-1217RC	5.6	262
	斗山300岩石齿套	2713-1219RC	7.8	300
	斗山300尖型齿套	2713-1219TL	6.2	335
	斗山360岩石齿套	2713-00032RC	11.1	320
	斗山360尖型齿套	2713-00032TL	9.9	373
	斗山500岩石齿套	2713-1236RC	14.6	358
	斗山500尖型齿套	2713-1236TL	13.9	420
KOMATSU	小松300岩石齿套	2077-014151RC	8.8	302
	小松300尖型齿套	2077-014151TL	8	361
	小松200岩石齿套	205-70-19570RC	5.5	262
	小松400岩石齿套	2087-014152RC	14	345
	小松400尖型齿套	2087-014152TL	12.4	416
VOLVO	沃尔沃360岩石齿套	V360RC	13.5	360
	沃尔沃360尖型齿套	V360TL	12.4	425
	沃尔沃480岩石齿套	V480RC	17.8	361
	沃尔沃480尖型齿套	V480TL	13.3	429
SANY	D11松土器齿套	6Y3552RC	45	533
	三一700岩石齿套	LD700RC	30.9	453
	三一700尖型齿套	LD700TL-G/LD700TL-G1	22 / 23	515 / 525
	三一LC450尖型齿套	LC450TL-G	11	418
	三一2713-1271岩石齿套	2713-1271RC	14.9	358
	三一2713-1271尖型齿套	2713-1271TL-G	13.6	430
	三一6I8802齿套	6I8802TV-G	56	552
	三一SY235C8I2K.3B.4B-3-G斗齿	SY235C8I2K.3B.4B-3-G	5.8	250

*以上为钢峰畅销产品，对于未列出的产品，请发送至lygangfeng@163.com了解更多信息。

EXCAVATOR WEAR PARTS

挖掘机耐磨件

Excavator casting bucket teeth
挖掘机铸造斗齿

高硬度
High Hardness

高抗拉强度
High Tensile Strength

优良的冲击韧性
Superior Impact Toughness

LYJSS supplies a full range of wear-resistant bucket teeth products for excavator, which have undergone quenching and tempering treatment to meet the wear resistance requirements under harsh working conditions.

钢峰供应全系列挖掘机耐磨斗齿产品，经过淬火和调质处理，可应对在恶劣工况下的使用要求。



Product Features
产品特点

1. The product is compatible with mainstream host manufacturers in the market.

   产品适配市场主流主机厂商。

2. Excavator bucket teeth of LYJSS are suitable for fields such as construction machinery and mining operations.

   钢峰挖掘机斗齿产品适用于工程机械、矿山作业等领域。

3. The product supports OEM replacement parts or customized according to customer needs.

   产品支持主机厂替换配件或按客户需求量身定制。

Product List
产品清单

Series List		
Models	Name	Part Number
CAT	卡特330齿座	6I6464-50
	卡特320齿座	LC350-HD-40
	卡特305岩石齿套	1U3202RC
	卡特307岩石齿套	6Y3222-RC
	卡特312岩石齿套	IU3252RC
	卡特315岩石齿套	IU3302RC
	卡特320岩石齿套	IU3352RC
	卡特325尖型齿套	7T3402-TL
	卡特325岩石齿套	7T3402-RC
	卡特326齿套	505-4103
	卡特330尖型齿套	9W8452TL
	卡特330岩石齿套	9W8452RC
	卡特336岩石齿套	505-4113-336RC
	卡特345尖型齿套	9W8552TL
	卡特349岩石齿套	381-4089-345-349RC
	卡特550齿套	9W8552TVA
	卡特375岩石齿套	6I6602TV
KOMATSU	小松60齿座	PC60-20
	小松100齿座	PC100-25
	小松200齿座	20Y-939-1180-40
	小松300齿座	PC300-50
	小松400齿座	208-939-3120HD
	小松60岩石齿套	PC60-RC
	小松100岩石齿套	PC100-RC
	小松200尖型齿套	205-70-19570TL
	小松200岩石齿套	205-70-19570TV
	小松300尖型齿套	207-70-14151TL
	小松300岩石齿套	PC300RC-3
	小松300岩石齿套(加长)	PC300RD
	小松400岩石齿套(加长)	PC400-RD
	小松400尖型齿套	208-70-14152TL
	小松750岩石齿套	209-70-54210RC
VOLVO	沃尔沃360齿座	EC360-60
	沃尔沃480齿套	V480-60
	沃尔沃360岩石齿套	EC360-RC
	沃尔沃360尖型齿套	V360-TL
	沃尔沃480岩石齿套	V480-RC
	沃尔沃210岩石齿套	V210RC-1
HYUNDAI	现代210齿座	R200-35
	现代225齿座	R225.7-35
	现代290齿座	R290-40
	现代210岩石齿套	R210-RC
	现代290岩石齿套	R290-RC
	现代305岩石齿套	2713-9038RC

Series List		
Models	Name	Part Number
DOOSON	斗山15齿座	DH15-20
	斗山150齿座	2713Y1222A
	斗山220齿座	2713Y1218
	斗山300齿座	2713Y1220-50
	斗山15岩石齿套	DH15-RL
	斗山150尖型齿套	2713-1221TL
	斗山150岩石齿套	2713-1221RC
	斗山220尖型齿套	2713-1217TL
	斗山220岩石齿套	DH220-TR
	斗山300尖型齿套	2713-1219TL
	斗山300岩石齿套	2713-1219TR
	斗山360尖型齿套	2713-00032TL
	斗山360岩石齿套	713-00032RC
	斗山500尖型齿套	2713-1236TL
	斗山500岩石齿套	2713-1236RC-A
SANY	三一60齿座	12076693K1
	三一75齿座	LD100A
	三一60齿套	LD60
	三一60尖型齿套	LD60-TL
	三一60岩石齿套	LD60RC
	三一75齿套	LD100-T
	三一75岩石齿套	SY75-RC
	三一75尖型齿套	LD100-TL
	三一700岩石齿套	LD700TRC
XCMG	徐工15齿座	ZD200A
	徐工6T齿座	ZD200A-20
	徐工6T齿套	Z200T
LONGKING	龙工15T齿座	SB-SD-07-090312-1
	龙工21T齿座	SB-SD-07-090311-1
	龙工6T齿座	SB-SD-07-090307-1
	龙工8T齿座	SB-SD-07-090309-1
	龙工6T齿套	SB-SD-07-090307-2
	龙工6T岩石齿套	6T-RC
	龙工8T齿套	SB-SD-07-090309-2
	龙工8T岩石齿套	8T-RC
	龙工15T齿套	SB-SD-07-090312-2
	龙工15T岩石齿套	15T-RC
	龙工21T/22T/23T岩石齿套	21T/22T/23T-RC
	龙工21T岩石齿套	SB-SD-07-090311-2
SDLG	临工19岩石齿套	EX70RC
	临工25齿套	2618000058
	临工50齿套	4190001048

*以上为钢峰畅销产品，对于未列出的产品，请发送至lygangfeng@163.com了解更多信息。

LOADER WEAR PARTS

装载机耐磨件

Loader bucket teeth
装载机斗齿

高硬度
High Hardness

高抗拉强度
High Tensile Strength

优良的冲击韧性
Superior Impact Toughness

LYJSS supplies a full range of wear-resistant bucket teeth products for loaders, which have undergone quenching and tempering treatment to meet the wear resistance requirements under harsh working conditions.

钢峰供应全系列装载机耐磨斗齿产品，经过淬火和调质处理，可应对在恶劣工况下的耐磨要求。



Product Features
产品特点

1. The product is compatible with mainstream host manufacturers in the market.
   产品适配市场主流主机厂商。

2. Loader bucket teeth of LYJSS are suitable for fields such as construction machinery and mining operations.
   钢峰装载机斗齿产品适用于工程机械、矿山作业等领域。

3. The product supports OEM replacement parts or customized according to customer needs.
   产品支持主机厂替换配件或按客户需求量身定制。

Product List
产品清单

Series List		
Models	Name	Part Number
XCMG	徐工30齿座	Z3G.11.8I-5
	徐工50齿座	Z5G.8.1XI.1-3
	徐工60齿座	LWC500K.36.2-35
	徐工30齿套	Z3G.11.8I-4
	徐工50齿套	GF2017.07.4-1
	徐工60齿套	LWC500K.36-8
	徐工30左边齿	Z3G.11.8I-2
	徐工30右边齿	Z3G.11.8I-3
	徐工50左边齿	Z5G(YS).08.1-1
	徐工50右边齿	Z5G(YS).08.1-2
SDLG	临工19齿座	EX70A
	临工30齿座	4190000464
	临工50齿座	4190003882
	临工60齿座	2917003568
	临工30中齿	2917003697
	临工30左边齿	2917003698
	临工30右边齿	2917003696
	临工50中齿	2917003994-S
	临工50左边齿	2917003995-S
	临工50右边齿	2917003996-S
	临工60中齿	4043000061
	临工60左边齿	4043000062
	临工60右边齿	4043000063
LIUGONG	柳工50中齿	72A3513
	柳工50左边齿	72A3514
	柳工50右边齿	72A3512
	柳工60中齿	72A3661
	柳工60左边齿	72A3660
	柳工60右边齿	72A3662
	柳工855N中齿	72A1679
	柳工855N左边齿	72A1680
	柳工855N右边齿	72A1681
	柳工856H中齿	72A3929
	柳工856H左边齿	72A3930
	柳工856H右边齿	72A3928
	柳工870H中齿	72A2966
	柳工870H左边齿	72A2967
	柳工870H右边齿	72A2968
DEVELON	斗山30中齿	K1042714B
	斗山30左边齿	230111-00001A
	斗山30右边齿	230111-00002A
	斗山50中齿	K1040464A
	斗山50左边齿	K1040466A
	斗山50右边齿	K1040465A

Series List		
Models	Name	Part Number
LONGKING	龙工左边齿	CDM855F.11III.01-001
	龙工右边齿	CDM855F.11III.01-002
	龙工30中齿	LG833BG.III.22I.03-001
	龙工50中齿	LG853C.11.01-023
	龙工30边齿	LG30F.11130
	龙工50边齿	LG50F.11132B
	龙工6T齿套	SB-SD-07-090307-2
	龙工8T齿套	SB-SD-07-090309-2
	龙工15T齿套	SB-SD-07-090312-2
	龙工21T齿套	SB-SD-07-090311-2
LOVOL	福田30中齿	9D650-73A000002A0/1
	福田30左边齿	9D650-73A000001A0/1
	福田30右边齿	9D650-73A000003A0/1
	福田50中齿	9F858-73A000002B0
	福田50左边齿	9F858-73A000003B0
	福田50右边齿	9F858-73A000001B0
	福田60中齿	9G667-73G000002A0
	福田60左边齿	9G667-73G000001A0
	福田60右边齿	9G667-73G000003A0
SHANTUI	山推50中齿	1455-82-00025
	山推50左边齿	1455-82-00024
	山推50右边齿	1455-82-00026
	山推60左边齿	1462-82-00005
	山推60右边齿	1462-82-00006
SEM	山工30中齿	W110008116B
	山工30左边齿	W110008115B
	山工30右边齿	W110008117B
	山工420中齿	Z420010681
	山工50左边齿	Z510010882
	山工50右边齿	Z510010891
SANY	三一50中齿	132799000289A
	三一50左边齿	132799000291A
	三一50右边齿	132799000290A
	三一50齿套	56L0025
XGMA	厦工30斗齿	72A0051
	厦工50斗齿	411123
	厦工50C左边齿	Z50C.II-I
	厦工50C右边齿	Z50C.II-2
	厦工956左边齿	72A0002
	厦工956右边齿	72A0003

*以上为钢峰畅销产品，对于未列出的产品，请发送至lygangfeng@163.com了解更多信息。

Bucket Pin & Bolts

斗销，螺栓

Toothed bucket pin
Blade bolts
斗齿斗销，刀板螺栓

LYJSS supplies a full range of high-strength bucket teeth and pins, engineered to fit various equipment models and demanding job sites.

钢峰供应多种型号的高强度斗齿与配套斗销，适用于不同机型与工况环境。



Product Features
产品特点

1. Compatible with bucket teeth systems of major OEM brands such as CAT, Komatsu, Volvo, and others.
   可与多主机品牌斗齿配套（如CAT、Komatsu、Volvo等）。

2. Various structural designs are available (interface) to meet different application needs.
   多种结构设计（接口）可选，满足不同应用需求。

3. Carefully selected Premium-grade alloy steel raw materials.
   精选优质合金钢原材料。

Product List
产品清单

Series List				
Name	Models	Weight (kg)	Size (mm)	Material
斗销	SANY700/750	1.20	32*185	Rod 35CrMoA
斗销	E390	2.00	35*245	Rod 35CrMoA
斗销	V950	2.10	40*200	40Cr
斗销	E305.5	0.08	11*61	40Cr
斗销	EC140	0.19	19*90	40Cr
斗销	E200B.14	0.14	14*92	40Cr
斗销	E200B.16	0.16	16*92	40Cr
斗销	E312/E315.14 SANY75/25*13	0.13	14*80	40Cr
斗销	E312/E315.16	0.14	16*80	40Cr
斗销	E320.19	0.28	19*105	40Cr
斗销	E320.20	0.29	20*105	40Cr
斗销	E325	0.38	22*120	40Cr
斗销	E330	0.52	24*135	40Cr
斗销	E330 Enlarge	0.55	25*135	40Cr
斗销	E345	0.70	25*160	40Cr
斗销	E365	1.10	30*195	40Cr
斗销	PC60	0.12	17*68	40Cr
斗销	PC60 Enlarge 18	0.14	18*68	40Cr
斗销	PC100	0.17	19*78	40Cr
斗销	PC100 Enlarge 20	0.19	20*78	40Cr
斗销	PC200	0.38	25*100	40Cr
斗销	PC200 Enlarge	0.40	25.7*100	40Cr
斗销	PC300	0.46	25*120	40Cr
斗销	PC300 Enlarge	0.50	25.7*120	40Cr
斗销	PC300 New Side Pin	0.45	25*120	40Cr
斗销	PC400	0.80	30*146	40Cr
斗销	PC400 New Side Pin	0.82	30*146	40Cr
斗销	PC750	1.35	36*175	40Cr
斗销	DH130/DH150	0.22	18*86	40Cr
斗销	DH220.19	0.27	19*105	40Cr
斗销	DH220.20	0.28	20*105	40Cr
斗销	DH280/R290.19	0.30	19*120	40Cr
斗销	DH280/R290.20	0.32	20*120	40Cr
斗销	DH300	0.37	22*110	40Cr
斗销	DH360	0.52	23.8*135	40Cr
斗销	DH500	0.60	25*150	Rod 35CrMoA
斗销	DH700	1.00	30*170	40Cr
斗销	D85	0.50	25*127	40Cr
斗销	DH360/23	0.45	23*130	40Cr
斗销	VOLVO360 30*145	0.80	30*146	40Cr
斗销	VOLVO460 32*150	1.00	32*150	40Cr
斗销	VOLVO360 140	0.25	30*146	40Cr

*以上为钢峰畅销产品，对于未列出的产品，请发送至lygangfeng@163.com了解更多信息。

CONSTRUCTION TRANSPORT

工程运输

Wide body rigid vehicle chassis castings

宽体刚性车底盘铸件

LYJSS provides wide-body vehicle chassis castings using high-strength steel and advanced techniques like investment casting and shell molding, ensuring superior performance under harsh operating conditions.

钢峰供应宽体车底盘铸件采用高强度铸钢材料与先进铸造工艺（如精密熔模铸造、覆膜砂型铸造），
确保产品在复杂工况下依然具备优异的强度、抗冲击性与耐疲劳性能。



Product Features

产品特点

1. Crafted from high-strength cast steel and produced with advanced casting technology.

   产品采用高强度铸钢材料与先进铸造工艺。

2. Suitable for harsh working conditions such as mining transportation, heavy loads on plateaus, and complex road conditions.

   适用于矿山运输、高原重载、复杂路况等恶劣工况。

3. Optimized structure for a perfect balance of light weight and strength.

   结构设计优化，兼顾轻量化与刚性需求。

CUSTOMIZATION

定制化

Ground anchor, rail transit accessories
地锚、轨道交通配件

LYJSS supplies single/multi blade spiral ground anchors, as well as wear-resistant rail transit accessories such as connecting brackets and supports.

钢峰供应单叶/多叶螺旋地锚，连接支架、支座等轨道交通耐磨配件。













Product Features
产品特点

1. Extensive industry applications.
   应用行业领域广。

2. Made of premium alloy steel or special stainless steel, offering high tensile strength and excellent load-bearing capacity.
   采用优质合金钢或特种不锈钢制造，抗拉强度高，承载性能优异。

3. Structural dimensions and materials can be customized according to different application scenarios.
   可根据不同应用场景定制结构尺寸与材质。

GLOBEL MARKET

全球市场




Finland
芬兰
Russia
俄罗斯
Kazakhstan
哈萨克斯坦
Uzbekistan
乌兹别克斯坦
Turkey
土耳其
Iran
伊朗
China
中国
Libya
利比亚
Saudi Arabic
沙特
India
印度
Thailand
泰国
Ethiopia
埃塞俄比亚
Malaysia
马来西亚
Indonesia
印度尼西亚
Congo
刚果
Australia
澳大利亚
South Africa
南非



洛阳钢峰工程机械制造有限公司

位置:
河南省洛阳市伊川县白元工业园区
邮件:
sales@lygangfeng.com
网址:
www.gtopparts.com