



浙江可斯达车用电机有限公司

ZHEJIANG KST AUTO ELECTRIC MOTOR CO., LTD.



KST NO. :MDH005

OEM NO. :	2810078090/03555020211
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	J05C J07C



KST NO. :MDH006

OEM NO. :	2230025578/03555020110
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	FD6 FE6 FE6T





KST NO. :MDH007

OEM NO. :	2810018700/03505220310
电压:	24V
功率:	5.5KW
齿轮参数	11T 40mm
适用车型/发动机	EX220-5 H07C H07D



KST NO. :MDH008

OEM NO. :	281002624/03505020013
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	J08C J05C SK250-8



KST NO. :MDH009

OEM NO. :	28100E0080/03655020017
电压:	24V
功率:	5.0KW
齿轮参数	11T 40mm
适用车型/发动机	J08C专用 SK260-8



KST NO. :MDH100

OEM NO. :	281001990/03506020114
电压:	24V
功率:	6.0KW
齿轮参数	11T 47.8mm
适用车型/发动机	EM100 EK200 EL100 EF750



KST NO. :MDH110

OEM NO. :	281001790/03507020226
电压:	24V
功率:	6.0KW
齿轮参数	11T 47.8mm
适用车型/发动机	EK100 EF750 K13C



KST NO. :MDH112

OEM NO. :	281002875/0365020025
电压:	24V
功率:	6.0KW
齿轮参数	11T 48mm
适用车型/发动机	P11C SK460-8




KST NO. :MDH113

OEM NO. :	281002865/03656020018
电压:	24V
功率:	5.5KW
齿轮参数	11T 48mm
适用车型/发动机	Hino500 E13C



KST NO. :MDH303

OEM NO. :	M1T68281/LRS02597
电压:	12V
功率:	1.7KW
齿轮参数	13T 40mm
适用车型/发动机	S3L2 S3L K4D



KST NO. :MDH330

OEM NO. :	S25110/23300-Z5512
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	FE6 FD6




KST NO. :MDH331

OEM NO. :	
电压:	12V
功率:	2.5KW
齿轮参数	11T 40mm
适用车型/发动机	FE6 FD6 NE6



KST NO. :MDH332

OEM NO. :	S25158/2330006J01
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	TD42 EX60-3




KST NO. :MDH412

OEM NO. :	S13136/S13111
电压:	12V
功率:	2.8KW
齿轮参数	9T 32mm
适用车型/发动机	4JB1




KST NO. :MDH413

OEM NO. :	
电压:	24V
功率:	2.8KW
齿轮参数	9T 35mm
适用车型/发动机	SK60




KST NO. :MDH422

OEM NO. :	S2407/LRS01911
电压:	24V
功率:	3.5KW
齿轮参数	9T 32mm
适用车型/发动机	4JB1




KST NO. :MDH423

OEM NO. :	S2403/LRS01834
电压:	24V
功率:	3.5KW
齿轮参数	9T 35mm
适用车型/发动机	DH80-7 4BC2



KST NO. :MDH512

OEM NO. :	S13204/LRS01565
电压:	12V
功率:	2.8KW
齿轮参数	9T 35mm
适用车型/发动机	R60-7 4TNE94



KST NO. :MDH514

OEM NO. :	S25514B
电压:	24V
功率:	3.7KW
齿轮参数	11T 40mm
适用车型/发动机	4JJ1



KST NO. :MDH515


OEM NO. :	S13124/LRS01308
电压:	12V
功率:	2.8KW
齿轮参数	15T 45mm
适用车型/发动机	3TN84L 4TNV88

KST NO.:KM003



KST NO. :MDH516

OEM NO. :	S13204/LRS01565
电压:	12V
功率:	3.2KW
齿轮参数	9T 35mm
适用车型/发动机	4TNE94 R60-7



KST NO. :MDH607

OEM NO. :	STR72120/129940-77010
电压:	12V
功率:	3.0KW
齿轮参数	9T 35mm
适用车型/发动机	DH60-7 4TNV98 4TNV98T



KST NO. :MDH608

OEM NO. :	S14102/129940-77010
电压:	12V
功率:	3.2KW
齿轮参数	9T 35mm
适用车型/发动机	DH60-7 4TNV98 4TNV98T



KST NO. :MDH810

OEM NO. :	2330097077/03506020091
电压:	24V
功率:	6.0KW
齿轮参数	11T 47mm
适用车型/发动机	RD8 RE8 RF8



KST NO. :MDH980

OEM NO. :	2330096004/03516020013
电压:	24V
功率:	6.0KW
齿轮参数	11T 40mm
适用车型/发动机	PD6 PE6



KST NO. :MDH998

OEM NO. :	STR75601/03506020320
电压:	24V
功率:	6.0KW
齿轮参数	11T 47mm
适用车型/发动机	RF8



KST NO. :MDH161

OEM NO. :	S9251/1811002161
电压:	24V
功率:	7.5KW
齿轮参数	12T
适用车型/发动机	五十菱10PC1

KST NO. :

OEM NO. :	M8T80371/LRS01962
电压:	24V
功率:	3.2KW
齿轮参数	11T 38mm
适用车型/发动机	ZX70 4LE2




KST NO. :MDM034

OEM NO. :	S80129/M8T87171
电压:	24V
功率:	3.5KW
齿轮参数	11T 41mm
适用车型/发动机	6D34




KST NO. :MDM055

OEM NO. :	M8T80371/LRS01962
电压:	24V
功率:	3.2KW
齿轮参数	11T 38mm
适用车型/发动机	ZX70 4LE2



KST NO. :MDM075

OEM NO. :	897137-4781
电压:	24V
功率:	3.5KW
齿轮参数	11T 40mm
适用车型/发动机	SK70-8



KST NO. :MDM155

OEM NO. :	S80126/M8T77071
电压:	12V
功率:	2.2KW
齿轮参数	11T 38mm
适用车型/发动机	4JG1 DH55



KST NO. :MDM198

OEM NO. :	S5512/M8T50671
电压:	12V
功率:	3.6KW
齿轮参数	9T 35mm
适用车型/发动机	久保田V3800/V3307



KST NO. :MDM199

OEM NO. :	M008T50471/STR71106
电压:	12V
功率:	2.0KW
齿轮参数	9T 35mm
适用车型/发动机	久保田V3300



KST NO. :MDM099

OEM NO. :	STR71103/S5286
电压:	24V
功率:	3.2KW
齿轮参数	9T 35mm
适用车型/发动机	久保田V3300/24V



KST NO. :MDM257

OEM NO. :	65.26201-7076
电压:	24V
功率:	5.0KW
齿轮参数	11T 40mm
适用车型/发动机	DH225-7




KST NO. :MDM171

OEM NO. :	LRS01544/M2T56471
电压:	12V
功率:	2.0KW
齿轮参数	11T 41mm
适用车型/发动机	FD28 S4E S4F



KST NO. :MDM207

OEM NO. :	18974/M8T70471
电压:	12V
功率:	2.0KW
齿轮参数	13T
适用车型/发动机	三菱K4D/CAT301.5



KST NO. :MDM210

OEM NO. :	M9T62671/20796052
电压:	24V
功率:	5.5KW
齿轮参数	12T 44mm
适用车型/发动机	EC240 EC290 DTE240



KST NO. :MDM212

OEM NO. :	30863/M009T66771
电压:	24V
功率:	5.5KW
齿轮参数	12T 46mm
适用车型/发动机	沃尔沃 FM13/FH12



KST NO. :MDM216

OEM NO. :	19538/M009T61171
电压:	24V
功率:	5.5KW
齿轮参数	12T 3.5M
适用车型/发动机	沃尔沃 FM12



KST NO. :MDM223

OEM NO. :	M000A0301/5262017124
电压:	24V
功率:	6.0KW
齿轮参数	11T 40mm
适用车型/发动机	DH220-3 D1146 DH300-5



KST NO. :MDM235

OEM NO. :	M009T20471
电压:	24V
功率:	6.0KW
齿轮参数	12T 44mm
适用车型/发动机	D06FR/三一235



KST NO. :MDM236

OEM NO. :	STM3301/E710063012
电压:	12V
功率:	3.0KW
齿轮参数	10T
适用车型/发动机	大同拖拉机DK65/90



KST NO. :MDM237

OEM NO. :	S3105S/36100-45700
电压:	24V
功率:	5.5KW
齿轮参数	11T
适用车型/发动机	现代HD65/72/现代D4D



KST NO. :MDM258

OEM NO. :	6685190
电压:	12V
功率:	3.0KW
齿轮参数	11T 41mm
适用车型/发动机	久保田V2003/山猫



KST NO. :MDM271

OEM NO. :	LRS01842/M2T65271
电压:	24V
功率:	3.2KW
齿轮参数	11T 41mm
适用车型/发动机	S4E ED30



KST NO. :MDM320

OEM NO. :	LRS02199/M8T60371
电压:	24V
功率:	5.0KW
齿轮参数	10T 40mm
适用车型/发动机	三菱叉车S6S S6E



KST NO. :MDM321

OEM NO. :	M8T60471/32B6602300
电压:	24V
功率:	5.0KW
齿轮参数	10T 40mm
适用车型/发动机	卡特320B/C



KST NO. :MDM322

OEM NO. :	M008T62471/01182195
电压:	24V
功率:	5.0KW
齿轮参数	10T 39mm
适用车型/发动机	沃尔沃D7E240 FL320




KST NO. :MDM328

OEM NO. :	S5300S/M008T60171
电压:	24V
功率:	5.0KW
齿轮参数	11T
适用车型/发动机	尼桑FD6/FE6



KST NO. :MDM350

OEM NO. :	0170880/65.26201.7088A
电压:	24V
功率:	7.0KW
齿轮参数	11T 57mm
适用车型/发动机	DH225-9 DE08TIS



KST NO. :MDM351

OEM NO. :	65. 26201-7070
电压:	24V
功率:	7. 0KW
齿轮参数	11T 40mm
适用车型/发动机	DH215-9




KST NO. :MDM352

OEM NO. :	30051600054B/8200607
电压:	24V
功率:	7. 0KW
齿轮参数	11T 57mm
适用车型/发动机	DX340




KST NO. :MDM353

OEM NO. :	S1089/19080026
电压:	24V
功率:	7. 0KW
齿轮参数	11T 40mm
适用车型/发动机	DX350LC



KST NO. :MDM360

OEM NO. :	3102763/19011512
电压:	24V
功率:	7. 5KW
齿轮参数	12T 47mm
适用车型/发动机	沃尔沃360 PC360-7



KST NO. :MDM361

OEM NO. :	S53326S/M009T84171
电压:	24V
功率:	7.5KW
齿轮参数	12T 3.175M
适用车型/发动机	曼系列



KST NO. :MDM370

OEM NO. :	65.26201.1704/STR80126
电压:	24V
功率:	8.0KW
齿轮参数	11T 40mm
适用车型/发动机	DH370 DE12T



KST NO. :MDM371

OEM NO. :	8200032/2871253
电压:	24V
功率:	8.0KW
齿轮参数	11T 56mm
适用车型/发动机	DH420 DH500



KST NO. :MDM372

OEM NO. :	3102767/10461758
电压:	12V
功率:	8.0KW
齿轮参数	11T 56mm
适用车型/发动机	R485 康明斯



KST NO. :MDM375

OEM NO. :	8200040/10461753
电压:	24V
功率:	8.0KW
齿轮参数	11T 56mm
适用车型/发动机	M11 NT855



KST NO. :MDM376

OEM NO. :	8200436/8200519
电压:	24V
功率:	8.0KW
齿轮参数	12T 43.5mm
适用车型/发动机	E323



KST NO. :MDM377

OEM NO. :	10461153/OR2735
电压:	24V
功率:	8.0KW
齿轮参数	12T 46mm
适用车型/发动机	卡特325




KST NO. :MDM378

OEM NO. :	1990667/135161
电压:	24V
功率:	11KW
齿轮参数	11T 56mm
适用车型/发动机	卡特330C/D



KST NO. :MDM401

OEM NO. :	0240000088/LRS02756
电压:	24V
功率:	5.0KW
齿轮参数	13T 46mm
适用车型/发动机	4HK1



KST NO. :MDM403

OEM NO. :	M2T66871/LRS1843
电压:	24V
功率:	3.2KW
齿轮参数	9T 35mm
适用车型/发动机	4D30A 4D31



KST NO. :MDM409

OEM NO. :	M2T64271/LRS01839
电压:	24V
功率:	3.2KW
齿轮参数	9T 35mm
适用车型/发动机	4D30A



KST NO. :MDM414

OEM NO. :	LRS01920/ME019911
电压:	24V
功率:	5.0KW
齿轮参数	14T 50mm
适用车型/发动机	4D31 6DR5



KST NO. :MDM434


OEM NO. : M8T60271/S80122

电压: 24V

功率: 5.0KW

齿轮参数 13T 48mm

适用车型/发动机 4D31 4D32



KST NO. :MDM440



OEM NO. : M8T80471/LRS02192

电压: 24V

功率: 3.2KW

齿轮参数 11T 35mm

适用车型/发动机 4M40



KST NO. :MDM441

OEM NO. : M8T75071/LRS01328

电压: 12V

功率: 2.0KW

齿轮参数 11T 35mm

适用车型/发动机 4M40



KST NO. :MDM450

OEM NO. : M8T62371/STM3260

电压: 24V

功率: 5.0KW

齿轮参数 11T 41mm

适用车型/发动机 4M50 4M50T



KST NO. :MDM451

OEM NO. :	S5085/M8T85271
电压:	24V
功率:	3.2KW
齿轮参数	11T
适用车型/发动机	4M51 4M51T



KST NO. :MDM461

OEM NO. :	M9T81671/ME095313
电压:	24V
功率:	7.0KW
齿轮参数	11T 3.5M
适用车型/发动机	三菱6M70




KST NO. :MDM485

OEM NO. :	M009T82071/1811004217
电压:	24V
功率:	8.0KW
齿轮参数	11T 49mm
适用车型/发动机	三一485 五十铃6WG1



KST NO. :MDM601

OEM NO. :	M8T60971/LRS02757
电压:	24V
功率:	5.0KW
齿轮参数	11T 40mm
适用车型/发动机	6HK1



KST NO. :MDM614

OEM NO. :	M3T56071/LRS01941
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	6D14 6D15 6D16



KST NO. :MDM616

OEM NO. :	LRS01941/M003T56070
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	6D14 6D15 6D16



KST NO. :MDM617

OEM NO. :	M8T60071/LRS02364
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	6D17 R215-7



KST NO. :MDM622

OEM NO. :	M3T95071/3610083010
电压:	24V
功率:	5.0KW
齿轮参数	13T 55mm
适用车型/发动机	6D22 6D20A



KST NO. :MDM624

OEM NO. :	M9T60171/LRS01894
电压:	24V
功率:	5.5KW
齿轮参数	11T 48.5mm
适用车型/发动机	6D24 J35A6 SY465/450



KST NO. :MDM625

OEM NO. :	M9T61871/1811004250
电压:	24V
功率:	5.5KW
齿轮参数	11T 48.5mm
适用车型/发动机	6UZ1 SH460 日立490




KST NO. :MDM626

OEM NO. :	M009T80771/ ME049315
电压:	24V
功率:	7.0KW
齿轮参数	11T 49mm
适用车型/发动机	三菱6D24大功率




KST NO. :MDM627

OEM NO. :	M009T65971 0001261026
电压:	24V
功率:	5.5KW
齿轮参数	12T 44mm
适用车型/发动机	斯堪尼亚



KST NO. :MDM630

OEM NO. :	M3T56172/LRS01889
电压:	24V
功率:	5.0KW
齿轮参数	10T 38.5mm
适用车型/发动机	卡特200/三菱S6K



KST NO. :MDM631

OEM NO. :	M2T78381/LRS01909
电压:	24V
功率:	5.0KW
齿轮参数	11T 41mm
适用车型/发动机	SK200 6D31



KST NO. :MDM634

OEM NO. :	M008T87171/S80129
电压:	24V
功率:	5.0KW
齿轮参数	11T 41mm
适用车型/发动机	6D34



KST NO. :MDM800

OEM NO. :	M005T50276/3096603010
电压:	24V
功率:	8.0KW
齿轮参数	13T 55mm
适用车型/发动机	6D20



KST NO. :MDM889

OEM NO. :	M4T95071/3610072000
电压:	24V
功率:	6.0KW
齿轮参数	13T 55mm
适用车型/发动机	8DC9



KST NO. :MDM890

OEM NO. :	S3130/大功率款
电压:	24V
功率:	7.5KW
齿轮参数	13T 55mm
适用车型/发动机	现代D6C/HD500




KST NO. :MDM314

OEM NO. :	M008T70371/2010090M
电压:	12V
功率:	2.2KW
齿轮参数	10T 40mm
适用车型/发动机	三菱S4S



KST NO. :MDM638

OEM NO. :	5345288/AM-S1145201
电压:	24V
功率:	4.5KW
齿轮参数	10T 39.5mm
适用车型/发动机	雷沃130/徐工150D/QSF3.8



KST NO. :MDN010

OEM NO. :	19187/2280000250
电压:	12V
功率:	1.4KW
齿轮参数	13T 41mm
适用车型/发动机	洋马3TNV84 约翰迪尔4200



KST NO. :MDN011

OEM NO. :	110447/028000-8320
电压:	12V
功率:	1.4KW
齿轮参数	9T 29mm
适用车型/发动机	久保田D722B 山猫T83S



KST NO. :MDN012

OEM NO. :	028000-0621/18144N
电压:	12V
功率:	1.4KW
齿轮参数	9T 34mm
适用车型/发动机	久保田V2203



KST NO. :MDN013

OEM NO. :	228000-8690/RC41153200
电压:	12V
功率:	1.4KW
齿轮参数	8T 33mm
适用车型/发动机	久保田KX165-5




KST NO. :MDN014

OEM NO. :	428000-3310/11954077010
电压:	12V
功率:	1.4KW
齿轮参数	15T 44.5mm
适用车型/发动机	洋马20/3TNV70



KST NO. :MDN015

OEM NO. :	228000-8691
电压:	12V
功率:	1.4KW
齿轮参数	8T 33mm
适用车型/发动机	D1705-M-ET09



KST NO. :MDN021

OEM NO. :	18004/228000-4570
电压:	12V
功率:	2.0KW
齿轮参数	9T 2.75M/3M
适用车型/发动机	久保田175/凯斯




KST NO. :MDN022

OEM NO. :	S6060
电压:	12V
功率:	2.0KW
齿轮参数	10T
适用车型/发动机	丰田1KD/2KD



KST NO. :MDN025

OEM NO. :	通用S0761S
电压:	12V
功率:	2.0KW
齿轮参数	10T
适用车型/发动机	福特



KST NO. :MDN026

OEM NO. :	S6083/111874
电压:	12V
功率:	2.2KW
齿轮参数	10T/9T
适用车型/发动机	丰田2C



KST NO. :MDN027

OEM NO. :	S6011/228000-5020
电压:	12V
功率:	2.2KW
齿轮参数	10T 3M
适用车型/发动机	兰德酷路泽3.0



KST NO. :MDN028

OEM NO. :	28100-64020
电压:	12V
功率:	2.0KW
齿轮参数	9T
适用车型/发动机	丰田




KST NO. :MDN042

OEM NO. :	S25158/233000-6J02
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	TD42



KST NO. :MDN046

OEM NO. :	03504020111/2810001542
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	W04D W06D



KST NO. :MDN050

OEM NO. :	
电压:	12V
功率:	2.2KW
齿轮参数	9T
适用车型/发动机	白俄罗斯拖拉机




KST NO. :MDN052

OEM NO. :	S6136/028000-8230
电压:	12V
功率:	2.2KW
齿轮参数	10T 38mm
适用车型/发动机	叉车1404




KST NO. :MDN053

OEM NO. :	
电压:	12V
功率:	2.2KW
齿轮参数	9T 36mm
适用车型/发动机	CAT 1404/Lift truck



KST NO. :MDN057

OEM NO. :	4900574/STR85400
电压:	12V
功率:	2.0KW
齿轮参数	15T 44mm
适用车型/发动机	山河智能/A2300




KST NO. :MDN061

OEM NO. :	16649/028000-4870
电压:	12V
功率:	2.5KW
齿轮参数	11T 3M
适用车型/发动机	五十铃4BD1/6BD1



KST NO. :MDN064

OEM NO. :	18197/2-2239-ND
电压:	12V
功率:	2.5KW
齿轮参数	12T 3M
适用车型/发动机	丰田2C




KST NO. :MDN066

OEM NO. :	STR70268/028000-4160
电压:	12V
功率:	2.5KW
齿轮参数	11T 3M
适用车型/发动机	丰田2H




KST NO. :MDN080

OEM NO. :	03505020242
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	J08C



KST NO. :MDN082

OEM NO. :	0S25-112A/23300-9500
电压:	24V
功率:	4.5KW
齿轮参数	11T 3M
适用车型/发动机	尼桑ND6/NE6



KST NO. :MDN085

OEM NO. :	16896/028000-7240
电压:	24V
功率:	4.5KW
齿轮参数	11T 3M
适用车型/发动机	丰田2H




KST NO. :MDN086

OEM NO. :	32893/128000-8620
电压:	24V
功率:	4.5KW
齿轮参数	12T 3M
适用车型/发动机	兰德酷路泽4.5TD



KST NO. :MDN098

OEM NO. :	280009031/STR30039
电压:	12V
功率:	2.0KW
齿轮参数	9T 35mm
适用车型/发动机	久保田/小松56-7



KST NO. :MDN102

OEM NO. :	3863128/LRS02736
电压:	24V
功率:	4.5KW
齿轮参数	10T 40mm
适用车型/发动机	S6D102 6BTAA



KST NO. :MDN103

OEM NO. :	01182315/LRS02599
电压:	24V
功率:	4.5KW
齿轮参数	10T 40mm
适用车型/发动机	PC200-6 3孔



KST NO. :MDN104

OEM NO. :	S25505/8913239352
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	4HE1 FE6 4HG1



KST NO. :MDN105

OEM NO. :	
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	五十铃4HF1



KST NO. :MDN106

OEM NO. :	32A60002101/LRS04229
电压:	12V
功率:	2.5KW
齿轮参数	10T 40mm
适用车型/发动机	CS580M



KST NO. :MDN107

OEM NO. :	4280003140
电压:	12V
功率:	2.5KW
齿轮参数	11T 40mm
适用车型/发动机	山猫/久保田




KST NO. :MDN108

OEM NO. :	1280008064/1811003240
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	6HH1 6HE1



KST NO. :MDN109

OEM NO. :	128000-4783/106900
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	久保田D1402



KST NO. :MDN119

OEM NO. :	S6405S/228000-7500
电压:	12V
功率:	2.5KW
齿轮参数	10T 3.175M
适用车型/发动机	卡特C4.4



KST NO. :MDN121

OEM NO. :	2810056010/LRS01811
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	戴纳3.0



KST NO. :MDN122

OEM NO. :	280005860
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	丰田1DZ/DE



KST NO. :MDN123

OEM NO. :	128000-0970
电压:	12V
功率:	2.5KW
齿轮参数	11T 40mm
适用车型/发动机	丰田1J




KST NO. :MDN124

OEM NO. :	
电压:	12V
功率:	2.5KW
齿轮参数	10T 40mm
适用车型/发动机	



KST NO. :MDN125

OEM NO. :	1845S
电压:	12V
功率:	2.5KW
齿轮参数	13T
适用车型/发动机	凯斯580



KST NO. :MDN126

OEM NO. :	STR70268
电压:	12V
功率:	2.5KW
齿轮参数	11T 40mm
适用车型/发动机	丰田2H




KST NO. :MDN127

OEM NO. :	
电压:	12V
功率:	2.5KW
齿轮参数	11T 40mm
适用车型/发动机	HINO EH700/H07C



KST NO. :MDN128

OEM NO. :	
电压:	12V
功率:	2.5KW
齿轮参数	11T 40mm
适用车型/发动机	



KST NO. :MDN129

OEM NO. :	
电压:	12V
功率:	2.5KW
齿轮参数	11T 40mm
适用车型/发动机	



KST NO. :MDN183

OEM NO. :	428000-4860/STR70404
电压:	12V
功率:	2.5KW
齿轮参数	9T 35.6mm
适用车型/发动机	久保田V3307




KST NO. :MDN185

OEM NO. :	0280005000/1545163010
电压:	12V
功率:	2.5KW
齿轮参数	9T 3M
适用车型/发动机	久保田V4000/V4300



KST NO. :MDN191

OEM NO. :	1811001910/0230001870
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	6BD1T DB58T



KST NO. :MDN2118

OEM NO. :	2912559140
电压:	12V
功率:	2.0KW
齿轮参数	9T 32mm
适用车型/发动机	C223 4JB1



KST NO. :MDN2119

OEM NO. :	0230000830/8941337582
电压:	12V
功率:	2.2KW
齿轮参数	9T 32mm
适用车型/发动机	4JB1 4JG2



KST NO. :MDN215

OEM NO. :	03112-7090/STR71215
电压:	24V
功率:	4.5KW
齿轮参数	12T 37.5mm
适用车型/发动机	丰田凯美瑞



KST NO. :MDN230-10T

OEM NO. :	1280005731
电压:	24V
功率:	5.5KW
齿轮参数	10T 40mm
适用车型/发动机	3114/3116



KST NO. :MDN230

OEM NO. :	M00A0301/5262017124
电压:	24V
功率:	5.5KW
齿轮参数	11T 40mm
适用车型/发动机	DH220-3



KST NO. :MDN231

OEM NO. :	2280006570/STR70146
电压:	24V
功率:	5.5KW
齿轮参数	11T 40mm
适用车型/发动机	约翰迪尔290



KST NO. :MDN233

OEM NO. :	84277437/4280008920
电压:	24V
功率:	5.5KW
齿轮参数	10T 40mm
适用车型/发动机	依维柯 190E



KST NO. :MDN270

OEM NO. :	028000-5300/28100-77090
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	FD100 2D



KST NO. :MDN305

OEM NO. :	STN2544/18405
电压:	24V
功率:	5.5KW
齿轮参数	10T 40mm
适用车型/发动机	R305 R300-5



KST NO. :MDN313

OEM NO. :	228000-1830
电压:	24V
功率:	4.5KW
齿轮参数	10T 40mm
适用车型/发动机	卡特E312D 3056E




KST NO. :MDN402

OEM NO. :	2280001441/STR70499
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	PC120-6 PC100-6 4D102



KST NO. :MDN402-12V

OEM NO. :	
电压:	12V
功率:	2.5KW
齿轮参数	11T 40mm
适用车型/发动机	



KST NO. :MDN405

OEM NO. :	
电压:	24V
功率:	5.5KW
齿轮参数	12T 45mm
适用车型/发动机	CS1292



KST NO. :MDN406

OEM NO. :	2280007550/LRS01958
电压:	24V
功率:	5.5KW
齿轮参数	10T 40mm
适用车型/发动机	依维柯5520



KST NO. :MDN407

OEM NO. :	2280007550
电压:	24V
功率:	5.5KW
齿轮参数	10T 40mm
适用车型/发动机	依维柯5520 (螺钉位置不同)



KST NO. :MDN484

OEM NO. :	2280000250/STR30034
电压:	12V
功率:	2.0KW
齿轮参数	13T 40mm
适用车型/发动机	洋马13T




KST NO. :MDN488

OEM NO. :	12000-2070
电压:	12V
功率:	2.0KW
齿轮参数	15T 45mm
适用车型/发动机	4D88



KST NO. :MDN520

OEM NO. :	0280009040/2810056160
电压:	12V
功率:	2.5KW
齿轮参数	11T 40mm
适用车型/发动机	丰田11B/13B



KST NO. :MDN566

OEM NO. :	STN4840/OK87T18400
电压:	24V
功率:	5.5KW
齿轮参数	11T 3M
适用车型/发动机	现代5吨/起亚犀牛55/日野EH70




KST NO. :MDN580

OEM NO. :	
电压:	24V
功率:	4.5KW
齿轮参数	13T 40mm
适用车型/发动机	凯斯580E



KST NO. :MDN581

OEM NO. :	1280000210/3604485NW
电压:	12V
功率:	2.5KW
齿轮参数	13T 40mm
适用车型/发动机	康明斯5.9L



KST NO. :MDN582

OEM NO. :	2280005640/LRS01957
电压:	24V
功率:	4.5KW
齿轮参数	10T 40mm
适用车型/发动机	凯斯7120/F2BE0671D



KST NO. :MDN583

OEM NO. :	2355695/028000-8400
电压:	12V
功率:	2.5KW
齿轮参数	13T 40mm
适用车型/发动机	



KST NO. :MDN585

OEM NO. :	0280005530/2810056030
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	JB42



KST NO. :MDN611

OEM NO. :	M8T60971/1811003191
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	6HK1X



KST NO. :MDN612

OEM NO. :	128000-2561/228000-5003
电压:	24V
功率:	5.5KW
齿轮参数	10T 40mm
适用车型/发动机	PC200-8



KST NO. :MDN620

OEM NO. :	0210003291/1811001410
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	ZX200-6/6BG1



KST NO. :MDN650

OEM NO. :	4282589/6008631410
电压:	12V
功率:	2.2KW
齿轮参数	9T 35mm
适用车型/发动机	YC60-7




KST NO. :MDN661

OEM NO. :	1811002340 1280001490
电压:	12V
功率:	3.0KW
齿轮参数	11T 40mm
适用车型/发动机	五十铃4BD1/12V



KST NO. :MDN682

OEM NO. :	1280004250/1811002461
电压:	24V
功率:	5.5KW
齿轮参数	11T 41mm
适用车型/发动机	五十铃6SD1



KST NO. :MDN683

OEM NO. :	2-2356-ND/228000-5311
电压:	24V
功率:	5.5KW
齿轮参数	10T 40mm
适用车型/发动机	6SD1



KST NO. :MDN684

OEM NO. :	2280009151/STR70471
电压:	24V
功率:	5.5KW
齿轮参数	11T 40mm
适用车型/发动机	约翰迪尔330



KST NO. :MDN685

OEM NO. :	
电压:	24V
功率:	7.5KW
齿轮参数	11T 48mm
适用车型/发动机	EX400-1 6RB1



KST NO. :MDN689

OEM NO. :	42800001060/CST38602
电压:	24V
功率:	5.5KW
齿轮参数	9T 40mm
适用车型/发动机	PD6 D6114




KST NO. :MDN691

OEM NO. :	2280006552
电压:	12V
功率:	3.0KW
齿轮参数	11T 40mm
适用车型/发动机	约翰迪尔210



KST NO. :MDN700

OEM NO. :	281001090/03304020010
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	H06C/EH700



KST NO. :MDN701

OEM NO. :	0240003060/38644320
电压:	24V
功率:	4.5KW
齿轮参数	10T 40mm
适用车型/发动机	6D102T



KST NO. :MDN702

OEM NO. :	0240003120/8972202971
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	4BG1T



KST NO. :MDN703

OEM NO. :	0240003150/1811003381
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	6BG1T




KST NO. :MDN704

OEM NO. :	
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	4D102T



KST NO. :MDN705

OEM NO. :	0240003051/1811003100
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	6HK1/6HE1



KST NO. :MDN831

OEM NO. :	4280006800/STR70481
电压:	12V
功率:	3.0KW
齿轮参数	11T 40mm
适用车型/发动机	康明斯B3.3



KST NO. :MDN832

OEM NO. :	4280006980/2810078190
电压:	12V
功率:	3.0KW
齿轮参数	10T
适用车型/发动机	J08E




KST NO. :MDN835

OEM NO. :	4280007090/4280007091
电压:	12V
功率:	2.7KW
齿轮参数	10T 40mm
适用车型/发动机	康明斯2.8/3.9/4.5/5.9



KST NO. :MDN840

OEM NO. :	4280007100/4996707
电压:	24V
功率:	4.8KW
齿轮参数	10T 40mm
适用车型/发动机	柳工150



KST NO. :MDN841

OEM NO. : 428000-9120

电压: 24V

功率: 4.8KW

齿轮参数 11T 40mm

适用车型/发动机 康明斯



KST NO. :MDN844

OEM NO. : 4280006900 4280006901

电压: 24V

功率: 4.8KW

齿轮参数 10T 40mm

适用车型/发动机 RE549230



KST NO. :MDN860

OEM NO. : 4280009120/3499075

电压: 24V

功率: 6.0KW

齿轮参数 10T 40mm

适用车型/发动机 卡特320D2



KST NO. :MDN861

OEM NO. : 438000-4441/STN5861SK

电压: 24V

功率: 6.0KW

齿轮参数 10T 40mm

适用车型/发动机 卡特330/360GC



KST NO. :MDN862

OEM NO. :	128000-4250/428000-7120
电压:	24V
功率:	6.0KW
齿轮参数	10T 40mm
适用车型/发动机	现代215VS/QSB6.7




KST NO. :MDN870

OEM NO. :	4380000950
电压:	24V
功率:	4.8KW
齿轮参数	10T 40mm
适用车型/发动机	Freightliner



KST NO. :MDN880

OEM NO. :	S6448S/428000-2851
电压:	24V
功率:	4.8KW
齿轮参数	10T 40mm
适用车型/发动机	卡特312E



KST NO. :MDN906

OEM NO. :	2330097006/6037601
电压:	24V
功率:	4.5KW
齿轮参数	11T 40.6mm
适用车型/发动机	PD6



KST NO. :MDD290

OEM NO. :	8200475/STR80199
电压:	24V
功率:	5.0KW
齿轮参数	11T 40mm
适用车型/发动机	DX150 DX275



KST NO. :MDD291

OEM NO. :	30051600042/190800025
电压:	24V
功率:	5.0KW
齿轮参数	11T 40mm
适用车型/发动机	DX225



KST NO. :MDD292

OEM NO. :	36100-52000/300516-00040A
电压:	24V
功率:	5.0KW
齿轮参数	11T 40mm
适用车型/发动机	DX120/130



KST NO. :MDD293

OEM NO. :	8201043/5340058
电压:	24V
功率:	5.0KW
齿轮参数	10T 40.5mm
适用车型/发动机	柳工922E 现代215VS



KST NO. :MDD295

OEM NO. : S1238S/8200054

电压: 24V

功率: 4.5KW

齿轮参数 10T 40mm

适用车型/发动机 凯斯845



KST NO. :MDD325

OEM NO. : OR2735/10461153

电压: 24V

功率: 8.0KW

齿轮参数 12T 46mm

适用车型/发动机 卡特325



KST NO. :MDD326

OEM NO. : 1990367/135161

电压: 24V

功率: 7.5KW

齿轮参数 11T 56mm

适用车型/发动机 卡特330C/D

KST NO. :MDD

OEM NO. :

电压: 24V

功率: 5.5KW

齿轮参数 12T 45mm

适用车型/发动机 CS1292



KST NO. :MDP101

OEM NO. :	0230006071/1811002161
电压:	24V
功率:	7.5KW
齿轮参数	12T 45mm
适用车型/发动机	五十铃10PC1



KST NO. :MDP150

OEM NO. :	0230001170/LRS01875
电压:	24V
功率:	5.5KW
齿轮参数	12T 46mm
适用车型/发动机	PC150/6D95L




KST NO. :MDP166

OEM NO. :	8970298630/0230001260
电压:	24V
功率:	4.5KW
齿轮参数	9T 35mm
适用车型/发动机	4BD1 LG150 XG140 雷沃150



KST NO. :MDP201

OEM NO. :	0230003173/S8833D
电压:	24V
功率:	7.5KW
齿轮参数	13T 46mm
适用车型/发动机	PC200-1



KST NO. :MDP202

OEM NO. :	6008133632/0230003285
电压:	24V
功率:	7.5KW
齿轮参数	12T 46mm
适用车型/发动机	PC300-5/S6D125



KST NO. :MDP203

OEM NO. :	600813380/0230001230
电压:	24V
功率:	5.5KW
齿轮参数	13T 46mm
适用车型/发动机	6D105/6D95/PC200-3



KST NO. :MDP205

OEM NO. :	600813320/0230001750
电压:	24V
功率:	5.5KW
齿轮参数	11T 40mm
适用车型/发动机	4D105/6D95/PC200-5



KST NO. :MDP300

OEM NO. :	6008133630/0230006531
电压:	24V
功率:	7.5KW
齿轮参数	12T 46mm
适用车型/发动机	S6D125/PC300



KST NO. :MDP300-1

OEM NO. :	6008133610/0210002510
电压:	24V
功率:	7.5KW
齿轮参数	11T 56mm
适用车型/发动机	6D175A 6D175



KST NO. :MDP300-2

OEM NO. :	0230003150
电压:	24V
功率:	7.5KW
齿轮参数	12T 46mm
适用车型/发动机	6D105/6D125



KST NO. :MDP301

OEM NO. :	3756605200/STR75207
电压:	24V
功率:	7.5KW
齿轮参数	11T 47mm
适用车型/发动机	三菱S6R/S6U



KST NO. :MDP311

OEM NO. :	6008139321/0230007731
电压:	24V
功率:	11KW
齿轮参数	12T 46mm
适用车型/发动机	PC360-7/6D114



KST NO. :MDP311-1

OEM NO. :	023000-8110
电压:	24V
功率:	11KW
齿轮参数	11T 56mm
适用车型/发动机	6D125E



KST NO. :MDP311-2

OEM NO. :	6008134311/02300007730
电压:	24V
功率:	11KW
齿轮参数	12T 46mm
适用车型/发动机	S6D140



KST NO. :MDP311-3

OEM NO. :	6008133942
电压:	24V
功率:	11KW
齿轮参数	11T 56mm
适用车型/发动机	PC360-7 S6D170



KST NO. :MDP311-4

OEM NO. :	6008138110/02300008110
电压:	24V
功率:	11KW
齿轮参数	11T 56mm
适用车型/发动机	SA170B SA6D170



KST NO. :MDP312

OEM NO. :	3517620812/6008132753
电压:	24V
功率:	11KW
齿轮参数	11T 56mm
适用车型/发动机	PC600/6D155



KST NO. :MDP340

OEM NO. :	12137077010/LRS01531
电压:	12V
功率:	1.4KW
齿轮参数	11T 35mm
适用车型/发动机	PC30/35/40



KST NO. :MDP400

OEM NO. :	0-23000-7731/STR75204
电压:	24V
功率:	11KW
齿轮参数	12T 46mm
适用车型/发动机	PC400-6 PC500



KST NO. :MDP605

OEM NO. :	
电压:	12V
功率:	2.2KW
齿轮参数	9T 35mm
适用车型/发动机	

KST NO.:KM003




KST NO.: KMD03



KST NO. :MDP606

OEM NO. :	023000040/6008133111
电压:	24V
功率:	3.5KW
齿轮参数	9T 35mm
适用车型/发动机	EX120 SH120 4D95



KST NO. :MDP655

OEM NO. :	0210002312/6008132752
电压:	24V
功率:	11KW
齿轮参数	11T 56mm
适用车型/发动机	PC600 6D155



KST NO. :MDP659

OEM NO. :	19026032
电压:	24V
功率:	5.5KW
齿轮参数	10T 40mm
适用车型/发动机	康明斯6BT5.9

KST NO. :MDP

OEM NO. :	
电压:	24V
功率:	5.5KW
齿轮参数	12T 45mm
适用车型/发动机	CS1292



KST NO. :MDW131

OEM NO. :	1811001920/0210003660
电压:	24V
功率:	4.5KW
齿轮参数	11T 40mm
适用车型/发动机	五十铃6BD1



KST NO. :MDW681

OEM NO. :	1811002461/255875
电压:	24V
功率:	7.5KW
齿轮参数	11T 41mm
适用车型/发动机	6SD1 6SA1



KST NO. :MDL500

OEM NO. :	LRS02425/19083018
电压:	12V
功率:	3.0KW
齿轮参数	10T 40mm
适用车型/发动机	帕金斯DSN043



KST NO. :MDL501

OEM NO. :	LRS02206/2873K404
电压:	12V
功率:	3.0KW
齿轮参数	10T 40mm
适用车型/发动机	帕金斯DSN044



挖机配套专家
EXPERT FOR SPARE PARTS OF EXCAVATOR



KST NO. :MDB001

OEM NO. :	0001417001
电压:	24V
功率:	6.0KW
齿轮参数	9T 35mm
适用车型/发动机	DH280/360 OM422




KST NO. :MDB368

OEM NO. :	20405828/0001368001
电压:	24V
功率:	4.0KW
齿轮参数	9T 35mm
适用车型/发动机	EC210/240 BF6L913



KST NO. :MDB420

OEM NO. :	M9T80971/1811003413
电压:	24V
功率:	7.5KW
齿轮参数	11T 48.5mm
适用车型/发动机	6WG1 ZAX450



KST NO. :MDB421

OEM NO. :	M009T65971/0001241001
电压:	24V
功率:	7.0KW
齿轮参数	12T 44mm
适用车型/发动机	斯堪尼亚G470/380 DX520