



· 关注MIDAS微信公众号 ·

MIDAS | 迈达斯

河南省焦作市武陟经济开发区

Wuzhi Eco-tech zone, Jiaozuo City, Henan Province

☎ **0371-5559-7999**

www.midascn.com

因产品不断更新，参数调整恕不另行通知，以实际配置为准。
Due to the continuous updating of products, parameter adjustment is subject to the actual configuration without additional notices.

MIDAS

PROFESSIONAL
MANUFACTURER OF

把专业与创新融入提供的产品和服务中 · 降低客户投资 · 提升客户回报
Integrating specialty and innovation into the products and services provided
reducing customer investment and improving customer returns

智能 破碎
筛分

CRUSHING SCREENING EQUIPMENT



MIDAS | 迈达斯



PROFESSIONAL MANUFACTURER OF CRUSHING AND SCREENING EQUIPMENT





PROFESSIONAL MANUFACTURER OF CRUSHING AND SCREENING EQUIPMENT



07-12

关于`迈达斯

07-08	品牌溯源
09-10	企业简介
11-12	品牌优势

65-66

迈达斯`服务体系

65	服务流程
66	服务管理模式
66	增值服务

64

迈达斯`供应链品牌体系

64	供应链品牌体系
----	---------

Contents

PROFESSIONAL MANUFACTURER
OF CRUSHING AND SCREENING
EQUIPMENT

MIDAS

www.midascn.com

13-60

迈达斯`产品系列

17-20	履带移动颚式破碎设备
21-24	履带移动反击式破碎设备
25-28	履带移动破筛一体设备
29-32	履带移动圆锥式破碎设备
33-38	履带移动立轴冲击式破碎设备
39-48	TX系列破筛一体机
49-56	履带移动筛分设备
57-60	生产线工艺流程图示

61-63

迈达斯`固废资源化创新应用

61	砂石骨料应用
62	建筑垃圾回收利用
63	固废资源化创新应用图示

BRAND ORIGIN

品牌溯源

迈达斯之手 HAND OF MIDAS

传说古希腊神话中，小亚细亚的国王迈达斯，在盛情款待了森林之神西勒诺斯和酒神狄俄尼索斯后，得到了神力——迈达斯之手，可点石成金。后来，周围一切都变成了金子，迈达斯悔悟金钱不是万能的。在酒神狄俄尼索斯的指引下，他走入河中虔诚沐浴得以完成救赎，开始重视知识与科学，用心管理自己的国家。

It is said that in ancient Greek mythology, Midas, the king of Asia Minor, received the divine power - Midas' hand, which can turn stone into gold after warmly entertaining Silenus, the God of the forest, and Dionysus, the God of wine. Later, Midas repented that money is not everything. Under the guidance of Dionysus, he walked into the river and bathed piously to complete his redemption. He began to pay attention to knowledge and science and manage his country with his heart.

点石成金`共创未来

迈达斯智能(MIDAS)取自其中的迈达斯之手

寓意凭借“专业知识和技术创新”研发设备，用心服务，协助客户点石成金，共创美好未来！

Midas intelligence, coming from ancient Greek mythology “HAND OF MIDAS”, means to use professional knowledge and technological innovation to research and develop equipment, serve wholeheartedly, help customers turn stone into gold and create a better future!





MIDAS生产基地

现代化生产、装配、检测和发货基地

Modern production, assembly, testing and delivery base



高效服务网络

MIDAS与各地代理商经销商联合服务，合作共赢

Midas provides joint services with local agents and dealers for win-win cooperation



致力成为 全球领先的破碎筛分设备制造商

We are committed to becoming
the world's leading manufacturer of crushing and screening equipment.



重新定义物料处理设备的标准化

Redefine standardization of material handling

8

大产品系列

Product categories

50

项专利技术

Patent technology

ABOUT MIDAS

Midas Engineering Machinery Equipment is a technology innovation enterprise specializing in the research and development, design, production, manufacturing, sales, leasing, and service of mobile crushing and screening equipment. Since its establishment, Midas has always been deeply involved in its main business, adhering to the business philosophy of "innovation, intelligence, efficiency, and leadership". It has now formed a full series of mobile crushing and screening equipment products, covering eight major series, more than 100 products, and nearly 50 patented technologies, widely used in the fields of aggregate production, mining, and solid waste recycling.

迈达斯工程机械设备是一家专业从事移动破碎筛分设备的研发、设计、生产制造、销售、租赁及服务于一体的科技创新型企业。自成立以来，迈达斯始终深耕主业，秉承“创新、智能、高效、领先”的经营理念，现已形成全系列移动破碎筛分设备产品，涵盖八大系列、一百多款产品和近50项专利技术，广泛应用于骨料生产、矿山开采和固废回收等领域。



BRAND ADVANTAGE.

MIDAS has always adhered to technological innovation and mobile intelligence device efficiency and industry leadership Strive to create more value for customers To take more social responsibility for environmental protection Keep pace with The Times, the pursuit of excellence, is committed to become a global mobile crushing screening leading brand For construction waste and mine tailing to realize the resource and value of the contribution.



卓越设计研发

Excellent design and development

对标一线进口品牌、结合国内行业应用特色，保持机型创新始终领先，将功能和配置本土化，定制化，以贴近客户需求为设计本位。

智能优化生产

Intelligent optimized production

展厅化全程展示型装配，打造无尘车间，采用总装设计、分区制造，助力模块式升级优化，让客户随时应用到最近更新，避免用业务消化旧技术、旧库存。

超高设备配置

Ultra high equipment configuration

实现模块化选装功能，机型多样，全动力方案模块、独立预筛分模块、超声波料位传感模块、防尘降噪配件等高配置选择，外购件均为海内外一线品质工厂直采，丰富客户选择。

CHOOSE MIDAS 选择迈达斯

- 始终坚持科技创新、智能操控、高效运行、行业领先
- 努力为客户创造生产竞争力、为绿色环保承担更多责任
- 追求卓越，致力成为全球物料处理设备领先品牌
- 实现固废资源和生产设备双重循环利用的节能价值

差异化与服务

Diffrentiation And Service

研发创新，机型差异，率先研发履带移动制砂站、洗砂站、四层筛、双段筛、各类油电混动破碎筛分一体机，为客户提供代运营、代加工及租赁服务，满足不同客户在不同发展阶段的行业需求。

专业量身定制

Professional customization

驱动方案根据工况可选，市电方案、油电混动和液压等全动力方案，超前的研发技术方案积累，根据处理建筑固废和矿山应用的不同工况自由选择机型配置，全方位收集客户应用反馈，有丰富的不同于竞品的解决问题的选装配置。

极强的性价比

Strong cost performance ratio

追求普惠就是通过优化设计、增加规模，降低成本，让客户用低投入采购到高配置，把更新的增配免费提供给客户体验，共享进步。



INNOVATION

As always Meeting
the customized needs of customers

MIDAS subsoil mobile and integrated crushing screening equipment market, consistently adhere to the "sustainable innovation rich customer experience", all sorts of online model achieved the level of market leading put into use, Midas is always at the forefront in meeting the customized needs of customers. Prepared to increase customer revenue with expertise and innovation

MIDAS深耕移动及集成式破碎筛分设备市场
始终如一的坚持“以永续的创新丰富客户的使用体验”
在线的各种机型都达到了市场领先投入使用的水平
在满足客户定制化需求方案上始终走在前列
用专业与创新增加客户收益

创新
一如继往

满足客户定制化需求方案



把专业与创新融入提供的产品和服务中 • 降低客户投资 • 提升客户回报

Integrating specialty and innovation into the products and services provided
reducing customer investment improving customer returns

MIDAS 迈达斯 产品系列



TRACKED MOBILE JAW CRUSHING STATION
履带移动颚式破碎站



TRACKED MOBILE IMPACT CRUSHING STATION
履带移动反击式破碎站



TRACKED MOBILE IMPACT CRUSHING AND SCREENING STATION
履带移动反击式破筛一体机



TRACKED MOBILE CONE CRUSHING AND SCREENING STATION
履带移动圆锥式破筛一体机



TRACKED MOBILE CONE CRUSHING STATION
履带移动圆锥式破碎站



TRACKED MOBILE CRUSHING AND SCREENING FOUR IN ONE STATION
履带移动颚破圆锥筛分一体机



TRACKED MOBILE HEAVY-SCREENING STATION
履带移动重型筛分站



TRACKED MOBILE IMPACT CRUSHING AND SCREENING STATION
履带移动破筛一体机



TRACKED MOBILE SAND-MAKING STATION
履带移动立轴冲击式破碎站



TRACKED MOBILE SCREENING STATION
履带移动筛分站



TRACKED MOBILE HORIZONTAL SCREENING STATION
履带移动水平式筛分站



MIDAS + PRODUCT
产品系列

迈达斯·MJ系列 履带移动颚式破碎站

JAW CRUSHING

Equipped with European C series crushing machine, large folding bin, equipped with independent pre-screening system, in addition to the iron spray device, mainly do the primary crushing of materials, feed particle size, wide discharging range, suitable for all kinds of rocks. Convenient transfer, high crushing efficiency.



APPLICABLE FIELDS 适用领域

中高硬度物料的一级破碎或初级破碎

- 矿山矿石破碎
- 建筑垃圾回收
- 建筑骨料生产
- 高速公路/铁路
- 道桥建设

迈达斯MJ系列履带移动颚式破碎站，配有欧版C系列破碎主机，超大折叠料仓，加装独立预筛分系统，另有除铁喷淋装置，主要做物料初级破碎，进料粒度大，排料范围广，适用于各类岩石。转场方便，破碎效率高。

✔ 独立预筛分 ✔ 智能喂料系统 ✔ 大范围排料

设备型号	MJ-150	MJ-260	MJ-350E	MJ-350	MJ-350S	MJ-550
给料设备						
容积(m³)	4	6	6	6	6	9
给料高度(mm)	4200	4350	4350	4350	4350	4500
最大尺寸(mm)	460	560	630	630	630	700
给料能力(t/h)	250	450	450	450	450	650
破碎机						
型号	C93	C106	C113	C113	C113	C120
进料尺寸(mm)	930×580	1060×700	1130×750	1130×750	1130×750	1200×870
排料范围(mm)	40-175	70-200	70-200	70-200	70-200	70-275
皮带机						
主皮带机宽度(mm)	1000	1200	1200	1200	1200	1400
主皮带机堆料高度(mm)	3200	3307	3307	3307	3200	3200
侧皮带机宽×高(mm)	650×2196	650×2196	650×2196	650×2196	/	650×2196
驱动方式	外置电机减速机	外置电机减速机	外置电机减速机	外置电机减速机	外置电机减速机	外置电机减速机
整机						
整机功率(kW)	106.3	149.8	149.8	149.8	138.4	197.8
主机功率(kW)	75	110	110	110	110	160
处理能力(t/h)	80-335	150-500	160-570	160-570	160-570	175-600
行走速度(km/h)	0.6-1	0.6-1	0.6-1	0.6-1	0.6-1	0.6-1
整机重量(t)	40	48	55.5	52	44	60
运输尺寸长×宽×高(mm)	12450×3000×3500	16354×3384×3725	16354×3384×3725	16354×3384×3725	13636×3160×3634	17600×3100×3800

JAW CRUSHING

Equipped with European C series crushing machine, large folding bin, equipped with independent pre-screening system, in addition to the iron spray device, mainly do the primary crushing of materials, feed particle size, wide discharging range, suitable for all kinds of rocks. Convenient transfer, high crushing efficiency.

表列有关数据仅供参考，具体数据以实际产品配置为准



MIDAS + PRODUCT 产品系列

迈达斯·MI系列 履带移动反击式破碎站

IMPACT CRUSHING

Each module is compact and efficient, with hydraulic assistance in many places, and equipped with a return material screening system. In addition, there is an iron removal air separation spray device, which can be used for primary and secondary crushing, suitable for medium soft rock and construction waste. The machine has stable performance, convenient field transfer and good crushing grain type.

CHARACTERISTICS EQUIPMENT

Integrating specialty and innovation into the products and services provided
reducing customer investment and improving customer returns

✔ 功能强大 ✔ 产品粒型好 ✔ 能效比高

返料带可调整为侧向输出成品料



APPLICABLE FIELDS 适用领域

中软硬度物料的一级和二级破碎阶段

- 矿山矿石破碎
- 建筑垃圾回收
- 建筑骨料生产
- 高速公路/铁路
- 道桥建设

迈达斯MI系列履带移动反击式破碎站，各模块紧凑高效，多处用液压辅助，加装返料筛分系统，另有除铁风选喷淋装置，可做一级和二级破碎，适用于中软岩石和建筑垃圾。整机性能稳定，转场便捷，破碎粒型好。



设备型号	MI-150R	MI-260R	MI-350RE	MI-350R	MI-550
给料设备					
容积(m³)	4	7	7	7	9
给料高度(mm)	4200	4250	4250	4250	4500
最大尺寸(mm)	550	600	600	600	800
给料能力(t/h)	200	300	400	400	600
破碎机					
破碎主机类型	MIX	MIX2	MIX3	MIX3	MIX4
返料筛长×宽(mm)	3700×1200	3600×1540	5000×1740	5000×1740	/
筛网层数	1	1	1	1	/
排料范围(mm)	25-100	25-100	25-100	25-100	25-100
皮带机					
主皮带机宽度(mm)	1000	1200	1200	1200	1200
转料皮带宽度(mm)	500	500	500	500	500
返料皮带宽度(mm)	500	500	500	500	500
成品皮带宽度(mm)	1000	1200	1200	1200	1200
成品皮带堆料高度(mm)	3200	3471	3449	3449	3200
整机					
整机功率(kW)	217.2	265.6	347.2	347.2	415.7
主机功率(kW)	160	200	280	280	375
处理能力(t/h)	100-200	160-350	250-500	250-500	400-600
行走速度(km/h)	0.6-1	0.6-1	0.6-1	0.6-1	0.6-1
整机重量(t)	48	55	65	61	80
运输尺寸长×宽×高(mm)	16600×3200×3800	18127×3626×3909	18882×3505×3872	18882×3505×3872	19600×3380×3800

IMPACT CRUSHING

Each module is compact and efficient, with hydraulic assistance in many places, and equipped with a return material screening system. In addition, there is an iron removal air separation spray device, which can be used for primary and secondary crushing, suitable for medium soft rock and construction waste. The machine has stable performance, convenient field transfer and good crushing grain type.

表列有关数据仅供参考，具体数据以实际产品配置为准



喷淋系统

SPRAY SYSTEM

全方位喷淋
有效降低扬尘
根据情况独立调节
操作方便

返料筛

RETURN SCREEN

超大筛面
筛网孔径可定做
液压支撑，方便更换筛网

筛体护栏

LADDER

符合人体工学设计
方便操作人员

动力模块

POWER UNIT

潍柴发动机
性能稳定动力强劲

除铁器

MAGNET

磁力大有效分离废铁钢筋
可调节距离角度
效果更好

返料皮带机

RETURN CONVEYOR

超规格物料返回料仓
循环破碎

料仓

HOPPER

超大容量
Q355B钢板重型结构
抗冲击能力强劲
可液压折叠，操作方便

皮带机

CONVEYOR

皮带内含防撕裂夹层，高耐磨
背部配备梳形托辊，上下清扫器
减小磨损，延长寿命

减震弹簧

RUBBER SPRING

采用瑞士ROSTA名牌
耐久稳定扛疲劳

可编程控制

PLC

一键启动
智能逻辑互锁
发生故障可自停

底盘模块

CHASSIS

超长轮距
高速液压马达
适用各种复杂地形

船型车架

“BOAT” FRAME

加强重型结构设计
高强度耐低温材质
整机有限元应力分析

MIDAS + PRODUCT 产品系列

迈达斯·MI-RTE系列 履带移动破筛一体机

CRUSHING AND SCREENING

At the same time, it can realize crushing and screening on a tracked vehicle. At the same time, it is upgraded to a oil-electric hybrid power, equipped with PLC one-key intelligent start, which can do the first and second stage crushing, suitable for medium soft rock and construction waste. The machine has wide application, high intelligence and simple operation.

CHARACTERISTICS EQUIPMENT

Integrating specialty and innovation into the products and services provided
reducing customer investment and improving customer returns

✔破筛一体 ✔油电两用 ✔PLC一键启动



APPLICABLE FIELDS 适用领域

中软硬度物料的一级和二级破碎阶段

- 矿山/矿石/煤矿开采
- 混凝土搅拌站
- 干粉砂浆/电厂脱硫
- 石英砂
- 建筑垃圾再利用
- 路桥建设

迈达斯MI-RTE系列履带移动破筛一体机，完成了在一台履带车上同时实现破碎和筛分，同时升级为油电两用动力，配备PLC一键智能启动，可做一级和二级破碎，适用于中软岩石和建筑垃圾。整机适用面广，智能化高，操作更简单。



CRUSHING AND SCREENING

At the same time, it can realize crushing and screening on a tracked vehicle. At the same time, it is upgraded to a oil-electric hybrid power, equipped with PLC one-key intelligent start, which can do the first and second stage crushing, suitable for medium soft rock and construction waste. The machine has wide application, high intelligence and simple operation.

表列有关数据仅供参考，具体数据以实际产品配置为准



MIDAS 迈达斯 • MI-RTE系列 履带移动破筛一体机 | 技术参数 | TECHNICAL DATA

设备型号	MI-260RTE	MI-350RTE	设备型号	MI-260RTE	MI-350RTE
给料设备					
容积(m³)	7	7	破碎机		
给料高度(mm)	4200	4200	破碎主机类型	MIX2	MIX3
最大尺寸(mm)	600	600	返料筛长×宽(mm)	5000×1740	5000×1740
给料能力(t/h)	300	400	筛网层数	2	2
			排料范围(mm)	25-100	25-100
整机					
整机功率(kW)	281.7	361.7	皮带机		
主机功率(kW)	200	280	主皮带机宽度(mm)	1200	1200
处理能力(t/h)	160-350	250-500	转料皮带宽度(mm)	500	500
行走速度(km/h)	0.6-1	0.6-1	返料皮带宽度(mm)	500	500
整机重量(t)	68	74	成品皮带机宽度(mm)	1000	1000
运输尺寸长×宽×高(mm)	19870×3992×3994	19822×4244×4193	成品皮带机堆料高度(mm)	4100	4100
			成品侧出皮带宽×高(mm)	500×3064	500×3064





CHARACTERISTICS EQUIPMENT

Integrating specialty and innovation into the products and services provided
reducing customer investment and improving customer returns

✔ 硬岩克星 ✔ 超高能效 ✔ 智能预筛分

APPLICABLE FIELDS 适用领域

中高硬度物料的二级和三级破碎阶段

- 采石场河卵石、花岗岩、辉绿岩等高耐磨石料(SiO_2 含量高于75%)的破碎制砂
- 大型选矿厂铁矿石的球磨前破碎

迈达斯MC系列履带移动圆锥式破碎站，主机采用多缸圆锥，层压破碎，并配备大扭矩缓速上料机保障均匀喂料，主要做二级破碎，适用于中高硬度岩石。整机紧凑，转场方便，破碎产量大，磨损小，可靠性高。



MIDAS + PRODUCT
产品系列

迈达斯·MC系列 履带移动圆锥式破碎站 CONE CRUSHING

the main machine adopts multi-cylinder cone, laminated crushing, and equipped with large torque and slow speed feeding machine to ensure uniform feeding, mainly for secondary crushing, suitable for medium and high hardness rocks. Compact machine, convenient field transfer, large crushing output, small wear, high reliability.

设备型号	MC-300S	MC-300SR	MC-300H	MC-300HRE	MC-300HR
给料设备					
容积(m³)	6.5	6.5	6.5	6.5	6.5
给料高度(mm)	2870	2870	2870	2870	2870
最大尺寸(mm)	225	225	225	225	225
给料能力(t/h)	500	500	500	500	500
破碎机					
破碎机类型	单缸	单缸	多缸	多缸	多缸
振动筛长×宽(mm)	/	1540×3600	/	1540×3600	1540×3600
筛网层数	/	1	/	1	1
排料范围(mm)	25-54	25-54	10-45	10-45	10-45
皮带机					
主皮带机宽(mm)	1200	1200	1200	1200	1200
转料皮带机宽度(mm)	500	500	500	500	500
返料皮带机宽度(mm)	500	500	500	500	500
成品料皮带机宽度(mm)	1200	1200	1200	1200	1200
成品皮带机堆料高度(mm)	3419	3419	3419	3419	3419
整机					
整机功率(kW)	308.7	338.7	308.7	338.7	338.7
主机功率(kW)	250	250	250	250	250
处理能力(t/h)	290-495	290-495	150-430	150-430	150-430
行走速度(km/h)	0.6-1	0.6-1	0.6-1	0.6-1	0.6-1
整机重量(t)	52	57	55	64	60
运输尺寸长×宽×高(mm)	13850×3200×3800	18357×3300×3800	14850×3200×3800	19247×3070×3731	19247×3070×3731

CONE CRUSHING

the main machine adopts multi-cylinder cone, laminated crushing, and equipped with large torque and slow speed feeding machine to ensure uniform feeding, mainly for secondary crushing, suitable for medium and high hardness rocks. Compact machine, convenient field transfer, large crushing output, small wear, high reliability.

表列有关数据仅供参考，具体数据以实际产品配置为准





APPLICABLE FIELDS 适用领域

用于物料整形和进一步制砂

- 金属和非金属矿石
- 建筑材料
- 人工制砂
- 冶金矿渣

迈达斯MV-S系列履带移动制砂站，主机采用全新叶轮和特殊密封结构，能耗低寿命长，并有外接电、油电一体和全液压三种驱动模式可选。适用于二级破碎以后的砂石整形或者进一步制砂。整体转场灵活，处理量大，破碎粒型好。

CHARACTERISTICS EQUIPMENT

Integrating specialty and innovation into the products and services provided
reducing customer investment and improving customer returns

- ✔ 通过量大
- ✔ 成砂率高
- ✔ 耗材成本低



MIDAS + PRODUCT
产品系列



迈达斯·MV-S系列 履带移动立轴冲击式破碎站

SAND-MAKING

The main engine adopts new impeller and special sealing structure, low energy consumption and long service life, and there are three driving modes of external electric connection, oil-electric integration and full hydraulic pressure. It is suitable for sand shaping or further sand making after secondary crushing. Flexible overall transfer, large processing capacity, good crushing grain type.

技术参数 | TECHNICAL DATA

设备型号 MV-S900

给料设备	
容积(m³)	3.7
给料高度(mm)	3200
最大尺寸(mm)	50
给料能力(t/h)	300

破碎机	
型号	S900
处理能力(t/h)	150-300
电机功率(kW)	250

皮带机	
主皮带机宽度(mm)	1200
主皮带机长度(mm)	9060
电机功率(kW)	15


整机	
整机功率(kW)	337
处理能力(t/h)	150-300
行走速度(km/h)	0.6-1
整机重量(t)	42
运输尺寸长×宽×高(mm)	19762×3733×3699

迈达斯·MV-S系列 履带移动立轴冲击式破碎站

SAND-MAKING

The main engine adopts new impeller and special sealing structure, low energy consumption and long service life, and there are three driving modes of external electric connection, oil-electric integration and full hydraulic pressure. It is suitable for sand shaping or further sand making after secondary crushing. Flexible overall transfer, large processing capacity, good crushing grain type.

表列有关数据仅供参考，具体数据以实际产品配置为准



技术参数 | TECHNICAL DATA

设备型号	MV-S	MV-SE
给料设备		
容积(m³)	5	5
给料高度(mm)	2700	2700
最大尺寸(mm)	100	100
给料能力(t/h)	500	500
破碎机		
转子直径(mm)	1222	1222
转子厚度(mm)	220	220
主机功率(kW)	400	400
皮带机		
主皮带机宽度(mm)	1200	1200
给料皮带机宽度(mm)	1200	1200
成品皮带机堆料高度(mm)	3363	3363
整机		
整机功率(kW)	434	434
处理能力(t/h)	100-500	100-500
行走速度(km/h)	0.6-1	0.6-1
整机重量(t)	45	55
运输尺寸长×宽×高(mm)	17588×3545×3868	20542×3299×3976

表列有关数据仅供参考，具体数据以实际产品配置为准

迈达斯·MV-S系列 履带移动立轴冲击式破碎站

SAND-MAKING

The main engine adopts new impeller and special sealing structure, low energy consumption and long service life, and there are three driving modes of external electric connection, oil-electric integration and full hydraulic pressure. It is suitable for sand shaping or further sand making after secondary crushing. Flexible overall transfer, large processing capacity, good crushing grain type.

通过量大 成砂率高 耗材成本低



MIDAS + PRODUCT

产品系列

迈达斯·TX系列 履带移动颚破圆锥筛分一体机

FOUR IN ONE STATION

TX4 is a master in the field of crawler mobile hard rock crushing and screening. It creatively integrates four units: vibrating feeder, jaw crusher, multi cylinder hydraulic cone crusher and three-layer two-stage screen. Through exquisite structural design, TX4 achieves the screening effect of split hard rock production line, opens a new journey of mobile hard rock crushing, and is Midas's breakthrough contribution to the industry.

CHARACTERISTICS EQUIPMENT

Integrating specialty and innovation into the products and services provided
reducing customer investment and improving customer returns

✓ 硬岩克星 ✓ 创造性突破 ✓ 超高能效



APPLICABLE FIELDS 适用领域

中高硬度物料的二级和三级破碎筛分

- 场地紧张的硬岩线生产
- 采石场河卵石、花岗岩、辉绿岩等高耐磨石料(SiO_2 含量高于75%)的破碎制砂
- 大型选矿厂铁矿石的球磨前破碎

TX4是履带移动硬岩破碎和筛分领域的集大成者，创造性地集成振动给料机、颚破、多缸液压圆锥破、三层双段筛四个单元，通过精巧的结构设计，达到了分体硬岩生产线的破筛效果，开启了移动硬岩破碎的新征程，是迈达斯对行业的突破性贡献。



技术参数 | TECHNICAL DATA


设备型号	TX4
给料设备	
给料高度(mm)	4170
给料机宽×长(mm)	1100×3960
电机功率(kW)	2×3.7kW
返料筛(双段)	
筛网层数	3
振动筛宽×长(mm)	2000×2500/2000×3500
电机功率(kW)	4×6kW
皮带机	
主皮带机宽×高(mm)	1200×15380
成品侧出皮带机宽×高(mm)	500×6600
筛下皮带机宽×高(mm)	1000×7000
返料皮带机1宽×高(mm)	800×9550
返料皮带机2宽×高(mm)	800×6260
整机	
整机功率(kW)	490
处理能力(t/h)	200-400
行走速度(km/h)	0.6-1
整机重量(t)	116
运输尺寸长×宽×高(mm)	21900×3964×3944

迈达斯·TX系列 履带移动颚破圆锥筛分一体机

FOUR IN ONE STATION

TX4 is a master in the field of crawler mobile hard rock crushing and screening. It creatively integrates four units: vibrating feeder, jaw crusher, multi cylinder hydraulic cone crusher and three-layer two-stage screen. Through exquisite structural design, TX4 achieves the screening effect of split hard rock production line, opens a new journey of mobile hard rock crushing, and is Midas's breakthrough contribution to the industry.

表列有关数据仅供参考，具体数据以实际产品配置为准



返料筛
RETURN SCREEN

超大筛面
筛网孔径可定做
液压支撑，方便更换筛网

皮带机
CONVEYOR
皮带内含防撕裂夹层，高耐磨
背部配备梳形托辊，上下清扫器
减小磨损，延长寿命

圆锥破主机
CONE CRUSHER

颚破主机
JAW CRUSHER

料仓
HOPPER
超大容量
Q355B钢板重型结构
抗冲击能力强
可液压折叠，操作方便

走台护栏护罩
WALKWAY GUARDRAIL
超大扶手及爬梯设计
符合人机工程学设计

给料机模块
FEEDER MODULE
双阶梯篦条振动给料机
可对原料进行预筛分

成品料侧出皮带机
FINISHED MATERIAL SIDE CONVEYOR
可左右侧调整出料
现场布局更加灵活

可编程控制
PLC
一键启动
智能逻辑互锁
发生故障可自停

底盘模块
CHASSIS
超长轮距
高速液压马达
适用各种复杂地形

润滑站
LUBRICATION STATION

动力模块
POWER UNIT
潍柴发动机
性能稳定动力强劲

车架模块
FRAME MODULE
加强重型结构设计
高强度耐低温材质
工作稳定、寿命更长

MIDAS + PRODUCT

产品系列

迈达斯·TX系列 履带移动反击式破筛一体机

IMPACT CRUSHING AND SCREENING

TX3IE is the king of high efficiency in the field of soft rock crushing and screening in crawler movement. It not only integrates three core units of vibration feeder, counterattack breaking and three-layer double-stage screening to achieve the screening effect of split production line, but also equipped with independent pre-screening device to further improve the crushing efficiency; It has also been upgraded to petrol-electric hybrid power, which can be started with one button on the scene. It can be widely used in soft rock crushing and screening, construction waste recycling and utilization and other fields, which is a key step in the efficient integration of Midas all-in-one machine.

CHARACTERISTICS EQUIPMENT

Integrating specialty and innovation into the products and services provided reducing customer investment and improving customer returns

✓破筛一体 ✓油电两用 ✓PLC一键启动



APPLICABLE FIELDS 适用领域

中软硬度物料的二级和三级破碎阶段

- 矿山矿石破碎
- 建筑垃圾回收
- 建筑骨料生产
- 高速公路/铁路
- 道桥建设

TX3IE是履带移动中软岩破碎和筛分领域的高效王者，不仅集成振动给料机、反击破、三层双段筛三个核心单元，达到了分体式生产线的破筛效果，而且配备独立预筛分装置，进一步提高破碎效率；还升级为油电混合动力，到场即可实现一键启动，开工生产。可广泛应用于软岩破碎筛分和建筑垃圾回收利用等领域，是迈达斯在一体机高效融合中迈出的关键一步。



技术参数 | TECHNICAL DATA

设备型号TX3IE

给料设备	
给料高度(mm)	4400
给料机宽×长(mm)	1160×3022
电机功率(kW)	2×3.7kW

返料筛(双段)	
筛网层数	3
振动筛宽×长(mm)	2000×2500/2000×3500
电机功率(kW)	4×6kW

皮带机	
主皮带机宽×长(mm)	1200×13900
成品侧出皮带机宽×长(mm)	500×6124
返料皮带机宽×长(mm)	500×9187
筛下皮带机宽×长(mm)	1200×7572


整机	
整机功率(kW)	400.4
处理能力(t/h)	200-400
行走速度(km/h)	0.6-1
整机重量(t)	90
运输尺寸长×宽×高(mm)	21012×3966×4000

迈达斯·TX系列 履带移动反击式破筛一体机

IMPACT CRUSHING AND SCREENING

TX3IE is the king of high efficiency in the field of soft rock crushing and screening in crawler movement. It not only integrates three core units of vibration feeder, counterattack breaking and three-layer double-stage screening to achieve the screening effect of split production line, but also equipped with independent pre-screening device to further improve the crushing efficiency; It has also been upgraded to petrol-electric hybrid power, which can be started with one button on the scene. It can be widely used in soft rock crushing and screening, construction waste recycling and utilization and other fields, which is a key step in the efficient integration of Midas all-in-one machine.

表列有关数据仅供参考，具体数据以实际产品配置为准



技术参数 | TECHNICAL DATA

设备型号TX3CE

给料设备	
给料高度(mm)	3031
给料机宽×长(mm)	1200×4055
电机功率(kW)	15

返料筛(双段)	
筛网层数	3
振动筛长×宽(mm)	2000×2500/2000×3500
电机功率(kW)	4×6kW

皮带机	
主皮带机宽×长(mm)	1200×13890
返料皮带机宽×长(mm)	500×10745
筛下皮带机宽×长(mm)	1200×7572

整机	
整机功率(kW)	350.1
处理能力(t/h)	150-430
行走速度(km/h)	0.6-1
整机重量(t)	83
运输尺寸长×宽×高(mm)	22259×4133×4090

表列有关数据仅供参考，具体数据以实际产品配置为准

迈达斯·TX系列履带移动圆锥式破筛一体机

CONE CRUSHING AND SCREENING

TX3CE is the highly efficient king in the field of hard rock crushing and screening in crawler movement. It not only integrates the three core units of vibration feeder, cone breaking and three-layer double screen to achieve the screening effect of split production line, but also equipped with independent pre-screening device to further improve the crushing efficiency; It has also been upgraded to petrol-electric hybrid power, which can be started with one button on the scene. It can be widely used in the crushing and screening of medium and high hardness rock, which is a key step of Midas in the efficient integration of the all-in-one machine.


- 硬岩克星
- 破筛一体
- 油电两用

APPLICABLE FIELDS 适用领域

中高硬度物料的二级和三级破碎筛分

——硬岩（花岗岩 / 玄武岩 / 鹅卵石 / 辉绿岩等）
二级破碎和筛分

TX3CE是履带移动中硬岩破碎和筛分领域的高效王者，不仅集成振动给料机、圆锥破、三层双段筛三个核心单元，达到了分体式生产线的破筛效果，而且配备独立预筛分装置，进一步提高破碎效率；还升级为油电混合动力，到场即可实现一键启动，开工生产。可广泛应用于中高硬度岩石的破碎筛分，是迈达斯在一体机高效融合中迈出的关键一步。



迈达斯·MDS系列 履带移动筛分站 SCREENING

MIDAS MDS series crawler mobile screen station, equipped with car automatic folding belt machine, large processing capacity, can be used for fine screening of materials, suitable for all kinds of sand and construction waste after the crushing of finished material screening, flexible overall transfer, durable, high reliability.



CHARACTERISTICS EQUIPMENT

Integrating specialty and innovation into the products and services provided
reducing customer investment and improving customer returns

- ✔ 双段筛体
- ✔ 精准筛分
- ✔ 液压辅助

多层筛 / 重型筛 / 水平筛 自由选择



APPLICABLE FIELDS 适用领域

用于筛分加工的材料或粗料

- 砂石/河卵石物料分级
- 建筑垃圾物料分级
- 冶金/煤炭物料分级
- 建材物料分级

迈达斯MDS系列履带移动筛分站，配备车载全自动折叠皮带机，处理量大，可用作物料的精细筛选，适用于各种砂石和建筑垃圾破碎后的成品料筛选，整体转场灵活，经久耐用，可靠性高。



设备型号	MDS-3618	MS-5618	MS-3618E	MS-3618
给料设备				
容积(m³)	2.8	2.8	2.8	2.8
给料高度(mm)	1979	2252	2252	2252
最大尺寸(mm)	200	200	200	200
给料能力(t/h)	350	400	350	350
筛分				
筛网层数	3	4	3	3
振动筛长×宽(mm)	6000×1800	6000×1800	6000×1800	6000×1800
皮带机				
主皮带机宽度(mm)	1000	1000	1000	1000
转料皮带机宽度(mm)	650	500	500	500
筛下皮带机宽×堆料高度(mm)	1200×4399	1000×4280	1000×3422	1000×3422
侧一皮带机宽×堆料高度(mm)	500×3650	500×3500	500×3570	500×3570
侧二皮带机宽×堆料高度(mm)	650×3755	650×3500	650×3697	650×3697
侧三皮带机宽×堆料高度(mm)	650×3603	650×3500	650×3560	650×3560
侧四皮带机宽×堆料高度(mm)	/	650×3500	/	/
整机				
整机功率(kW)	74.5	108	64.5	64.5
处理能力(t/h)	200-500	200-500	200-500	200-500
行走速度(km/h)	0.6-1	0.6-1	0.6-1	0.6-1
整机重量(t)	38	45	36	34
运输尺寸长×宽×高(mm)	16468×3366×3776	18440×3050×4060	14808×3539×3799	14808×3539×3799

SCREENING

MIDAS MDS series crawler mobile screen station, equipped with car automatic folding belt machine, large processing capacity, can be used for fine screening of materials, suitable for all kinds of sand and construction waste after the crushing of finished material screening, flexible overall transfer, durable, high reliability.

表列有关数据仅供参考，具体数据以实际产品配置为准



技术参数 | TECHNICAL DATA

设备型号MSH-3619E MSH-3619

给料设备		
容积(m³)	6.5	6.5
给料高度(mm)	3316	3316
最大尺寸(mm)	120	120
给料能力(t/h)	500	500

筛分		
筛网层数	3	3
振动筛长×宽(mm)	6100×1925	6100×1925
振动幅度(mm)	13-18	13-18

皮带机		
主皮带机宽度(mm)	1400	1400
大料皮带机宽×高(mm)	1000×4212	1000×4212
中料皮带机宽×高(mm)	800×3446	800×3446
中小料皮带机宽×高(mm)	800×3446	800×3446
细料皮带机宽×高(mm)	800×3380	800×3380
筛下皮带机宽度(mm)	1400	1400

整机		
整机功率(kW)	93	93
处理能力(t/h)	300-800	300-800
行走速度(km/h)	0.6-1	0.6-1
整机重量(t)	45	43
运输尺寸长×宽×高(mm)	19195×3785×3753	19195×3785×3753

表列有关数据仅供参考，具体数据以实际产品配置为准

迈达斯·MSH系列 履带移动水平式筛分站

HORIZONTAL SCREENING

The three-axis drive elliptical vibration track has the advantages of both circular vibrating screen and linear vibrating screen; With adjustable amplitude, synchronous excitation, and equipped with large torque slow speed feeder to ensure uniform feeding, it has better effect on screening materials with high viscosity and difficulty. It is widely used in fields with high requirements for screening efficiency and accuracy. The whole machine has large processing capacity, strong stability, many screening types and high grading accuracy.

处理量极大 高级配筛分 粘性物料筛分

APPLICABLE FIELDS 适用领域

中、细物料的高效率高精度筛分

- 公路、铁路、桥梁等高标准工程的级配料筛分
- 戈壁风化石成品料（有一定粘性）的大处理量筛分

迈达斯MSH系列履带移动水平式筛分站，三轴驱动椭圆振动轨迹，兼具圆振筛和直线振动筛的优点；振幅可调，同步激振，并配备大扭矩缓速上料机保障均匀喂料，对粘性高难度筛分物料效果更好，广泛应用于对筛分效率和精度有很高要求的领域。整机处理量大，稳定性强，筛分种类多，级配精度高。



技术参数 | TECHNICAL DATA

设备型号	MSZ-2618	MSZ-2515E	MSZ-2515
给料设备			
容积(m³)	6.5	6.5	6.5
给料高度(mm)	3642	3685	3685
最大尺寸(mm)	500	500	500
给料能力(t/h)	600	500	500
筛分			
筛网层数	2	2	2
振动筛长×宽(mm)	6000×1800	4800×1550	4800×1550
皮带机			
给料皮带机宽度(mm)	1200	1000	1000
筛下皮带机宽度(mm)	1400	1200	1200
大料皮带机宽×高(mm)	1400×3700	1200×3700	1200×3700
中料皮带机宽×高(mm)	800×3235	800×3500	800×3500
细料皮带机宽×高(mm)	800×3615	800×3500	800×3500
整机			
整机功率(kW)	77.5	66	66
处理能力(t/h)	500-800	250-500	250-500
行走速度(km/h)	0.6-1	0.6-1	0.6-1
整机重量(t)	40	36.3	35.8
运输尺寸长×宽×高(mm)	17460×3480×3800	14794×3260×3622	14794×3260×3622
表列有关数据仅供参考，具体数据以实际产品配置为准			

迈达斯·MSZ系列 履带移动重型筛分站

HEAVY-SCREENING

The Midas MSZ series tracked mobile heavy-duty screening station has various application experience. Whether it is independent operation or production line work, it can maintain a high level of production with high output. It is mainly used for stone soil separation, surface soil treatment in the early stage of mining construction, screening and treatment of engineering waste and tailings, recycling and utilization of construction waste, screening of pebbles, coal mines, and aggregates.

✔ 土石分离 ✔ 重型框架 ✔ 稳定耐用

APPLICABLE FIELDS 适用领域

用于土石分离等初步筛分

- 矿山开采
- 建筑垃圾筛分
- 煤矸石筛分
- 砂石骨料筛分

迈达斯MSZ系列履带移动重型筛分站，拥有各种应用工况经验，无论是独立作业或是产线工作，都可保持大产量高水平生产状态。主要应用于石土分离、矿山建设初期表层土处理、工程废渣尾渣筛分处理、建筑垃圾回收利用、鹅卵石筛分、煤矿筛分以及骨料筛分等。



TECHNOLOGICAL PROCESS

● 硬岩破碎生产线 HARD ROCK CRUSHING PRODUCTION LINE

履带移动筛分站
履带移动圆锥式破碎站
履带移动颚式破碎站

适用领域 APPLICABLE FIELDS

广泛应用于各类矿山岩石、沥青、高标混凝土以及鹅卵石、花岗岩等坚硬物料的破碎筛分

● 建筑垃圾生产线 CONSTRUCTION WASTE PRODUCTION LINE

履带移动破筛一体机

适用领域 APPLICABLE FIELDS

广泛应用于青石、石灰石、软岩以及建筑垃圾再生骨料等物料的破碎筛分，一般应用于筛出二种成品料的场景

工艺流程`图示

● 制砂生产线 SAND PRODUCTION LINE

履带移动筛分站
履带移动立轴冲击式破碎站
履带移动圆锥式破碎站
履带移动颚式破碎站

适用领域 APPLICABLE FIELDS

广泛应用于各类矿山岩石、沥青、高标混凝土以及鹅卵石、花岗岩等坚硬物料的破碎筛分

● 软岩破碎生产线 SOFT ROCK CRUSHING PRODUCTION LINE

履带移动筛分站
履带移动反击式破碎站

适用领域 APPLICABLE FIELDS

广泛应用于青石、石灰石、软岩以及建筑垃圾再生骨料等物料的破碎筛分,可最多筛出四种成品料

TECHNOLOGICAL PROCESS

● 硬岩破碎生产线（油电两用版）
HARD ROCK CRUSHING PRODUCTION LINE

履带移动圆锥式破筛一体机 TX3CE

履带移动颚式破碎站 MJ350E

适用领域

APPLICABLE FIELDS

广泛应用于各类矿山岩石、沥青、高标混凝土以及鹅卵石、花岗岩等坚硬物料的破碎筛分，可生产三种成品料



● 硬岩破碎生产线
HARD ROCK CRUSHING PRODUCTION LINE

履带移动颚破圆锥筛分一体机

适用领域

APPLICABLE FIELDS

广泛应用于各类矿山岩石、沥青、高标混凝土以及鹅卵石、花岗岩等坚硬物料的破碎筛分，可生产四种成品料



工艺流程`图示

● 300-400吨级
土石分离破碎生产线（油电两用版）
EARTH-ROCK SEPARATION CRUSHING PRODUCTION LINE

履带移动反击式破筛一体机 TX3IE

履带移动重型筛分站 MSZ2618E

适用领域

APPLICABLE FIELDS

应用于土石初步筛分后再次破碎筛分



● 300-400吨级
硬岩破碎生产线
HARD ROCK CRUSHING PRODUCTION LINE

履带移动水平式筛分站 MSH3619
履带移动圆锥式破碎站 MC400HR
履带移动颚式破碎站 MJ550

适用领域

APPLICABLE FIELDS

广泛应用于各类矿山岩石、沥青、高标混凝土以及鹅卵石、花岗岩等坚硬物料的破碎筛分





MIDAS`迈达斯 固废资源化创新应用

Recycling solid waste
Innovative applications

固废资源化创新应用.01 砂石骨料应用

4种成品骨料



13石



12石



51石



05石粉

再生骨料常见用途



最简单和常用用途

破碎后作为建筑物基础垫层或道路基层



高附加值用途

破碎后生产混凝土砌块砖、铺道砖、再生透水砖等砖制品



废弃混凝土的常用用途

代替部分天然砂石骨料制作再生骨料混凝土

固废资源化创新应用.02 建筑垃圾回收利用

变废为宝`双向收益

Integrating specialty and innovation into the products and services provided
reducing customer investment and improving customer returns



除铁

售卖增加收益



塑料布条杂物

集中送垃圾站




红砖颗粒

再生利用



细渣土

符合要求 填埋处理




制作生态透水砖




MIDAS`迈达斯
固废资源化创新应用

Recycling solid waste
Innovative applications



MIDAS`迈达斯
供应链品牌体系

SUPPLY CHAIN BRAND SYSTEM

 履带底盘 —英国Strickland Strickland履带底盘承重 耐磨性好/维修方便/坚固耐用	 发动机 —潍柴动力 国内第一 全球领先的柴油动力方案提供者	 液压泵 —丹麦萨奥丹弗斯 世界级液压元件供应商
 振动电机 —欧力-卧龙 中国-意大利合资品牌 振动电机全球销量第一/终身免维护	 行走减速机 —邦飞利 通过高质量的产品以及各种先进技的精心 整合,为客户提供定制化的解决方案	 减震弹簧 —瑞士罗达 70多年历史, 机械及自动化领域中 创新弹性模块技术生产商中的领军企业
 液压电磁阀组 —美国伊顿 全球领先的多元化工业产品制造商 电气控制/电力分配/不间断电源等 产品享誉全球	 手动控制阀 —强田液压 液压控制行业标杆, 质量卓越	 发电机 —英国斯坦佛 全球著名品牌, 拥有卓越的品质 良好的技术支持能力及售后服务
 电气控制 —法国施耐德 法国的全球化电气企业 全球能效管理和自动化领域的专家	 蓄电池 —德国瓦尔塔 全球知名的汽车蓄电池品牌	 电力控制系统 —英国深海 全球领先的发电机组控制器生产商 拥有强大的研发设计及生产制造实力

SERVICE

全方位服务链 Full service chain



7×24小时
全天候不间断服务



10分钟
快速响应客户要求



24小时
到达省内客户现场



48小时
到达省外客户现场

24 HOURS WORRY-FREE SERVICE

24小时`无忧服务

服务机制 Service mechanism

- ① 一天响应制：故障排除控制在24 小时内完成。
- ② 二重督办制：总经理与营销经理双重督办，为服务提供人力、物力、财力、技术指导配件供应等绿色通道。
- ③ 三分钟响应制：要求服务人员接到派工单指令后3分钟内与客户联系。
- ④ 配件供应保障制：用更快、更有效的方式在最短的时间内送达。

服务管理模式 Service Management Mode

以客户为中心

- 提前预防
- 高效沟通
- 快速维修
- 准确归档
- 配件易损件仓储

沟通信息 全程跟踪 Communication information tracking

增值服务

- ① 全年滚动式现场人员培训
- ② 定期生产现场巡检
- ③ 技术升级指导
- ④ 邀请参加新品发布会

售前服务

- ① 详细了解客户需求，提供产品配置方案供客户筛选
- ② 邀请客户到生产现场或厂区考察，并全程讲解
- ③ 根据客户需要，介绍必要的配套方案或者融资方案

售中服务

- ① 及时为客户提供产品在车间的生产进度情况
- ② 根据需求，发货前邀请客户来厂区核验发货
- ③ 全程监控运输环节，保障安全和时效
- ④ 提前联系客户准备现场需要的附属物件，以保障更短时间内投入生产
- ⑤ 现场调试和投产，工程师全程保驾护航
- ⑥ 提供专业培训，帮助客户培养现场专业生产运营团队

售后服务

- ① 配备专属售后服务工程师，保持高效沟通
- ② 持续为客户提供专业培训，培养后续专业人才
- ③ 定期到客户现场巡检，了解设备情况，解决问题
- ④ 建立客户产品使用档案并定期更新
- ⑤ 终身为客户提供零配件