


沃德刷业

ANHUI WORLD BRUSH CO., LTD

清扫车圆片刷

WDS系列金属内圈圆片刷--平型
Steel ring wafer brush--flat



产品说明

Explanation

内环材质:	1.0mm-1.5mm热镀锌深冲钢板
Material for ring:	1.0mm-1.5mm galvanized steel
内环直径:	76mm——500mm
Inner diameter:	76mm——500mm
外径:	320mm——1186mm
Outside diameter:	320mm——1186mm
刷丝材质:	塑料丝、钢丝、塑料和钢丝混合
Material for bristles:	POLY,steel wire,POLY and wire mix
钢丝规格:	回火65#锰钢丝、镀锌弹簧钢丝
Wire Specifications:	Tempered 65#MN steel wire, Galv spring wire
	直径: 0.4mm--0.9mm
	Diameter:0.4mm--0.9mm
塑料丝规格:	聚丙烯、PU、PVC、聚乙烯
POLY Specifications:	PP,PU,PVC,PE
	直径: 0.8mm--4.0mm
	Diameter:0.8mm--4.0mm
固定工艺:	热熔、分层注胶、冲压、捆扎
Fixation:	Hot melt,Separate injection glue,Stamping,Strapping

产品特点

先进的生产工艺:

- 1) 第三代自主知识产权全自动生产线,燕尾底部和热熔、注胶、冲压三重固定。
- 2) 结构更牢固,刷丝永不脱落,永不倒伏。
- 3) 刷丝排列整齐划一,着地力均匀,美观耐用。

独特的刷丝配方:

- 1) 增强型高强度聚合物刷丝,硬度达到23 HRR,耐寒低温脆化点-55℃,耐磨度是普通塑料刷丝的3倍。
- 2) 高端产品采用优质回火镀锌65#锰钢丝,硬度高达41HRC,且韧性强,弯曲强度高。

Product Features

Advanced production process:

- 1) The third generation of independent intellectual property rights fully automatic production line, the bottom of the dovetail and hot molten, plastic injection, stamping triple fixed.
- 2) Structure is more solid,bristles have never fall off or collapsed.
- 3) Neat bristles, uniform contact with the ground, beautiful and durable

Unique Bristles formula:

- 1) Enhanced high-strength polymer bristles, hardness of 23HRR, cold low temperature embrittlement point -55 °C, abrasion resistance is three times that of ordinary plastic bristles.
- 2) High-end products is made of high quality tempering galvanized 65 # MN steel, hardness up to 41HRC, still strong and high bending strength.



欢迎提供图纸或样品定制专用产品



Welcome to provide drawings or samples to ordered special products

沃德刷业

ANHUI WORLD BRUSH CO., LTD

清扫车圆片刷

WDS系列金属内圈圆片刷--凹凸型
Steel ring wafer brush--Convex



产品说明

Explanation

内环材质:	1.0mm-1.5mm热镀锌深冲钢板
Material for ring:	1.0mm-1.5mm galvanized steel
内环直径:	76mm——500mm
Inner diameter:	76mm——500mm
外径:	320mm——1186mm
Outside diameter:	320mm——1186mm
刷丝材质:	塑料丝、钢丝、塑料和钢丝混合
Material for bristles:	POLY, steel wire, POLY and wire mix
钢丝规格:	回火65#锰钢丝、镀锌弹簧钢丝
Wire Specifications:	Tempered 65#MN steel wire, Galvanized Wire
	直径: 0.4mm--0.9mm
	Diameter: 0.4mm--0.9mm
塑料丝规格:	聚丙烯、PU、PVC、聚乙烯
POLY Specifications:	PP, PU, PVC, PE
	直径: 0.8mm--4.0mm
	Diameter: 0.8mm--4.0mm
固定工艺:	热熔、分层注胶、冲压、捆扎
Fixation:	Hot melt, Separate injection

产品特点

先进的生产工艺:

- 1) 第三代自主知识产权全自动生产线, 燕尾底部和热熔、注胶、冲压三重固定。
- 2) 结构更牢固, 刷丝永不脱落, 永不倒伏。
- 3) 刷丝排列整齐划一, 着地力均匀, 美观耐用。

独特的刷丝配方:

- 1) 增强型高强度聚合物刷丝, 硬度达到23HRR, 耐寒低温脆化点-55℃, 耐磨度是普通塑料刷丝的3倍。
- 2) 高端产品采用优质回火镀锌65#锰钢丝, 硬度高达41HRC, 且韧性强, 弯曲强度高。

Product Features

Advanced production technology:


- 1) The third generation of independent intellectual property rights fully automatic production line, the bottom of the dovetail and hot molten, plastic injection, stamping triple fixed.
- 2) Structure is more solid, bristles have never fall off or collapsed.
- 3) Neat bristles, uniform contact with the ground, beautiful and durable.

Unique Bristles formula:

- 1) Enhanced high-strength polymer bristles, hardness of 23HRR, cold low temperature embrittlement point -55 °C, abrasion resistance is three times that of ordinary plastic bristles.
- 2) High-end products is made of high quality tempering galvanized tempered 65 # manganese steel, hardness up to 41HRC, still strong and high bending strength.

欢迎提供图纸或样品定制专用产品

Welcome to provide drawings or samples to ordered special products




沃德刷业 ANHUI WORLD BRUSH CO., LTD

清扫车圆片刷

WDP系列塑料内圈圆片刷
Plastic ring wafer brush

产品说明

Explanation



内环材质:	进口聚合物
Material for ring:	Imported Polymer
内环直径:	76mm——275mm
Inner diameter:	76mm——275mm
外径:	320mm——1186mm
Outside diameter:	320mm——1186mm
刷丝材质:	塑料刷丝
Material for bristles:	POLY
钢丝规格:	无
Wire Specifications:	N
塑料丝规格:	聚丙烯、聚乙烯、尼龙、聚氯乙烯
POLY Specifications:	HSPP, PE, NYLON, PVC,
直径:	0.8mm--4.0mm
Diameter:	0.8mm--4.0mm
固定工艺:	热熔、分层注胶、冲压
Fixation:	Hot melt, Separate injection glue, Stamping

产品特点

先进的生产工艺:

- 1) 自主知识产权全自动生产线,底部热熔、注胶、冲压免注塑快速成型。
- 2) 结构更牢固,刷丝永不脱落,永不倒伏。
- 3) 刷丝排列整齐划一,着地力均匀,美观耐用。

独特的刷丝配方:

- 1) 增强型高强度聚合物刷丝,硬度达到23HRR,耐寒低温脆化点-55℃,耐磨度是普通塑料刷丝的3倍。
- 2) 产品采用优质且高韧性合成塑料作为内圈。

Product Features

Advanced production technology:

- 1) Independent intellectual property rights fully automatic production line, the bottom of the hot molten, plastic injection, stamping from rapid injection molding.
- 2) Structure is more solid, bristles have never fall off or collapsed.
- 3) Neat bristles, uniform contact with the ground, beautiful and durable.

Unique Bristles formula:

- 1) Enhanced high-strength polymer bristles, hardness of 23HRR, cold low temperature embrittlement point -55 °C, abrasion resistance is three times that of ordinary plastic bristles.
- 2) The inner ring of high-strength synthetic polypropylene, high weathering performance, not brittle, toughness is not easy to break.



欢迎提供图纸或样品定制专用产品


Welcome to provide drawings or samples to ordered special products

沃德刷业

ANHUI WORLD BRUSH CO., LTD

圆片除雪刷

WDXS系列金属内圈圆片刷
Snowplow brush



产品说明

Explanation



内环材质: 1.5mm热镀锌深冲钢板
Material for ring: 1.5mm galvanized steel
内环直径: 255mm, 300mm
Inner diameter: 255mm, 300mm
外径: 600mm——900mm
Outside diameter: 600mm——900mm
刷丝材质: 塑料丝、钢丝、塑料和钢丝混合
Material for bristles: POLY,wire,POLY and wire mix
钢丝规格: 回火65#锰钢丝、镀锌弹簧钢丝
Wire Specifications: Tempered 65#MN steel wire, Galvanized Wire
直径: 0.4mm--0.9mm
Diameter:0.4mm--0.9mm
塑料丝规格: 聚丙烯、EVA、PVC、聚乙烯
POLY Specifications: PP,EVA,PVC,PE
直径: 0.8mm--4.0mm
Diameter:0.8mm--4.0mm
固定工艺: 植毛、捆扎、冲压
Fixation: Flocking,Strapping,Stamping

盒式除雪刷 Snowplow brush

产品说明

Explanation

盒材质: 聚氯乙烯
Material forBox: PVC
Height: 280--660
Length: ≤800
刷丝材质: 塑料丝、钢丝、塑料和钢丝混合
Material for briatles: POLY,wire,POLY and wire mix
钢丝规格: 回火65#锰钢丝、镀锌弹簧钢丝
Wire Specifications: Tempered 65#MN steel wire, Galvanized Wire
直径: 0.4mm--0.9mm
Diameter: 0.4mm--0.9mm
塑料丝规格: 聚丙烯、PU、PVC、聚乙烯
POLY Specifications: PP,PU,PVC,PE
直径: 0.8mm--4.0mm
Diameter: 0.8mm--4.0mm
固定工艺: 植毛、穿插
Fixation: Flocking , interspersing



欢迎提供图纸或样品定制专用产品
Welcome to provide drawings or samples to ordered special products

沃德刷业

ANHUI WORLD BRUSH CO., LTD

清扫车圆盘刷

WDYP系列圆盘刷

Steel wire disc brush



产品说明

Explanation

圆盘材质:	塑料、木板
Material for disc:	Plastic, Plank
内环直径:	10mm——500mm
Inner diameter:	10mm——500mm
外径:	110mm——1300mm
Outside diameter:	110mm——1300mm
刷丝材质:	塑料丝、钢丝、塑料和钢丝混合
Material for briatles:	POLY,steel wire,POLY and wire mix
钢丝规格:	回火65#锰钢丝、弹簧钢丝
Wire Specifications:	Tempered 65#MN steel wire, Galvanized spring wire
直径:	0.4mm--2.0mm
Diameter:	0.4mm--2.0mm
塑料丝规格:	聚丙烯、PBT、PVC、尼龙
POLY Specifications:	PP, PBT, PVC, NYLON
直径:	0.8mm--4.0mm
Diameter:	0.8mm--4.0mm
固定工艺:	植毛、穿插、捆扎
Fixation:	Flocking, interspersing, strapping

产品特点

先进的生产工艺:

- 1) 全自动生产线，数控打孔、植毛同步完成。
- 2) 结构更牢固，刷丝永不脱落，永不倒伏。
- 3) 刷丝排列整齐划一，着地力均匀，美观耐用。

独特的刷丝配方:

- 1) 增强型高强度聚合物刷丝，硬度达到洛氏23HRR，耐寒低温脆化点-55℃，耐磨度是普通塑料刷丝的3倍。
- 2) 高端产品采用优质回火65#锰钢丝压扁丝，硬度高达44HRC，且韧性强，弯曲强度高，

Product Features

Advanced production technology:

- 1) Independent intellectual property rights fully automatic production line, CNC punching and flocking at the same time to complete.
- 2) Structure is more solid,bristles have never fall off orcollapsed
- 3) Neat bristles, uniform contact with the ground, beautiful and durable.

Unique Bristles formula:

- 1) Enhanced high-strength polymer bristles, hardness of 23HRR, cold low temperature embrittlement point -55 ℃, abrasion resistance is three times that of ordinary plastic bristles.
- 2) High-end products is made of high quality tempering galvanized 65 # MN flattened steel, hardness up to 41HRC, still strong and high bending strength.



欢迎提供图纸或样品定制专用产品

Welcome to provide drawings or samples to ordered special products

沃德刷业

ANHUI WORLD BRUSH CO., LTD

清扫车圆盘刷

WDYP系列圆盘刷

Gutter broom brush



产品说明

Explanation

圆盘材质:	塑料、木板
Material for disc:	Plastic, Plank
内环直径:	10mm——500mm
Inner diameter:	10mm——500mm
外径:	110mm——1300mm
Outside diameter:	110mm——1300mm
刷丝材质:	塑料丝、钢丝、塑料和钢丝混合
Material for bristles:	POLY, steel wire, POLY and wire mix
钢丝规格:	回火65#锰钢丝、弹簧钢丝
Wire Specifications:	Tempered 65#MN steel wire, Galvanized spring wire
	直径: 0.4mm--2.0mm
	Diameter: 0.4mm--2.0mm
塑料丝规格:	聚丙烯、PBT、PVC、尼龙
POLY Specifications:	PP, PBT, PVC, NYLON
	直径: 0.8mm--4.0mm
	Diameter: 0.8mm--4.0mm
固定工艺:	植毛、穿插、捆扎
Fixation:	Flocking, interspersing, strapping

产品特点

先进的生产工艺:

- 1) 自主知识产权全自动生产线, 数控打孔、植毛。
- 2) 结构更牢固, 刷丝永不脱落, 永不倒伏。
- 3) 刷丝排列整齐划一, 着地力均匀, 美观耐用。

独特的刷丝配方:

- 1) 增强型高强度聚合物刷丝, 硬度达到23 HRR, 耐寒低温脆化点-55℃, 耐磨度是普通塑料刷丝的3倍。
- 2) 高端产品采用优质回火镀锌65#锰钢丝压扁丝, 硬度高达44 HRC, 且韧性强, 弯曲强度高,

Product Features

Advanced production technology:

- 1) Independent intellectual property rights fully automatic production line, CNC punching and flocking at the same time to complete.
- 2) Structure is more solid, bristles have never fall off or collapsed.
- 3) Neat bristles, uniform contact with the ground, beautiful and durable.

Unique Bristles formula:

- 1) Enhanced high-strength polymer bristles, hardness of 23HRR, cold low temperature embrittlement point -55 °C, abrasion resistance is three times that of ordinary plastic bristles.
- 2) High-end products is made of high quality tempering galvanized 65 # MN flattened steel, hardness up to 41HRC, still strong and high bending strength.



欢迎提供图纸或样品定制专用产品

Welcome to provide drawings or samples to ordered special products

沃德刷业

ANHUI WORLD BRUSH CO., LTD

清扫车圆盘刷

WDYP系列圆盘刷-方刷

Disc brush--Branch combination



产品说明

Explanation

- 圆盘材质: 3.0mm深冲钢板
Material for Disc: 3.0mm Steel or Aluminum alloys
- 圆盘直径: 460mm、500mm
Disc diameter: 460mm、500mm
- 刷片倾角: 30°
Inclination: 30°
- 刷丝材质: 塑料丝、钢丝、塑料和钢丝混合
Material for bristles: POLY, steel wire, POLY and wire mix
- 钢丝规格: 回火65#锰钢丝、镀锌弹簧钢丝
Wire Specifications: Tempered 65#MN steel wire, Galvanized spring wire
- 直径: 0.4mm--2.0mm
Diameter: 0.4mm--2.0mm
- 塑料丝规格: 聚丙烯、PBT、PVC、尼龙
POLY Specifications: PP, PBT, PVC, NYLON
- 直径: 0.8mm--4.0mm
Diameter: 0.8mm--4.0mm
- 固定工艺: 热熔、注塑、冲压。
Fixation: Hot melt, plastic injection, Stamping

产品特点

先进的生产工艺:

- 1) 自主知识产权全自动生产线, 刷丝排列、热熔、注塑、分切同步完成。
- 2) 结构更牢固, 刷丝永不脱落, 永不倒伏。
- 3) 刷丝排列整齐划一, 着地力均匀, 美观耐用。

独特的刷丝配方:

- 1) 增强型高强度聚合物刷丝, 硬度达到23 HRR, 耐寒低温脆化点-55℃, 耐磨度是普通塑料刷丝的3倍。
- 2) 高端产品采用优质回火镀锌65#锰钢丝, 硬度高达44 HRC, 且韧性强, 弯曲强度高。



Product Features

Advanced production technology:

- 1) Independent intellectual property rights fully automatic production line, arranging bristles, hot molten, plastic injection and cutting at the same time to complete.
- 2) Structure is more solid, bristles have never fall off or collapsed.
- 3) Neat bristles, uniform contact with the ground, beautiful and durable.

Unique Bristles formula:

- 1) Enhanced high-strength polymer bristles, hardness of 23HRR, cold low temperature embrittlement point -55 °C, abrasion resistance is three times that of ordinary plastic bristles.
- 2) High-end products is made of high quality tempering galvanized 65 # MN steel, hardness up to 41HRC, still strong and high bending strength.



欢迎提供图纸或样品定制专用产品


Welcome to provide drawings or samples to ordered special products

沃德刷业

ANHUI WORLD BRUSH CO., LTD

条刷

WDTs系列条刷—钢带条刷
Steel strip brush



产品说明

Explanation


- 底部材质: 镀锌带钢
Material for Disc: Galvanized steel
- 底部宽度: 4mm-20mm
Bottom width: 4mm-20mm
- 底部高度: 4mm-20mm
Bottom height: 4mm-20mm
- 刷丝材质: 塑料丝、钢丝、塑料和钢丝混合
Material for bristles: POLY, steel wire, POLY and wire mix
- 钢丝规格: 不锈钢丝、镀锌(铜)弹簧钢丝、扁钢丝
Wire Specifications: Stainless steel wire, galvanized (copper) spring steel wire, flat wire
直径: 0.4mm--2.0mm
Diameter: 0.4mm--2.0mm
- 塑料丝规格: 聚丙烯、PBT、PVC、尼龙
POLY Specifications: PP, PBT, PVC, NYLON
直径: 0.2mm--4.1mm
Diameter: 0.2mm--4.1mm
- 固定工艺: 钢带锁紧.
Fixation: Steel belt locking

植毛条刷 Plastic strip brush

产品说明

Explanation

- 底部材质: 聚氯乙烯、聚丙烯、聚乙烯
Material for Bottom: PVC、PP、PE
- 底部高度: 12mm-80mm
Bottom Height:
- 底部宽度: ≤8mm
Bottom width: ≤8mm
- 刷丝材质: 塑料丝、钢丝、塑料和钢丝混合
Material for bristles: POLY, steel wire, POLY and wire mix
- 钢丝规格: 不锈钢丝、镀锌(铜)弹簧钢丝
Wire Specifications: Stainless steel wire, galvanized (copper) spring steel wire, flat wire
直径: 0.4mm--2.0mm
Diameter: 0.4mm--2.0mm
- 塑料丝规格: 聚丙烯、尼龙、PVC、聚乙烯
Bristles Specifications: PP, Nylon, PVC, PE
直径: 0.2mm--4.0mm
Diameter: 0.2mm--4.0mm
- 固定工艺: 植毛、穿插
Fixation: Flocking, interspersing



欢迎提供图纸或样品定制专用产品
Welcome to provide drawings or samples to ordered special products

沃德刷业

ANHUI WORLD BRUSH CO., LTD

清扫车刷辊

WDGSR系列刷—缠绕刷辊

Steel strip brush roll--Tube broom



产品说明

Explanation

管材质:	碳钢管
Material for steel tube:	Carbon steel pipe
管直径:	50mm——320mm
Tube Inner diameter:	50mm——320mm
刷外径:	50mm——1160mm
Broom diameter:	50mm——1160mm
刷丝材质:	塑料丝、钢丝、塑料和钢丝混合
Material for bristles:	POLY, steel wire, POLY and wire mix
钢丝规格:	波纹弹簧钢丝
Wire Specifications:	Ripple spring wire
	直径: 0.4mm--1.0mm
	Diameter: 0.4mm--1.0mm
塑料丝规格:	聚丙烯、PBT、PVC、尼龙
POLY Specifications:	PP, PBT, PVC, NYLON
	直径: 0.2mm--4.0mm
	Diameter: 0.2mm--4.0mm
固定工艺:	钢带锁紧并缠绕
Fixation:	Locking and Wrapped by steel strip

产品特点

先进的生产工艺:

- 1) 自主知识产权全自动生产线, 数控布丝、缠绕同步完成。
- 2) 结构更牢固, 刷丝永不脱落, 永不分叉倒伏。
- 3) 刷丝排列整齐, 着地力均匀, 美观耐用。

独特的刷丝配方:

- 1) 增强型高强度聚合物刷丝, 硬度达到洛氏23HRR, 耐寒低温脆化点-55℃, 耐磨度是普通塑料刷丝的3倍。
- 2) 高端产品采用优质波纹弹簧钢丝, 硬度高达41 HRC, 且韧性强, 弯曲强度高,

Product Features

Advanced production technology:

- 1) Independent intellectual property rights fully automatic production line, CNC arranging bristles and wrapping at the same time to complete.
- 2) Structure is more solid, bristles have never fall off or collapsed.
- 3) Neat bristles, uniform contact with the ground, beautiful and durable.

Unique Bristles formula:

- 1) Enhanced high-strength polymer bristles, hardness of 23HRR, cold low temperature embrittlement point -55 °C, abrasion resistance is three times that of ordinary plastic bristles.
- 2) High-end products is made of high quality ripple spring wire, hardness up to 41HRC, still strong and high bending strength.



欢迎提供图纸或样品定制专用产品

Welcome to provide drawings or samples to ordered special products



沃德刷业

ANHUI WORLD BRUSH CO., LTD

洗地机刷盘

WDPSZ系列刷--植毛刷辊

Plastic brush roll--Tube broom



产品说明

Explanation

- 刷盘材质: 聚丙烯、PVC、尼龙、聚乙烯
Material for ring: PP, PVC, NYLON
直径: 110mm——850mm
Tube Inner diameter: 110mm——850mm
刷外径: 110mm——1100mm
Broom diameter: 110mm——1100mm
刷丝材质: 聚丙烯、PET、PBT、钢丝、尼龙
Material for bristles: PP, steel wire, PET, PBT, NYLON
钢丝规格: 镀锌 (铜) 钢丝
Wire Specifications: Galvanized (copper) wire
直径: 0.4mm--1.0mm
Diameter: 0.4mm--1.0mm
塑料丝规格: 聚丙烯、PBT、PET、尼龙
POLY Specifications: PP, PBT, PET, NYLON
直径: 0.2mm--4.0mm
Diameter: 0.2mm--4.0mm
固定工艺: 机械植毛
Fixation: Flocking by machine

产品特点

先进的生产工艺:

- 1) 比利时进口全自动生产线, 数控钻孔、植毛同步完成。
- 2) 结构更牢固, 刷丝永不脱落, 永不分叉倒伏。
- 3) 刷丝排列整齐, 着地力均匀, 美观耐用。

独特的刷丝配方:

- 1) 增强型高强度聚合物刷丝, 硬度达到洛氏23HRR, 耐寒低温脆化点-55℃, 耐磨度是普通塑料刷丝的3倍。
- 2) 高端产品采用进口优质刷丝, 且韧性强, 耐磨损、弯曲强度高。

Product Features

Advanced production technology:

- 1) Independent intellectual property rights fully automatic production line, CNC punching and flocking at the same time to complete.
- 2) Structure is more solid, bristles have never fall off or collapsed.
- 3) Neat bristles, uniform contact with the ground, beautiful and durable.

Unique Bristles formula:

- 1) Enhanced high-strength polymer bristles, hardness of 23HRR, cold low temperature embrittlement point -55 °C, abrasion resistance is three times that of ordinary plastic bristles.
- 2) High-end products is made of high quality ripple spring wire, hardness up to 41HRC, still strong and high bending strength.

欢迎提供图纸或样品定制专用产品

Welcome to provide drawings or samples to ordered special products



沃德刷业

ANHUI WORLD BRUSH CO., LTD

大型植毛辊刷

Plastic brush roll--Tube broom



产品说明

Explanation

刷丝材质:	聚丙烯、PVC、尼龙、聚乙烯
Material for ring:	PP, PVC, NYLON
直径:	110mm——850mm
Tube Inner diameter:	110mm——850mm
刷外径:	110mm——1100mm
Broom diameter:	110mm——1100mm
刷丝材质:	聚丙烯、PET、PBT、钢丝、尼龙
Material for bristles:	PP, steel wire, PET, PBT, NYLON
钢丝规格:	镀锌（铜）钢丝
Wire Specifications:	Galvanized (copper) wire
直径:	0.4mm--1.0mm
Diameter:	0.4mm--1.0mm
塑料丝规格:	聚丙烯、PBT、PET、尼龙
POLY Specifications:	PP, PBT, PET, NYLON
直径:	0.2mm--4.0mm
Diameter:	0.2mm--4.0mm
固定工艺:	机械植毛
Fixation:	Flocking by machine

产品特点


先进的生产工艺:

- 1) 比利时进口全自动生产线，数控钻孔、植毛同步完成。
- 2) 结构更牢固，刷丝永不脱落，永不分叉倒伏。
- 3) 刷丝排列整齐，着地力均匀，美观耐用。
- 4) 各型号匹配卡扣，规格齐全。

Product Features

Advanced production technology:

- 1) Independent intellectual property rights fully automatic production line, CNC punching and flocking at the same time to complete.
- 2) Structure is more solid, bristles have never fall off or collapsed.
- 3) Neat bristles, uniform contact with the ground, beautiful and durable.
- 4) All models match the buckle, complete specifications.




欢迎提供图纸或样品定制专用产品

Welcome to provide drawings or samples to ordered special products

沃德刷业 ANHUI WORLD BRUSH CO., LTD

圆片扫刷自动化生产线

Automated production line of wafer sweep



我公司自主研发，拥有自主知识产权的国际一流自动化制刷生产线，该设备专门生产高端扫雪刷片，自动化程度高，操作检维修简便，产品品质好，产量大的优点。仅需四人操作，日产刷片900—1600片。电源：DC380V 50HZ，装机总功率：21KW 外形尺寸：5100*1900*4300

Our company independently developed a world-class automated brush production line with independent intellectual property rights. This equipment specializes in the production of high-end snow sweeping brush blades. It has the advantages of high automation, easy operation and maintenance, good product quality, and large output. Only four people are needed to operate, and the daily output of brushes is 900-1600. Power supply: DC380V 50HZ, total installed power: 21KW Dimensions: 5100*1900*4300

全塑料扫雪刷片自动化生产线

Full plastic snow brush automatic production line



我公司自主研发，拥有自主知识产权的国际最新自动化制刷生产线，该设备专门生产高端全塑料扫雪刷片，自动化程度高，操作检维修简便，产品品质好，产量大的优点。仅需二人操作，日产刷片900—1600片。电源：DC380V 50HZ，装机总功率：32KW 外形尺寸：6300*1900*4300

Our company independently developed the latest international automated brush production line with independent intellectual property rights. This equipment specializes in the production of high-end all-plastic snow sweeping brush blades. It has the advantages of high automation, easy operation, inspection and maintenance, good product quality, and large output. Only two people are needed to operate, and the daily output of brushes is 900-1600. Power supply: DC380V 50HZ, total installed power: 32KW Dimensions: 6300*1900*4300



欢迎提供图纸或样品定制专用产品

Welcome to provide drawings or samples to ordered special products

沃德刷业 ANHUI WORLD BRUSH CO., LTD

叉车刷

Forklift cleaning brush (mining out machine cleaning brush)
Strip brush



产品说明

Explanation

刷丝材质:	高强度聚丙烯
Material for ring:	PP,
刷丝直径:	3.0—4.0mm
Diameter:	3.0—4.0mm
单丝抗拉强度:	1100—1620N
Bristle tensile strength:	11000—1620N
尺寸规格:	L1500—2550mm
Size:	L1500—2550mm
Arrange number:	8—11
框架材料:	4.0冷轧板
Frame material:	4.0 Steel plate

产品特点

先进的生产工艺:

- 1) 全自动生产线，一次拉伸成型。
- 2) 结构更牢固，刷丝永不脱落，永不分叉倒伏。
- 3) 无拼接，无缝隙漏料。

Product Features

Advanced production technology:

- 1) Fully automatic production line, one-time stretch molding.
- 2) The structure is stronger and the brush wires will never fall off or fork or fall.
- 3) No splicing, no gaps and leakage of materials.




欢迎提供图纸或样品定制专用产品

Welcome to provide drawings or samples to ordered special products

沃德刷业 ANHUI WORLD BRUSH CO., LTD


高品质刷丝

High strength bristles
POLY bristle



采用高强度聚合物综合优良特性，120吨拉伸机器，完全纤维化。单丝直径1.2——4.0mm，3.0mm单丝抗拉强度1100—1620N。

It adopts high-strength polymer with comprehensive excellent properties, 120-ton stretching machine, and is completely fiberized. The diameter of monofilament is 1.2–4.0mm, and the tensile strength of 3.0mm monofilament is 1100–1620N. .



采用高强度聚合物综合优良特性，120吨拉伸机器，完全纤维化。单丝直径1.2——4.0mm，3.0mm单丝抗拉强度1100—1620N。 Galvanized steel wire, using heat treatment process, will never break.



65锰热处理压扁钢丝，抗拉伸强度2450N。硬度、韧性俱佳。

65Mn heat-treated flattened steel wire, tensile strength 2450N. Excellent hardness and toughness.

欢迎提供图纸或样品定制专用产品
Welcome to provide drawings or samples to ordered special products