



天津日标 专注工程机械五十年

TIANJIN RIBIAO FOCUS ON CONSTRUCTION MACHINERY FOR 50 YEARS

天津日标机械科技有限公司

TIANJIN RIBIAO MACHINERY TECHNOLOGY CO.,LTD.

地址:天津滨海高新区滨海科技园高新三路142号

Add: No.142, Hi-tech 3rd Road, Binhai Science Park, Binhai Hi-tech Area, Tianjin, China

电话Tel:022-59265530


邮箱E-mail:info@tjribiao.com

网址Web:www.tjribiao.com

国内销售Domestic Sales:022-26260065

出口销售Overseas Sales:+86-22-59265529

出口邮箱Overseas E-mail:export@ribiaomachinery.com



通过ISO9001: 2015国际质量体系认证
CERTIFIED BY ISO9001 QUALITY MANAGEMENT SYSTEM

日标机械 品质源于匠心

QUALITY WITH SPIRIT OF CRAFTSMANSHIP GUARANTEED

天津日标机械科技有限公司

TIANJIN RIBIAO MACHINERY TECHNOLOGY CO.,LTD.

齿轮传动装置专业制造商
Professional Manufacturer Of Gear Transmission Since 1995



日标机械 品质源于匠心
QUALITY WITH SPIRIT OF CRAFTSMANSHIP GUARANTEED



RIBIAO

日标机械 服务全球
RIBIAO MACHINERY GLOBAL SERVICES

- 50年工程机械行业生产制造经验
50 years of manufacturing experience in construction industry
- 全系列高端质量原装替代件适配300多款挖掘机
Complete range high-end replacement parts suitable for more than 300 excavator models
- 40多道精密加工工序保证产品质量稳定可靠
More than 40 precision machining processes guaranteed high reliable
- 200多台数控加工设备及自动化生产线确保产品100%良品率
More than 200 units CNC & Automatic assembly line guaranteed 100% quality Parts
- 全球40余家国内及海外代理商
More than 40 dealers in domestic and overseas market



公司简介 Company Profile

天津日标机械科技有限公司于2013年迁址天津滨海高新产业园区，注册资金5000万元（原天津日标工程机械配件有限公司，创始于1995年），是全国最早专业从事工程机械挖掘机减速机开发、生产、销售与服务集一体的生产型企业。生产的主要产品包括进口及国产大、中、小全系列吨位挖掘机的回转减速机总成、行走减速机总成及太阳轮、行星轮、行星架、行星轮轴、齿圈、齿盘、马达花键轴、驱动盘、马达壳、回转轮毂、回转立轴、端盖、轴套、垫圈等零部件。

公司位于天津滨海高新产业园区，距离天津机场、天津新港25公里，交通便利；企业占地20000m²，综合办公楼3000m²。经过30多年的发展和持续改进，企业具备一支成熟的技术、生产、销售及服务队伍，现有员工200余人；拥有CNC数控加工设备、热处理生产线、自动化总成组装检测线等自动化生产设备200多套。

30多年来公司秉承“日标机械 品质源于匠心”的质量理念严把产品质量关，为客户提供始终如一的优质、放心的产品，使“日标齿轮”品牌在市场上享有极高的知名度和美誉度。公司已通过ISO9001:2015质量体系认证。通过完善的代理商销售网络，日标产品畅销全国各地以及欧美、东南亚、中东、非洲、俄罗斯等海外市场30多个国家和地区。

今后企业将继续完善产品体系，与客户携手合作迎接新的更大的发展。

Founded in 1995 in Tianjin, China, with registration capital of RMB 50 Million, as a privately owned company, Tianjin Ribiao Machinery Technology Co.,Ltd. (originally named as Tianjin Ribiao Construction Machinery Parts Co., Ltd.), specializes in manufacturing and sales for imported & domestic brands excavator swing gearbox & final drive assembly and high quality replacement spare parts.

We produce swing gearbox(swing device) & final drive(travel reduction) ass'y and spare parts for multi-brand excavator covering Komatsu®, Caterpillar®, Hitachi®, Volvo®, Kobelco®, Doosan®, Hyundai®, JCB®, Sumitomo®, LiuGong®, XCMG® SANY® etc. Our main products are swing gearbox ass'y, final drive ass'y, sun gear, planetary gear, gear ring, shaft pinion, hub, planetary carrier, swing case, motor housing, cover, washer plate etc.

In 2013, Our company moved to the new factory located in Tianjin Binhai Hi-Tech Industrial Park which close to Beijing taking train like 30 minutes, nearby Tianjin Xingang port 25Km. New factory covers an area of 20,000m², have 2 floors of warehouse of 5,000m² and 3 floors of office space of 3,000 m², and have 200 employees. We have more than 200 CNC including gear machining facilities, heat treatment, testing facilities, automatic assembly line, automatic cleaning machine and surface treatment at new factory. Now the production capacity has reached 10,000 sets assembly and 700,000 pcs spare parts per year.

With the single-minded target of to be the high-end replacement parts for multi-brand excavator spare parts. We always walk in our way with "our strongest point is our quality with complete range" idea, consistently offer an unrivalled service to our customers, by way of competitive pricing, parts stockholding and fast delivery as well as technical support.



日标机械 品质源于匠心
QUALITY WITH SPIRIT OF CRAFTSMANSHIP GUARANTEED

我们的实力
OUR ABILITY



稳定可靠的齿轮热处理工艺

STABLE AND RELIABLE GEAR HEAT TREATMENT TECHNOLOGY




奥地利艾协林热处理设备
AUSTRIA AICHELIN HEAT TREATMENT FACILITY



技术开发R&D



技术改进Technology improvement



立式加工中心Vertical CNC



数控插齿机 CNC gear shaper



数控滚齿机CNC gear hobbing




齿轮检测仪 Gear inspection instrument



三坐标测量仪CMM



全自动高速滚齿机 Automatic high speed gear hobbing



高速数控滚齿机 High speed CNC gear hobbing




程控拉床 Programmed gear broaching




试验台 Testing



自动装配线 Automatic assembly line



数控端面外圆磨床 CNC external & end grinding



数控钻床 CNC drilling



数控内孔磨 CNC inner gear grinding



148-4695	276kg
行走马达安装孔 Final Motor Install Hole φ225 3-M16	
机架安装孔 FrameInstall Hole φ370 16-M20	
齿圈座安装孔 Final HousingInstall Hole φ497 16-M20	




148-4716	42kg
16-M20 Φ370/3M16 Φ225/14-M16 6-Φ16 Φ213	




7Y-1426	20kg
16-Φ22 Φ409	




209-5992	2.7kg
Z=14 Z=13 L=266	




CAT320C.CAT320D	
	45.75kg




CAT320C.CAT320D	
7Y-1432	11.14kg
3-Hole Z=17	




CAT320C.CAT320D	
61-6583	1.9kg
Z=13	Z=14 L205.5



CAT320C.CAT320D	
61-6585	3.42kg
Z=44 Φ65 X Φ161 X 27.5	




CAT320C.CAT320D	
7Y-0225	0.68kg
Φ47X57	




CAT320C.CAT320D	
	45.75kg




CAT320C.CAT320D	
7Y-1433	23.72kg
3-Hole Z=55	



CAT320C.CAT320D	
7Y-1430	2.62kg
Z=17 Φ40 X Φ91 X 88	



CAT320C.CAT320D	
7Y-1431	4.5kg
Z=30 Φ73 X Φ146 X 55	



CAT320C.CAT320D	
7Y-0223	1.48kg
Φ53 X 93	





日标机械 品质源于匠心
QUALITY WITH SPIRIT OF CRAFTSMANSHIP GUARANTEED

产品系列/安装结构图

PRODUCT SERIES / INSTALLATION STRUCTURE DIAGRAM

VOLVO

Swing gearbox Ass'y

回转减速器总成
高端替代件源于1995年
High Quality Replacement
Parts Since 1995



回转一级行星架总成
Planet carrier subassy (1st), Swing

VOLV0290

14547273 16.6kg



回转二级行星架总成
Planet carrier subassy (2nd), Swing

VOLV0290

14547280 43.26kg



回转减速器总成 (不带马达)
Swing gearbox Ass'y without motor

VOLV0290

14569767 310kg

回转马达安装孔 Swing Motor Install Hole $\Phi 38.1$ 20- $\Phi 18$
回转壳体安装孔 Swing Housing Install Hole $\Phi 52.0$ 14- $\Phi 22$
回转立轴尺寸 Shaft Pinion Gear dia $\Phi 237.7$ H=109 Z=15



回转一级行星架
Planet carrier (1st), Swing

VOLV0290

14547274 10.95kg

3-Hole Z=15



回转二级行星架
Planet carrier (2nd), Swing

VOLV0290

14547267 19.42kg

4-Hole Z=35



回转轮毂
Swing housing

VOLV0290

14547262 122kg

20-M16 $\Phi 38.1/14-\Phi 22$ $\Phi 52.0$



回转一级太阳轮
Sun gear (1st), Swing

VOLV0290

14547279 1.68kg

Z=23 Z=16 $\Phi 40$ X $\Phi 116.77$ X 35



回转二级太阳轮
Sun gear (2nd), Swing

VOLV0290

14547272 1.9kg

Z=15 $\Phi 35$ X $\Phi 80.64$ X 86



回转齿圈
Ring gear, swing

VOLV0290

14547266 35.2kg

Z=73 21- $\Phi 18$ 4- $\Phi 16$



回转一级行星轮
Planet gear (1st), Swing

VOLV0290

14547275 1.38kg

Z=24 $\Phi 57$ X $\Phi 121.3$ X 25



回转二级行星轮
Planet gear (2nd), Swing

VOLV0290

14547268 4.66kg

Z=28 $\Phi 52$ X $\Phi 138.8$ X 55



立轴
Shaft-pinion

VOLV0290

14547258 52kg

Z=15 Z=35 $\Phi 237.7$ X 109 X 397.5



回转一级行星轴
Planet shaft (1st), Travel

VOLV0290

14547277 0.64kg

$\Phi 45$ X 55.5





回转二级行星轴
Planet gear (2nd), Swing

VOLV0290

14547268 4.66kg



Z=28 $\Phi 52$ X $\Phi 138.8$ X 55



VOLV0290 Swing Ass'y



日标机械 品质源于匠心
QUALITY WITH SPIRIT OF CRAFTSMANSHIP GUARANTEED



回转轮毂半总成 Swing housing subass'y



回转轮毂 Swing housing



回转立轴
Shaft - pinion



回转齿圈
Ring gear,Swing



挖掘机齿轮配件系列

GEAR SERIES FOR EXCAVATORS



回转一级行星架总成部件
Planet carrier subass'y(1st),Swing



回转二级行星架总成部件
Planet carrier subass'y(2nd),Swing



回转一级+二级回转总成组合件
Planet carrier subass'y(1st+2nd),Swing



摆线齿轮系列
RV gear series




轮挖齿轮配件
Gear series,Wheel excavator



液压泵齿轮配件
Gear series,Hydraulic pump



QUALITY WITH SPIRIT OF CRAFTSMANSHIP GUARANTEED
Качество Ribiao Machinery — это высшее мастерство



行走齿圈
Ring gear, Travel



行走马达壳 Motor housing ,Travel



行走齿圈座 Hub, Travel



行走减速器盖 Cover,Travel



行走一级行星架总成部件
Planet carrier subass'y(1st),Travel



行走二级行星架总成部件
Planet carrier subass'y(2nd),Travel



行走三级行星架总成部件
Planet carrier subass'y(3rd),Travel



行走一级+二级+三级行走总成组合件
Planet carrier subass'y(1st+2nd+3rd),Travel

齿轮件
Gear series



行星轮轴
Planet shaft



行走马达花键轴
Drive shaft,Travel motor



挖掘机齿轮配件系列

GEAR SERIES FOR EXCAVATORS

适配品牌 · 适配机型



CAT306D
回转减速器总成
SWING GEARBOX ASS'Y



CAT307E
回转减速器总成
SWING GEARBOX ASS'Y



CAT307B
回转减速器总成
SWING GEARBOX ASS'Y



CAT313D
回转减速器总成
SWING GEARBOX ASS'Y



CAT318DL
回转减速器总成
SWING GEARBOX ASS'Y



CAT320C
回转减速器总成
SWING GEARBOX ASS'Y



CAT320D2
回转减速器总成
SWING GEARBOX ASS'Y



CAT325D / 329D
回转减速器总成
SWING GEARBOX ASS'Y



CAT336D
回转减速器总成
SWING GEARBOX ASS'Y



CAT345D / 349D
回转减速器总成
SWING GEARBOX ASS'Y





CAT349D2
回转减速器总成
SWING GEARBOX ASS'Y



CAT374F
回转减速器总成
SWING GEARBOX ASS'Y

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
CAT306D	Ø210	2-M12	Ø220.5	6-Ø17	Ø95.3	59	11	28
CAT307E	Ø203	6-Ø13	Ø290	18-Ø18	Ø117.7	67	12	49.5
CAT307B	Ø210	6-M12	Ø273	12-Ø17	Ø121	74	12	40.5
CAT313D	Ø243	12-Ø13	Ø290	14-Ø18	Ø156.3	60	13	81.5
CAT318DL	Ø243	12-Ø13	Ø350	13-Ø22	Ø134.8	85	11	100
CAT320C	Ø342	16-Ø18	Ø430	12-Ø26	Ø167.9	90	14	190
CAT320D2	Ø309	12-M12	Ø430	12-Ø26	Ø167.9	90	14	173
CAT325D.CAT329D	Ø226.3	4-M16	Ø430	16-Ø26	Ø209	90	12	312
CAT336D	Ø223.5	4-M16	Ø536	23-Ø26	Ø241	120	12	480
CAT345D.CAT349D	Ø372	16-Ø18	Ø430	10-Ø24	Ø209	90	12	257
CAT349D2	Ø224.15	4-M16	Ø430	10-Ø26	Ø209	90	12	251
CAT374F	Ø268.7	4-M16	Ø508	15-Ø26	Ø209	120	12	372

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型

KOMATSU

APPLICABLE MODELS



PC56
回转减速器总成
SWING GEARBOX ASS'Y



PC60-7 / PC75UU-2
回转减速器总成
SWING GEARBOX ASS'Y



PC70-8
回转减速器总成
SWING GEARBOX ASS'Y



PC120-6 / PC130-7
回转减速器总成
SWING GEARBOX ASS'Y



PC130-8MO
回转减速器总成
SWING GEARBOX ASS'Y



PC160-7
回转减速器总成
SWING GEARBOX ASS'Y



PC200-6 / PC220-6 (山推)
回转减速器总成
SWING GEARBOX ASS'Y



PC200-7 / PC210-7
回转减速器总成
SWING GEARBOX ASS'Y



PC200-8 / PC220-8
回转减速器总成
SWING GEARBOX ASS'Y



PC220-7
回转减速器总成
SWING GEARBOX ASS'Y



PC360-7
回转减速器总成
SWING GEARBOX ASS'Y




PC360-8MO
回转减速器总成
SWING GEARBOX ASS'Y



PC450-8
回转减速器总成
SWING GEARBOX ASS'Y

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
PC56	Ø199	6-M8	Ø248	8-Ø13.5	Ø83.64	59.8	10	24
PC60-7.PC75UU-2	Ø188	12-Ø12	Ø260	12-Ø18	Ø103.8	64	10	46
PC70-8	Ø213.5	12-Ø12	Ø260	9-Ø18	Ø104	70	10	50
PC120-6.PC130-7	Ø220	13-Ø13.5	Ø285	14-Ø17.8	Ø136.8	68.7	11	71.5
PC130-8MO	Ø220	13-Ø13.5	Ø284	15-Ø18	Ø136.8	68.7	11	71.5
PC160-7	Ø266	16-Ø13	Ø332	13-Ø22	Ø157.5	74	13	127
PC200-6.PC220-6	Ø294	18-Ø16	Ø430	12-Ø22	Ø177	92.5	15	165
PC200-7.PC210-7	Ø298	6-M10	Ø430	12-Ø22	Ø177	88.5	15	208
PC200-8.PC220-8	Ø298	6-M10	Ø430	12-Ø22	Ø178.3	88.3	13	208
PC220-7	Ø298	6-M10	Ø474	14-Ø21.5	Ø188.2	98.2	13	200
PC360-7	Ø388	10-M12	Ø580	12-Ø26	Ø220	104	13	357
PC360-8MO	Ø388	10-M12	Ø550	12-Ø26	Ø220	104	13	346
PC450-8	Ø388	10-M12	Ø550	17-Ø26	Ø227	135	13	420

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型

VOLVO

APPLICABLE MODELS



VOLVO55 / VOLVO60
回转减速器总成
SWING GEARBOX ASS'Y



VOLVO210
回转减速器总成
SWING GEARBOX ASS'Y



VOLVO240B / 240C / 250D / 250E
回转减速器总成
SWING GEARBOX ASS'Y



VOLVO290
回转减速器总成
SWING GEARBOX ASS'Y



VOLVO350D
回转减速器总成
SWING GEARBOX ASS'Y



VOLVO360B.360C
回转减速器总成
SWING GEARBOX ASS'Y



VOLVO380
回转减速器总成
SWING GEARBOX ASS'Y




VOLVO460 / VOLVO480
回转减速器总成
SWING GEARBOX ASS'Y



VOLVO700C
回转减速器总成
SWING GEARBOX ASS'Y

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
VOLVO55.VOLVO60	Ø225	6-M8	Ø250	7-Ø17	Ø100	70	12	38.5
VOLVO210	Ø270	8-M12	Ø360	11-Ø22	Ø194	91	13	189
VOLVO240B.240C.250D.250E	Ø381	16-Ø18	Ø520	14-Ø22	Ø246	103.2	15	276
VOLVO290	Ø381	20-Ø18	Ø520	14-Ø22	Ø237.7	109	15	310
VOLVO350D	Ø381	20-Ø18	Ø520	14-Ø22	Ø224	132.5	14	310
VOLVO360B.360C	Ø229.1	4-M16	Ø430	12-Ø26	Ø238.1	133	15	344
VOLVO380	Ø229.1	4-M16	Ø430	12-Ø26	Ø238	133	15	334
VOLVO460.VOLVO480	Ø270	8-M12	Ø360	13-Ø22	Ø199	104	14	180
VOLVO700C	Ø229.1	4-M16	Ø430	12-Ø26	Ø234	136	14	314

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型



EX60-5
回转减速器总成
SWING GEARBOX ASS'Y



EX120-3 / EX100-2 / EX120-2
回转减速器总成
SWING GEARBOX ASS'Y



EX120-5 / EX100-5
回转减速器总成
SWING GEARBOX ASS'Y



EX200-5
回转减速器总成
SWING GEARBOX ASS'Y



ZAXIS60
回转减速器总成
SWING GEARBOX ASS'Y



ZAXIS70
回转减速器总成
SWING GEARBOX ASS'Y



ZAXIS70-5G
回转减速器总成
SWING GEARBOX ASS'Y



ZAXIS120-6
回转减速器总成
SWING GEARBOX ASS'Y



ZAXIS120-6 / ZAXIS130K
回转减速器总成
SWING GEARBOX ASS'Y



ZAXIS200 / EX200-6
回转减速器总成
SWING GEARBOX ASS'Y



ZAXIS450(双马达)
回转减速器总成
SWING GEARBOX ASS'Y



ZAXIS870-3
回转减速器总成
SWING GEARBOX ASS'Y





ZAXIS890-5A
回转减速器总成
SWING GEARBOX ASS'Y

回转减速器总成-适用日立系列

SWING GEARBOX ASS'Y APPLICABLE TO HITACHI® SERIES

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
EX60-5	Ø200	8-Ø15	Ø260	10-Ø18	Ø117.9	63	12	55
EX120-3.EX100-2.EX120-2	Ø207	8-M10	Ø325	10-Ø22.5	Ø153	73	13	95
EX120-5.EX100-5	Ø207	7-M10	Ø325	10-Ø22.5	Ø153	73.5	13	97
EX200-5	Ø270	8-M12	Ø410	12-Ø22	Ø185.5	93	12	177
ZAXIS60	R103.5/R104	2-M12	Ø220	11-Ø17	Ø90	63	11	27.5
ZAXIS70	Ø207	8-Ø15	Ø260	10-Ø17	Ø117.9	63	12	55.5
ZAXIS70-5G	Ø251	8-M8	Ø260	10-Ø17	Ø117.9	63	12	51
ZAXIS120-6	Ø198	7-M10	Ø325	10-Ø22	Ø153	73.5	13	97
ZAXIS120-6.ZAXIS130K	Ø198	7-M10	Ø325	10-Ø22.5	Ø153.7	73	13	95
ZAXIS200.EX200-6	Ø285	8-M12	Ø410	12-Ø22	Ø184.4	93.5	13	172
ZAXIS450	Ø285	8-M12	Ø410	13-Ø24	Ø177.8	113.5	12	187
ZAXIS870-3	Ø386	12-Ø21	Ø480	14-Ø26	Ø230	146.5	14	392
ZAXIS890-5A	Ø356	12-M12	Ø500	14-Ø26.5	Ø230	137	14	345

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型

KOBELCO

APPLICABLE MODELS



SK60-5
回转减速器总成
SWING GEARBOX ASS'Y



SK60-8
回转减速器总成
SWING GEARBOX ASS'Y



SK75-8
回转减速器总成
SWING GEARBOX ASS'Y



SK135
回转减速器总成
SWING GEARBOX ASS'Y



SK140-8
回转减速器总成
SWING GEARBOX ASS'Y



SK200-6 / SK200-6E / SK210-6
回转减速器总成
SWING GEARBOX ASS'Y



SK200-8
回转减速器总成
SWING GEARBOX ASS'Y



SK200-8(超8) / SK210-8(超8)
回转减速器总成
SWING GEARBOX ASS'Y



SK250-8 / SK260-8
回转减速器总成
SWING GEARBOX ASS'Y



SK260-8(超8) / SK250-8(超8)
回转减速器总成
SWING GEARBOX ASS'Y



SK350-8 / SK330-8
回转减速器总成
SWING GEARBOX ASS'Y




SK460-8
回转减速器总成
SWING GEARBOX ASS'Y

回转减速器总成-适用神钢系列
SWING GEARBOX ASS'Y APPLICABLE TO KOBELCO® SERIES

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
SK60-5	Ø203	6-Ø13	Ø260	7-Ø17	Ø101.5	75	10	50
SK60-8	Ø199	6-M8	Ø220	8-Ø17	Ø83.64	59.8	10	27
SK75-8	Ø203	6-Ø13	Ø260	8-Ø17	Ø101.5	75	10	50.5
SK135	Ø240	10-Ø13	Ø305.5	10-Ø21.5	Ø138	75	11	77
SK140-8	Ø240	10-Ø13	Ø300	9-Ø21.5	Ø138	75	11	73
SK200-6.SK200-6E.SK210-6	Ø290	10-Ø15	Ø371	12-Ø21	Ø156.3	95	13	150
SK200-8	Ø290	11-Ø15	Ø371	13-Ø21	Ø159	98	13	156
SK200-8.SK210-8	Ø290	11-Ø15	Ø371	13-Ø21	Ø157.6	94	13	135
SK250-8.SK260-8	Ø340	16-Ø16	Ø430	14-Ø21	Ø189	110	11	213
SK260-8.SK250-8	Ø340	14-Ø15	Ø430	16-Ø21	Ø194.9	110	11	205
SK350-8.SK330-8	Ø386	12-Ø22	Ø470	14-Ø25	Ø262	118	16	366
SK460-8	Ø340	16-Ø16	Ø430	14-Ø21	Ø189	110	11	221

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice





目标机械 品质源于匠心
QUALITY WITH SPIRIT OF CRAFTSMANSHIP GUARANTEED

适配品牌 · 适配机型



APPLICABLE MODELS



DH55 / DH60
回转减速器总成
SWING GEARBOX ASS'Y



DH80 / DH80G
回转减速器总成
SWING GEARBOX ASS'Y



DH150-7
回转减速器总成
SWING GEARBOX ASS'Y



DH220-5
回转减速器总成
SWING GEARBOX ASS'Y



DH300-7
回转减速器总成
SWING GEARBOX ASS'Y



DH370LC-7
回转减速器总成
SWING GEARBOX ASS'Y



DH500
回转减速器总成
SWING GEARBOX ASS'Y



DX60
回转减速器总成
SWING GEARBOX ASS'Y



DX80 / 75
回转减速器总成
SWING GEARBOX ASS'Y



DX260
回转减速器总成
SWING GEARBOX ASS'Y



DX380
回转减速器总成
SWING GEARBOX ASS'Y




DX500-9C / 520-9C / 560
回转减速器总成
SWING GEARBOX ASS'Y

回转减速器总成-适用斗山、大字系列

SWING GEARBOX ASS'Y APPLICABLE TO DOOSAN® SERIES

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
DH55.DH60	Ø203	6-Ø13	Ø275	7-Ø17	Ø111.3	59.2	13	49
DH80.DH80G	Ø203	6-Ø13	Ø275	7-Ø17	Ø117.6	74	12	49.5
DH150-7	Ø260	10-Ø13	Ø290	9-Ø18	Ø149	73	10	84
DH220-5	Ø282	16-Ø14	Ø360	11-Ø22	Ø180	94	13	177
DH300-7	Ø282	16-M12	Ø430	12-Ø26	Ø232	110	14	318
DH370LC-7	Ø229.1	4-M16	Ø430	12-Ø26	Ø232	110	14	325.5
DH420	Ø353	16-Ø18	Ø430	12-Ø26	Ø232	110	14	327
DH500	Ø282	16-Ø14	Ø360	11-Ø22	Ø203	105	15	176.5
DX60	Ø210	2-M12	Ø220.5	6-Ø17	Ø117.5	59	14	29.5
DX80.75	Ø210	6-M12	Ø275	7-Ø17	Ø117.6	67	12	40.5
DX260	Ø344	14-Ø19	Ø430	12-Ø26	Ø232	98	14	270
DX380	Ø229.1	4-M16	Ø430	12-Ø26	Ø231	120.5	14	302
DX500-9C.520-9C.560	Ø282	16-Ø13	Ø360	13-Ø21.5	Ø203.6	105	15	185

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型

HYUNDAI

APPLICABLE MODELS



R60-7
回转减速器总成
SWING GEARBOX ASS'Y



R80-7
回转减速器总成
SWING GEARBOX ASS'Y



R150-7 / R130-5 / DH120
回转减速器总成
SWING GEARBOX ASS'Y



R150-9
回转减速器总成
SWING GEARBOX ASS'Y



R215VS
回转减速器总成
SWING GEARBOX ASS'Y



R225-7 / R210
回转减速器总成
SWING GEARBOX ASS'Y



R265-7 / R260LC-7 / R275-9
回转减速器总成
SWING GEARBOX ASS'Y



R305-7
回转减速器总成
SWING GEARBOX ASS'Y





R375-7 / R375-9 / R385-9
回转减速器总成
SWING GEARBOX ASS'Y



R455-7 / R500-7
回转减速器总成
SWING GEARBOX ASS'Y

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
R60-7	Ø203	6-Ø13	Ø275	7-Ø17	Ø111	59.3	13	54
R80-7	Ø203	6-Ø13	Ø275	7-Ø17	Ø107.6	78	11	53.5
R150-7.R130-5.DH120	Ø260	10-Ø13	Ø290	13-Ø18	Ø144	72.6	12	84
R150-9	Ø240	10-Ø13	Ø290	11-Ø18	Ø143	78.3	12	75
R215VS	Ø291	10-M10	Ø360	11-Ø22	Ø194	94	13	167
R225-7.R210	Ø306	12-Ø18	Ø360	10-Ø22	Ø193	90	13	176
R265-7.R260LC-7.R275-9	Ø337	12-Ø18	Ø460	9-Ø26	Ø219.6	105	13	267
R305-7	Ø344	13-Ø19	Ø520	15-Ø22	Ø238.5	110	15	309
R375-7.R375-9.R385-9	Ø353	16-Ø18	Ø430	12-Ø26	Ø237.6	135	15	310
R455-7.R500-7	Ø306	12-Ø18	Ø360	11-Ø21.5	Ø217.6	105.3	15	185

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型

SUMITOMO

KATO

CASE
CONSTRUCTION

JCB

APPLICABLE MODELS



HD512
回转减速器总成
SWING GEARBOX ASS'Y



HD820 / CLG230
回转减速器总成
SWING GEARBOX ASS'Y



HD820
回转减速器总成
SWING GEARBOX ASS'Y



HD1430
回转减速器总成
SWING GEARBOX ASS'Y



SH120
回转减速器总成
SWING GEARBOX ASS'Y



SH200A3
回转减速器总成
SWING GEARBOX ASS'Y



SH200
回转减速器总成
SWING GEARBOX ASS'Y



SH350-5 / CASE360
回转减速器总成
SWING GEARBOX ASS'Y



SH460 / CASE460
回转减速器总成
SWING GEARBOX ASS'Y



CASE210
回转减速器总成
SWING GEARBOX ASS'Y





JCB220
回转减速器总成
SWING GEARBOX ASS'Y

回转减速器总成-适用加藤、住友、凯斯、杰西博等系列

SWING GEARBOX ASS'Y APPLICABLE TO KATO® & SUMITOMO® & CASE® & JCB® SERIES

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
HD512	Ø242	8-Ø13	Ø290	9-Ø18	Ø133	74	11	72.5
HD820.CLG230	Ø302	14-Ø15	Ø360	11-Ø22	Ø192.1	94	13	164
HD820	Ø282	16-Ø14	Ø350	9-Ø22	Ø166	86	11	160
HD1430	Ø344	13-Ø19	Ø520	16-Ø22	Ø218.2	104	13	308
SH120	Ø242	8-Ø13	Ø290	9-Ø18	Ø147	64.5	12	71
SH200A3	Ø282	16-Ø14	Ø360	11-Ø22	Ø200.6	87.5	14	183
SH200	Ø282	16-Ø14	Ø360	11-Ø22	Ø200.6	87.5	14	182
SH280	Ø282	16-Ø14	Ø360	11-Ø22	Ø203.7	100	14	182
SH350-5.CASE360	Ø386	12-Ø22	Ø470	12-Ø26	Ø266	118	16	360
SH460.CASE460	Ø416	18-Ø18	Ø520	12-Ø25	Ø265.5	145	16	452
CASE210	Ø282	16-Ø14	Ø360	11-Ø22	Ø200.6	87.5	14	184
JCB220	Ø282	16-M12	Ø360	11-Ø22	Ø200	87.5	14	190

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型



SY75
回转减速器总成
SWING GEARBOX ASS'Y



SY135
回转减速器总成
SWING GEARBOX ASS'Y



SY155H
回转减速器总成
SWING GEARBOX ASS'Y



SY195-10/205-10/215C-10
回转减速器总成
SWING GEARBOX ASS'Y



SY215-8S
回转减速器总成
SWING GEARBOX ASS'Y



SY245 / SY265
回转减速器总成
SWING GEARBOX ASS'Y



SY335-9 / 375H
回转减速器总成
SWING GEARBOX ASS'Y



SY465 / XE470
回转减速器总成
SWING GEARBOX ASS'Y



SY485H
回转减速器总成
SWING GEARBOX ASS'Y




SY650
回转减速器总成
SWING GEARBOX ASS'Y

回转减速器总成-适用三一、临工、中联重科系列

SWING GEARBOX ASS'Y APPLICABLE TO SANY® &SDLG® & ZOOMLION® SERIES

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
SY75	Ø203	6-Ø13	Ø275.5	8-Ø17	Ø117.6	74	12	53
SY135	Ø240	10-Ø13	Ø290	9-Ø18	Ø137	75.5	11	76.5
SY155H	Ø247	16-Ø13	Ø290	9-Ø18	Ø138.2	75	11	92
SY195-10.215C-10.205C-10	Ø306	12-Ø18	Ø360	11-Ø22	Ø180.8	94	13	171
SY215-8S	Ø313	14-Ø17.5	Ø400	12-Ø22	Ø215	103.5	15	198
SY245.SY265	Ø313	14-Ø17	Ø400	13-Ø22	Ø210	100	12	201
SY335-9.SY375H	Ø224	4-M16	Ø484	14-Ø25	Ø223.7	120	11	323
SY465.XE470	Ø313	14-Ø17.5	Ø400	10-Ø22	Ø224.3	100.5	11	198
SY485H	Ø280	4-M16	Ø520	19-Ø25	Ø240	130	12	430
SY650	Ø224	4-M16	Ø484	14-Ø25	Ø223.7	120	11	337.5
E6400F	Ø280	4-M16	Ø430	12-Ø26	Ø237.8	133	15	349.5
E6505H	Ø313	14-Ø17.5	Ø400	10-Ø22	Ø224.3	100.5	11	198
ZE360E	Ø224	4-M16	Ø520	15-Ø25	Ø238	100.5	14	350

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice





目标机械 品质源于匠心
QUALITY WITH SPIRIT OF CRAFTSMANSHIP GUARANTEED

回转减速器总成-适用柳工、龙工系列
SWING GEARBOX ASS'Y APPLICABLE TO LIUGONG® & LONKING® SERIES

适配品牌 · 适配机型



APPLICABLE MODELS



CLG200
回转减速器总成
SWING GEARBOX ASS'Y



CLG200
回转减速器总成
SWING GEARBOX ASS'Y



CLG225
回转减速器总成
SWING GEARBOX ASS'Y



CLG360 / XE370
回转减速器总成
SWING GEARBOX ASS'Y



CLG908 / E685F
回转减速器总成
SWING GEARBOX ASS'Y




CLG925 / XE260 / 275
回转减速器总成
SWING GEARBOX ASS'Y



LG6225
回转减速器总成
SWING GEARBOX ASS'Y

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
CLG200	Ø282	14-Ø15	Ø360	11-Ø22	Ø192	94	13	156
CLG200	Ø282	14-Ø15	Ø360	11-Ø22	Ø181	94	13	155
CLG225	Ø302	14-Ø15	Ø360	11-Ø22	Ø180	94	13	165
CLG360.XE370	Ø224	4-M16	Ø484	14-Ø25	Ø236.4	110	14	322.5
CLG908.E685F	Ø242	4-M14	Ø275	5-Ø17.8	Ø120.7	73.5	12	53
CLG925.XE260.XE275	Ø224.15	4-M16	Ø400	13-Ø22	Ø215	103.5	15	198
LG6225	Ø282	16-Ø14	Ø360	11-Ø22	Ø192	94	13	168.6

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型



SWE35 / 45 / 50 (KYB)
回转减速器总成
SWING GEARBOX ASS'Y



SWE60 / 70 (KYB)
回转减速器总成
SWING GEARBOX ASS'Y



SWE80 (KYB) / CAT80
回转减速器总成
SWING GEARBOX ASS'Y



XG823 / 825
回转减速器总成
SWING GEARBOX ASS'Y



XE75D
回转减速器总成
SWING GEARBOX ASS'Y



XE135D
回转减速器总成
SWING GEARBOX ASS'Y



XE150D / 135
回转减速器总成
SWING GEARBOX ASS'Y



XE490D
回转减速器总成
SWING GEARBOX ASS'Y




XE700
回转减速器总成
SWING GEARBOX ASS'Y



XE900
回转减速器总成
SWING GEARBOX ASS'Y

适用型号 Applicable Machine Model	回转马达安装孔 Swing Motor Install Hole		回转壳体安装孔 Swing Housing Install Hole		回转立轴 大齿外径 Shaft Pinion Gear dia	回转立轴 齿高 Shaft Pinion Gear Height	回转立轴 齿数 Shaft Pinion No. Teeth	重量/kg Weight(kg)
	A		B		C	H	Z	
SWE35.45.50(KYB)	R104.R103	2-M12	Ø212	6-Ø15	Ø83	58	11	20.5
SWE60.70(KYB)	R103.R104	2-M12	Ø220	5-Ø17	Ø101.4	55.5	14	37.5
SWE80(KYB).CAT80	Ø242	4-M14	Ø275	5-Ø17.8	Ø117.5	73.5	14	55
XG823.825	Ø224.15	4-M16	Ø400	13-Ø22	Ø222	100	13	215
XE75D	Ø203	6-Ø13	Ø275	7-Ø17	Ø109.62	88	11	53
XE135D	Ø260	10-Ø13	Ø290	9-Ø18	Ø143	72.8	12	82.5
XE150D.135	Ø260	10-Ø13	Ø290	9-Ø18	Ø138	75	11	82
XE215	Ø224.15	4-M16	Ø400	13-Ø22	Ø215	103.5	15	198
XE490D	Ø453	20-Ø18	Ø520	19-Ø26	Ø240	130	12	393
XE700	Ø228.4	4-M16	Ø430	12-Ø26	Ø256.4	125	13	337
XE900	Ø229.1	4-M16	Ø430	12-Ø25.5	Ø256.9	125	13	330

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice





目标机械 品质源于匠心
QUALITY WITH SPIRIT OF CRAFTSMANSHIP GUARANTEED

适配品牌 · 适配机型



APPLICABLE MODELS



CAT320C / 320D
行走减速器总成
FINAL DRIVE ASS'Y



CAT324DL
行走减速器总成
FINAL DRIVE ASS'Y



CAT325B
行走减速器总成
FINAL DRIVE ASS'Y



CAT325D
行走减速器总成
FINAL DRIVE ASS'Y



CAT329D
行走减速器总成
FINAL DRIVE ASS'Y



CAT306E
行走减速器总成
FINAL DRIVE ASS'Y



CAT320D2 / 320E
行走减速器总成
FINAL DRIVE ASS'Y



CAT320
行走减速器总成
FINAL DRIVE ASS'Y



CAT330D
行走减速器总成
FINAL DRIVE ASS'Y



CAT336D2 / 340D2L
行走减速器总成
FINAL DRIVE ASS'Y



CAT336D
行走减速器总成
FINAL DRIVE ASS'Y




CAT345D / 349D
行走减速器总成
FINAL DRIVE ASS'Y

行走减速器总成-适用卡特系列

FINAL DRIVE ASS'Y APPLICABLE TO CAT® SERIES

适用型号 Applicable Machine Model	行走马达安装孔 Final Motor Install Hole		机架安装孔 Frame Install Hole		齿圈座安装孔 Final Housing Install Hole		重量/kg Weight(kg)
	A		B		C		
CAT320C.CAT320D	Ø225	3-M16	Ø370	16-M20	Ø496	16-M20	276
CAT324DL	Ø225	3-M16	Ø380	20-M20	Ø496	16-M20	274
CAT325B	Ø225	3-M16	Ø380	20-M20	Ø490	18-M20	299
CAT325D	Ø225	3-M16	Ø380	20-M20	Ø490	18-M20	291
CAT329D	Ø225	3-M16	Ø380	20-M20	Ø490	18-M20	277
CAT306E	Ø172	8-M10	Ø240	12-M14	Ø262	12-M14	43
CAT320D2.CAT320E	Ø225	3-M16	Ø370	16-M20	Ø496	16-M20	243
CAT320	Ø225	4-M16	Ø370	16-M20	Ø496	16-M20	268
CAT330D	Ø262	4-M16	Ø460	20-M24	Ø566	16-M24	431
CAT336D2.CAT340D2L	Ø262	4-M16	Ø460	20-M24	Ø566	16-M24	409
CAT336D	Ø262	4-M16	Ø460	20-M24	Ø568	16-M24	458
CAT345D.CAT349D	Ø301.5	4-M20	Ø490	20-M24	Ø625.5	20-M24	548

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型

KOMATSU

APPLICABLE MODELS



PC56
行走减速器总成
FINAL DRIVE ASS'Y



PC60-8 / 70-8
行走减速器总成
FINAL DRIVE ASS'Y



PC120-6
行走减速器总成
FINAL DRIVE ASS'Y



PC200-7
行走减速器总成
FINAL DRIVE ASS'Y



PC200-8MO
行走减速器总成
FINAL DRIVE ASS'Y



PC220-6 / 200-6
行走减速器总成
FINAL DRIVE ASS'Y



PC220-7
行走减速器总成
FINAL DRIVE ASS'Y



PC220-8MO / 240-8MO
行走减速器总成
FINAL DRIVE ASS'Y



PC300LC-8MO / 360-8MO
行走减速器总成
FINAL DRIVE ASS'Y



PC360-7
行走减速器总成
FINAL DRIVE ASS'Y




PC400-7
行走减速器总成
FINAL DRIVE ASS'Y

行走减速器总成-适用小松系列

FINAL DRIVE ASS'Y APPLICABLE TO KOMATSU® SERIES

适用型号 Applicable Machine Model	行走马达安装孔 Final Motor Install Hole		机架安装孔 Frame Install Hole		齿圈座安装孔 Final Housing Install Hole		重量/kg Weight(kg)
	A		B		C		
PC56	Ø156	7-M10	Ø220	12-M14	Ø262	12-M14	44
PC60-8.PC70-8	Ø182	8-M12	Ø250	12-M16	Ø300	12-M14	65
PC120-6	Ø180	8-M10	Ø280	20-M16	Ø364	15-M16	127
PC200-7	Ø224	4-M22	Ø362	18-M16	Ø506	20-M18	257
PC200-8MO	Ø224	4-M22	Ø362	18-M16	Ø505	20-M18	240
PC220-6.PC200-6	Ø262	12-M16	Ø362	18-M16	Ø506	20-M18	273
PC220-7	Ø224	4-M22	Ø362	18-M16	Ø506	20-M18	265
PC220-8MO.PC240-8MO	Ø224	4-M22	Ø362	18-M16	Ø506	20-M18	260
PC300LC-8MO.PC360-8MO	Ø250.5.Ø253	(7+1)-M20	Ø410	24-M20	Ø560	24-M20	450
PC360-7	Ø250	8-M20	Ø410	24-M20	Ø559.5	20-M20	441
PC400-7	Ø338	8-M20	Ø438	24-M20	Ø607	26-M20	542

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型

VOLVO

APPLICABLE MODELS



VOLVO120
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO140CL
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO210B
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO220D / 210D / 200D
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO240
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO250D
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO290
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO300D
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO360BLC
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO380
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO380 / 350D
行走减速器总成
FINAL DRIVE ASS'Y



VOLVO460 / 460B
行走减速器总成
FINAL DRIVE ASS'Y




VOLVO480D
行走减速器总成
FINAL DRIVE ASS'Y

行走减速器总成-适用沃尔沃系列

FINAL DRIVE ASS'Y APPLICABLE TO VOLVO® SERIES

适用型号 Applicable Machine Model	行走马达安装孔 Final Motor Install Hole		机架安装孔 Frame Install Hole		齿圈座安装孔 Final Housing Install Hole		重量/kg Weight(kg)
	A		B		C		
VOLVO120	Ø200	8-M14	Ø280	20-M16	Ø364	18(15+3)-M16	122.5
VOLVO140CL	Ø200	8-M14	Ø280	20-M16	Ø364	18(15+3)-M16	121
VOLVO210B	Ø262	12-M16	Ø340	30-M16	Ø440	22-M16	235.5
VOLVO220D.VOLVO210D.VOLVO200D	Ø262	12-M16	Ø340	30-M16	Ø450	22-M18	235.5
VOLVO240	Ø262	12-M16	Ø340	30-M16	Ø450	18-M18	278
VOLVO250D	Ø262	12-M16	Ø340	30-M16	Ø450	18-M18	281
VOLVO290	Ø310	6-M20	Ø425	20-M20	Ø490	16-M20	360
VOLVO300D	Ø310	6-M20	Ø415	22-M20	Ø460	22-M20	328
VOLVO360BLC	Ø309.5	6-M20	Ø425	26-M20	Ø490	24(16+8)-M20	360.5
VOLVO380	Ø310	6-M20	Ø425	26-M20	Ø490	24(16+8)-M20	359
VOLVO380.VOLVO350D	Ø310	6-M20	Ø425	26-M20	Ø500	24-M20	361.5
VOLVO460.VOLVO460B	Ø306	8-M16	Ø460	24-M20	Ø510	24-M20	359
VOLVO480D	Ø305	8-M20	Ø460	24-M20	Ø536	24-M22	473

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型



EX120-5
行走减速器总成
FINAL DRIVE ASS'Y



EX300-5
行走减速器总成
FINAL DRIVE ASS'Y



ZAXIS60
行走减速器总成
FINAL DRIVE ASS'Y



ZAXIS60
行走减速器总成
FINAL DRIVE ASS'Y



ZAXIS70
行走减速器总成
FINAL DRIVE ASS'Y



ZAXIS120-6
行走减速器总成
FINAL DRIVE ASS'Y



ZAXIS200
行走减速器总成
FINAL DRIVE ASS'Y



ZXIS200-3 / 200-5G
行走减速器总成
FINAL DRIVE ASS'Y



ZAXIS240-3 / 250-3
行走减速器总成
FINAL DRIVE ASS'Y



ZAXIS270-3 / 280-3
行走减速器总成
FINAL DRIVE ASS'Y



ZAXIS330-3
行走减速器总成
FINAL DRIVE ASS'Y



ZAXIS450
行走减速器总成
FINAL DRIVE ASS'Y



ZAXISZAXIS650/670
行走减速器总成
FINAL DRIVE ASS'Y




ZAXIS870-3 / 870-5 / 870-5G
行走减速器总成
FINAL DRIVE ASS'Y

行走减速器总成-适用日立系列

FINAL DRIVE ASS'Y APPLICABLE TO HITACHI® SERIES

适用型号 Applicable Machine Model	行走马达安装孔 Final Motor Install Hole		机架安装孔 Frame Install Hole		齿圈座安装孔 Final Housing Install Hole		重量/kg Weight(kg)
	A		B		C		
EX120-5	Ø240	9-M16	Ø320	14-M16	Ø396	16-M16	152
EX300-5	Ø275.5	4-M18	Ø430	20-M20	Ø530	20-M20	340
ZAXIS60	Ø159	8-M10	Ø220	12-M14	Ø262	12-M14	46.5
ZAXIS60	Ø174	6-M12	Ø240	12(9+3)-M14	Ø262	12(9+3)-M14	48
ZAXIS70	Ø180/R91	6(4+2)-M14	Ø278	10-M16	Ø365	12-M16	95
ZAXIS120-6	Ø215	8-M14	Ø320	14-M16	Ø396	16-M16	150
ZAXIS200	Ø250/R122	9(8+1)-M18	Ø370	16-M20	Ø465	16-M20	225.5
ZAXIS200-3.ZAXIS200-5G	Ø250/R122	9(8+1)-M18	Ø370	16-M20	Ø465	18-M20	225
ZAXIS240-3.ZAXIS250-3	Ø250/R122	9(8+1)-M18	Ø370	16-M20	Ø479.5	20-M20	238
ZAXIS270-3.ZAXIS280-3	Ø260	8-M20	Ø430	20-M20	Ø530	24-M20	334
ZAXIS330-3	Ø260	8-M20	Ø430	24-M20	Ø534	22-M22	354.5
ZAXIS450	Ø380	4-M18	Ø470	20-M22	Ø605	24-M22	455
ZAXIS650.ZAXIS670	Ø380	4-M18	Ø530	24-M27	Ø730	24-M27	672
ZAXIS870-3.ZAXIS870-5.ZAXIS870-5G	Ø380	4-M18	Ø530	24-M27	Ø730	24-M27	780

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型

SUMITOMO

KOBELCO

KATO

APPLICABLE MODELS



SH200
行走减速器总成
FINAL DRIVE ASS'Y



SH200A3 / SY200 / HD820-2 / 820-3
行走减速器总成
FINAL DRIVE ASS'Y



SH350-5 / CASE360
行走减速器总成
FINAL DRIVE ASS'Y



HD1430
行走减速器总成
FINAL DRIVE ASS'Y



SK140-8 / YC135-8
行走减速器总成
FINAL DRIVE ASS'Y



SK200-6E / 200-7
行走减速器总成
FINAL DRIVE ASS'Y



SK200-8
行走减速器总成
FINAL DRIVE ASS'Y



SK250-8
行走减速器总成
FINAL DRIVE ASS'Y




SK350-8 / SH350-3 / CLG936
行走减速器总成
FINAL DRIVE ASS'Y

行走减速器总成-住友、神钢、加藤等系列

FINAL DRIVE ASS'Y APPLICABLE TO KOBELCO® & SUMITOMO® & KATO® SERIES

适用型号 Applicable Machine Model	行走马达安装孔 Final Motor Install Hole		机架安装孔 Frame Install Hole		齿圈座安装孔 Final Housing Install Hole		重量/kg Weight(kg)
	A		B		C		
SH200	Ø238	5-M12	Ø340	30-M16	Ø440	22-M16	206
SH200A3.SY200.HD820-2.HD820-3	Ø271	10-M14	Ø340	30-M16	Ø440	22-M16	240
SH350-5.CASE360	Ø271	4-M14	Ø440	18-M24	Ø492	26-M20	315
HD1430	Ø260	3-M12	Ø440	18-M24	Ø472	24-M20	259
SK140-8.YC135-8	Ø200	10-M12	Ø280	20-M16	Ø364	15-M16	135
SK200-6E.SK200-7	Ø220	8-M16	Ø370	17-M20	Ø450	22-M18	214
SK200-8	Ø215	8(4+4)-M16	Ø340	30-M16	Ø440	26-M16	265
SK250-8	Ø271	10-M14	Ø340	30-M16	Ø440	30(22+8)-M16	226
SK350-8.SH350-3.CLG936	Ø251	10-M18	Ø440	18-M24	Ø492	26-M20	343

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型



APPLICABLE MODELS



DX300-7
行走减速器总成
FINAL DRIVE ASS'Y



DX340
行走减速器总成
FINAL DRIVE ASS'Y



DX380
行走减速器总成
FINAL DRIVE ASS'Y



DH215-9
行走减速器总成
FINAL DRIVE ASS'Y



DH220-5
行走减速器总成
FINAL DRIVE ASS'Y



DH225-7
行走减速器总成
FINAL DRIVE ASS'Y



DH258-7 / DX260
行走减速器总成
FINAL DRIVE ASS'Y




DH300-7
行走减速器总成
FINAL DRIVE ASS'Y



DH370
行走减速器总成
FINAL DRIVE ASS'Y

适用型号 Applicable Machine Model	行走马达安装孔 Final Motor Install Hole		机架安装孔 Frame Install Hole		齿圈座安装孔 Final Housing Install Hole		重量/kg Weight(kg)
	A		B		C		
DX300-7	Ø297.Ø267	6(4+2)-M20	Ø425	20-M20	Ø490	24-M20	307
DX340	Ø297.Ø267.6	6(4+2)-M20	Ø425	26-M20	Ø490	24-M20	304
DX380	Ø305	8-M20	Ø425	24-M24	Ø490	32-M20	332
DH215-9	Ø262	12-M16	Ø340	30-M16	Ø440	30(22+8)-M16	236
DH220-5	Ø262	12-M16	Ø340	30-M16	Ø440	33-M16	235
DH225-7	Ø262	9-M16	Ø340	30-M16	Ø440	30-M16	254
DH258-7.DX260	Ø262	9-M16	Ø371	20-M20	Ø450	26-M18	262
DH300-7	Ø310	12-M16	Ø425	20-M20	Ø490.5	24(16+8)-M20	328
DH370	Ø297.Ø267	6(4+2)-M20	Ø425	20-M24	Ø490.5	28-M20	332

上述内容如有变更，恕不另行通知，以厂家实际为准。
Specifications are subject to change for improvements without prior notice



适配品牌 · 适配机型

HYUNDAI



SUNWARD
山河智能

APPLICABLE MODELS



R150-9
行走减速器总成
FINAL DRIVE ASS'Y



R225-7
行走减速器总成
FINAL DRIVE ASS'Y



R225-9
行走减速器总成
FINAL DRIVE ASS'Y



R305-7
行走减速器总成
FINAL DRIVE ASS'Y



SY335-9
行走减速器总成
FINAL DRIVE ASS'Y



SY485H
行走减速器总成
FINAL DRIVE ASS'Y




SWE60 / 70 (550FKYB)
行走减速器总成
FINAL DRIVE ASS'Y

行走减速器总成-适用现代、三一、山河智能系列


FINAL DRIVE ASS'Y APPLICABLE TO HYUNDAI® & SANY® & SUNWARD® SERIES

适用型号 Applicable Machine Model	行走马达安装孔 Final Motor Install Hole		机架安装孔 Frame Install Hole		齿圈座安装孔 Final Housing Install Hole		重量/kg Weight(kg)
	A		B		C		
R150-9	Ø200	10-M12	Ø280	20-M16	Ø364	21-M16	135
R225-7	Ø262	9-M16	Ø340	30-M16	Ø440	30-M16	254
R225-9	Ø267	16-M12	Ø340	30-M16	Ø440	30-M16	234
R305-7	Ø310	12-M16	Ø440	18-M24	Ø492	26-M20	332
SY335-9	Ø271	4-M14	Ø440	18-M24	Ø472	24-M20	259
SY485H	Ø251	10-M18	Ø455	27-M24	Ø620	24-M24	590
SWE60.SWE70(550FKYB)	Ø174	6-M12	Ø240	9-M14	Ø262	9-M14	46





DEALER NETWORK COVERING THE WHOLE COUNTRY IS MORE CONVENIENT



库存充足
ENOUGH INVENTORY

