



GUANGZHOU JIARUI SEALS CO.,LTD

XINXING



GUANGZHOU JIARUI SEALS CO.,LTD

Tel: 86-020-32381136

Phine: 8615302478615

Email: djfseal@gmail.com

Website: djfseal.com

Address: 2nd Floor, Building A5, Liushe Industrial Zone,
Dongpu Zhu Village, Tianhe District, Guangzhou City,
Guangdong Province, China



GUANGZHOU JIARUI SEALS CO., LTD.

20⁺ Year

Industry Experience

Factory Floor space(m²): 5685
Offline Exhibition Exhibitors
Industry Brand Agency
Welcome to visit our factory!

R&D TEAM

OEM & ODM

ISO Certification



广州嘉瑞密封件有限公司

GUANGZHOU JIARUI SEALS CO.,LTD

CORPORATE CERTIFICATION



COMPANY PROFILE

Welcome to inquire

Guangzhou Jiarui Seal Co., Ltd. (DJF) as a professional seal kits manufacturer, has more than 5000 square meters of factory base, a number of production lines, factory management is ISO9001 international certification, all products will go through strict quality inspection process to ensure the high quality of products; Experienced R & D team can provide you with OEM ODM services, professional pre-sales and after-sales service team will provide you with solutions in 24 hours.

We also participate in the international exhibition of the industry every year, the company's qualification and strength are certified by the international organizer, welcome you to visit our booth during the exhibition, also welcome you to visit our factory! We will show you the latest seal kits.




17 years experience in hydraulic seals industry
2000 m² warehouse for common size of hydraulic seals
8000 m² workshop for producing PTFE/PU/TPU/Viton products


■ 展会 Exhibition Show



■ 展会 Exhibition Show



公司 About us



Guangzhou Jiarui Seal Co.,Ltd. as a professional seal kits manufacturer, has more than 5000 square meters of factory base, a number of production lines, factory management is ISO9001 international certification, all products will go through strict quality inspection process to ensure the high quality of products; Experienced R & D team can provide you with OEM ODM services



工厂 About us



More Than 20000+ Seals Kit for Miltple Brand Excavators

- Bucket Cylinder Seal Kit
- Boom Cylinder Seal Kit
- Arm Rod Cylinder Seal Kit
- Hydraulic Pump Seal Kit
- Travel Motor Seal Kit
- Rotary Center Joint Seal Kit
- Swing Motor Seal Kit
- Control Valve Seal Kit
- ADJ Seal Kit



Multiple Type Seal Kits for Hydraulic Breaker

Support OEM & ODM



Multiple Seal Kit for Bulldozer

Support OEM ODM



A Variety of Seals Kit for Loaders

Standard or OEM & ODM



Fit For Most Brand

CATERPILLAR

302.5	307C	312E	317N	320C LU	321D LCR	325BL	330C L	345D L	E180
302.5C	308B	313B	318B	320C S	322	325C	330C LN	350	E180
303 C CR	308C CR	314C LCR	318BL	320C U	322B	325C L	330D	350L	E200B
303.5	308D CR	315	318C	320D	322BL	325C LN	330D L	365	EL200B
303.5C CR	308D CR SB	315B	318C L	320D L	322C	325D	330D N	365B	E240
303CR	311	315B L	318C LN	320D LN	322C FM LGP	325D L	330L	375	EL240
304 C CR	311B	315C	320	320D LRR	322C L	325D LN	336D	375L	E240B
304.5	311C U	315C L	320B	320D RRR	322C LN	325L	336D L	385D	EL240B
304CR	312	315D L	320BL	320L	322L	325N	336D LN	E70B	E300
305 C CR	312B	315L	320C	320N	322N	330	345B	E110	EL300
305CR	312BL	317	320C L	320S	323D; 324D L	330B	345BL	E110B	E300B
307	312C	317B	320C LN	321B	325	330BL	345C	E120	EL300B
307B	312CL	317BL	320C LRR	321C LCR	325B	330C	345C L	E120B	

HITACHI

EX50U	EX200LC - 5	EX300H - 3	EX700	ZX130 K	ZA240 - 3G	ZX280 LCN	ZX360LC - 3	UH010
EX50UNA	EX210H - 5	EX300LCH - 3	EX700 H	ZX130 LCN	ZX240 H	ZX270 - 3	ZAX260 - 3G	UH012
EX50 UR	EX210LCH - 5	EX300 - 5	EX1000	ZX135US - 3	ZX240 LCH	ZAX270 - 3G	ZX450	UH016
EX55 UR	EX220	EX330 - 5	EX1100	ZX135USK - 3	ZX240 K	ZX330	ZX450 LC	UH035
EX55UR - 3	EX220 - 2	EX350 - 5	EX1200	ZX160 LC	ZX240 LCK	ZX330 LC	ZX450 H	UH045
EX100	EX220 - 3	EX370 - 5	EX1800	ZX160LC - 3	ZX250	ZX350 LC	ZX450 LCH	UH061
EX120	EX220LC - 3	(H, HD, K, & LC)	EX3500	ZX200	ZX250 LC	ZX350 LCH	ZX460 LCH	UH083
EX120 - 2	EX220 - 5	EX400	ZX35U - 2	ZX200 LC	ZX250 LCN	ZX350 H	ZX480 MT	UH083 LC
EX120 - 5	EX220LC - 5	EX400LC	ZX50U	ZX210	ZX250LC - 3	ZX350 K	ZX480 MTH	UH107
EX120K - 3	EX230 - 5	EX400H	ZX50U - 2	ZX210 LC	ZX250LCN - 3	ZX350 LCK	ZX450 - 3	UH122
EX130H - 5	EX230LC - 5	EX400LCH	ZX50U - 3	ZX210 LCH	ZX250H - 3	ZX370	ZX450LC - 3	UH122 LC
EX150	EX230H - 5	EX400 - 3	ZX50U - 3F	ZX210 K	ZX250LCH - 3	ZX370 MTH	ZX470H - 3	UH123
EX150LC - 5	EX230LCH - 5	EX400LC - 3	ZX50U - 3U	ZX210 LCK	ZX250K - 3	ZX330 - 3	ZX470LCH - 3	UH172
EX160LC - 5	EX270	EX400H - 3	ZX60	ZX210 N	ZX250 LCK	ZX330LC - 3	ZX470LC - 5B	UH181
EX200	EX270LC	EX400LCH - 3	ZX70	ZX240	ZX - 250LC - 3	ZAX330 - 3G	ZX500LC - 3	UHS01
EX200 LC	EX270 - 5	EX400 - 3C	ZX70LC	ZX200 - 3	ZX250LCN - 3	ZX350LC - 3	ZX520LCH - 3	
EX200 - 2	EX270LC 5	EX400LC 3C	ZX80	ZX210LC 3	ZX250 H - 3	ZX350 LCN 3	ZX800	
EX200LC - 2	EX280H - 5	EX450H - 3C	ZX80 LCK	ZX225US - 3	ZX250LCH - 3	ZX350H - 3	ZX850 H	
EX200 - 3	EX280LCH - 5	EX450LCH - 3C	ZX80SB	ZX225USLC - 3	ZX250K - 3	ZAX350 - 3G	ZX870H - 3	
EX200LC - 3	EX300	EX400 - 5	ZX80SBLC	ZX230	ZX250LCK - 3	ZX350LCH - 3	UH07 - 3	
EX200H - 3	EX300LC	EX400LC - 5	ZX120	ZX230 LC	ZX270	ZX350K - 3	UH07 - 5	
EX200LCH - 3	EX300 - 3	EX450LC - 5	ZX120 E	ZX240 - 3	ZX270 LC	ZX350LCK - 3	UH07 - 7	
EX200 - 5	EX300LC - 3	EX450LCH - 5	ZX130 H	ZX240LC - 3	ZX280 LC	ZX350LC - 5N	UH009	

KOMATSU

PC05 - 5	PC35MR - 2	PC75UU - 3	PC150 - 1	PC200LC - 7	PC220LC - 6	PC280LC - 3	PC340NLC - 6K	PC600LC - 6
PC05 - 6	PC35MRX - 1A	PC78MR - 6	PC150 - 3	PC200LC - 6	PC220LC - 6LC	PC290LC - 6K	PC340NLC - 7K	PC600LC - 6A
PC10 - 5	PC35R - 8	PC78US - 5	PC150 - 5	PC200LC - 6LE	PC220LC - 6LE	PC290LC - 7K	PC350 - 6	PC600LC - 6K
PC10 - 6	PC38UU - 1	PC78US - 6	PC150 - 6K	PC200LC - 7L	PC220LC - 7	PC290NLC - 6K	PC350 - 7	PC600LC - 7
PC10 - 7	PC40 - 5	PC80 - 3	PC150LC - 6K	PC200LC - 7 - US	PC220LC - 7L	PC290NLC - 7K	PC350 - 8	PC600LC - 8
PC12R - 8	PC40 - 6	PC80LC - 3	PC150LC - 3	PC200LC - 8	PC220LC - 8	PC300 - 3	PC360LC - 3	PC650 - 1
PC12UU - 1	PC40 - 7	PC90 - 1	PC160 - 6K	PC200LC - 8E0	PC228USLC - 1	PC300LC - 3	PC360 - 7	PC650 - 3
PC15 - 1	PC40MR - 1	PC95R - 2	PC160LC - 7	PC210 - 3	PC228USLC - 2	PC300 - 5	PC360 - 8	PC650 - 5
PC15 - 2	PC40MRX - 1	PC100 - 1	PC160LC - 7 - E0	PC210LC - 3	PC228USLC - 3	PC300LC - 5	PC400 - 3	PC650 - 7
PC15 - 3	PC40MR - 2	PC100 - 2	PC160LC - 7K	PC210 - 6	PC228USLC - 3E0	PC300 - 6	PC400LC - 3	PC710 - 5
PC15R - 8	PC40R - 8	PC100 - 3	PC160LC - 7K - KA	PC210 - 6K	PC228USLC - 3E0	PC300 - 7	PC400 - 5 L/S	PC750 - 6
PC20 - 5	PC45 - 1	PC100 - 5	PC160LC - 8	PC210 - 7K	PC228USLC - 3S	PC300HD - 7E0	PC400 - 5	PC750SE - 6
PC20 - 6	PC - 45MR - 3	PC100 - 6	PC180LC - 6K	PC210LC - 6	PC228USLC - 8	PC300HD - 7L	PC400LC - 5	PC800 - 6
PC20 - 7	PC45MRX - 1	PC100L - 3	PC180LC - 7K	PC210LC - 6K	PC228USLC - 8	PC300HD - 8	PC400 - 6	PC800 - 7
PC20MRX - 1	PC45R - 8	PC100L - 5	PC180NLC - 6K	PC210LC - 7K	PC230 - 6	PC300LC - 7	PC400 - 7	PC800SE - 6
PC20R - 8	PC50MR - 2	PC100U - 3	PC180NLC - 7K	PC210LC - 8K	PC240 - 6K	PC300LC - 7E0	PC400LC - 7	PC1000 - 1
PC25 - 1	PC50UU - 1	PC120 - 3	PC200 - 1	PC210NLC - 7K	PC240LC - 6K	PC300LC - 7L	PC400 - 7E0	PC1000SE - 1
PC25R - 8	PC50UU - 2	PC120 - 5	PC200 - 2	PC220	PC240LC - 7K	PC300LC - 8	PC400LC - 7E0	PC1000SP - 1
PC27MR - 2	PC60 - 5	PC120 - 6	PC200 - 3	PC220LC	PC240NLC - 6K	PC300LL - 7E0	PC400LC - 7L	PC1250 - 7
PC27MRX - 1	PC60 - 6	PC128US - 2	PC200LC - 3	PC220 - 2	PC240NLC - 7K	PC300LL - 7L	PC400LC - 8	PC2000 - 8
PC27R - 8	PC60 - 7	PC128 UU	PC200 - 5	PC220LC - 2	PC240 - 8	PC308USLC - 3	PC450 - 6	
PC28UU - 1	PC60L - 5	PC128UU - 2	PC200LC - 5	PC220 - 3	PC250LC - 6	PC308USLC - 3E0 - W1	PC450 - 6K	
PC30 - 5	PC60L - 6	PC130 - 6	PC200 - 6	PC220LC - 3	PC270 - 8	PC340 - 6K	PC450 - 7K	
PC30 - 6	PC60U - 5	PC130 - 7K	PC200 - 6S	PC220 - 5	PC270LC - 7L	PC340LC - 6K	PC450LC - 6K	
PC30 - 7	PC75UU - 1	PC138USLC - 2	PC200LC - 6S	PC220LC - 5	PC270LC - 8	PC340LC - 6K	PC450LC - 7K	
PC30MRX - 1	PC75UU - 2	PC138USLC - 8	PC200 - 7	PC220 - 6	PC270LL - 7L	PC340LC - 7K	PC600 - 6	

KOBELCO

SK70SR - 1E	SK115SRDZ - 1E	SK135SRLC - 1E	SK200 - 5	SK210LC - 6E	SK235 SRLC	SK260LC - 8	SK330 - 6E
SK70SR - 1ES	SK120	SK135 - 8	SK200SR	SK210LC - 8	SK235SRLC - 1E	SK290 LC	SK330 - 8
SK75SR	SK120LC	SK150	SK200 - 6	SK220 III	SK235SRLC - 1ES	SK290LC - 6E	SK330LC
SK75 - 8	SK120 - 1	SK150LC	SK200 - 6ES	SK220LC III	SK235SRLC - 2	SK300 III	SK330LC IV
SK80 CS	SK120 - 3	SK150 LC III	SK200 - 8	SK220 IV	SK250 IV	SK300 IV	SK330LC - 6E
SK80CS - 1E	SK120 - 5	SK150LC IV	SK200LC	SK220LC IV	SK250 - 8	SK300LC III	SK350 - 8
SK80MSR	SK120 - 6	SK160LC	SK200LC III	SK230 - 6	SK250 - 超8	SK300LC IV	SK350LC - 8
SK80MSR - 1E	SK135 SR	SK135WD - 5	SK200LC IV	SK230 - 6E	SK250 LC	SK310 III	SK350 - 超8
SK80MSR - 1ES	SK135SR - 1E	SK160LC IV	SK200LC V	SK235SR	SK250LC IV	SK310 LC III	SK400LC III
SK100	SK135 SRL	SK160LC - 6E	SK200LC - 6	SK235SR - 1E	SK250LC - 6E	SK320 III	SK400LC IV
SK115DZ IV	SK135SRL - 1E	SK200 - 1	SK210 IV	SK235SR - 1ES	SK250NLC IV	SK320LC III	SK460 - 8
SK115 SRDZ	SK135 SRLC	SK200 - 3	SK210 LC	SK235SR - 2	SK260	SK330 IV	SK460超8

SUMITOMO

SH60	SH200 A1	SH220 A1	SH300 A1	SH350 A2	SH400 A3	LS1600 FJ	LS2650 F2	LS5600 FJ
SH75	SH200 A2	SH220 A2	SH300 A2	SH350 A3	SH450 A1	LS1600 F2	LS2800 FJ	
SH120 A1	SH200 A3	SH220 A3	SH300 A3	SH350 - 5	SH450 A2	LS2600 FJ	LS2800 F2	
SH120 A2	SH210 A3	SH240 A3	SH300 - 5	SH400 A1	SH450 A3	LS2600 F2	LS3400 FJ	
SH120 A3	SH210 - 5	SH240 - 5	SH350 A1	SH400 A2	SH450 - 5	LS2650 FJ	LS4800 FJ	

KATO

HD250 - 5/7	HD450 - 5/7	HD550G	HD700 - 5/7	HD820 - 1/2/3	HD900 - 5/7	1/2/3	HD1430 -	HD1880 - 5/7
HD400 5/7	HD512/ 513	HD550 5/7	HD800 5/7	HD823 1/2/3	HD1023	HD1250 5/7	1/2/3/5	HD2045 1/2/ 3

DAEWOO

DH55 - 7	DH150 - 5/7	DH220 - 9	DH300 - 5/7	DH370 - 9	DX60	DX120	DX300	DX420 0
DH60 - 7	DH220 - 5/7	DH225 - 9	DH330 - 7	DH420 - 7	DX75	DX150	DX345	DX50 0
DH80 - 7	DH225 - 7	DH258 - 5/7	DH360 - 7	DH500 - 7	DX80	DX260	DX380	DX70 0
DH130 - 5/7	DH215 - 9	DH280 - 5/7	DH370 - 7					

HYUDAI

R55 - 7	R80 - 9	R150 - 7	R210 - 5	R215 - 9	R260 - 7	R305 - 7	R335 - 9	R455 - 7
R60 - 7	R110 - 7	R150 - 9	R220 - 3/5	R225 - 7	R265 - 7	R305 - 9	R375 - 7	R495 - 9
R60 - 9	R130 - 5/7	R200 - 3/ 5	R215 - 7	R225 - 9	R275 - 9	R335 - 7	R385 - 9	R505 - 7
R80 - 7	R130W - 5/7	R210 - 3						

VOLVO

EC55	EC160 C L	EC210 C N	EC240B LR	EC280	EC290C LD	EC340	EC360C HR	EC460B LR
EC60	EC160C NL	EC210C NL	EC240B NLC	EC290B FX	EC290C LR	EC360	EC360C L	EC460C HR
EC140B LC	EC200B	EC230B	EC240C L	EC290B LC	EC290C NL	EC360B LC	EC360C LD	EC460C L
EC140B LCM	EC210B	EC240B	EC240C LD	EC290B LR	EC290B LC	EC360B LR	EC360C NL	EC460C LD
EC160B LC	EC210 C L	EC240B FX	EC240C LR	EC290B NLC	EC330C L	EC360B NLC	EC460B LC	EC480LC
EC160B NLC	EC210C LR	EC240B LC	EC240C NL	EC290C L	EC330C LD			

LIEBHERR

R900 C - LI	R904 C HD - SL	R912 HD - SL	R914 B HD - SL	R932 HD - SL	R934 HD - SL	R942 HD - SL	R944 HD - SL	R954 HD
R900 C HD - S LI	2000 LI	R912 LC	R924 B HD - SL LI	R934 B	R934 C HD - S	R944 B	R954 B	R964 C
R900 C HD - SL LI	R904 C - HD - SL	R914 B	R924 Compact	R934 C	R934 C HD - SL	R944 C	R954 C	
R904 C - LI	2250 LI	R914 B HD - S	R932 EW	R934 EW				

FH HITACHI

FH120	FH130 - 2	FH150 - 1	FH150 - 2	FH200 - 1	FH200 - 3	FH220 - 2	FH300 - 1	FH300 - 3
FH130 - 1	FH130 - 3	FH150 - 1W	FH150 - 3	FH200 - 2	FH220 - 1	FH220 - 3	FH300 - 2	

JCB

JS85	JS130	JS210	JS220	JS230	JS240	JS290	JS360	JS370	3CX
------	-------	-------	-------	-------	-------	-------	-------	-------	-----

SANY

SY55	SY75	SY115	SY195	SY225	SY265	SY335	SY385	SY465
SY60	SY85	SY135	SY205	SY235	SY305	SY355	SY420	SY700
SY65	SY95	SY155	SY215					

LIUGONG

CLG907	CLG916	CLG920	CLG922	CLG926	CLG927	CLG933	CLG936	CLG948
CLG908	CLG918	CLG921	CLG925					

More Models

Case, Bobcat, Yanmar, Kubota, Takeuchi, Atlas, Lonking, Yuchai, XGMA, SUNWORD, Yamazō, FOTON, Lovol, Kaiyuan, Kyoshi, SDLG, Pengpu, XCMG, WORLD, JONYANG...



Breaker seal kit



Rock Breaker seal kits



HB-20G U801 //



B-10G



3 HB-30G



4 HB200



5 HB700



6 HB2200



HB-F6



8 HB-F22 U801

9 DMB2100



10 DMB500



11 TNB 7E



12 TNB 151LU



13 TNB 230LU



14 MSB 250



15 MSB 500



16 MSB 600

专 注 研 究 开 发 各 种 工 具 及 配 件

注释：所有 制造 名称、型号、标志、包装及品名只供参考。
All Original Manufacturer's Name, Part No., Logo, Package And Description For Reference Purposes Only.

Breaker seal kit



Rock Breaker seal kits



17 SB81



18 SB40



19 SB5G



20 SB121



22 HM380



21 HM360



HM720



24 HM960

25 RHB323



26 HM2180



27 MB1000



28 MB1200



29 MB1500



30 NPK7X



31 NPK10XB



32 FINE20

专 注 研 究 各 种 工 具 磨 具 配 件

注释：所有原厂制造商之名称、型号、标志、包装及品名只供参考。
All Original Manufacturer's Name, Part No., Logo, Package And Description For Reference Purposes Only.

High Quality
More Effective
More Innovative



BACKHOE LOADER SEAL KITS

JCB 3DX SEAL KIT



JCB 3DX 550/4212



JCB 3DX 333/Y923S



JCB 3DX 332/Y640



JCB 3DX 550/42085



JCB 3DX 550/42098



JCB 3DX 550/41004



JCB CDX 550/42835



JCB 3DX 332/Y6519



JCB 3DX 550/42B42



JCB CDX 550/42855



JCB 3DX 332/Y6023



JCB 3DX 650/42B49



JCB 3DX SEO/43774



JCB 3DX 650/42098



JCB 3DX332/Y6462



Part No. JCB 99 1/00103P



Part No. JCB 99 1/00147 P



JCB 3DX 550/42383



JCB 3DX 550/30079



JCB 3DX 550/41 004



Part No. JCB 99 1/00 152P



Part No. JCB 99 1/00 156



JCB 3DX 550/42849



JCB 3DX 550/421 26



JCB 3DX 550/42842



Part No. JCB99 1/20021



Part No. JCB 99 1/2002 2



JCB 3DX 332/Y5599



JCB 3DX ISO/42835



BD—525R SEAL KIT



Part No. JCB 991/2Q023



Part No. JCB 991/2003Q



EX200 (WIPRO) TD 00716/49



EX200 (WIPRO) TD 00718/40



EX60 (WIPRO) TD 00600/35



EX100(WIPRO) TD00752/40



EX60(WIPRO) TC00599/36



EX100(WIPRO) TD00749/46



EX60 (WIPRO) TC 00601/36



EX100/200 TE02409



EX200 (NEW) TD 20607/43



EX200 (WIPRO) TD 00719/41



EX200 (NEW) TD 20604/40



EX200D/Y (NEW) TE 21569



EX200 D/Y(NEW) TE 21567



EC240 BUCKET KIT



JCB 210 BUCKET KIT



JCB 210 BOOM KIT

注释: 制 名称、标志、
All Original Manufacturer's Name, Part No., Logo, Package And Description For Reference Purposes Only.

excavator seal kit



PC71 CLY SEAL KIT



PC130-7 CLY SEAL KIT



PC200-6 BUCKET SEAL KIT



PC200-6 BOOM SEAL KIT



PC300-7 BOOM SEAL KIT



R20-7 BUCKET SEAL KIT



CAT E320C BOOM SEAL KIT



CAT E320C BOOM SEAL KIT



CAT E320C BOOM KIT (SKF)



CAT E320D BOOM SEAL KIT

crane seal kit



SANY-25TQJ
Crane Vertical Cylinder seal kit



SANY-25T
Crane Luffing Cylinder seal kit



SANY-25T
Crane Second Extend Cylinder seal kit



SANY-51T
Crane First Extend Cylinder seal kit



SANY-48m
混凝土泵车伸臂油封
Concrete Pump Truck
Extend Cylinder seal kit



SANY-70m
混凝土泵车摆臂油封
Concrete Pump Truck
Horizontal Cylinder seal kit



SANY-90m
混凝土泵车主油缸油封
Concrete Pump Truck Main
Cylinder seal kit




ZOOMLION-50m
混凝土泵车伸臂油封
Concrete Pump Truck
Extend Cylinder seal kit



ZOOMLION 60-90m
混凝土泵车摆缸油封
Concrete Pump Truck
Horizontal Cylinder seal kit



ZOOMLION-461K
混凝土泵车主油缸油封
Concrete Pump Truck
Main Cylinder seal kit



CRANE SEAL KIT

Control Valve Seal Kit



CONTROL VALVE SEAL KIT 分配阀修理包

Accurate dimensions of O-ring kits for Excavator machines
Complied with International standards
NBR materials O-Rings.
Welcome to the OEM orders from over the world.



O-RING

UP TO 100%

Used for O-rings such as oil pipejoints, multi way valve covers, hydraulic pump inlet pipes etc. on excavator machines



BUILT FOR LOW TEMPERATURE



FEATURES:

- General purpose rod seal
- Robust design
- Excellent wear resistance
- Increase seal stability
- Primary lip protection
- Easy to install

OPERATING CONDITIONS:

For easy installation and excellent low temperature performance.

-50°C 110°C
-55°F -230°F

HYDRAULIC PUMP SEAL KIT 液壓泵修理包

Accurate dimensions of O-ring kits for Excavator machines
Complied with International standards
NBR materials O-Rings.
Welcome to the OEM orders from over the world.




OUR MISSION IS TO PRODUCE O-RING

Not only meet customer needs,
but exceed customer expectations



O-RING





NO1

KING OF MAINTENANCE

DESIGNED FOR MAINTENANCE AFTER-SALES
(MAINTENANCE-ENHANCED)

FEATURES:

- General purpose rod seal
- Robust design
- Excellent wear resistance
- Increase seal stability
- Primary lip protection
- Easy to install


OPERATING CONDITIONS:

Especially suitable for mining and other harsh working conditions.



专业工程机械油封, 品质保证。
Professional engineering machinery
seal, quality assurance.

Buffer Ring
Rod Seal & Backup Ring
Dust Wiper Seal






SPGO Piston seal

Material: F-PTFE+NBR

Special order: Require for other size or material, please contact us for further discussion about new mould and price




Nominal size of Packing, and Housing dimensions						GDK Item No.
No.	D	d	h	H	C	
50	36	5.9	6.3	5		GD21110
55	41	5.9	6.3	5		GD21120
60	46	5.9	6.3	5		GD21120
65	51	5.9	6.3	5		GD21140
70	56	5.9	6.3	5		GD21150
75	61	5.9	6.3	5		GD21160
80	66	5.9	6.3	5		GD21170
80	60	7.8	8.1	5		GD21180
85	71	5.9	6.3	5		GD21190
85	65	7.6	8.1	5		GD21200
90	76	5.9	6.3	5		GD21210
90	70	7.6	6.1	5		GD21220
95	81	5.9	6.3	5		GD21230
97	75	7.6	8.	5		GD21240
100	86	5.9	6.3	5		GD21250
100	80	7.8	8.1	5		GD21260
105	91	5.9	6.3	5		GD21270
105	85	7.8	8.1	5		GD21280
110	96	5.9	6.3	5		GD21290
110	90	7.8	8.1	5		GD21300
115	101	5.9	6.3	6.5		GD21310
115	95	7.6	8.1	6.5		GD21320
120	106	5.9	6.3	6.5		GD21330
120	110	7.6	8.	6.5		GD21340



SPGW Piston seal

Material: F-PTFE+NBR+NY or *-PTFE+XNBR NY

Special order: Require for other size or material, please contact us for further discussion about new mould and price






Nominal size of Packing, and Housing dimensions						GDK Item No.	Nominal size of Packing, and Housing dimensions						GDK Item No.
No.	D	d	h	H	C		No.	D	d	h	H	C	
SPGW50	50	36	8.5	9	4	GD1111W	SPGW155	155	132	15.5	16	6.5	GD1133W
55	55	41	8.5	9	4	GD1112W	160	160	137	11.5	16	6.5	GD1134W
60	60	46	8.5	9	4	GD1113W	165	165	142	15.5	16	6.5	GD1135W
63	63	46	10.5	11	5	GD1114W	170	170	147	15.5	16	6.5	GD1136W
65	65	50	10.5	11	5	GD1115W	175	175	152	15.5	16	6.5	GD1137W
70	70	55	10.5	11	5	GD1116W	180	180	157	11.5	16	6.5	GD1138W
75	75	60	10.5	11	5	GD1117W	185	185	162	15.5	16	6.5	GD1139W
80	80	65	10.5	11	5	GD1118W	190	190	167	11.5	16	6.5	GD1140W
85	85	70	10.5	11	5	GD1119W	195	195	172	15.5	16	6.5	GD1141W
90	90	75	10.5	11	6	GD1120W	200	200	177	15.5	16	6.5	GD1142W
95	95	80	10.5	11	5	GD1121W	205	205	182	15.5	16	6.5	GD1143W
100	100	85	12	12.5	6	GD1122W	210	210	187	16.5	16	6.5	GD1144W
105	105	90	12	12.5	5	GD1123W	215	215	192	15.5	16	6.5	GD1145W
110	110	95	12	12.5	5	GD1124W	220	220	197	16.5	16	6.5	GD1146W
115	115	100	12	12.5	6.5	GD1125W	225	225	202	15.5	16	6.5	GD1147W
120	120	105	12	12.5	6.5	GD1126W	230	230	207	15.5	16	6.5	GD1148W
125	125	102	15.5	16	6.5	GD1127W	240	240	217	17	17.5	7.5	GD1149W
130	130	107	15.5	16	6.5	GD1128W	250	250	222	17	17.5	7.5	GD1150W
135	135	112	15.5	16	6.5	GD1129W	260	260	232	17	17.5	7.5	GD1151W
140	140	117	15.5	16	6.5	GD1130W	270	270	242	17	17.5	7.5	GD1152W
145	145	122	15.5	16	6.5	GD1131W	280	280	252	17	17.5	7.5	GD1153W
150	150	127	15.5	16	6.5	GD1132W	300	300	272	17	17.5	7.5	GD1154W



□ Piston seal

Material: F— thermoplastic +NBR
Spec al order: Requ re for other size or mate al, please
contact us folurkhe discussion about new mould and
Price.



How to determine B dimension

To determine B dimension, please refer to the graph for the maximum extrusion gap(one side) considering the eccentricity of operating condition of the piston.

OK type p ston seals are mainly used in heavy load hydPaulie eauipmentl, especially for double—actinp p ston. This seals can be used under working pressure of TOO bar, even more under some circumstances

Advantage

- Small shape
- Good performance in bearing impact load
- Low lection when starting and running even after working for a long time
- Easy installation

Good abrasion resistance
Good anti-extrusion capacity under high pressure
and no gap due to the special material
Apply to the groove based on international
standard ISO 7425-1

Material
Seals n cylinder. F—thermoplastic
expansion ring: NBR of shore hardness 70 degree

Working range
Working pressure: less than 500 Bar
Temperature: -30- 110° C
Speed: less than 1m/s

Installation
Remove burrs and overruns clearly when installing groove.
Ok seal usually applies to the closed groove systems.


Nominal size of Packing, and Housing dimensions						GDK Item No.	Nominal size of Packing, and Housing dimensions						GDK Item No.
No.	D	d	h	H	C		No.	D	d	h	H	C	
SPG65	50	65	7.3	7.5	4	GD4111G	125	109	125	7.3	7.5	6.5	GD4126G
69	54	69	7.3	7.5	4	GD4112G	130	11d	130	7.3	7.5	6.5	GD4127G
70	55	70	7.3	7.5	5	GD4113G	135	119	135	7.3	7.5	6.5	GD4128G
71	56	71	7.3	7.5	5	GD4114G	140	12^	140	7.3	7.5	6.5	GD4129G
75	60	75	7.3	7.5	5	GD4115G	145	129	145	7.3	7.5	6.5	GD4130G
80	65	80	7.3	7.5	5	GD4116G	150	13d	150	7.3	7.5	6.5	GD4131G
85	70	85	7.3	7.5	5	GD4117G	155	139	155	7.3	7.5	6.5	GD4132G
90	75	90	7.3	7.5	5	GD4118G	160	1dd	160	7.3	7.5	6.5	GD4133G
95	80	95	7.3	7.5	5	GD4119G	SPGA100	100		7.3	7.5		GD4134G
100	85	100	7.3	7.5		GD4120G	SPGA110	110		7.3	7.5		GD4135G
105	90	105	7.3	7.5	5	GD4121G	SPGA120	12Q		7.3	7.5		GD4136G
108	P2	108	7.3	7.5	5	GD4122G	SPGA130	130		7.3	7.5		GD4137G
110	94	11Q	7.3	7.5	6.5	GD4123G	SPGA150	150		9.5	9.7		GD4138G
112	g6	112	7.3	7.5	«5	GD4124G	SPGA170	170		9.5	9.7		GD4139G
120	104	120	7.3	7.5	6.5	GD4125G							

Nominal size of Packing, and Housing dimensions					GDK Item No
No.	D	d	L	D1	
OK - 75	75	54	8	74.2	GD3111
B0	60	5P	8	79	GD3112
85	85	64	8	84	GD3113
90	90	69	8	89	GD3114
96	95	74	8	94	GD3115
100	100	7P	8	99	GD3116
105	105	84	8	103.8	GD3117
110	110	8P	8	103.8	GD3118
115	115	94	8	113.8	GD3119
120	120	99	8	118.3	GD3120
125	25	104	8	123.8	GD3121
130	130	109	8	128.8	GD3122
135	135	114	8	133.5	GD3123
140	140	119	8	138.8	GD3124
145	145	124	8	143.8	GD3125
150	150	12P	8	148.8	GD3126
160	160	139	9	158.8	GD3127
165	165	144	10	163.8	GD3128
170	170	149	11	168.8	GD3129
175	175	154	12	173.8	GD3130
180	80	159	13	178.8	GD3131
190	190	169	14	188.8	GD3132



KZT seal

Material: *—PTFE
Special order: Require *or other size or material, Please contact us for further discussion about new mould and Price



注：B的尺寸根据所用的密封件决定。 R=0.3以下
油缸内表面应当0.4~3.2 μmRz (0.8 μmRa)的珩磨(GH)或抛光(RLB)，但在恶劣工况条件下需。
●粗糙度是按照JIS B 0601:2001规格Rz粗糙度不能，可以用Pt允许粗糙面。

Nominal size of Contami Seal, and Housing dimensions						GDK Item No.
D	d	h	H	φb		
70	32	12	12.3	68		GD6111K
75	67	12	12.3	73		GD6112K
80	72	12	12.3	78		GD6113K
80	74	4	4.1	78		GD6114K
80	72	4	4.1	78		GD6110K
60	72	6.1	6.2	78		GD6116K
80	72	14.8	5	78		GD6117K
65	79	4	4.1	83		GD6116K
85	77	4	4.1	83		GD6119K
65	77	6.1	6.2	83		GD6120K
85	77	14.8	15	83		GD6121K
50	84	4	4.1	88		GD6122K
90	82	4	4.1	88		GD6123K
90	82	6.1	6.2	88		GD6124K
90	82	14.8	15	88		GD6125K
105	87	4	4.1	93		GD6126K
95	87	6.1	6.2	93		GD6127K
55	87	9.5	9.7	93		GD6126K
95	87	14.8	15	93		GD6129K
100	94	4	4.1	98		GD6130K
100	92	4	4.1	98		GD6131K
100	92	6.1	6.2	98		GD6132K
100	92	9.5	9.7	98		GD6133K
100	92	14.8	15	98		GD6133K
105	97	6.1	6.2	103		GD6135K
105	97	9.5	9.7	103		GD6136K
105	97	14.8	15	103		GD6137K


Nominal size of Contami Seal, and Housing dimensions						GDK Item No.
D	d	h	H	φb		
110	104	4	4.1	108		GD6138K
110	102	6.1	6.2	108		GD6139K
110	102	7.9	8.2	108		GD6140K
110	102	9.6	9.7	108		GD6141K
110	102	14.8	15	108		GD6142K
115	109	4	4.1	113		GD6143K
115	107	6.1	6.2	113		GD6144K
115	107	7.9	8.2	113		GD6145K
115	107	9.5	9.7	113		GD6146K
115	107	14.8	15	113		GD6147K
120	114	4	4.1	118		GD6148K
120	112	6.1	6.2	118		GD6149K
120	112	7.9	8.2	118		GD6150K
120	112	9.5	9.7	118		GD6151K
120	112	14.8	15	118		GD6152K
125	117	6.1	6.2	123		GD6153K
125	117	7.9	8.2	123		GD6154K
125	117	9.5	9.7	123		GD6155K
125	117	14.8	15	123		GD6156K
130	122	6.1	6.2	128		GD6157K
130	122	7.9	8.2	128		GD6158K
130	122	9.6	9.7	128		GD6159K
135	127	6.1	6.2	133		GD6160K
135	127	7.9	8.2	133		GD6161K
135	127	9.5	9.7	133		GD6162K
140	132	6.1	6.2	138		GD6163K
140	132	7.9	8.2	138		GD6164K

Nominal size of Contami Seal, and Housing dimensions						GDK Item No.
D	d	h	H	φb		
140	132	9.5	9.7	138		GD6165K
145	137	6.1	6.2	143		GD6166K
145	137	7.9	8.2	143		GD6167K
145	137	9.5	9.7	143		GD6168K
150	142	6.1	6.2	148		GD6169K
150	142	7.9	8.2	148		GD6170K
150	142	9.5	9.7	148		GD6171K
160	152	6.1	6.2	158		GD6172K
160	152	7.9	8.2	158		GD6173K
160	152	9.5	9.7	158		GD6174K
165	157	6.1	6.2	163		GD6175K
165	157	9.5	9.7	163		GD6176K
165	157	9.5	9.7	163		GD6177K
170	162	6.1	6.2	168		GD6178K
170	162	7.9	8.2	168		GD6179K
170	162	9.5	9.7	168		GD6180K
175	167	6.1	6.2	173		GD6181K
175	167	7.9	8.2	173		GD6182K
175	167	9.5	9.7	173		GD6183K
180	172	7.9	8.2	178		GD6184K
180	172	9.5	9.7	178		GD6185K
190	182	7.9	8.2	188		GD6186K
190	182	9.5	9.7	188		GD6187K
200	192	9.5	9.7	198		GD6188K
210	202	9.5	9.7	208		GD6189K
215	207	9.5	9.7	213		GD6190K
225	217	9.5	9.7	223		GD6191K



Wear Ring

Material: Fabric reinforced phenolic resin
Special order: Require for other size or material, please contact us for further discussion about new mould and Price.



注：B的尺寸根据所用的密封件决定。 R=0.3以下
油缸内表面应当0.4~3.2 μmRz (0.8 μmRa)的珩磨(GH)或抛光(RLB)，但在恶劣工况条件下需抛光。
●粗糙度是按照JIS B 0601:2001规格Rz粗糙度不能确保的情况下，可以使用Pt允许粗糙面。

Nominal size of Wear Ring, and Housing dimensions						GDK Item No.
D	d	h	H			
40	35	10	2.5	10		GD7111W
40	35	15	2.5	15		GD7112W
45	39	12	3	12		GD7113W
45	40	8	2.5	8		GD7114W
45	40	10	2.5	10		GD7115W
50	45	10	2.5	10		GD7116W
50	45	15	2.5	15		GD7117W
55	50	6	2.5	6		GD7118W
55	50	8	2.5	8		GD7119W
55	50	10	2.5	10		GD7120W
55	50	15	2.5	15		GD7121W
60	55	10	2.5	10		GD7122W
60	55	15	2.5	15		GD7123W
60	55	25	2.5	25		GD7124W
60	54	15	3	15		GD7125W
60	54	20	3	20		GD7126W
65	60	10	2.5	10		GD7127W
65	60	15	2.5	15		GD7128W
65	60	20	2.5	20		GD7129W
68	63	25	2.5	25		GD7130W
70	65	10	2.5	10		GD7131W
70	65	15	2.5	15		GD7132W
70	65	20	2.5	20		GD7133W
70	64	15	3	15		GD7134W
75	70	8	2.5	8		GD7135W
75	70	10	2.5	10		GD7136W
75	69	15	3	15		GD7137W
105	97	15	4	15		GD7138W
105	99	15	3	15		GD7139W

Nominal size of Wear Ring, and Housing dimensions						GDK Item No.
D	d	h	H			
75	70	15	2.5	15		GD7138W
75	70	20	2.5	20		GD7139W
75	70	25	2.5	25		GD7140W
80	75	8	2.5	8		GD7141W
80	75	10	2.5	10		GD7142W
80	75	15	2.5	15		GD7143W
80	75	20	2.5	20		GD7144W
80	74	20	2.5	20		GD7145W
80	74	30	3	40		GD7146W
85	80	6	3	6		GD7147W
85	80	10	2.5	10		GD7148W
85	80	15	2.5	15		GD7149W
85	80	20	2.5	20		GD7150W
85	79	12	3	12		GD7151W
85	79	15	3	15		GD7152W
85	79	20	3	20		GD7153W
85	79	25	3	25		GD7154W
85	77	15	4	15		GD7155W
90	85	6	2.5	6		GD7156W
90	85	8	2.5	8		GD7157W
90	85	10	2.5	10		GD7158W
90	81	10	4.5	10		GD7159W
90	81	12	4.5	12		GD7160W
90	82	15	4	16		GD7161W
90	85	15	2.5	16		GD7162W
90	84	12	3	12		GD7163W
90	84	20	3	20		GD7164W
105	99	25	3	25		GD7165W
105	100	15	2.5	15		GD7166W



Nominal size of Wear Ring, and Housing dimensions						GDK Item No.
D	d	h	H			
90	84	25	3	25		GD7165W
90	84	30	3	30		GD7166W
95	90	6	2.5	6		GD7167W
95	90	10	2.5	10		GD7168W
95	86	10	4.5	10		GD7169W
95	86	12	4.5	12		GD7170W
95	87	15	4	15		GD7171W
95	90	15	2.5	16		GD7172W
95	89	20	3	20		GD7173W
95	89	25	3	25		GD7174W
100	95	6	2.5	6		GD7175W
100	94	6	3	6		GD7176W
100	95	8	2.5	8		GD7177W
100	95	10	2.5	10		GD7178W
100	94	12	3	12		GD7179W
100	91	10	4.5	10		GD7180W
100	91	12	4.5	12		GD7181W
100	92	15	4	15		GD7182W
100	95	15	2.5	16		GD7183W
100	95	20	2.5	20		GD7184W
100	94	22	3	22		GD7185W
100	94	25	3	25		GD7186W
100	94	30	3	30		GD7187W
105	100	6	2.5	6		GD7188W
105	100	10	2.5	10		GD7189W
105	96	10	4.5	10		GD7190W
105	96	12	4.5	12		GD7191W
105	100	25	2.5	25		GD7192W
110	105	6	2.5	6		GD7193W

Nominal size of Wear Ring, and Housing dimensions					GDK Item No.	Nominal size of Wear Ring, and Housing dimensions					GDK Item No.	Nominal size of Wear Ring, and Housing dimensions					GDK Item No.
D	d	h		H		D	d	h		H		D	d	h		H	
110	104	6	3	6	GD7198W	130	123	35	3.5	35	GD7247W	165	157	15	4	15	GD7296W
110	105	8	2.5	8	GD7199W	130	123	40	3.5	40	GD7248W	165	159	30	3	30	GD7297W
110	105	10	2.5	10	GD7200W	135	130	8	2.5	8	GD7249W	170	165	10	2.5	10	GD7298W
110	104	12	3	12	GO7201W	135	130	10	2.5	10	GD7250W	170	165	15	2.5	15	GD7299W
110	101	12	4.5	12	GD7202W	135	128	10	3.5	10	GD7251W	170	162	15	4	15	GD7300W
110	1Q2	15	4	15	GD7203W	135	125	10	5	10	GD7252W	170	162	2Q	4	20	GD7301W
110	105	15	2.5	15	GD7204W	135	130	15	2.5	15	GD7253W	170	16P	22	4	22	GD7302W
110	104	15	3	15	GO7205W	135	128	15	3.5	15	GD7254W	170	162	25	4	25	GD7303W
110	1Q4	22	3	22	GD7206W	135	125	15	5	15	GD7255W	170	162	45	4	45	GD7304W
110	104	25	3	25	GD7207W	135	128	25	3.5	25	GD7256W	170	162	50	4	50	GD7305W
110	1Q4	30	3	30	GD7208W	14Q	135	8	2.5	8	GD7257W	175	170	20	2.5	20	GD7306W
115	11Q	6	2.5	6	GD7209W	14Q	135	10	2.5	10	GD7258W	175	169	25	3	25	GD7307W
115	110	8	2.5	8	GO7210W	140	133	10	3.5	10	D* 9w	180	175	15	2.5	15	GD7308W
115	110	1Q	2.5	1Q	GD7211W	14Q	128	12	6	12	GD7260W	180	172	22	4	22	GD7309W
115	1Q6	10	4.5	10	GD7212W	140	135	15	2.5	15	GD7261W	180	172	4Q	4	40	GD7310W
115	11Q	15	2.5	15	GD7213W	140	133	5	3.5	15	GD7262W	180	172	45	4	45	GD7311W
115	1Q6	15	4.5	15	GD7214W	14Q	128	15	6	15	GD7263W	180	172	55	4	55	GD7312W
115	107	15	4	15	GD7215W	14Q	128	18	6	18	GD7264W	180	173	22	3.5	22	GD7313W
115	109	15	3	15	GD7216W	140	133	20	3.5	20	GD7265W	185	180	15	2.5	15	GD7314W
120	115	8	2.5	8	GD7217W	140	133	25	3.5	25	GD7266W	185	173	22	6	22	GD7315W
120	115	10	2.5	10	GD7218W	140	133	30	3.5	30	GD7267W	185	173	25	6	25	GD7316W
120	111	10	4.5	10	GD7219W	140	133	35	3.5	35	GD7268W	190	18	15	2.5	15	GD7317W
120	114	6	3	6	GD7220W	140	133	40	3.5	40	GD7269W	190	182	22	4	22	GD7318W
120	114	12	3	12	GO7221W	145	140	8	2.5	8	GD7270W	190	182	25	4	25	GD7319W
120	115	15	2.5	15	GD7222W	145	140	10	2.5	10	GD7271W	190	182	45	4	45	GD7320W
120	115	2Q	2.5	2Q	GO7223W	145	133	12	6	12	GD7272w	190	182	50	4	50	GD7321W
120	114	15	3	15	GD7224W	145	138	15	3.5	15	GD7273W	200	192	50	4	50	GD7322W
120	114	22	3	22	GD7225W	145	138	20	3.5	20	GD7274W	200	188	22	6	22	GD7323W
120	111	15	4.5	15	GD7226W	150	145	8	2.5		GD7275W	200	188	25	6	25	GD7324W
120	114	3Q	3	3Q	GD7227W	150	145	10	2.5	10	GD7276W	2 0	205	25	2.5	25	GD7325W
120	112	15	4	15	GD7228W	150	138	12	3.5	12	GD7277W	215	205	20	5	20	GD7326W
125	120	8	2.5	8	GD7229W	150	145	15	2.5	15	GD7278W	220	212	5Q	4	50	GD7327W
J25	12Q	1Q	2.5	1Q	GD7230W	150	143	15	3.5	15	GD7279W	220	210	S5	5	55	GD732BW
125	119	10	3	10	GD7231W	150	143	20	3.5	20	GD7280W	225	217	25	4	25	GD7329W
\25	12Q	15	2.5	15	GD7222W	150	143	35	3.5	35	GD7281W	225	217	45	4	45	GD7330W
125	12Q	20	2.5	20	GD7233W	15Q	143	40	3.5	40	GD7282W	225	217	SQ	4	50	GD7331W
125	12Q	25	2.5	25	GD7234W	150	143	45	3.5	45	GD7283W	230	222	50	4	50	GD7332W
125	117	15	4	15	GD72:35W	160	155	10	2.5	10	GD7284W	250	238	25	6	25	GD7343W
125	119	15	3	15	GD7236W	160	\55	15	2.5	15	GD7285W	250	242	30	4	30	GD7334W
125	115	15	5	15	GD7237W	160	155	20	2.5	20	GD7286W	250	242	55	4	55	GD7335W
130	125	8	2 g	g	GD7238W	160	148	15	6	15	GD7287W	26Q	248	25	6	25	GD7236Y/
130	125	IQ	2.5	1Q	GD7239W	16Q	153	20	3.5	20	GD7288W	28Q	268	25	6	25	GD7337W
130	123	IQ	3.5	1Q	GD7240W	160	148	20	6	20	GD7289W	28Q	272	60	4	60	GD7338W
130	120	10	5	1Q	GD7241W	160	153	25	3.5	25	GD7290W	29Q	285	30	2.5	3Q	GD7339W
130	125	15	2.5	15	GD7242W	160	153	40	3.5	40	GD7291W	3QQ	292	70	4	7Q	GD7340W
130	125	25	2.5	25	GD7243W	16Q	153	45	3.5	45	GD7292W	340	332	40	4	4Q	GD7341W
130	123	15	3.5	15	GD7244W	160	152	50	4	50	GD7293W	360	352	40	4	40	GD7342W
130	12Q	15	5	15	GD7245W	165	160	10	2.5	10	GD7294W						
130	123	30	3.5	30	GD7246W	165	160	15	2.5	15	GD7295W						



BRN2, BRN 3 Back-up Ring

Material PTFE or PA
Special order Require for other size or material,
please contact us for further discussion about new manul
d and price.



切口类型		斜切	无切口	斜切	无切口
KDK型式		BRT2	BRT3	BRN2	BRN3
材料标志		PTFE	PTFE	PA	PA
支承环的公称尺寸		GDK 零件号	GDK 零件号	GDK 零件号	GDK 零件号
d	D	t			
5Q	60	3	GDO111K	GDQ111F	GD0111P GD0111N
50	63	3	GDO112K	GD0112F	GD0J12P GD0112N
50	65	3	CDO113K	GOQ113F	GD0113P GD0113N
50	70	3	GD0114K	GD0114F	GD0114P GD0114N
60	70	3	GD0115P	GOO115F	GD0115P GD0115N
60	73	3	GDO116K	GD0116F	GD0116P GO0116N
60	75	3	GD0117K	GD0117F	GD0117P GDO117N
60	B0	3	GD0118K	GD0118F	GD0*18P GD0118N
65	75	3	GD0119X	GD0119F	GD0119.P GD0119N
65	78	3	GD0120K	GD0120F	GD0*20P GD0120N
65	80	3	CDO121K	GO0121F	GD0121P GD0121N
70	80	3	GDO122K	GD0122F	GD0122P GD0122N
70	B3	3	CD0123K	GD0123F	GD0123P GD0123N
70	B5	2	GD0124K	GD0124F	GD0*24P GD012*N
70	90	3	GD0125P	GD0125F	GD0125P GD0125N
75	B5	2	GD0126K	GD0126F	GD0126P GD0126N
75	88	3	GDO127K	GO0127F	GD0127P GD0127N
75	90	3	GDO128K	GD0128F	GD0 28P GD0128N
75	95	3	GD0129P	GOO129F	GD0129P GD0129N
80	93	3	GD0130K	GD0130F	GD0130P GD0130N

切口类型		斜切	无切口	斜切	无切口
KDK型式		BRT2	BRT3	BRN2	BRN3
材料标志		PTFE	PTFE	PA	PA
支承环的公称尺寸		GDK 零件号	GDK 零件号	GDK 零件号	GDK 零件号
d	D	t			
80	95	3	GD0*31K	GD013JF	GDO131P GD0131N
80	100	3	GD0132K	GD0132F	GDO132P GD0132N
85	100	3	GD0133K	GD0133F	GD0133P GD0133N
85	105	3	GD0134K	GD0134F	GD0134P GD0134N
90	105	3	GD0135K	GD0135F	GDO135P GD0135N
90	110	3	GD0136K	GD0136F	GDO136P GD0136N
95	110	3	GD0137K	GD0137F	GDO137P GD0137N
95	115	3	GD0138K	GD0138F	GD0138P GD0138N
100	115	3	GD0139K	GD0139F	GD0139P GDO139N
100	120	3	GD0140K	GD0140F	GD0140P GD0140N
105	120	3	GD0J41K	GD0141F	GDO141P GD0141N
105	125	3	GD0142K	GD0142F	GDO142P GD0142N
110	125	3	GD0J43K	GD0143F	GDO143P GD0143N
110	130	3	GD0144K	GD0144F	GD0144P GD0144N
115	130	3	GD0*45K	GD0145F	GD0145P GDO145N
115	135	3	GD0146K	GD0146F	GD0146P GD0146N
120	135	3	GD0147K	GD0147F	GDO147P GD0147N
120	140	3	GD0148K	GD0148F	GDO148P GD0148N
130	145	3	GD0149K	GD0149F	GDO149P GD0149N
130	150	3	GD0150K	GD0150F	GD0150P GD0150N

UF[®]
N4W

Material: NY

Special order Require for other size or material, please contact us for further discussion about new mould and price

No.	Nominal size of Packing, and Housing dimensions				GDK Item No.
	d	D	h	H	
N4W80	75	80	2.5	2.5	GD6011N
85	80	85	2.5	2.5	GD6012N
90	85	90	2.5	2.5	GD60J3N
95	90	95	2.5	2.5	GD6014N
100	95	100	2.5	2.5	GD60 5N
105	100	105	2.5	2.5	GD6016N
110	105	110	2.5	2.5	GD60J7N
110	104	110	3	3	GD6018N
115	109	115	3	3	GD60 PN
120	114	120	3	3	GD6020N
125	119	125	3	3	GD6021N
130	124	130	3	3	GD6022N
135	129	135	3	3	GD6023N
140	134	140	3	3	GD6024N
145	139	145	3	3	GD6025N
150	144	150	3	3	GD6026N
160	154	16a	3	3	GD6027N
170	164	170	3	3	GD6028N



KOMATSU SPGO Seal

Material: PTFE +NBR



Special order : Require for other size or material , please contact us *or
further discussion about new mould and price .

Specification			Specification			Specification			Specification		
55	52	2.5	21.6	19.6	2	11	9	2	20.4	18.4	1.5
45	42	2	21.4	19.4	2	54	51	2	20	18	1.8
50.9	47.9	2	20.8	18.8	2	48	45	2	20	18	1.5
51	48	2	20.6	18.6	2	45	42	2.5	17.4	15.4	2
35	33	2	21.2	19.2	2	40	38	2	16	14	2
32	29	2	21	19	2	39	37	2	12.6	10.6	2
31	29	2	20.4	18.4	2	38		2	12.4	10.4	2
30	28	2	20	18	2	37	35	2	11.5	9.6	2
28	26	2	20.1	18.1	2	36	34	2	40	8	2
26	24	2	19.5	17.5	2	35	33	1.7	9	7	1.7
25	23	2	19	17	2	34	32	2	8	6	2
24	22	2	18.8	16.8	2	33	31	2	8	6	1.7
23.6	21.6	2	18	16	2	29	27	2	7	5	2
23	21	2	17	15	2	27	25	2	7	5	1.7
22.8	20.8	2	45	13	2	21.8	19.8	1.7	7	4	1.7
22	20	2	13	11	2	20.6	18.6	1.7			
21.8	19.8	2	12	10	2	20.5	18.5	1.5			

ROI / SPN

Material U801F—PTFE +NBR

Special order Require for other size or material,
please contact us for further discussion about new
mould and price



How to determine B dimension

To determine B dimension, please refer to the graph for the maximum extrusion gap(one side) considering the eccentricity of operating condition of the piston.





Nominal size of Packing, and Housing dimensions					GDK Item No. ROI
d	D	h	H	C	
60.5	70.5	4.8	5	5	GD1021R
70.5	80.5	4.8	5	5	GD1022R
75.5	85.5	4.8	5	5	GD1023R
80.5	90.5	4.8	5	5	GD1024R
90.5	100.5	4.8	5	5	GD1025R
95.5	105.5	4.8	5	5	GD1026R
100.5	110.5	4.8	5	5	GD1027R
110.5	120.5	4.8	5	5	GD1028R
115.5	125.5	4.3	4.5	5	GD1029R
115.5	125.5	4.8	5	5	GD1040R
120.5	130.5	4.8	5	5	GD1031R
130.5	140.5	4.3	4.5	5	GD1032R
130.5	140.5	4.8	5	5	GD1033R

Nominal size of Packing, and Housing dimensions					GDK Item No.
d	D	h	H	C	ROI
50.5	50.5	4	4.1	5	GD1034 R
60.5	60.5	4	4.1	5	GD1035R
70.5	70.5	4	4.1	5	GD1046R
80.5	90.5	4	4.1	5	GD1037R
80.5	90.5	4.8	5	5	GD1038R
80.5	90.5	5.7	5.9	5	GD1049R
80.5	95.5	6.1	6.3	5	GD10*0R
90.5	100.5	4	4.1	5	GD10 IR
90.5	100.5	4.8	5	5	GD10 2R
90.5	100.5	5.7	5.9	5	GD1083R
90.5	106.5	6.1	6.3	5	GD10 4R
100.5	110.5	4	4.1	5	GD10*5R
100.5	110.5	4.8	5	5	GD1086R
100.5	110.5	5.7	5.9	5	GD10*7R

BUY Piston seal

Material: U801+NY, NBY+NY
Special order: Require for other size or material, please contact us for further discussion about new mould and price.



How to determine B dimension
To determine B dimension, please refer to the graph for the maximum extrusion gap(one side) considering the eccentricity of operating condition of the piston.



Nominal size of Packing and Packing dimension							Code
L	d	d ₁	d ₂	d ₃	d ₄	d ₅	Part No.
40	25	42	13	16	19	5	GD2011Y
45	30	12	13	16	19	5	GD2012Y
50	35	12	13	16	19	5	GD2013Y
60	45	12	13	16	19	5	GD2014Y
60	35	45	16	19	59	5	GD2015Y
70	55	12	13	16	66	5	GD2016Y
70	45	15	16	19	69	5	GD2017Y
70	45	18	19	22	69	5	GD2018Y
70	40	42	13	16	69	5	GD2019Y
75	60	12	13	16	74	5	GD2020Y
80	47	36	17	20	79	5	GD2021Y
60	55	18	19	2	79	5	GD2022Y
80	64	2	13	16	79	5	GD2023Y
65	70	12	13	16	84	5	GD2024Y
90	70	12	13	16	89	5	GD2025Y
P0	65	18	19	22	89	5	GD2026Y
95	80	12	13	16	94	5	GD2027Y
100	80	12	13	16	98	5	GD2028Y
100	75	48	19	22	98	5	GD2029Y
105	85	12	13	16	103	5	GD2030Y



aeia»1@@ Crankshaft Oil Seal

6D95	PC 200/5, PC220/5	AE3297 G		AW9063 E	
4D95	PC 15Q/5 .PC 6Q/7				
6D 105	PC200/1/2/3, PC 150/3	AH3409P		AH8279E	
6D 102	PC2Q0/6 PC2D0/7				
6D 108	PC300/5/6	AH3409P		AW43 95 E	
6D 125	PC 3 00/3, PC 4Q 0/5/6	AE3963 E		BW24 10G	
6D 155	D 155 A	AW4069 E		AW90206 E	
6D14, 45*	HD700SE- II HD770SE II	BZ4018 E		BZ23 74F	
6D 15,16*	HD800SE —I				
4TNV94/98 L	HD900V HD170SE- II SK320/6	BZ5^ 12E	AE7228 P	BZ2374*	AH74 72P
6D 22	R130/150 DH130/15Q	BH5464E		AHH3983P	
	HDI 250V HD1250VII	BZ1335 E		AZO854 P	
	HD1 220SE—II SH300				
6D31= 4D31	SK200 HD700V	AE3053 E	AE3u9*E	BH3258E	BZ594 1E
6D3^	HD 70DVII HD820			AH8307 P	
S4KS6K	HD512 SK200/5/6 SK230/6	BZSQS E	AE3055 P	BZ46O3 E	
S6K旧款	CAT311/312 B/C; CAT320/320 B/C	AE3527 P		AZ4291E	
	E200 B				
6BD 1T	EX200/2 UH07/7 LS280	AE3222 E	AE352 7E	AH8279E	BH3673E
	SH2Q0				
6SD1T	EX 300/3/5	AH7313Q	AE3222 E	AH 43 47G	
P11C	SK460 8	BZ52 1 E		BZ5377 E	
6BG1T	EX 200/2/3/5 ZX2D0 MX 230	AE3222E		BH3 732E	
	SH200A3				
DB 58	DH220 —5	AE3222E	AE3222 E	AH4 079	AZ4079*
4LB 2	ZX55	AH2847H		AH372^ F	
4M40@ 6 — x	SH6D	BH5679		BH6372E	
H06CT	EX220/5	AH3^00H		10F* 25° 12	
4TNV84/88	R60/7	BH5444E		92* 115*12	
sHr1 rUn	ZX330 ZX360 ZX380	BZ4^25E		BZ4365 E	
4JB 1	DH55	AH2847G		AH8846E	
6D 24	SK45 D/u	BU 335E		B Z5941 E	
D 6 D	EC2 10B	CFW—74*95* 12		CFW— 120* 140*13	
D 7 D	EC240 B/290B	C*W—81*1D4* 11		CFW— 130* 15D*1 2	
D 12D	EC360B/460B	136*J 59°13		180°205* 15	
D1146	DH 2B0/29Q/3 10	BZ5161E		BZ6524 E	
4JG1	ZX70 ZX75	AH2847G		BZ4962 E	
4BG 1	ZX11 0/120/135/16 0/180	AH3222A		BH2195 E	
J05E/08 E	SK200/210—8 ; SK250/260—8	BZ682O		BZ40 79	
6/n/G 4	ZX450/4 70/480	BZ6837		B Z A 8 3 7 I	
4HK 1-6HK1 @	ZX200/240/250—3; ZX330/360—3	BZ6303E		B Z 4 Z 1 9 F	
dM406 6-	CAT307	BZ500* E		BZ5662 E	

TCN/TCV Oil seal

Material: NBR, FKM

Special order: Require for other size or material , please contact us for further discussion about new mould and price.



No.	Part No.	Size
1	AP10331	20*40*11
2	AP111^7F	22*42*10
3	AP1148F	22*42*11
4	A+1563J	28*48*11
5	AP1709H	30*50*11
6	AP1904F	32*52*11
7	AP1978G	34*54*11
8	AP2083G	34*54*11
9	AP2085G	35*55*11
10	AP2086F	35*55*12
11	AP1338F	25*45*11
12	AP2240G	38*58*11
13	AP2379F	40*60*12
14	AP2388E	40*62*11
15	AP2390O	40*62*12
16	A+2507H	42*65*12
17	AP2659E	45*65*12
18	AP2668G	45*68*12
19	AP2791G _n	48*70*12
20	AP2864I	TO*72*12
21	AP2965F	52*75*9/12
22	AP2967F	52*75*12
23	AP3055F	55*78*12
24	AP3154G	55*80*12
25	AP3222B	60*82*12
26	AP3297G	62*85*12
27	AP3409F	65*90*13
28	AP3461E	68*90*14
29	AP3527B	70*95*13
30	AP3618G	75*100*13
31	AP3744K	80*105*13
32	A+3842H	85*110*13
33	AP3932B	90*115*13
34	AP3994B	95*120*13
35	AP4063B	100*125*13
36	A+4153H	105*135*14
37	AP4212B	110*140*14
38	AP4282G	115*145*1a

No.	Part No.	Size
39	AP4346B	120*150*14
40	AP4399E	125*155*14
41	AP4451G	130*160*14"
42	AP4498G	135*165*14
43	AP4542F	140*170*14
44	AP4581G	145*175*14
45	AP4624G	150*180*14
46	AP4713G	160*190*16
47	AP4795F	170*200*16
48	AP10331	20*40*11
49	A+1147*	22*42*10
50	A+1148	22*42*11
51	AP1563J	28*48*11
52	AP1709H	30*50*11
53	AP1904F	32*52*11
54	AP1978G	34*54*11
55	AP2083G	34*54*11
56	AP2085G	35*55*11
57	A+2086*	35*55*12
58	AP1338F	25*45*11
59	AP2240G	38*58*11
60	A+23*9*	40*60*12
61	AP2388E	40*62*11
62	AP2390Q	40*62*12
63	AP2507H	42*65*12
64	AP2659E	45*65*12
65	AP2668G	45*68*12
66	AP2791G	48*70*12
67	AP2864I	50*72*12
68	AP2965F	52*75*9/12
69	AP2967F	S2*75*12
70	AP3055	55*78*12
71	AP3154G	55*80*12
72	AP3222B	60*82*12
73	AP3297G	62*85*12
74	AP3409F	65*90*13
75	AP3461E	68*90*14
76	AP3527B	70*95*13

No.	Part No.	Size
77	AP3618G	75*100*13
78	AP3744K	80*105*13
79	AP3842H	85*110*13
80	AP3932B	90*115*13
81	AP3994B	95*120*13
82	AP4063B	100*125*13
83	AP4153H	105*135*14
84	AP4212B	110*140*14
85	AP4282G	115*145*14
86	AP4346B	120*150*14
87	A+4399E	125*155*14
88	AP4451G	130*160*14
89	AP4498G	135*165*14
90	AP4542F	140*170*14
91	AP4581G	145*175*14
92	AP4624G	150*180*14
93	AP4713G	160*190*16
94	AP4795F	170*200*16
95	AP0598A	15*30*7
96	A 0787E	17*30*8—0745
97	AP0760E	17*35*8
98	A 0997E	20*32*8
99	API 260F	24*40*8
100	AP1665E	30*40*7
101	AP2085A	35*55*11
102	AP2240A	38*58*11
103	AP2388A	40*62*11
104	AP2668A	45*68*12
105	AP2775G	48*62*9
106	AP20B3G	35*55*9
107	TCV	45*62*9
108	AP2666F	45*68*9
109	AP8738E	50 72*7
110	AP2861E	52*72*9
111	A 3053E	55*78*9
112	A 3154E	58*80*12
113	AE0743E	17*30*7
114	AE0751H	17*32*8

115	AE00817A	18*30*7
116	AE1013A	20*35*8
117	AE1314A	25*40*8
118	AE1538E	28*40*8
119	AE2361E	40*55*9
120	AE2388A	4Q*62*11
121	AE2507A	42*65*12
122	AE12668A	45*68*12
123	AE3OSSA	55*78*12
124	AE3222A	60*82*12
125	AE3297G	60*85*12
126	AE3400A	65*88*12
127	AE3409A	65*90*13
128	AE3505E	70*88*12
129	AE3519A	70*92*12
130	AE3618A	75*100*13
131	AE3743A	80*105*13
132	AE3994E	95*120*13
133	AE4062A	100*125*12
134	AE4153E	105*135*14
135	AE4282E	115*145*14
136	AA4390E	125*140*4
137	AW2086E	35*55*12
138	AW2388E	40*62*11
139	AW2390E	40*62*12
140	AW2668E	45*68*12
141	AW2864E	50*72 12
142	AW3055H	55*78*12
143	AW3222E	60*82*12
144	AW4Q63E	1QQ*125*13
145	AW4068E	100*125*20
146	AW5054E	200*230*15

147	AW4453	130*160/165*17
148	AD3618	75*100*13
149	AD3744	80*105*13
150	AD3842	85*110*13
151	AD3932	90*115*13
152	AD3994	95*120*13
153	AD4063	100*125*13
154	AD4153	105*135*14
155	AD4212	110*140*14
156	AD4282	115*145*14
157	AD4346	120*150*14
158	AD4399	125*155*14
159	AD4451	130*160*14
160	AD4542	140*170*14
161	AD4581	145*175*14
162	AD4624	150*180*14
163	AD4713	160*190*16
164	AD4983	190*225*16
165	AD5061	200*235*18
166	AD5205	220*250*16
167	AD5346	240*275*16
168	AD5562	280*320*22
169	BW0306E	48*70*18
170	BW0487E	70*95*2Q
171	BW*68QE	122*152*21
172	BWQ76QE	125*155*18
173	BW5668E	140*170*17
174	BW5669E	140*170*18
175	BW 545E	140*170*20
176	BW1748E	140*170*22
177	BW56Q2E	150*180*18
178	BW5073E	160*190*23

179	BW4528E	160*190*21
180	BW*526H	190*225*22
181	BW5180E	200*235*21
182	BW5180E	2Q0*235*26
183	BW4527E	232*267*21
184	BW4815E	245*285*27
185	BW5856E	252*287*21
186	BA3366	180*210*16/18
187	BA3659/5019	195*225*16/18
188	BA4023	230*260*16/18
189	BZ5Q34E	65*105*4
190	BC5667	140*170*12.5
191	BC5666E	160 190*13.5
192	X^Q803E	55*78*9/9.5
193	UP0445E	
194	UP0449E	35*57*8
195	UP0450E	33.5*72.5 1Q
196	BP4561E	35*60*15
197	BP1518E	17*30*8
198	BP3054E	65 9Q*9/12
199	BP0494E	72*95*13
200	BP2777E	75*95*11
201	XZ0531E	130*250*2.5/7
202	XZ0532E	165*240*4/8
203	AR3505E	70*88*12
204	15Z	22*42*10
205	15Z	25*42*10
206	15Z	80*100*10
207	15Z	9Q*110 1Q
208	15Z	150 180*15.2
209	15Z	160*190*16.5
210		
211		
212		
213		
214		
215		
216		
217		
218		
219		
220		
221		
222		
223		
224		
225		
226		
227		
228		
229		
230		
231		
232		
233		
234		
235		
236		
237		
238		
239		
240		
241		
242		
243		
244		
245		
246		
247		
248		
249		
250		
251		
252		
253		
254		
255		
256		
257		
258		
259		
260		
261		
262		
263		
264		
265		
266		
267		
268		
269		
270		
271		
272		
273		
274		
275		
276		
277		
278		
279		
280		
281		
282		
283		
284		
285		
286		
287		
288		
289		
290		
291		
292		
293		
294		
295		
296		
297		
298		
299		
300		
301		
302		
303		
304		
305		
306		
307		
308		
309		
310		
311		
312		
313		
314		
315		
316		
317		
318		
319		
320		
321		
322		
323		
324		
325		
326		
327		
328		
329		
330		
331		
332		
333		
334		
335		
336		
337		
338		
339		
340		
341		
342		
343		
344		
345		
346		
347		
348		
349		
350		
351		
352		
353		
354		
355		
356		
357		
358		
359		
360		
361		
362		
363		
364		
365		
366		
367		
368		
369		
370		
371		
372		
373		
374		
375		
376		
377		
378		
379		
380		
381		
382		
383		
384		
385		
386		
387		
388		
389		
390		
391		
392		</



Specialized in seal parts
Professional excavator seal parts

Bushing

Over these years developing,
we believe with our sincerely service,
GDK certainly to be your high quality supplier!

SUMITOMO	BOOM	ARM	BUCKET
SH60	65*30	60*30	55*30
SH100	70*30	80*30	70*30
SH100-2	70*30	80*30	70*30
SH200	85*30	100*35	80*30
SH200-A3	85*30	95*30	80*30
SH210-5	85*30	100*35	85*30
SH225-3	90*30	95*30	80*30
SH220-3	90*30	105*35	90*30
SH240-3	90*30	105*35	90*30
SH300-A2	100*35	110*35	95*35
SH350-5	100*35	120*35	105*35
LS1600FJ	65*30	60*30	55*30
LS2650FJ-II	70*35	80*35	65*35
LS2800FJ	85*30	95*30	75*30
LS2800FJ-II	85*30	95*30	80*30
KOBELCO	BOOM	ARM	BUCKET
SK55-3	55*30	50*25	45*25
SK60-2	65*30	60*30	55*30
SK60-7	65*35	65*35	55*35
SK75-8	70*30	65*30	55*30
SK75UR-5	70*30	65*30	55*30
SK100	70*40	75*40	65*40
SK100-5	65*30	75*30	65*30
SK120	75*40	80*40	65*40
SK120-5	70*30	80*30	65*30
SK130-8	70*30	80*30	65*30
SK200-3	85*30	100*35	80*30
SK200-5	80*30	95*30	75*30
SK200-6E	85*30	95*30	80*30
SK200-8	85*30	95*30	80*30
SK220-3	90*30	105*35	85*30
SK220-5	90*30	100*35	85*30

SK230-6	90*30	100*35	85*30
SK230*6E	90*30	100*35	90*30
SK235	80*30	95*30	75*30
SK250-8	95*30	105*35	85*30
SK300	100*35	120*35	100*35
SK330-6E	100*35	120*35	100*35
SK350-8	100*35	120*35	100*35
SK350B-8 (超8)	100*30	120*45	100*30
SK450	115*40	130*50	110*40
SK460-8	115*40	130*50	110*40
HITACHI	BOOM	ARM	BUCKET
EX60-1	65*35	60*35	55*35
EX60-2/3	65*35	60*35	55*30
EX75-3	70*35	65*35	55*30
EX100	70*30	75*30	65*30
EX100-3	70*40	75*40	65*40
EX120-2	70*30	80*30	65*30
EX150	80*30	85*40	80*30
EX200-1	85*30	95*30	80*30
EX200-2/3/5	85*30	95*30	75*30
EX220-2/5	90*35	100*40	85*30
EX300-3	100*40	110*50	95*40
EX300-5	105*40	115*50	95*40
EX400-5	115*35	130*35	120*35
ZAX70	65*30	60*30	55*30
ZAX120	70*30	80*30	70*30
ZAX200	85*30	95*30	80*30
ZAX200-3	85*30	95*30	80*30
ZAX230 (OLD)	90*30	100*35	90*30
ZAX230 (NEW)	90*30	105*35	90*30
ZAX240-3	90*30	100*35	90*30
ZAX270 (OLD)	95*30	100*40	90*30
ZAX270-3	95*30	105*40	90*30



杯士 Bushing

Common Excavator Models

ZAX330 ()	105*50	115*50	95*40
ZAX330-3	100*35	115*35	95*30
ZAX450	115*50	130*50	120*50
KATO	BOOM	ARM	BUCKET
HD250VII	65*35	60*35	55*35
HD400VII	70*30	75*30	65*30
HD450VII	75*30	80*30	65*30
HD550VII	80*30	85*30	80*30
HD700-5/7	85*30	95*30	80*30
HD820	85*30	100*35	80*30
HD800VII	85*30	100*35	85*30
HD900VII	90*30	105*35	85*30
HD1023	90*30	105*35	85*30
HD1250VII	100*35	110*35	100*35
HD1430	100*35	120*35	100*35
DAEWOO	BOOM	ARM	BUCKET
DH55	55*30	55*30	55*30
DH130	70*30	80*30	65*30
DH220-5(OLD)	85*30	95*30	75*30
DH220-5(NEW)	85*30	95*30	80*30
DH225-7	85*30	95*30	80*30
DH258-7	90*30	100*30	90*30
DH300-7	95*30	105*40	90*30
DH330-3	100*45	115*50	95*45
DX225-7	85*30	95*30	80*30
DX260-7	90*30	100*35	90*30
SANY	BOOM	ARM	BUCKET
SY65(东洋)	65*30	60*30	50*30
SY200-3	85*30	95*30	80*30
SY235-8(恒立)	90*40	100*40	90*40
SY210	85*30	95*30	80*30
SY215-8 (东洋)	85*30	95*30	80*30
SY215-8 (恒立)	85*30	95*30	80*30
SY215-9 (中兴)	85*30	95*30	80*30
SY220(KYB)	90*30	100*35	90*30
SY235-8(东洋)	90*30	100*30	90*30
SY335-8(KYB)	100*35	120*35	100*35
SY365 (KYB)	100*35	120*35	100*35
SY365 (恒立)	100*40	120*50	100*40
KOMATSU	BOOM	ARM	BUCKET
20HT-3	90*40	100*40	80*40
PC35MR-2	45*30	45*30	40*25
PC50MR-2	50*30	50*30	50*30
PC56-7	55*30	55*30	50*30
PC58UU-3	55*30	55*30	50*30
PC60-5/6	65*35	60*35	55*35
PC60-7	60*30	60*30	55*30
PC70-8	65*30	60*30	55*30
PC100-5/6	65*30	75*30	60*30
PC120-5/6	70*30	75*30	65*30
PC130-7	70*30	75*30	65*30
PC160-7	75*30	80*30	70*30
PC200-3	85*40	95*40	75*30
PC200-5	85*40	95*40	80*40
PC200-6	85*40	95*40	80*40
PC200-7	85*30	95*30	80*30
PC210-6/6D95	85*40	95*50	80*40
PC210-6/6D102	85*30	95*30	80*30

PC220-2	90*30	100*50	80*30
PC220-3	90*35	95*35	90*35
PC220-5	90*40	100*50	90*40
PC220-6	90*30	100*30	90*30
PC240-8	90*30	100*30	90*30
PC300-6	100*40	110*55	100*40
PC350-7	100*30	110*35	100*30
PC400-6	110*55	120*60	110*55
CAT	BOOM	ARM	BUCKET
E70B	75*40	60*40	55*40
E120B	75*40	80*40	65*40
E200B(OLD)	85*30	95*30	75*30
CAT240(JAPAN)	90*40	100*40	90*40
CAT311	70*40	75*40	65*40
CAT312	75*35	80*35	65*35
CAT312B	75*40	80*40	65*40
CAT315C	70*40	85*40	65*40
CAT315D	70*40	85*40	70*40
CAT320/B/C	85*30	100*35	85*30
CAT322B	90*30	100*35	90*30
CAT325	95*40	105*50	85*40
CAT324D	95*30	100*35	85*30
CAT325B	100*35	105*35	90*30
CAT325D	100*35	105*35	95*30
CAT329D	100*35	105*35	95*30
CAT330	105*50	110*60	105*50
CAT330B	105*50	110*60	105*50
CAT330C	105*50	115*60	105*50
CAT345B	110*50	95*40	110*50
HYUNDAI	BOOM	ARM	BUCKET
R55	55*30	55*30	50*30
R60-7	60*30	55*30	50*30
R110-7	70*30	75*40	65*30
R130-5	75*40	80*40	70*40
R150-7	75*40	80*40	70*40
R200-5	85*40	95*40	80*40
R210-3	85*30	95*30	80*30
R210-5	85*40	95*40	80*40
R215-7	85*40	95*40	80*40
R220-5	85*30	95*30	80*30
R225-5	85*30	100*40	85*30
R260-7	95*40	110*40	90*40
R260-5	95*40	105*40	90*40
R305-7	100*40	110*45	95*40
R305-9	100*40	110*45	95*30
R335-7	105*45	110*45	100*40
R370-7	105*45	120*50	105*45
R450-3	110*45	125*50	110*45
R907D	85*60	90*60	75*60
VOLVO	BOOM	ARM	BUCKET
EC60	60*35	55*35	50*35
EC210	80*40	95*40	80*40
EC240	90*40	100*40	90*40
EC290	95*40	105*40	95*40
EC360	105*40	115*45	100*40
EC360(短臂)	105*40	115*45	105*40
EC460	110*50	130*50	110*50



Pusher 操纵杆子弹头

行走器型号	规格	通用型	油封
CAT 1D*10	10*10f/2 }L7.1/BII 23 1	E200B\CAT320A\VOLVO\R220—5C&DH220—5\DH55\60	10X14X2.2\19@&P20
CAT 1D*15	10*15[2]L7.1/9\$ 63 1	SHIHDAJ—&SK—B*V/t@R220—5\VOLVO. ij @@	10X14X2.2\19@&P20
CAT10*25	10*25f/2 }L7.1/@ &31	CAT10J8\Č4Č@§\BIC\ID SKRBIJ(SY200\1\@&10X10)	10X14X2.2\19@&P20
DH —7/9	10*25W }L7.6/fig K31	A 9\DOOSAN -7\YC135—BYC85—8\LU }%@@@70\JCM	/@10X16X4.STIZI10X1*^X2.2\1P20
R—7/9	10*15f/2}L7.3/@ &31	@Č @R—7	1@10X16X4.5TJF10X1*^X2.2\1P20
EX—2/3/5	13\11.5@9.8/\$81652	EX& \$J—2/3/5@ }£	LBH-13\G 25
DH220—5	12*25ff\$ }L8/@-E31.6	DH—5 NEW YJ	12X16X3\19@ @P20
CAT307	@12"	CAT307\SH 120A	12X18X4\19 1944P20
zx@ @	t @\610*52 Ž10*50	ZX—3@/8& ¥ YJZX200\230t/U04lpČ4J @	10X17.45X5\6.5 \21X2
PC	12"	@Č\$J PC —5\6}9/@}f]	BR0378E
	}J\PC—5\6 }J]	&T \$JPC —7/8@{lt@ @	BR6778E
石川岛60	@\2/39.5.@9f/x22/24/20 2ž		1 2X18X4 3\1P20
YC60	@£\$g1@34\ @18/22/19g19.S	E,X60	0X14X2.2/2X14
YC35\85	@96¥10J34\ @19/23m17		10X1 4X2.2/2X14
SY75	\$t@6gt0640.@21/24/19m24		10X16X4.5/10X14X2. 2 AS 11 4
EC55	@ %27/19 @544, @1o	EC60\,\ @55\ @@@	

行走子弹头型号	规格	通用型	油封
CAT E200B\320A	轴10长27	E200B\320A\SK20D—5/3	10X14X2.2
CAT320B\C\ID	轴12长58铜最大34高27	CAT 70B\307 B VOLVO SY 2o£ltt	12X20X3/5.5/3QX2
EX200—5	轴10长42铜24/19高10/27		LBH—10/P20
ZX2oo	轴10长39铜24/19高6/27	ZX200& 7]	10X14X2.2\LBH —10/21 X2
DH220—5	轴12长75铜2组合		12X16X3/12X16X3.5.5/G25
SK —6	轴12长64最大外径30		12x16x3
SK —8	轴10长34铜下18中22上18总高23.8		10X14X2.2/
SK —B	换向阀轴14长46		12X20X4
YC60	轴10长34铜下18中22上19总高20.5		10X1 4X2.2 0@1 4X2
R220—5	轴10长36铜24\19高12/25	郑宇国机重工\CAT320A\SH	LBH —10/P20%@10X14X2.2
SH20DA3	轴12\10.5长56 铜最大34高27	似320C	12X20X3/5.5/30X2

TFG型 TFP型

BACK UP RING □




TFP NAME	SIZE	TFP NAME	SIZE	TFG NAME	SIZE
TFP4	^ " 7 * 1.25	TFP50	50 " 56 " 1.25	TFG25	2S " 30 " 1.25
TFPS	5 " 8 " 1.25	TFPSOA	50 " 60 " 1.9	TFG30	30 " 35 " 1.25
TFP6	6 " 9 " 1.25	TFPSS	55 " 65 " 1.9	TFG35	3S " 40 " 1.25
TFP7	7 " 10 " 1.25	TFP60	60 " 70 " 1.9	TFG40	40 " 45 " 1.25
TFP8	8 * 11 " 1.25	TFP65	65 " 75 " 1.9	TFG45	45 " 50 " 1.25
TFP9	9 " 12 " 1.25	TFP70	70 " B0 " 1.9	TFG50	TO " 55 " 1.25
T*P10	10 " 13 ' 1.25	TFP75	75 " 85 " 1.9	TFGSS	55 " 60 " 1.25
TFP10A	10 " 14 " 1.25	TFP80	80 " 90 " 1.9	TFG60	60 " 65 " 1.25
TFP11	11 * 15 " 1.25	TFP85	85 " 95 " 1.9	TFG65	6S " 70 " 1.25
TFP12	12 " 16 ' 1.25	TFP90	90 " 100 " 1.9	TFG70	70 " 75 " 1.25
T*P14	1^ " 18 * 1.25	TFP95	95 " 105 " 1.9	TFG75	75 " 80 " 1.25
TFP15	15 * 19 " 1.25	TFP100	100 " 110 " 1.9	TFG80	80 " 85 " 1.25
T*P16	16 " 20 " 1.25	TFP105	105 " 110 " 1.9	TFG85	8S " 90 " 1.25
TFP18	18 " 22 * 1.25	TFP110	110 " 125 " 1.9	TFG90	90 " 95 " 1.25
T*P19	19 " 23 * 1.25	TFP115	115 " 125 " 1.9	TFG95	95 " 100 " 1.25
T*P20	20 " 24 " 1.25	TFP120	120 " 130 " 1.9	TFG100	100 " 105 " 1.25
TFP21	21 " 25 ' 1.25	TFP125	125 " 135 " 1.9	TFG105	105 " 110 " 1.25
T*P22	22 " 26 * 1.25	TFP130	130 " 140 " 1.9	TFG110	110 " 115 " 1.25
TFP22A	22 " 28 " 1.25	TFP135	135 " 145 " 1.9	TFG115	115 " 120 " 1.25
T*P24	24 " 30 ' 1.25	TFP140	140 " 150 " 1.9	TFG120	120 " 125 " 1.25
T*P25	25 " 31 " 1.25	TFP145	145 " 155 " 1.9	TFG125	125 " 130 " 1.25
T*P26	26 * 32 " 1.25	TFP150	150 " 160 " 1.9	TFG130	130 " 135 " 1.25
TFAS	28 " 32 ' 1.25	TFP150A	J50 " 165.8 " 2.9	TFG135	135 " 140 " 1.25
TFP28	28 " 34 * 1.25	TFP160	160 " 175.8 * 2.9	TFG140	140 " 145 " 1.25
T*P29	29 " 35 " 1.25	TFP170	170 " 185.8 * 2.9	TFG145	145 " 150 " 1.25
T*P30	30 " 36 " 1.25	TFP180	180 " 195.8 " 2.9	TFG150	ISO " 160 " 1.25
TFP31	31 * 37 ' 1.25	TFP190	190 " 205.8 " 2.9	TFG155	155 " 165 " 1.9
T*P32	32 * 38 " 1.25	TFP200	200 " 215.8 * 2.9	TFG160	160 " 170 " 1.25
T*P33	33 " 39 " 1.25	TFP210	210 " 225.8 " 2.9	TFG165	165 " 175 " 1.25
T*P34	34 * 40 ' 1.25	TFP220	220 * 235.8 " 2.9	TFG170	170 " 180 " 1.25
T*P35	35' 41 " 1.25	TFP230	230 " 245.8 " 2.9	TFG175	175 " 185 " 1.25
T*P36	36 * 42 * 1.25	TFP240	240 * 255.8 " 2.9	TFG180	180 " 190 " 1.25
TFP38	38 " 44 " 1.25	TFP250	250 * 265.8 " 2.9	TFG185	185 " 195 " 1.25
T*P39	39 * 45 ' 1.25	TFP260	260 " 275.8 " 2.9	TFG190	190 " 200 " 1.25
T*P40	40 * 46 " 1.25	TFP270	270 " 285.8 * 2.9	TFG195	195 " 205 " 1.9
TFP41	41 " 47 " 1.25	TFP280	280 " 295.8 " 2.9	TFG200	200 " 210 " 1.9
T*P42	^2 * 48 ' 1.25	TFP290	290 " 305.8 " 2.9	TFG205	205 " 215 " 1.9
T*P44	^^ * 50 " 1.25	TFP300	300 " 315.8 * 2.9	TFG210	210 " 220 " 1.9
T*P45	45 " II " 1.25	TFP320	320 " 335.8 " 2.9	TFG220	220 " 230 " 1.9
T*P46	46 * 52 ' 1.25	TFP340	340 * 355.8 " 2.9	TFG230	230 " 240 " 1.9
TFP48	48" 54 " 1.25	TFP360	360 " 375.8 " 2.9	TFG240	240 " 250 " 1.9
T*P49	^9 " SS * 1.25	TFP400	400 * 415.8 " 2.9	TFG250	250 " 270 " 1.9
				TFG270	270 " 280 " 1.9
				TFG275	275 " 285 " 1.9

Special order Require for other size or material, please contact us for further discussion about new mould and price.

D -RING Travel Motor Seal

Material:U801, NBY
Special order: Require for other size or material, please contact us for further discussion about new mould and price.



GDK 型号				D-Ring	D-Ring
材料标志				PU	NBR
名义号	密封件的公称尺寸			GDK 零件号	GDK 零件号
D-Ring	d	D	h		
70	69.6	BO.4	5.7	GD3011D	
99	99	100*		GD3012D	
110	109.6	1204	5.7	GD3013D	
120	118.6	129*	5.7	GD3014D	
125	124.6	135.4	5.7	GD3015D	
148	187.6	158*	5.7	GD3016D	
171	171.3	1805	3.1	GD3017D	
188	187.6	195	3.53	GD3018D	
200	200.5	2077	3.53	GD3019D	
216	216.2	223.4	3.53	GD3020D	
1B4	184.2	191.5	5	GD3021D	
20J	2014	208.7	5	GD3022D	
214	214.5	22J.7	5	GD3023D	
240	2339	241.1	5	GD3024D	
133	133.4	148Y	4	GD3025D	
1dg	148.4	163.8	4	GD3026D	
169	16P.6	gd.g	4	GD3027D	
189	189.5	204.65	4	GD3028D	

KH Piston seal

Material: PA+NBR
Special order: Require for other size or material, please contact us for further discussion about new mould and price.



Part Name	Part No.
UKH	195-63-43392
UKH	195-63-92170
UKH	707-51-10020
UKH	707-51-65020
UKH	*07-II-70020
UKH	07190-00100
UKH	141-60-38411
UKH	154-63-52173
UKH	112-63-12462
UKH	*07-42-70012
UKH	*07-42-90011
UKH	*07-42-11011
UKH	*07-42-12011
UKH	707-42-13011
UKH	707-42-14011
UKH	707-42-15011
UKH	707-42-16011

Material: PA+PTFE+
Special order: Require for other size or material, please contact us for further discussion about new mould and price.




Part Name	Size
NCF(31	400'88'26
NCF (31	63'51'28
NCF(31	80'08'28
NCF (31	90'8'28
NCF(31	50'3'28
NCF (31	110'9B'28
NCF(41	50'37'18
NSF(5 I	90'8'42
NCF(SI	80'68'42
NSF(5 I	70'58'42
NCF(SI	63'51'42
NSF(5 I	120'108'42
NCF(SI	110'98'42
NSF(5 I	100'8B'42


PPIY/BUI/WASHER

Material:POM PU


Special order: Require for other size or material, please contact us for further discussion about new mould and price.



PPIY 419—46—12480



BUI 421—33—11430
424—46—12162
424—46—12172
425—46—12222
425—46—12232
424—46—12162
363—46—37111
363—46—37121
424—46—12141




WASHER 424—46—12182




EAR PUMP SEAL


@ , “ T@@ Auxiliary pump repair kits



705—17—0338 1



705—17—0381 0




PG240 - 1 @ @ 1\



E200B @ @



EX200 全系列辅助泵油封



K3V112BDT 辅助泵油封




E320B 07[{



E320 辅助泵油封








2P3120 辅助泵油封



EX200-1(OLD) 辅助泵油封



A10VD43 辅助泵油封





28A (178 * Φ93) 4239375



28AS (178 * Φ93)



30A (215 * Φ118)



30AS (215 * Φ118) 4657853



SH60/SH160 15T (173 * Φ22)



S25S (163 * Φ58)



S32S (235 * Φ97)



167*50T



50A (205 * Φ108)



50AS (205 * Φ108)



90A (272 * Φ140)



90AS (272 * Φ140)



169*24T



186*47T



200*50T



220*46T



140A (262 * Φ132)



140AS (262 * Φ132)



E200B 12T (205 * Φ35)



SH200 50AS 14T (205 * Φ40)



215.8*50T



226*42T



295*48T



320*42T



SH200 50AM 16T (205 * Φ45)



LS280 50ASM 20T (205 * Φ44)



E450 16T (360 * Φ52)



E300B 16T (278 * Φ54)



350 * 46T E330C



PC200-5/6 (335 * Φ45) 16T



PC200-3 (355 * Φ45) 16T



PC300/400-5 (470 * Φ60) 22T



O-RING KIT MATERIAL NITRILE

FDA NSF kiwa 50 years experience

100% GUARANTEE

沃尔沃
Be suitable for Volvo seal

现代
Be suitable for Hyundai seal

FDA NSF kiwa 50 years experience

O-RING KIT MATERIAL NITRILE

High quality box-packed excavator O-Ring kits comply with international standards
Quantity in stock over **10,000** boxes throughout the year
You're welcome to contact us at any time



现代
Be suitable for Hyundai seal

神钢
Be suitable for Kobe seal

日立
Be suitable for Hitachi seal

小松
Be suitable for Komatsu seal

住友
Be suitable for Sumitomo seal

沃尔沃
Be suitable for Volvo seal

Seal took kit 工具包



O RING KIT O型盒



密封件散件

注释:所有原厂制造商之名称、型号、标志、包装及品名只供参考。

ALL ORIGINAL MANUFACTOR'S NAME,PART NO.,LOGO,PACKAGE AND DESCRIPTION FOR REFERENCE PURPOSES ONLY