

百年基业靠诚信 持续发展要品质

A century old foundation relies on integrity for sustainable development and requires quality



创新引领科技 科技改变世界

Innovation leads technology and changes the world



CHENKE  
FILTRATION

LANGFANG CHENKE FILTRATION EQUIPMENT CO.,LTD. 宸科过滤  
产品宣传图册



廊坊宸科过滤设备有限公司  
LANGFANG CHENKE FILTRATION EQUIPMENT CO.,LTD.

电话(TEL):13930613951

15233065868

地址:廊坊市固安县林城工业园区

Address:Lincheng Industrial Park, Gu'an County, Langfang City



WECHAT



WECHAT



中国·固安  
Gu'an · China

## 公司简介 COMPANY PROFILE

廊坊宸科过滤设备有限公司是一家专业从事生产、销售服务于一体的现代化企业，其产品广泛应用于：进口柴油发电机组、挖掘机、摊铺机、压路机、装载机、钻机、打桩机等工程机械、建筑机械、农业机械、矿山机械、重型车辆、豪华大巴、发电机组、线切割机、空压机、叉车、汽车等设备的引擎保养，及粉末喷涂回收系统、环保净化滤芯等类型的产品。

我公司专业制造各种纸质滤芯、旋装式滤清器及PU胶滤芯、空气滤芯、机油滤芯、燃油滤芯、液压油滤芯、油气分离滤芯、油水分离滤芯、精密滤芯等1500多种不同规格的各系列滤芯。

可以根据客户要求加工定做各种异型滤芯滤清器。我们以信誉第一、质量第一，服务至上的原则，力求以最低的价格，让利使用商，让利求购商！

本公司产品已通过GB/T19001-2016/ISO9001:2015国际质量体系认证。



Langfang Chenke Filtration Equipment Co., Ltd. is a modern enterprise specializing in production, sales, and services. Its products are widely used in imported diesel generator sets, excavators, pavers, rollers, loaders, drilling rigs, pile drivers, and other engineering machinery, construction machinery, agricultural machinery, mining machinery, heavy vehicles, luxury buses, and generator sets. Engine maintenance for equipment such as wire cutting machines, air compressors, forklifts, and automobiles, as well as products such as powder spray recycling systems and environmentally friendly purification filters.

Our company specializes in manufacturing various types of paper filters, rotary filters, PU rubber filters, air filters, oil filters, fuel filters, hydraulic oil filters, oil-gas separation filters, oil-water separation filters, precision filters, and more than 1500 different specifications of various series of filters. We can customize various shaped filter cartridges and filters according to customer requirements.

We adhere to the principle of reputation first, quality first, and service first, striving to offer the lowest price to users and buyers at a discounted price.

Our company's products have passed the GB/T19001-2016/ISO9001:2015 international quality system certification

## 应用领域 APPLICATION AREA



## HYDRAULIC OIL FILTER 液压油滤芯



多年来本公司为国内许多厂家进行了引进液压设备的过滤器滤芯国产化工作，滤芯进口材料制作，其性能达到国外同类产品水平，完全可以替代进口滤芯，产品应用范围十分广泛，几乎覆盖了各行各业，尤其在冶金工业，汽车工业，电力设备，化工、工程机械、造林工业、造船工业以及机床制造等领域都得到广泛应用。

我公司可生产替代的进口品牌：

Our company can produce alternative imported brands :

HYDAC贺德克、PALL颇尔、LH黎明、MP FILTRI翡翠、MAHLE 玛勒、TAISEI大生、INTERNORMEN 英德诺曼、ALLISON 艾里逊滤芯、ARGO雅歌、CLARK克拉克、EPE系列、FILTREC富卓、PARKER 派克、CHROEDER施罗德、STAUFF西德福、HY-PRO海普洛、HAGGLUNDS赫格隆、SOFIMA索菲玛、SACMI萨克米、FaiFiltr法菲特、VICKERS威格士、Rexroth力士乐、UCC液压、BOSCH博世液压、LENZ伦茨、FBO JOY、Oumanson欧曼森等。



For many years, our company has carried out the localization of hydraulic equipment filter cartridges for many domestic manufacturers. The filter cartridges are made of imported materials and their performance reaches the level of similar foreign products. They can completely replace imported filter cartridges. The product has a wide range of applications, covering almost all industries, especially in the metallurgical industry, automotive industry, power equipment, chemical industry, engineering machinery, afforestation industry, shipbuilding industry, and machine tool manufacturing.



### 液压油滤芯的特点：

- 1、分高压段用、中压段用、回油段用和吸油段用；
- 2、分高中低精度等级，2-5 $\mu$ m为高精度，10-15 $\mu$ m为中等精度，15-25 $\mu$ m为低精度；
- 3、为压缩滤芯成品外形尺寸，增大过滤面积，一般滤层部分折成波纹状，液压滤芯打褶高度一般在20mm以下；
- 4、液压滤芯承受压差一般在0.35-0.4MPa，但个别特殊滤芯，要求承受高压差，最高要求承受32MPa，甚至42MPa等同系统压力；
- 5、最高承受温度，有的要求达到135 $^{\circ}$ C。

### Characteristics of hydraulic filter element:

1. Used in high-pressure section, medium pressure section, oil return section, and oil suction section;
2. Divided into high, medium, and low precision levels, 2-5 $\mu$ m is considered high precision, 10-15 $\mu$ m is considered medium precision, and 15-25 $\mu$ m is considered low precision;
3. To compress the external dimensions of the finished filter element and increase the filtering area, the filter layer is generally folded into a corrugated shape, and the height of the pleats on the hydraulic filter element is generally below 20 mm;
4. Hydraulic filter cartridges generally withstand a pressure difference of 0.35-0.4MPa, but some special filter cartridges require high pressure differences, with a maximum requirement of 32MPa, or even 42MPa equivalent system pressure;
5. The maximum temperature tolerance is required to reach 135  $^{\circ}$ C in some cases.



**OEM:**  
07063-0110  
HF6102  
P557380  
HF28977  
H-5610  
175-60-27380



**OEM:**  
11214482  
4630331



**OEM:**  
31E9-1019  
HF35552  
R010110  
H-28040  
31E9-1019A  
31N8-01510



**OEM:**  
4402914  
P502442  
H-27340



**OEM:**  
689-38210010  
HF6305  
P550037  
H-7914



**OEM:**  
4448402  
HF7691  
P502270  
4443773



**OEM:**  
14X-60-11120



**OEM:**  
2474-9404A



**OEM:**  
4656608  
HF7679  
P502441  
H2724  
4656605  
YA00016054



**OEM:**  
RA011-62190



**OEM:**  
LX666A/10



**OEM:**  
EF-058D



**OEM:**  
YR52V01004R300



**OEM:**  
TLX402A



**OEM:**  
17215-73710



**OEM:**  
WY1X-700x10Q2



**OEM:**  
53C0055



**OEM:**  
22Y-87-20000



**OEM:**  
YN52V01025R100  
P502636



**OEM:**  
0060D010BN4HC



**OEM:**  
FE040FD1



**OEM:**  
853-8504001



**OEM:**  
RD401-61270



**OEM:**  
4210224



**OEM:**  
205-60-51270



**OEM:**  
B222100000235



**OEM:**  
31E5-70010



**OEM:**  
YLXD-13C



**OEM:**  
126-2081



**OEM:**  
17219473730



**OEM:**  
H-2717



**OEM:**  
E131-0212



**OEM:**  
J213-78A-05000



**OEM:**  
KZ-10



**OEM:**  
LH0240D010BN3HC



**OEM:**  
TLX235A



**OEM:**  
179-9806



**OEM:**  
569-43-83920



**OEM:**  
0660R010ON



**OEM:**  
15500-10150T



**OEM:**  
250031-850



**OEM:**  
936019



**OEM:**  
7414581



**OEM:**  
R928005963



**OEM:**  
PI9730DRGVST300



**OEM:**  
333/W2655



**OEM:**  
704357



**OEM:**  
0009831644



**OEM:**  
87708150



**OEM:**  
2079705121



**OEM:**  
LVA13065



**OEM:**  
WU-63



**OEM:**  
117-0390



**OEM:**  
0280D010BN4HC



**OEM:**  
332/D5584




**OEM:**  
590-9787



**OEM:**  
691954



**OEM:**  
937399Q



**OEM:**  
7414582



**OEM:**  
81066680009



**OEM:**  
11060250



**OEM:**  
FAX-800



**OEM:**  
TZX2-630



**OEM:**  
NLX-800



**OEM:**  
803308664



**OEM:**  
LX666A-10



**OEM:**  
60210416



**OEM:**  
RD431-62122  
H-88080



**OEM:**  
YN52V01011P1  
H-4101/H-8523  
P502446  
FZ1F180K001A  
YN52V01011P2  
YN52V01013P1  
YN52V01016R100



**OEM:**  
53C0170



**OEM:**  
53C0038



**OEM:**  
LX666A-10



**OEM:**  
TLX368C  
860104429  
860203868



**OEM:**  
21W-60-4112  
H-56540  
HF35512  
PT9420  
HY90322



**OEM:**  
198-49-11440  
HF35005  
P550083  
HF7847  
KRJ1599  
KNJ2567



**OEM:**  
87708150



**OEM:**  
937855Q



**OEM:**  
P171560



**OEM:**  
YCX-400



**OEM:**  
H-X250



**OEM:**  
MF1801P10NB



**OEM:**  
ZNGLO2011201



**OEM:**  
4915241



**OEM:**  
TLX235LC110



**OEM:**  
RE197065



**OEM:**  
V3.0620-56



**OEM:**  
0240R0100N



**OEM:**  
400408-00049



**OEM:**  
V3.0924-08



**OEM:**  
HC2286FCS12H50YT



**OEM:**  
14539485



**OEM:**  
FBX-63



**OEM:**  
60114999



**OEM:**  
过滤器  
Filter



**OEM:**  
过滤器  
Filter



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
R928006035



**OEM:**  
42N-62-15470



**OEM:**  
05877242



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
P171706



**OEM:**  
921689.0007



**OEM:**  
14523264



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
HF30779



**OEM:**  
MEH1492MTF10N/M50



**OEM:**  
01.NR1000.32227.10VG



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
HC2246FCS6H50YT



**OEM:**  
0110D010BN3HC



**OEM:**  
0060D010BN3HC



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
液压滤芯  
Hydraulic Filter



**OEM:**  
液压滤芯  
Hydraulic Filter

ENVIRONMENT PROTECTION FILTER  
**环保滤芯**  
( 液压/柴油/机油 )



OEM:  
1R-0722



OEM:  
1R-0726



OEM:  
1R-0735



OEM:  
1R-0741



OEM:  
1R-0756



OEM:  
1R-1804



OEM:  
26560163



OEM:  
438-7077



OEM:  
479-4131



OEM:  
322-3155



OEM:  
500-0483



OEM:  
CH10929



OEM:  
CH10930



OEM:  
YN21P01157P100



OEM:  
1R-0793



OEM:  
1R-0719



OEM:  
337-5270



OEM:  
344-0004



OEM:  
348-1861



OEM:  
348-1862



OEM:  
326-1163



OEM:  
389-1085



OEM:  
389-1076



OEM:  
421-5481



OEM:  
434-3928



OEM:  
509-5694



OEM:  
523-4987



OEM:  
360-8960



OEM:  
60282026

# IR / DUST FILTER A空气/除尘滤芯



# S PIN-ON FILTER 旋装滤芯 ( 液压/柴油/机油 )



OEM:  
243622



OEM:  
1R-1808



OEM:  
7W-2326



OEM:  
326-1641



OEM:  
423-8521



OEM:  
438-5386



OEM:  
6667352



OEM:  
DBB8666



OEM:  
FS1003



OEM:  
FS19816



OEM:  
WF2075



OEM:  
RE522878



OEM:  
P165569



# STAINLESS STEEL FILTER 不锈钢滤芯



# OIL GAS SEPARATION FILTER 油气分离滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯



OEM:  
油分滤芯