

诚招国内外区域独家代理商

Sincerely recruit area exclusive agents at home and abroad



www.terrismachinery.com



Jason
WeChat



Jason Yang
WhatsApp



Colin Yang
WhatsApp

泉州市特瑞斯机械制造有限公司

QUANZHOU TERRIS MACHINERY MANUFACTURING CO., LTD.

地址：中国福建省泉州市鲤城区江南街1211号 邮编(P.C.):362000

ADD:No.1211 Jiangnan Street, Licheng District, Quanzhou City, Fujian Province

Email: jason_yang@terrismachinery.com colin_yang@terrismachinery.com


TEL/WA:+86 136 9696 2395 +86 178 8034 3449

网址(Web): www.terrismachinery.com

EXCAVATOR BULLDOZER UNDERCARRIAGE PARTS

您值得信赖的履带式底盘件供应商

YOUR TRUSTED SUPPLIER OF UNDERCARRIAGE PARTS



泉州市特瑞斯机械制造有限公司

QUANZHOU TERRIS MACHINERY MANUFACTURING CO., LTD.



企业简介

泉州市特瑞斯机械制造有限公司位于福建省南安，紧邻晋江机场和动车站。“特瑞斯”品牌已被业界公认为中国领先的挖掘机和推土机底盘零部件制造商和经销商之一。

特瑞斯机械成立于2013年，现拥有3万平方米的现代化标准车间和各种先进设备，包括数控车床和锻压机、热处理、检验设备等。特瑞斯很荣幸拥有200名专业、勤奋的员工，致力于发展企业。特瑞斯机械已通过了ISO 9001:2008和ISO 14001:2004认证。被当地政府授予“明星企业”等称号。

“品质成就未来，服务永无止尽”特瑞斯机械长期为国内各主机厂配套，制造高品质、长寿命的“四轮一带”等系列产品。凭借具有竞争力的价格和增值服务，销售版图与日俱增，已从国内市场扩展到亚洲、美洲、欧洲、大洋洲等国家和地区，欢迎广大客商来电咨询洽谈，携手共创美好明天。



QUANZHOU TERRIS MACHINERY MANUFACTURING CO., LTD

COMPANY PROFILE



QUANZHOU TERRIS MACHINERY MANUFACTURING CO., LTD. is located in Nan'an, Fujian Province, close to Jinjiang Airport and high-speed train station. The "Terris" brand has been recognized by the industry as one of the leading manufacturers and distributors of excavator and bulldozer chassis parts in China.

Terris Machinery was established in 2013 and now has a modern standard workshop of 30,000 square meters and various advanced equipment, including CNC lathes and forging presses, heat treatment, inspection equipment, etc. Terris is proud to have 200 professional and hard-working employees dedicated to growing the business. Terris Machinery has passed ISO 9001:2008 and ISO 14001:2004 certified. It was awarded titles such as "Star Enterprise" by the local government. "Quality makes the future, and service never ends." Terris Machinery has long been manufacturing high-quality, long-life "four-wheel-and-one-belt" and other series of products for domestic OEMs.

With competitive prices and value-added services, the sales territory is growing day by day, and has expanded from the domestic market to Asia, America, Europe, Oceania and other countries and regions. We welcome customers to call us for consultation and negotiation, and work together to create a better tomorrow.





锻造车间 **FORGING WORKSHOP**



特瑞斯机械以责任为核心的创业思维，以诚信为核心的形象思维，以创新为核心的管理思维，以共赢为核心的经营思维，来更好的服务国内外新老客户，使我们在激烈的市场竞争中坚如磐石，立于不败之地。同时特瑞斯机械建立起了一套适用市场行之有效的销售及售后服务体系，精心打造通畅，快捷的销售通道。

TERRIS Machinery has the pioneering thought that responsibility as the core, the image thought that integrity as the core, the management thought that innovation as the core, business thought that win-win as the core, which can provide better service to old and new customers from home and abroad, and make itself strong and remain invincible during the furious market competition. TERRIS Machinery set up an effective sales and after-sale service system which suit for its market, deliberately explore smooth and fast sales channels.





EXCAVATOR



产品理化检测 Physics And Chemistry Detecting



高深度感应硬化表面
High-degree inductive harden surface

- 链轨经调质后，轨面经中频硬化处理，保证了最大强度及耐磨性。
- The chain goes through thermal refining first, and then its chain rail surface undertakes medium frequency induction. All the heat treatment ensure chain strength and wear-resisting property greatly.



耐磨性
Abrasion resistance

- 销套经调质后，进行内外表面中频淬火处理，保证了合理的心部强度及内外表面的耐磨性。
- After hardening and tempering, the inner and outer surface of the pin will have medium-frequency quenching treatment, which ensures reasonable core strength and the wear resistance of inner and outer surface.



耐磨性
Abrasion resistance

- 销轴调质后，经表面中频淬火处理，保证了足够的心部强度及外表面的耐磨性。
- The pin is done the tempering and the surface medium-frequency quenching treatment, which ensures the sufficient hardness of core and abrasion resistance of external surfaces.

推土机油链 | TRACK CHAIN ASSY



挖掘机链条总成 | TRACK CHAIN ASSY

高强度
HIGH STRENGTH

低损耗
LOW WEAR AND TEAR

高精度
HIGH PRECISION

- 选择范围广泛的链条及油链适合于从0.8T至100T的履带式挖掘机和推土机等特种机械，在卡特、小松、日立、神钢、现代等公司的推土机、挖掘机上都得到广泛的应用；
- 由特殊钢材制成，轴和轴套经过特殊的热处理，最大程度提高了耐磨性；链条内部涂有润滑油和装
- 有聚氨酯防尘圈，进一步延长了使用寿命；
- 所有链条都是由高精度的设计和高精度制造的零部件组装而成。
- Having wide choice range, the chain and oil chain are applicable to special model of crawler type excavators and bulldozer from 0.8T to 100T. It is widely applied in bulldozers and excavators of Caterpillar, Komatsu, Hitachi, Kobelco and Hyundai etc;
- Made of special steel material, pin and bush go through special heat treatment, so the wear-resistance is improved to maximum extent. Chain inside is spread with lubrication oil and equipped with polyurethane dust seal and further prolong life time;
- All chains are assembled with the high precision design and manufacturing parts.

BULLDOZER





EXCAVATOR




挖掘机支重轮 | TRACK ROLLER

高强度
HIGH STRENGTH

低损耗
LOW WEAR AND TEAR

高精度
HIGH PRECISION

- 单、双法兰的支重轮适合于从0.8T至100T的履带式挖掘机和推土机等特种机械，在卡特、小松、日立、神钢、现代等公司的推土机、挖掘机上都得到广泛的应用；
- 双圆锥式密封和终生润滑设计，使得支重轮在任何工作条件下都具有较长的寿命和完美的使用性能；
- 热锻造处理制造的轮壳获得卓越的内部材质纤维流分布结构；
- 差动式淬火或通过式淬火热处理，保证一定的热处理硬化深度，起到良好的抗裂功效。
- Single Flange TRACK ROLLER and Double Flange TRACK ROLLER is applicable to special model of crawler type EXCAVATORS and BULLDOZERS from 0.8T to 100T. It is widely applied in BULLDOZERS and Excavator of CATERPILLAR, KOMATSU, HITACHI, KOBELCO, HYUNDAI and etc;
- The design of Double-Cone Sealing and Lubrications for life makes the TRACK ROLLER long life and perfect performance under any working condition;
- Hot Forging Roller Shell gains distinguishing inner material fiber flow distribution architecture;
- Differential-Type Hardening and Through-Type Hardening assure the depth under Heat Treating and the crack controlling.




推土机支重轮 | TRACK ROLLER



BULLDOZER



EXCAVATOR



推土机托链轮 | CARRIER ROLLER

挖掘机托链轮 | CARRIER ROLLER

高强度
HIGH STRENGTH

低损耗
LOW WEAR AND TEAR

高精度
HIGH PRECISION

- 单、双法兰的托链轮适合于从0.8T至100T的履带式挖掘机和推土机等特种机械，在卡特、小松、日立、神钢、现代等公司的推土机、挖掘机上都得到广泛的应用；
- 双圆锥式密封和终生润滑设计，使得托链轮在任何工作条件下都具有较长的寿命和完美的使用性能；
- 热锻造处理制造的轮壳获得卓越的内部材质纤维流分布结构；
- 差动式淬火或通过式淬火热处理，保证一定的热处理硬化深度，起到良好的抗裂功效。
- Single Flange Carrier Roller and Double Flange Carrier Roller is applicable to special model of crawler type EXCAVATORS and BULLDOZERS from 0.8T to 100T. It is widely applied in BULLDOZERS and Excavator of CATERPILLAR, KOMATSU, HITACHI, KOBELCO, HYUNDAI and etc;
- The design of Double-Cone Sealing and Lubrications for life makes the Carrier Roller long life and perfect performance under any working condition;
- Hot Forging Roller Shell gains distinguishing inner material fiber flow distribution architecture;
- Differential-Type Hardening and Through-Type Hardening assure the depth under Heat Treating and the crack controlling.



BULLDOZER



EXCAVATOR




挖掘机引导轮 | IDLER ASSY

低损耗
LOW WEAR AND TEAR

高负重
HIGH LOADING

高强度
HIGH STRENGTH

- 选择范围广泛的引导轮适合于从0.8T至100T的履带式挖掘机和推土机等特种机械，在卡特、小松、日立、神钢、现代等公司的推土机、挖掘机上都得到广泛的应用；
- 具有铸造和焊接制造等工艺类型；
- 采用精密的加工技术和特殊热处理工艺，达到最好的耐磨性，最大程度的承受重载和防止碎裂。
- Having wide choice range, the idler is applicable to special model of crawler type excavators and bulldozer from 0.8T to 100T. It is widely applied in bulldozers and excavators of Caterpillar, Komatsu, Hitachi, Kobelco and Hyundai etc. Have different manufacturing technology, like casting and welding.
- Use precision processing technology and special heat treatment technique to reach best wear-resistance and have maximum extent loading capacity as well as anti-cracking.



推土机引导轮 | IDLER ASSY



BULLDOZER



EXCAVATOR



挖掘机驱动轮 | SPROCKET


低损耗
LOW WEAR AND TEAR

高效能
HIGH PERFORMANCE

长寿命
LONG LIFE TIME

- 选择范围广泛的驱动轮适合于从0.8T至100T的履带式挖掘机和推土机等特种机械，在卡特、小松、日立、神钢、现代等公司的推土机、挖掘机上都得到广泛的应用；
- 采用精密的加工技术和特殊热处理工艺，达到最好的耐磨性，最大程度的延长使用寿命。
- Having wide choice range, the sprocket is applicable to special model of crawler type excavators and bulldozer from 0.8T to 100T. It is widely applied in bulldozers and excavators of Caterpillar, Komatsu, Hitachi, Kobelco and Hyundai etc.
- Adopts precision processing technology and special heat treatment technique, so reach the best wear-resistance and prolong life time to maximum extent.

推土机齿块 | SEGMENT



BULLDOZER



EXCAVATOR



斗齿、齿座 | Bucket Teeth、Adapters



斗轴 Bucket Pin



斗轴套 Bucket Bushing



马拉头 Link Bushing



斗耳 Link Bushing



其它系列 >> Other series



护链架Guard



千秋架Bucket Link



连杆Link Rod



橡胶履带板Rubber Chain



涨紧总成Track Cylinder Assy



挖斗Buckets




挖臂油缸Bucket Cylinder



刀角刀板 Cutting Edge、End Bits



斗齿销Tooth pin



回转支承 Slewing Bearing



橡胶履带 Rubber Track



快速连接器 Quick Hitch



边齿 Side Cutter



挂钩 Hook



螺丝 Bolt



垫片 Spacer

挖掘机 >> EXCAVATOR

KOMATSU	PC20、PC30、PC40、PC50、PC60、PC71、PC80、PC100、PC120-3、PC120、PC130、PC150、PC180、PC200-1、PC200-3、PC200-5/6/7/8、PC210、PC220、PC240、PC300-5、PC300-6/7/8、PC360、PC400-5、PC400-6/7/8、PC450、PC600、PC800、PC1250
CATERPILLAR	CAT205、CAT215、CAT225、CAT235、CAT302.5、CAT307、CAT311、CAT312、CAT315、CAT320、CAT322、CAT325、CAT330、CAT345、CAT336、E70、E70B、E110B、E120、E120B、E200B、E240、E320、E450、CAT385
HITACHI	EX22、EX30、EX40、EX50、EX60、EX100、EX120、EX135、EX150、EX165、EX200-1、EX200-2、EX200-3/5、EX215、EX235、EX220、EX270、EX300、EX400、EX450、EX285LC、EX355LC、ZX30、ZX40、ZX50、ZX55、ZX110、ZX120、ZX180、ZX200、ZX200-5G、ZX210、ZX230、ZX200-3、ZX240、ZX240-3、ZX270、ZX270-3、ZX280、ZX280-3、ZX330、ZX330-3、ZX-330-5G、ZX350-3、ZX450、ZX450-3、ZX600、ZX800、ZX870LC-3、UH063、UH083、UH121、FH120、FH150、FH200、FH200-3、FH220、FH220-3、FH300、FH330、FH400、EX1200、EX1800
HYUNDAI	R55-7、R55-9、R60、R140-7、R160-7、R180-7、R200、R200-3、R210LC-7、R210LC-9、R220LC-7、R220LC-9s、R229、R250、R290-3、R290LC-7、R300LC-9S、R305-7、R320LC-7、R360LC-3、R360LC-7、R450LC-7、R500LC-7、R520
JCB	JS70、JS110、JS140、JS160LC、JS200、JS210、JS220、JS240、JS260、JS330、JS360、JS460、JCB807、JCB808
DOOSAN	DX55、DX140、DX180、DX225、DX255、DX300、DX340LC、DH55、DH180、DH200、DH220、DH280、DH450、Solar 55、Solar 130LC-V、Solar 225LC-V、Solar 255LC-V、Solar 290LC-V、Solar 300、Solar 330LC-V、Solar 340LC-V、Solar 450
VOLVO	EC55、EC140、EC210、EC240、EC290、EC360、EC460、EC700
KOBELCO	SK60、SK100、SK120、SK135、SK200-5、SK200-8、SK250、SK250-8、SK330-8、SK020SR、SK035SR、SK045SR、SK030、SK045、K907A、SK09N2、SK07N2
SUMITOMO	SH60、SH100、SH120、SH200、SH280、SH300、SH330-3、SH340、SH430、SH450-3、LS265、LS-2800FJ/FJ2、LS-4300、LS-5800
CASE	CX130、CX160、CX210、CX210B、CX240、CX290、CX290B、CX330、CX350、CX460、CASE 9020、CX360
NEW HOLLAND	E135、E165、E215、E235
YANMAR	VIO30、VIO40、VIO50、B27、B37、B5、B50、B7
SAMSUNG	SE130、SE210、SE210-2、SE210-3、SE280-1、SE280-2、SE350LC-1、SE350LC-2、MX8、MX222、MX10
LIEBHERR	HS840、HS850、HS871、R941、R942、R945、R951、R952、R954、R961、HS852、R900、R902B、R922LC、R313、R901C、R921C、R982LC、R932HDSL、R965B
SHANTUI	SD16、SD22、SD23、SD32、SD42
FIAT ALLIS	FL4、FL6、FL8、FL10、FL12、FL14C
mitsubishi	MS30、MS40、MS70、MS110、MS180、MS240、MS270、MS350、MS380
KATO	HD250、HD450、HD550、HD700、HD770、HD820、HD1250、HD1430、HD1023、HD1880
JOHN DEERE	690B、693B、270CLC、330CLC、550LC、110、120、590D、590E、370、450DLC、892DLC、650DLC、850DLC、85C
OTHERS	HIDROMEK 220LC、KUBOTA KX101、KUBOTA KX121、IH145-IH130、TAKEUCHI TL120、TAKEUCHI TL130、TAKEUCHI TL140、TAKEUCHI TL150、ATLAS-TEREX 1304HD、O-&K-TEREX RH30C、O-&K-TEREX RH6、ATLAS-TEREX 1704LC、O-&K-TEREX RH9HD、O-&K-TEREX RH12HD、O-&K-TEREX RH25、O-&K-TEREX RH12PMS、O-&K-TEREX RH16PMS、O-&K-TEREX RH12.5LC、ATLAS-TEREX 1702HD、SUMITOMO-LINKBELT LS2600LL、POCLAIN-CASE POCLAIN 115CK、POCLAIN-CASE POCLAIN 125B

推土机 >> BULLDOZER

CATERPILLAR	D2、D3、D3B、D3C、D4、D4C、D4D、D4E、D4H、D5、D5B、D5G、D5H、D5M、D5C、D5N XL、D6、D6D、D6C、D6H、D6R、D6B、D6HLGP、D6M、D6N、D7G、D7E、D7F、D7R、D7H、D8R、D8N、D8K、D8L、D9N、D9R、D9T、D9L、D10N、D10R、D10T、D11N D11R
KOMATSU	D20、D21、D30、D31、D31PX-21、D39PX-21、D40、D41A-6、D41P-6、D50、D53、D61EX-12、D61PX-12、D65A-8、D65E-8、D65E-12 D65PX-12、D65EX-15、D65PX-15、D85A-18、D85C-21、D85A-21、D85E-21、D85EX-15、D85P-21、D155A-1、D155AX-3、D155AX-5 D155AX-6、D155C-1、D275A-2、D275A-5、D355A-1、D355A-3/5、D375A-2、D375A-5
SHANTUI	SD16、SD22、SD23、SD32、SD42
OTHERS	LIEBHERR PR752、LIEBHERR SR731、LIEBHERR PR731B、LIEBHERR PR732B、LIEBHERR PR734L、JOHN DEERE JD855、JOHN DEERE 755、JOHN DEERE 850、JOHN DEERE 655、JOHN DEERE JD750、JOHN DEERE JD1175 COMBINES、JOHN DEERE JD45 COMBINES、Dresser TD7H、Dresser TD8H、Dresser TD9H、Dresser TD7C、Dresser TD8C、Dresser TD15E、Dresser TD15H、Dresser TD20E、Dresser TD25、MITSUBISHI BD2G、MITSUBISHI BD2F、JOHN DEERE-CAMECO SUGAR CANE COMBINES 3520