



0086 181 5350 1858

SD@luyumachinery.com Shahe Industrial Park, Laizhou City, Shandong Province, China



WHEEL LOADER

INTELLIGENT SOLUTIONS
FOR EVERY CHALLENGE



INTELLIGENT
TECHNOLOGY



RELIABLE
PERFORMANCE



GLOBAL
SUPPORT



LUYU MACHINERY

TOUGH WORLD. TOUGH EQUIPMENT.



WHEEL LOADER
LY SERIES



COMPANY PRESENTATION

LUYU Machinery, established in 2005 at Laizhou City, Shandong Province, already became one of the Chinese leading enterprises producing the construction and agriculture machines, which covers an area of more than 120,000.

It mainly produces wheel loaders, wheel excavators, mini excavators, self-loading mixer, backhoe loaders, telescopic wheel loaders, forklift, tractors, crawler dumper and other construction machinery and agricultural machinery.

20 YEARS
EXPERIENCE
FOCUS · INNOVATION · QUALITY · SERVICE



LUYU IS PROUD OF 20 YEARS EXPERIENCE

LUYU focus on technological innovation, owning intelligent production workshop with three top automatic assembly lines, Panasonic welding robots, multi-functional laser cutting machines, and CNC machining centers.

LUYU manufactures machines with top performance capacity, outstanding durability, good prices, together with excellent after-sales service to customers all over the world.

Passed ISO 9000 international quality system certification and CE certificate to ensure the quality. Moreover, OEM & ODM services are available. Sincerely welcome you to visit LUYU Machinery.

National Patents
30+

Area
120,000 m²


Registered Fund
50,000,000



AUTOMATIC PRODUCTION WORKSHOP

LUYU factory continues to upgrade intelligent manufacturing, creating an integrated production process from component processing and structural welding to final assembly and surface treatment.

Powered by multi-functional laser cutting systems, robotic welding, and intelligent material delivery and assembly systems, our factory improves process efficiency and product consistency, providing reliable manufacturing support for global markets.



II PRODUCTION SCALE

LUYU MACHINERY



Backed by large-scale capacity and digitalized management, LUYU continues to strengthen its delivery capability for global markets.

The factory operates multiple automated assembly lines, with a maximum daily output of up to 300 units. Supported by the ERP system, the production process is efficiently coordinated, achieving 95% digitalized production management coverage, 90% intelligent equipment adoption, and capacity utilization maintained above 85%. This provides strong support for stable and efficient large-scale delivery.

95%

Digitalized Management

A wide range of self-developed products and attachments can meet diverse demands across different countries and working conditions.

90%

Intelligent Adoption

85%+

Capacity Utilization



CUSTOMER SERVICE

With a customer-oriented approach, we provide comprehensive support for global dealers and end-users:

Pre-Sales Support: Accurate model selection advice and long-term operation guidance

Warranty Service: 1-year warranty for complete wheel loader products

Parts Supply: Fast supply of genuine parts to keep machines running

Remote Technical Support: Online diagnosis and operation guidance for higher service efficiency

Customized Solutions: OEM/ODM options for different market needs

Multilingual Team: Response within 24 hours, with feedback recorded and technical issues coordinated efficiently

LY932

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	0.7 m³
Bucket Width	1900mm
Rated Load	1600kg
Total Weight	3900kg
Engine Type	YN27 42KW/56HP
Dimension	5605x1892x2915mm
Dumping Height	3200mm
Ground Clearance	230mm
Min. Turning Radius	3250mm
Tyre	20.5-16



0.7m³
Bucket Capacity



1600kg
Rated Load



42KW/56HP
Rated Power

LY928C

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	0.6 m³
Bucket Width	1900mm
Rated Load	1500kg
Total Weight	3600kg
Engine Type	YN25 37KW/50HP
Dimension	5605x1892x2900mm
Dumping Height	3200mm
Ground Clearance	215mm
Min. Turning Radius	3250mm
Tyre	20.5-16



0.6m³
Bucket Capacity



1500kg
Rated Load



37KW/50HP
Rated Power

LY936

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	0.7 m³
Bucket Width	1900mm
Rated Load	1800kg
Total Weight	4100kg
Engine Type	YN27T 58KW/78HP
Dimension	5605x1900x2915mm
Dumping Height	3200mm
Ground Clearance	235mm
Min. Turning Radius	3250mm
Tyre	20.5-16



0.7m³
Bucket Capacity



1800kg
Rated Load



58KW/78HP
Rated Power

LY938

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	0.8 m³
Bucket Width	2000mm
Rated Load	2000kg
Total Weight	4800kg
Engine Type	YN27T 58KW/78HP
Dimension	5975x2000x3000mm
Dumping Height	3500mm
Ground Clearance	325mm
Min. Turning Radius	3450mm
Tyre	16/70-20



0.8m³
Bucket Capacity



2000kg
Rated Load



58KW/78HP
Rated Power

LY942

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	1m³
Bucket Width	2000mm
Rated Load	2200kg
Total Weight	5600kg
Engine Type	YN4102T 76KW/103HP
Dimension	6410x2060x3020mm
Dumping Height	3500mm
Ground Clearance	310mm
Min. Turning Radius	3450mm
Tyre	16/70-20



1.0m³
Bucket Capacity



2200kg
Rated Load



76KW/103HP
Rated Power

LY946

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	1.1 m³
Bucket Width	2000mm
Rated Load	2500kg
Total Weight	5800kg
Engine Type	YN4108T 90KW/122HP
Dimension	6520x2230x3020mm
Dumping Height	3500mm
Ground Clearance	380mm
Min. Turning Radius	3470mm
Tyre	16/70-24



1.1m³
Bucket Capacity



2500kg
Rated Load



90KW/122HP
Rated Power

LY949

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	1.2 m³
Bucket Width	2200mm
Rated Load	2800kg
Total Weight	6400kg
Engine Type	YN4108T 90KW/122HP
Dimension	6725x2230x3020mm
Dumping Height	3800mm
Ground Clearance	380mm
Min. Turning Radius	3500mm
Tyre	16/70-24



1.2m³
Bucket Capacity



2800kg
Rated Load



90KW/122HP
Rated Power

LY958

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	1.5 m³
Bucket Width	2400mm
Rated Load	3000kg
Total Weight	8580kg
Engine Type	Yuchai 6105T 92KW/123HP
Dimension	7550x2470x3350mm
Dumping Height	3800mm
Ground Clearance	430mm
Min. Turning Radius	3725mm
Tyre	17.5-25



1.5m³
Bucket Capacity



3000kg
Rated Load



92KW/123HP
Rated Power

LY919F

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	0.25m³
Bucket Width	1500mm
Rated Load	1000kg
Total Weight	2640kg
Engine Type	YN25 37KW/50HP
Dimension	5010x1540x2150mm
Dumping Height	2600mm
Ground Clearance	175mm
Min. Turning Radius	3200mm
Tyre	20.5-16A



0.25m³
Bucket Capacity



1000kg
Rated Load



37KW/50HP
Rated Power

LH932

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	0.7 m³
Bucket Width	1900mm
Rated Load	1600kg
Total Weight	3900kg
Engine Type	YN27 42KW/56HP
Dimension	5605x1900x2195mm
Dumping Height	3200mm
Ground Clearance	230mm
Min. Turning Radius	3250mm
Tyre	20.5-16



0.7m³
Bucket Capacity



1600kg
Rated Load



42KW/56HP
Rated Power

LK952

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	2.4 m³
Bucket Width	2400mmx1000mm
Rated Load	3000kg
Total Weight	6800kg
Engine Type	YN4108T 90KW/121HP
Dimension	7930x2650x3080mm
Dumping Height	4500mm
Ground Clearance	380mm
Min. Turning Radius	3470mm
Tyre	16/70-20



2.4m³
Bucket Capacity



3000kg
Rated Load



90KW/121HP
Rated Power

LK956

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	2.4 m³
Bucket Width	2400mmx1000mm
Rated Load	3000kg
Total Weight	7100kg
Engine Type	YN4108T 90KW/121HP
Dimension	8255x2650x3180mm
Dumping Height	4800mm
Ground Clearance	380mm
Min. Turning Radius	3470mm
Tyre	16/70-24



2.4m³
Bucket Capacity



3000kg
Rated Load



90KW/121HP
Rated Power

ZL932A

Wheel Loader

TECHNICAL SPECIFICATIONS

Bucket capacity	0.9m³
Bucket Width	2500mm
Rated Load	3000kg
Total Weight	10200kg
Engine Type	YN25 92KW/50HP
Dimension	7440*2510*3210mm
Dumping Height	3200mm
Ground Clearance	360mm
Min. Turning Radius	3450mm
Tyre	17.5-25



0.25m³
Bucket Capacity



3000kg
Rated Load



92KW/50HP
Rated Power

LF932

OFF-Road Forklift

TECHNICAL SPECIFICATIONS

Fork Size	1070mm
Machine Weight	4055kg
Rated Load	3000kg
Gate Gantry Inclination	6/12°
Engine Type	YN27 42KW/56HP
Dimension	5245*1860*2650mm
Lifting Height	3000mm
Ground Clearance	240mm
Load Center Distance	610mm
Tyre	20.5-16



3000mm
Lifting Height



3000kg
Rated Load



42KW/56HP
Rated Power

LF942

OFF-Road Forklift

TECHNICAL SPECIFICATIONS

Fork Size	1070mm
Machine Weight	4870kg
Rated Load	3000kg
Gate Gantry Inclination	6/12°
Engine Type	YN27 42KW/56HP
Dimension	5615*1950*2850mm
Lifting Height	3000mm
Ground Clearance	250mm
Load Center Distance	610mm
Tyre	16/70-20



3000mm
Bucket Capacity



3000kg
Rated Load



42KW/56HP
Rated Power

LF949

OFF-Road Forklift

TECHNICAL SPECIFICATIONS

Fork Size	1070mm
Machine Weight	6030kg
Rated Load	3000kg
Gate Gantry Inclination	6/12°
Engine Type	YN27 42KW/56HP
Dimension	5920*2070*2950mm
Lifting Height	3000mm
Ground Clearance	250mm
Load Center Distance	610mm
Tyre	16/70-24



3000mm
Bucket Capacity




3000kg
Rated Load



42KW/56HP
Rated Power

GLOBAL DEALER NETWORK

LUYU MACHINERY



Our products and technologies are now available in more than 20 countries and regions, including Oceania, South America, and Southeast Asia. Supported by over 400 service outlets worldwide, we have built a broad international sales and service network.

We are committed to building long-term partnerships with overseas dealers by providing reliable product supply, responsive service support, and practical market assistance. With a well-established global presence and growing brand recognition, we work closely with our dealers to expand into wider overseas markets.

QUALIFICATIONS AND CERTIFICATES

Driven by continuous innovation and strict quality control, LUYU has obtained over 30 patents and is supported by an R&D team of 60+ professionals.

We hold multiple certifications and qualifications, including CE, ISO 9000, and EPA, covering safety, quality, and environmental standards. These certifications support market compliance and help strengthen dealer confidence and end-user trust.

30⁺
PATENT

60⁺
PROFESSIONALS

100⁺
NEW PRODUCTS

KEY QUALIFICATIONS

- CE MARKING
- ISO 9000 QUALITY MANAGEMENT SYSTEMS
- EPA CERTIFICATION

CERTIFICATE SHOWCASE



OPTIONAL ATTACHMENT

We're committed to providing personalized solutions to achieve our customer's expectations



• Grain Bucket



• 4-in-1 Bucket



• Grabble Bucket



• Mixer Bucket



• Bale Clamp



• Rotary Grapple



• Snow blade



• Snow Thrower



• Tipping bucket



• Screening Bucket



• Higher Dumping Bucket




• Crushing bucket



• Sweeper



• Snowsweeper



• Brush Cutter



• Mulcher



• Snow Bucket with Wings



• Barrel Clamp



• Log Grapple



• Log Fork



• Rake



• Pallet Fork



• Auger



• Spear