



Continental Off-Highway Material Handling Introduction



Forklift Solutions



Sleeve air spring
Driver seat



Power Transmission

Transmission Multi-V/ V
belt on ICE powering
different units like
AC, alternator, water
pump, fan



Industrial Fluid Solutions

XCPS/4SH/4SP hose for high pressure hydraulic system
SR16SC for rolling application on forlift lifting
SR15SN for pilot and drain hose, R4 for oil suction

Click the  next to each product name for more detailed information including size availability and complete specifications.

Hydraulic



XCP4S

XCP4S is for very high-pressure hydraulic applications requiring extra abrasion resistance. It has excellent impulse performance and flexibility.




XCP5S

XCP5S is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.




XCP6S

XCP6S is for very high-pressure hydraulic applications requiring extra abrasion resistance. It has excellent impulse performance and flexibility.



S4SH

S4SH is designed for very high-pressure, pulsating applications where petroleum-based hydraulic fluids are used.



S4SP

S4SP is made for very high-pressure applications used for petroleum-based hydraulic fluids.



Forklift Solutions

Hydraulic

SR16SC



SR16SC is made for high-pressure service with tight bends using petroleum- and water-based hydraulic fluids. It has excellent impulse performance and flexibility exceeding SAE 100R2 and SAE 100R16 standards.

SR1SN



SR1SN is made for medium-pressure hydraulic applications including mobile, machine tool and agricultural applications, using petroleum or water-based hydraulic fluids.

HR4



HR4 is a low-pressure, high-temperature return line or suction line for petroleum- and water-based hydraulic fluids. It has a vacuum rating of 29 in Hg. HR4 has half the bend radius of the typical SAE 100R4.

Air Springs

Sleeve



Designed to offer optimal comfort to the driver with adjustable seat height. Easy to mount with diverse inlet options. Choice of catalogue parts or customized development solutions.

Standard Material

Chloroprene Rubber (CR)

Optional Materials

Natural Rubber (NR)



Reach Stacker Solutions



Sleeve air spring
Driver seat



Power Transmission

Transmission Multi-V/ V
belt on ICE powering
different units like
AC, alternator, water
pump, fan



Industrial Fluid Solutions

XCPS/4SH/4SP hose for high pressure hydraulic system;
SR2SN for medium pressure system and steering system
SR16SC for rolling application on forlift lifting
SR1SN for pilot and drain hose, R4 for oil suction



Reach Stacker Solutions

Hydraulic



XCP4S

XCP4S is for very high-pressure hydraulic applications requiring extra abrasion resistance. It has excellent impulse performance and flexibility.




XCP5S

XCP5S is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.




XCP6S

XCP6S is for very high-pressure hydraulic applications requiring extra abrasion resistance. It has excellent impulse performance and flexibility.




S4SH

S4SH is designed for very high-pressure, pulsating applications where petroleum-based hydraulic fluids are used.



S4SP

S4SP is made for very high-pressure applications used for petroleum-based hydraulic fluids.



SR16SC

SR16SC is made for high-pressure service with tight bends using petroleum- and water-based hydraulic fluids. It has excellent impulse performance and flexibility exceeding SAE 100R2 and SAE 100R16 standards.



SR2SN

SR2SN is for high-pressure hydraulic oil lines used in construction, machine tool and agricultural applications using petroleum- or water-based hydraulic fluids. This hose features a vacuum rating of 28 in hg (sizes 3/16"-5/8" or 24 in hg (sizes 3/4"-1").

Hydraulic

SR1SN



SR1SN is made for medium-pressure hydraulic applications including mobile, machine tool and agricultural applications, using petroleum or water-based hydraulic fluids.

HR4



HR4 is a low-pressure, high-temperature return line or suction line for petroleum- and water-based hydraulic fluids. It has a vacuum rating of 29 in Hg. HR4 has half the bend radius of the typical SAE 100R4.

Power Transmission Belts

Multirib PK



With low-stretch tension member for high power transmission at high loads. A very smooth-running power transmission belt, which is also suitable for small installation spaces

V belt



With low-stretch tension member and upgraded compound for high power transmission at high loads

Air Springs

Sleeve



Designed to offer optimal comfort to the driver with adjustable seat height. Easy to mount with diverse inlet options. Choice of catalogue parts or customized development solutions.

Standard Material
Chloroprene Rubber (CR)

Optional Materials
Natural Rubber (NR)



Continental Off-Highway

Construction & Mining Introduction



Excavator & Wheel Loader Solutions



Sleeve air spring
Driver seat



Power Transmission

Transmission Multi-V/ V
belt on ICE powering
different units like
AC, alternator, water
pump, fan



Industrial Fluid Solutions

FCPS/4SH/4SP hose for high pressure hydraulic system; LR hose decrease the risk of equipment under low ambient temp. SR1SN for pilot and drain hose, R4 for oil suction; DR hose for high temperature liquid transformation, like lubricate or fuel



Excavator & Wheel Loader Solutions

Hydraulic



FCP5S

Application: Very high pressure applications subject to surge or flexing



FCP6S

Application: High temperature and high pressure applications subject to surge and flexing such as construction equipment, mining and other industrial market.



XCP5S

XCP5S is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.




XCP6S

XCP6S is for very high-pressure hydraulic applications requiring extra abrasion resistance. It has excellent impulse performance and flexibility.



S4SH

S4SH is designed for very high-pressure, pulsating applications where petroleum-based hydraulic fluids are used.



S4SP


S4SP is made for very high-pressure applications used for petroleum-based hydraulic fluids.

Hydraulic




LCP5S

Application: LCP5S is made for low temperature and high pressure applications subject to surge or tight bend radius such as construction equipment, mining and the high performance industrial market.



Arctic LCP4S

Arctic LCP4S is made for high-pressure service with tight bends for petroleum- and water-based hydraulic fluids.



Arctic LCP6S

Arctic LCP6S is made for high-pressure service with tight bends for petroleum- and water-based hydraulic fluids.



SR1SN

SR1SN is made for medium-pressure hydraulic applications including mobile, machine tool and agricultural applications, using petroleum or water-based hydraulic fluids.



HR4

HR4 is a low-pressure, high-temperature return line or suction line for petroleum- and water-based hydraulic fluids. It has a vacuum rating of 29 in Hg. HR4 has half the bend radius of the typical SAE 100R4.



Desert DR1SN

Desert DR1SN is for medium-pressure hydraulic oil lines used in mobile, machine tool and agricultural applications where higher temperature petroleum- or water-based hydraulic fluids are a factor.



Desert DR2SN

Desert DR2SN is for high-pressure hydraulic oil lines used in construction, machine tool and agricultural applications where higher temperature petroleum- or water-based hydraulic fluids are a factor.



Excavator & Wheel Loader Solutions

Power Transmission Belts



 Multirib PK

With low-stretch tension member for high power transmission at high loads. A very smooth-running power transmission belt, which is also suitable for small installation spaces



 V belt

With low-stretch tension member and upgraded compound for high power transmission at high loads

Air Springs



 Sleeve

Designed to offer optimal comfort to the driver with adjustable seat height. Easy to mount with diverse inlet options. Choice of catalogue parts or customized development solutions.

Standard Material	Optional Materials
Chloroprene Rubber (CR)	Natural Rubber (NR)



Dump Truck Solutions



Sleeve air spring
Driver seat



Power Transmission

Transmission Multi-V/ V
belt on ICE powering
different units like
AC, alternator, water
pump, fan



Industrial Fluid Solutions

XCPS/4SH/4SP hose for step cylinder driving.
SR2SN/SR16SC are designed for steering system.
SR1SN for pilot and drain hose, R4 for oil suction;
DR hose for high temperature liquid transfor-
mation, like lubricate or fuel



Dump Truck Solutions

Power Transmission Belts



Multirib PK

With low-stretch tension member for high power transmission at high loads. A very smooth-running power transmission belt, which is also suitable for small installation spaces



V belt


With low-stretch tension member and upgraded compound for high power transmission at high loads



Articulated Dump Truck Solutions



Sleeve air spring
Driver seat



Power Transmission

Transmission Multi-V/ V
belt on ICE powering
different units like
AC, alternator, water
pump, fan



Industrial Fluid Solutions

XCPS/4SH/4SP hose for step cylinder
driving. SR2SN/SR16SC are designed
for steering system. SR1SN for pilot and
drain hose, R4 for oil suction; DR hose for
high temperature liquid transformation,
like lubricate or fuel



Articulated Dump Truck Solutions

Hydraulic



XCP4S

XCP4S is for very high-pressure hydraulic applications requiring extra abrasion resistance. It has excellent impulse performance and flexibility.



XCP5S

XCP5S is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.




XCP6S

XCP6S is for very high-pressure hydraulic applications requiring extra abrasion resistance. It has excellent impulse performance and flexibility.



S4SH

S4SH is designed for very high-pressure, pulsating applications where petroleum-based hydraulic fluids are used.



S4SP

S4SP is made for very high-pressure applications used for petroleum-based hydraulic fluids.

Hydraulic

Desert DR1SN



Desert DR1SN is for medium-pressure hydraulic oil lines used in mobile, machine tool and agricultural applications where higher temperature petroleum- or water-based hydraulic fluids are a factor.

Desert DR2SN



Desert DR2SN is for high-pressure hydraulic oil lines used in construction, machine tool and agricultural applications where higher temperature petroleum- or water-based hydraulic fluids are a factor.

Desert DUT



Desert DUT is a high-temperature, medium-pressure hose for use in applications including turbocharger oil lines, tilt cab cylinder and air brake lines, transmission coolant and filtration lines. It is compatible with petroleum oil and phosphate ester-based hydraulic fluids, air, water, diesel fuel, petroleum-based lubricating oils and coolants.

Desert DR5




Desert DR5 is a high-temperature, medium-pressure hose for use in applications including turbocharger oil lines, tilt cab cylinder and air brake lines, transmission coolant and filtration lines. It is compatible with petroleum oil and phosphate ester-based hydraulic fluids, air, water, diesel fuel, petroleum-based lubricating oils and coolants.



Articulated Dump Truck Solutions

Hydraulic

SR16SC



SR16SC is made for high-pressure service with tight bends using petroleum- and water-based hydraulic fluids. It has excellent impulse performance and flexibility exceeding SAE 100R2 and SAE 100R16 standards.

SR2SN



SR2SN is for high-pressure hydraulic oil lines used in construction, machine tool and agricultural applications using petroleum- or water-based hydraulic fluids. This hose features a vacuum rating of 28 in hg (sizes 3/16"-5/8" or 24 in hg (sizes 3/4"-1").

SR5



SR5 is a general-purpose, medium-pressure hose for air brakes, power steering, turbo oil lines, tilt cab cylinders, transmission coolant and filtration lines. This hose is compatible with petroleum-based hydraulic fluids, air, water, gasoline and diesel fuel, lubricating oils and coolants.

SR1SN



SR1SN is made for medium-pressure hydraulic applications including mobile, machine tool and agricultural applications, using petroleum or water-based hydraulic fluids.

HR4



HR4 is a low-pressure, high-temperature return line or suction line for petroleum- and water-based hydraulic fluids. It has a vacuum rating of 29 in Hg. HR4 has half the bend radius of the typical SAE 100R4.

Power Transmission Belts



Multirib PK

With low-stretch tension member for high power transmission at high loads. A very smooth-running power transmission belt, which is also suitable for small installation spaces



V belt

With low-stretch tension member and upgraded compound for high power transmission at high loads

Air Springs



Sleeve

Designed to offer optimal comfort to the driver with adjustable seat height. Easy to mount with diverse inlet options. Choice of catalogue parts or customized development solutions.

Standard Material

Chloroprene Rubber (CR)

Optional Materials

Natural Rubber (NR)



Feeder Solutions



Sleeve air spring
Driver seat



Feeder Arm Belt

Wide range of products, endless and laced, surface structures, heat-resistant, cut & gouge resistant, non-sticky, easy to clean



Industrial Fluid Solutions

XCPS hose with high pressure ensure the propel system stable. SR1SN for pilot and drain hose, R4 for oil suction; DR hose for high temperature liquid transformation, like lubricate or fuel



Power Transmission

Transmission Multi-V/ V / TB
belt on ICE powering different units like AC, alternator, water pump, fan

Hydraulic



XCP4S

XCP4S is for very high-pressure hydraulic applications requiring extra abrasion resistance. It has excellent impulse performance and flexibility.




XCP5S

XCP5S is made for very high-pressure hydraulic applications requiring extra abrasion resistance. This hose has excellent impulse performance and flexibility.




XCP6S

XCP6S is for very high-pressure hydraulic applications requiring extra abrasion resistance. It has excellent impulse performance and flexibility.



S4SH

S4SH is designed for very high-pressure, pulsating applications where petroleum-based hydraulic fluids are used.



S4SP

S4SP is made for very high-pressure applications used for petroleum-based hydraulic fluids.



Feeder Solutions

Hydraulic

SR1SN



SR1SN is made for medium-pressure hydraulic applications including mobile, machine tool and agricultural applications, using petroleum or water-based hydraulic fluids.

HR4



HR4 is a low-pressure, high-temperature return line or suction line for petroleum- and water-based hydraulic fluids. It has a vacuum rating of 29 in Hg. HR4 has half the bend radius of the typical SAE 100R4.

Desert DR1SN



Desert DR1SN is for medium-pressure hydraulic oil lines used in mobile, machine tool and agricultural applications where higher temperature petroleum- or water-based hydraulic fluids are a factor.

Desert DR2SN



Desert DR2SN is for high-pressure hydraulic oil lines used in construction, machine tool and agricultural applications where higher temperature petroleum- or water-based hydraulic fluids are a factor.

Power Transmission Belts



Multirib PK

With low-stretch tension member for high power transmission at high loads. A very smooth-running power transmission belt, which is also suitable for small installation spaces



V belt

With low-stretch tension member and upgraded compound for high power transmission at high loads

Conveyor Belts



Feeder arm belt

Feeder arm belt. Designed to facilitate inclined material handling under highly challenging operating conditions, demonstrating exceptional resistance against harsh application. Wide range of options, including abrasion, cut and gouge, oil and heat-related rubber cover.

Air Springs



Sleeve

Designed to offer optimal comfort to the driver with adjustable seat height. Easy to mount with diverse inlet options. Choice of catalogue parts or customized development solutions.

Standard Material
Chloroprene Rubber (CR)

Optional Materials
Natural Rubber (NR)

Australia

ContiTech Australia Pty Ltd.
7 Dunlop Court
Bayswater, VIC 3153, Australia

China

ContiTech Holding (China) Co., Ltd.
20F Building A, North America Plaza
518 Kunming Road
Shanghai, 200082 P.R. China

India

Phoenix Conveyor Belt India Pvt Limited
Acropolis , 1858/1 Rajdanga Main Road,
Office unit No.1404 (office No. 4), 13th Floor ,
Kolkata :700107

Singapore

ContiTech Singapore Pte Ltd
80 Boon Keng Road
Singapore 339780

www.continental-industry.com

Please contact us:

www.continental-industry.com/

[contact-forms/general-contact-form](http://www.continental-industry.com/contact-forms/general-contact-form)



Continental Industry - Find Your Right Solution
Benefit from our long-standing experience as
one of the world's leading industrial specialists.

Legal notice

The content of this publication is not legally binding and is provided as information only. The trademarks displayed in this publication are the property of Continental AG and/or its affiliates. Copyright © 2023 ContiTech AG. All rights reserved. For complete information go to: www.continental-industry.com/discl_en