



RIPPA
STOP RENTING, START OWNING

山东立派机械集团有限公司
Shandong Rippa Machinery Group Co., Ltd.

||||| 地址: 山东省济宁市高新区柳行街道办事处广安路39号 |||||

Add: No. 39, Guang'an Road, Liuhang Sub-district Office, High-tech Zone, Jining City, Shandong Province.

T: (86) 18863701285 E: contact@rippa.com



www.rippa.com



Youtube



Facebook



Tiktok




WhatsApp



www.rippa.com

立派集团

RIPPA GROUP



山东立派机械集团有限公司成立于 2012 年，历经 13 年蓬勃发展现拥有 13 家子公司，各子公司独立运作、独立核算。公司始终采用互联网 + 大数据 + 实体工厂，以市场需求为导向，加快研发步伐、加大研发力度，不断推出性价比更高、功能更强的新款机型，更好地服务于国内和海外用户。

Shandong Rippa Machinery Group Co., Ltd. was established in 2012. After 13 years of vigorous development, it now has 13 subsidiaries, each of which operates independently and accounts independently. The company has always adopted the Internet plus big data plus entity factory, guided by market demand, accelerated the pace of R & D, and intensified research and development, and constantly introduced more cost-effective, more powerful new models to better serve domestic and overseas users.

目录

CONTENT

01	企业简介 Enterprise profile	77	装载机 Loader
03	企业文化 Enterprise culture	83	反铲装载机 Backhoe Loader
05	生产车间 Production workshop	89	叉车 Forklift
07	小型挖掘机(品牌) Mini Excavator(Brand)	105	伸缩臂叉装车 Telescopic Handler
27	小型挖掘机(内贸) Mini Excavator(OEM)	109	小型运输机 small transport aircraft
45	大型挖掘机 Large excavator	119	小型压实机械 Compaction machinery
61	滑移装载机 skid steer loader	129	环卫车 Sanitation vehicles
75	翻斗车 Dump Truck	131	属具 Attachments



ENTERPRISE INTRODUCTION

企业简介



立派集团介绍

山东立派机械集团有限公司成立于 2012 年，总部位于山东省济宁市高新区柳行街道办事处广安路 39 号，是一家专注于工程机械研发、生产和销售的高新技术企业。公司凭借卓越的创新能力和市场表现，荣获国家级专精特新“小巨人”、瞪羚企业等称号。

公司坐拥年产能 30,000 台的智能工程机械绿色制造基地，构建了“总部 +13 家子公司”的高效组织架构，员工总数超过 1000 人。集团下设研发、质保、制造、物料、服务、财务、人力资源、销售、运营和客户服务等完整业务部门，旗下子公司覆盖线束、油管、机加工、激光加工、配件、散热器、喷涂、大型挖掘机、无人机、叉车、装载机、滑移装载机及 Raccoon 等多个领域，形成从核心零部件到高端整机的完整产业链。

公司产品涵盖小型挖掘机、大型挖掘机、滑移装载机、叉车、履带运输车、装载机、无人机等，并通过 ROPS、CMA、CE 和 ISO9001 等多项权威认证，确保为客户提供可靠的高品质产品。

公司与久保田、伊顿、现代等多家财富 500 强企业建立直接合作关系，共同保障产品卓越的稳定性与市场竞争力。公司始终秉承“以人为本”的核心理念，通过专注化、专业化的分工，充分激发员工潜能，致力于实现员工与企业价值的共同最大化。



RIPPA GROUP INTRODUCTION

Established in 2012, Shandong Rippa Machinery Group Co., Ltd. is a high-tech enterprise specializing in the R&D, production, and sales of engineering machinery. Headquartered at No. 39 Guang'an Road, Liuhan Street, High-tech Zone, Jining City, Shandong Province, the company has been recognized for its exceptional innovation capabilities and market performance with prestigious titles, including the National-Level "Specialized, Refined, Unique, and Innovative" Little Giant Enterprise and a Gazelle Enterprise.

The company operates an intelligent, green manufacturing base with an annual production capacity of 30,000 units. It has established an efficient "Headquarters + 13 Subsidiaries" organizational structure and employs over 1,000 people. The group features a comprehensive setup of business departments such as R&D, Quality Assurance, Manufacturing, Supply Chain, Service, Finance, Human Resources, Sales, Operations, and Customer Service. Its subsidiaries cover diverse areas, including wire harnesses, oil pipes, machining, laser processing, parts, radiators, spraying, as well as large excavators, drones, forklifts, loaders, skid steer loaders, and Raccoon, forming a complete industrial chain from core components to high-end complete machines.

Rippa's product portfolio encompasses small excavators, large excavators, skid steer loaders, forklifts, tracked transport vehicles, loaders, drones, and more. All products have obtained rigorous international certifications such as ROPS, CMA, CE, and ISO 9001, ensuring reliable, high-quality solutions for its customers.

Rippa has established direct partnerships with several Fortune Global 500 companies, including Kubota, Eaton, and Hyundai, working together to guarantee outstanding product stability and market competitiveness. Guided by a people-oriented philosophy, the company is committed to maximizing employee potential and achieving shared value for both its workforce and the enterprise through a focused and specialized division of labor.

立派企业文化

RIPPA ENTERPRISE CULTURE

愿 景: 成为全球家庭工程第一品牌

使 命: 让每个家庭拥有自主施工的力量,
让世界爱上中国创造。


价 值 观: 客户为本、创新为魂、团队协作、
诚信共赢、简单好用、长期致胜

Vision: To become the world's leading brand for household engineering

Mission: Empower every household with the ability to build independently, and inspire the world to fall in love with creations from China.

Values: Customer First, Innovation as Soul, Team Collaboration, Integrity for Win-Win, Simplicity & Usability, Long-Term Success

●
责任承载未来



●
RESPONSIBILITY

一切为了客户 为了客户的一切

济宁市挖掘机制造厂家，有实体厂房、生产车间、焊接车间组装流水线、喷塑车间并与多家电商公司合作。非标定制，自主品牌，年产量 30000 台以上。

每台机器出厂前都要经过严格的机器调试、检查、试车，绝不允许一台次品流出工厂。

每个辅具出厂前都要安装到机器上进行功能测试，确保辅具能正常使用。

我们公司有专门的物流部门和专员负责国内外订单的包装、装车、物流信息查询以及控货等，全国八百多家售后服务网点，售后人员上门服务，及时快速的解决您的问题。

FOR THE CUSTOMER

An excavator manufacturer in Jining City, we have a physical factory, production workshop, welding workshop, assembly line, and spray-painting workshop. We also partner with numerous e-commerce companies. We offer custom-made products under our own brand, with an annual production capacity of over 30,000 units.

Every machine undergoes rigorous commissioning, inspection, and test runs before leaving the factory, ensuring that no defective products leave the factory.

Every auxiliary tool is installed on the machine and functionally tested before leaving the factory to ensure proper operation.

Our company has a dedicated logistics department and specialists responsible for packaging, loading, logistics information tracking, and inventory control for domestic and international orders.

We have over 800 after-sales service locations nationwide, with on-site service personnel to promptly and efficiently resolve your issues.



车间一角
Workshop corner



发货质检
Delivery quality inspection



产品展示
Product show



立体仓库
High-bay warehouse



车间可视化大屏
Workshop visualization large screen



自动导引运输车
AGV Car





小型工程机械

CONSTRUCTION MACHINERY



R10 ECO



R13 PRO



R15 ECO



R18 PRO



R22 PRO



R32 PRO

小型挖掘机 R06 ECO

SMALL EXCAVATOR



产品定位 PRODUCT POSITIONING

低噪音、超轻量、超易运输、适合狭窄空间与轻量家庭项目
Low noise, ultra-lightweight, easy to transport, suitable for confined spaces and light-weight home projects.

适用人群 TARGET AUDIENCE

邻居距离近、小后院/侧院用户、园艺维护用户、轻量土地用户、首次体验型用户
Users who live close to neighbors, have small backyards/side yards, are gardening maintenance enthusiasts, have limited land, or are first-time users.

核心场景 CORE SCENARIOS

小沟槽、菜地排水、温室附近轻挖、围栏洞（轻量）、后院基础维护任务
Small ditches, vegetable garden drainage, light digging near the greenhouse, fence holes (lightweight), and basic backyard maintenance tasks.

性能特点 FEATURE

- ◆RIPPA 最小体量挖掘机，极致轻巧，适合极小空间作业
RIPPA's smallest excavator, extremely lightweight, is suitable for working in very confined spaces.
- ◆可轻松进入狭窄院落、围栏内侧、花园通道、室内改造区域
Easy access to narrow courtyards, inside fences, garden paths, and interior renovation areas.
- ◆操控简单，对新手和非专业用户极其友好。
It is easy to operate and extremely user-friendly for beginners and non-professionals.
- ◆油耗极低，可用小拖车运输，家庭使用成本最低。
It has extremely low fuel consumption, can be transported by small trailer, and has the lowest cost for family use.
- ◆专为小型沟槽、园艺、简单基础作业设计。
Designed specifically for small trenches, gardening, and simple basic operations.

标准配置/STANDARD CONFIGURATION

久保田发动机/上翻式护罩/可调节推土铲/油缸上置/进口油缸/油管内置NOK密封圈/耐磨工程橡胶履带/可
调式驾驶座椅/标准挖斗

Kubota engine/Flip-up Guard/adjustable dozer blade/top-mounted oil cylinder/imported oil
cylinder/built-in NOK seals on oil pipes/wear-resistant engineering rubber tracks/adjustable driver's
seat/standard bucket

选装配置/OPTIONAL CONFIGURATION

破碎锤/松土器/抓木器/耙子/旋挖钻/大挖斗/泥浆斗

Breaker/Ripper/Wood Grab/Rake/Rotary Drill/Big Bucket/Tilt Bucket/Mud Bucket

型号	R06 ECO
基本参数	
整机重量	660kg
操作重量	739kg
铲斗容量	0.014m³
行走速度	0-1.5km/h
爬坡能力	30%
最大挖掘力	9.2KN
最大挖掘深度	1258mm
最大挖掘高度	2236mm
最大卸载高度	1569mm
最大偏转角度	70°
发动机	
发动机品牌	久保田
发动机型号	Z482
最大功率	8.2kw
最大转速	3000rpm
排量	0.479L
缸数	2

Model	R06 ECO
Basic parameters	
Machine Weight	1455lb
Operating Weight	1629lb
Bucket capacity	0.494ft³
Travel speed	0-0.93mph
Gradeability	30%
Maximum digging force	2068lbf
Maximum digging depth	50in
Maximum digging height	88.1in
Maximum dump height	61.8in
Maximum deflection angle	70°
Engine	
Engine Brand	KUBOTA
Engine Model	Z482
Maximum Power	11hp
Maximum Speed	3000rpm
Displacement	0.13gal
Number of Cylinders	2

小型挖掘机 R10 ECO

SMALL EXCAVATOR



产品定位 PRODUCT POSITIONING

适合基本家庭项目
Suitable for basic family projects

适用人群 TARGET AUDIENCE

首次购买的房主、小庭院用户。（邻居距离近选择久保田发动机）
First-time homebuyers and those with small yards. (Kubota engines are recommended for close proximity to neighbors.)

核心场景 CORE SCENARIOS

挖小沟、挖围栏洞、平整菜地、小型排水沟、后院基础任务
Digging small ditches, creating holes in the fence, leveling the vegetable garden, constructing small drainage ditches, and completing basic backyard tasks.

性能特点 FEATURE

- ◆非常适合第一次使用挖机的家庭用户
Ideal for family users who are using excavators for the first time.
- ◆可轻松进入狭窄区域，如围栏边、院子角落。
It can easily enter narrow areas, such as the edge of a fence or the corner of a yard.
- ◆结构简单，故障率最低，维护最轻松。
It has a simple structure, the lowest failure rate, and the easiest maintenance.
- ◆最适合预算有限的家庭。
Ideal for families with limited budgets.
- ◆专为挖小沟、建围栏、园艺任务设计。
Designed specifically for tasks such as digging ditches, building fences, and gardening.

标准配置/STANDARD CONFIGURATION

优普/久保田发动机/内置行走马达/油缸护板/四柱塑料顶棚/可开式后门/可调节推土铲/耐磨工程橡胶履带/
可调节式驾驶室/标准挖斗/液压拇指夹/机械快换
Youp/Kubota engine/built-in travel motor/cylinder guard/four-post plastic roof/opening rear door/adjustable dozer blade/wear-resistant engineering rubber tracks/adjustable driver's seat/standard bucket/hydraulic thumb clamp/mechanical quick-change

选装配置/OPTIONAL CONFIGURATION

破碎锤/松土器/抓木器/耙子/旋挖钻/大挖斗/泥浆斗/驾驶室
Breaker/Ripper/Wood Grab/Rake/Rotary Drill/Big Bucket/Tilt Bucket/Mud Bucket/Cabin

型号	R10 ECO
基本参数	
整机重量	1060kg
操作重量	1142kg
运输长度	2306mm
运输宽度	912mm
运输高度	2201mm
最大挖掘半径	3233mm
最大挖掘深度	1833mm
最大挖掘高度	3021mm
最大卸载高度	2247mm
履带伸缩范围	900-1200mm
驱动	
发动机品牌	优普/久保田
发动机型号	192F / Z482
最大功率	7.5 / 8.2kw
行走特性	
行走速度	0-1.5km/h
爬坡能力	30%

MODEL	R10 ECO
BASIC PARAMETERS	
Machine Weight	2337lb
Operating Weight	2518lb
Transport length	91in
Transport width	35.9in
Transport height	86.7in
Maximum digging radius	127.3in
Maximum digging depth	72.2in
Maximum digging height	118.9in
Maximum dumping height	88.5in
Track extension range	35.4-47.2in
DRIVE	
Engine brand	Youp /Kubota
Engine model	192F / Z482
Maximum power	10.1 / 11hp
WALKING CHARACTERISTICS	
Walking speed	0-0.93mph
Climbing angle	30%

小型挖掘机 R13 PRO

SMALL EXCAVATOR



产品定位 PRODUCT POSITIONING

入门升级款，更强稳定性与效率，适合更大后院项目
This entry-level upgrade offers enhanced stability and efficiency, making it suitable for larger backyard projects.

适用人群 TARGET AUDIENCE

更大后院的房主、乡村土地用户的轻量任务、小型农场的轻维护需求。
Perfect for homeowners with larger backyards, light-duty tasks for rural land users, and light maintenance needs of small farms.

核心场景 CORE SCENARIOS

更深一点的沟槽、更硬一点的土、更多的后院建设任务、车道轻修复、排水沟开挖（更高效率）
Deeper trenches, harder soil, more backyard construction tasks, light driveway repairs, and drainage ditch excavation (more efficient).

性能特点 FEATURE

- ◆比 R06 / R10 明显更强，能胜任更真实的家庭项目。
It is significantly stronger than R06/R10 and can handle more realistic family projects.
- ◆在保持小体量的同时，提升作业效率与力量。
While maintaining a small size, improve operational efficiency and strength.
- ◆适合经常进行后院维护、土地整理的家庭。
Suitable for families who frequently perform backyard maintenance and land preparation.
- ◆无需大型拖车，运输仍然方便。
No large trailers are needed, and transportation remains convenient.
- ◆从“尝试阶段”升级到“长期自用”的理想选择
An ideal choice for upgrading from "trial phase" to "long-term personal use"

标准配置/STANDARD CONFIGURATION

久保田发动机/高精密多路阀/双速行走马达/内置行走马达/油缸护板/可调节推土铲/脚踏板/钢履带/可调式
驾驶座椅/顶棚防护网/标准挖斗/液压拇指夹/液压快换
Kubota engine/high-precision multi-way valve/two-speed travel motor/built-in travel motor/cylinder
guard/adjustable dozer blade/foot pedals/steel tracks/adjustable driver's seat/roof protection net/
standard bucket/hydraulic thumb clamp/hydraulic quick-change

选装配置/OPTIONAL CONFIGURATION

破碎锤/松土器/抓木器/耙子/旋挖钻/大挖斗/倾斜斗/泥浆斗
Breaker/Ripper/Wood Grapple/Rake/Rotary Drill/Large Bucket/Tilt Bucket/Slurry Bucket

型号	R13 PRO
基本参数	
整机重量	1240kg
操作重量	1323kg
运输长度	2273mm
运输宽度	849mm
运输高度	2377mm
最大挖掘半径	3456mm
最大挖掘深度	2044mm
最大挖掘高度	2905mm
最大卸载高度	1923mm
履带伸缩范围	750-990mm
驱动	
发动机品牌	久保田
发动机型号	D722
输出功率	10.2kw
行走特性	
行走速度	0-1.8/0-2.8km/h
爬坡角度	30°

MODEL	R13 PRO
BASIC PARAMETERS	
Machine Weight	2734lb
Operating Weight	2917lb
Transport length	89.5in
Transport width	33.4in
Transport height	93.6in
Maximum digging radius	136.1in
Maximum digging depth	80.5in
Maximum digging height	114.4in
Maximum dumping height	75.8in
Track extension range	29.5-39in
DRIVE	
Engine brand	Kubota
Engine model	D722
Output power	13.7hp
WALKING CHARACTERISTICS	
Walking speed	0-1.1/0-1.74mph
Climbing angle	30°

小型挖掘机 R15 ECO

SMALL EXCAVATOR



产品定位 PRODUCT POSITIONING

家庭用户使用最广的机型。
The most widely used model among home users.

适用人群 TARGET AUDIENCE

大多数房主、小农场、乡村用户。
Most homeowners, small farms, and rural users

核心场景 CORE SCENARIOS

修车道、挖泳池坑、清树根、平整土地、钻孔、推雪
Repairing driveways, digging pool pits, clearing tree roots, leveling the ground, drilling holes, and snow removal.

性能特点 FEATURE

- ◆家庭使用的黄金平衡点。
The golden balance point for home use.
- ◆最多家庭使用场景。
Most commonly used in home settings.
- ◆支持更多附件
Supports more attachments
- ◆稳定性显著提升
Significantly improved stability
- ◆市场最主流尺寸，实用性最高
The most mainstream size on the market, with the highest practicality

标准配置/STANDARD CONFIGURATION

久保田发动机/先导多路阀/先导控制手柄/可伸缩,侧摆/内置行走马达/油缸护板/可开式后门/可调节推土铲/
耐磨工程橡胶履带/可调式驾驶座椅/标准挖斗/液压快换/液压拇指夹

Kubota engine/pilot multi-way valve/pilot control handle/retractable, side-swing/built-in travel motor/cylinder guard/openable rear door/adjustable dozer blade/wear-resistant engineering rubber tracks/adjustable driver's seat/standard bucket/hydraulic quick-change/hydraulic thumb clamp

选装配置/OPTIONAL CONFIGURATION

破碎锤/松土器/抓木器/耙子/旋挖钻/大挖斗/倾斜斗/泥浆斗/驾驶室
Breaker/Ripper/Wood Grab/Rake/Rotary Drill/Big Bucket/Tilt Bucket/Mud Bucket/Cabin

型号	R15 ECO
基本参数	
整机重量	1440kg
操作重量	1532kg
运输长度	2321mm
运输宽度	983mm
运输高度	2363mm
最大挖掘半径	3266mm
最大挖掘深度	1807mm
最大挖掘高度	3046mm
最大卸载高度	2277mm
履带伸缩范围	900-1200mm
驱动	
发动机品牌	久保田
发动机型号	D722
最大功率	10.2kw
行走特性	
行走速度	0-1.5/0-2.5km/h
爬坡能力	30%

MODEL	R15 ECO
BASIC PARAMETERS	
Machine Weight	3175lb
Operating Weight	3377lb
Transport length	91.4in
Transport width	38.7in
Transport height	93.1in
Maximum digging radius	128.7in
Maximum digging depth	71.1in
Maximum digging height	119.9in
Maximum dumping height	89.6in
Track extension range	35.5-47.3in
DRIVE	
Engine brand	Kubota
Engine model	D722
Maximum power	13.7hp
WALKING CHARACTERISTICS	
Walking speed	0-0.93/0-1.6mph
Climbing angle	30%

小型挖掘机 R18 PRO

SMALL EXCAVATOR



产品定位 PRODUCT POSITIONING

家庭+农场双用途。
Dual-purpose for family and farm use.

适用人群 TARGET AUDIENCE

有土地、有农场、有树林的用户。
Users who own land, farms, and forests.

核心场景 CORE SCENARIOS

搬运木头、清理大树根、除雪、建场地、挖基础
Moving timber, clearing tree roots, snow removal, site construction, digging foundations

性能特点 FEATURE

- ◆可拔更大的树根、搬更粗的木头。
It can pull out larger tree roots and move thicker logs.
- ◆农场用户最依赖的型号之一
One of the models most relied upon by farm users
- ◆更宽轨、更长底盘
Wider rails, longer chassis
- ◆可搭载抓木器、割草机、破碎锤等重附件。
It can be equipped with heavy attachments such as log grippers, lawnmowers, and hydraulic breakers.
- ◆专为土地整理、大坑挖掘设计。
Designed specifically for land reclamation and large pit excavation.

标准配置/STANDARD CONFIGURATION

久保田发动机/9联液控多路阀/先导控制手柄/可伸缩,侧摆/内置行走马达/油缸护板/正反手切换/防爆阀/可
调节推土铲/耐磨工程橡胶履带/可调式驾驶座椅/标准挖斗
Kubota engine/9-way hydraulically controlled multi-way valve/pilot control handle/retractable,
side-swing/built-in travel motor/cylinder guard/Switching between forehand and backhand ISO and
SAE/explosion-proof valve/adjustable dozer blade/wear-resistant engineering rubber tracks/adjustable
driver's seat/standard bucket

选装配置/OPTIONAL CONFIGURATION

破碎锤/松土器/抓木器/耙子/旋挖钻/大挖斗/泥浆斗/倾斜斗/驾驶室
Breaker/Ripper/Wood Grapple/Rake/Rotary Drill/Big Bucket/Mud Bucket/Tilt Bucket/Cabin

型号	R18 PRO
基本参数	
整机重量	1840kg
操作重量	1933kg
运输长度	2675mm
运输宽度	998mm
运输高度	2404mm
最大挖掘半径	3981mm
最大挖掘深度	2627mm
最大挖掘高度	3338mm
最大卸载高度	2048mm
履带伸缩范围	998-1318mm
驱动	
发动机品牌	久保田
发动机型号	D902
最大功率	11.8kw
行走特性	
行走速度	0-1.5/0-2.8km/h
爬坡能力	30%

MODEL	R18 PRO
BASIC PARAMETERS	
Machine Weight	4056lb
Operating Weight	4261lb
Transport length	105.4in
Transport width	39.3in
Transport height	94.7in
Maximum digging radius	156.9in
Maximum digging depth	103.5in
Maximum digging height	131.5in
Maximum dumping height	80.7in
Track extension range	39.3-51.9in
DRIVE	
Engine brand	Kubota
Engine model	D902
Maximum power	15.8hp
WALKING CHARACTERISTICS	
Walking speed	0-0.93/0-1.74mph
Climbing angle	30%



小型挖掘机 R22 PRO

SMALL EXCAVATOR



产品定位 PRODUCT POSITIONING

提升稳定性，更适合重工作
Improved stability, making it more suitable for heavy workloads.

适用人群 TARGET AUDIENCE

农场主、牧场主、轻承包者。
Farm owners, ranchers, and light contractors.

核心场景 CORE SCENARIOS

大树根搬运、深沟开挖、大面积平整土地、运输石块、大型泳池坑
Large tree root transportation, deep trench excavation, large-area land leveling, stone transportation, and large swimming pool pit construction.

性能特点 FEATURE

- ◆能做更大的家庭项目。
It can handle larger family projects.
- ◆适合农场、牧场、大面积土地。
Suitable for farms, ranches, and large areas of land.
- ◆接近小型承包者级别。
Approaching the level of a small contractor.
- ◆可以搬大木头、挖深沟。
It can move large logs and dig deep trenches.
- ◆家用+农场最佳全能机型。
Best all-rounder for home and farm

标准配置/STANDARD CONFIGURATION

久保田发动机/9联液控多路阀/先导控制手柄/可伸缩,侧摆/内置行走马达/防爆阀/正反手切换/可调节推土铲
/带有空调/耐磨工程橡胶履带/可调式驾驶座椅/标准挖斗
Kubota engine/9-way hydraulic control valve/pilot control handle/retractable, side-swing/built-in travel motor/explosion-proof valve/Switching between forehand and backhand ISO and SAE/adjustable dozer blade/air conditioning/wear-resistant engineering rubber tracks/adjustable

选装配置/OPTIONAL CONFIGURATION

破碎锤/松土器/抓木器/耙子/旋挖钻/大挖斗/泥浆斗/倾斜斗
Breaker/Ripper/Wood Grapple/Rake/Rotary Drill/Big Bucket/Mud Bucket/Tilt Bucket

型号	R22 PRO
基本参数	
整机重量	2440kg
操作重量	2539kg
运输长度	2824mm
运输宽度	1540mm
运输高度	2361mm
最大挖掘半径	4143mm
最大挖掘深度	2293mm
最大挖掘高度	3761mm
最大卸载高度	2496mm
履带伸缩范围	1300-1500mm
驱动	
发动机品牌	久保田
发动机型号	D1105
最大功率	17.1kw
行走特性	
行走速度	0-1.5/0-2.8km/h
爬坡能力	30%

MODEL	R22 PRO
BASIC PARAMETERS	
Machine Weight	5379lb
Operating Weight	5597lb
Transport length	111.2in
Transport width	60.7in
Transport height	93in
Maximum digging radius	163.2in
Maximum digging depth	90.3in
Maximum digging height	148.1in
Maximum dumping height	98.3in
Track extension range	51.2-59.1in
DRIVE	
Engine brand	Kubota
Engine model	D1105
Maximum power	22.9hp
WALKING CHARACTERISTICS	
Walking speed	0-0.93/0-1.74mph
Climbing angle	30%

小型挖掘机 R32 PRO

SMALL EXCAVATOR



产品定位 PRODUCT POSITIONING

轻工程+大农场最佳选择
Light engineering + large farm: the best choice

适用人群 TARGET AUDIENCE

偏专业的用户、有承包需求。
More specialized users, those with contracting needs

核心场景 CORE SCENARIOS

搬运木头、清理大树根、除雪、建场地、挖基础
Hauling timber, clearing large tree roots, snow removal, site preparation, and foundation excavation.

性能特点 FEATURE

- ◆适合轻工程。
Suitable for light engineering projects.
- ◆稳定性可匹敌更大吨位机型。
Its stability is comparable to that of larger tonnage models.
- ◆支持更强附件。
Support for more powerful attachments
- ◆大工作量任务更高效
More efficient for heavy workload tasks
- ◆家用升级→半专业使用的桥梁机型。
Bridge model for home upgrade → semi-professional use

标准配置/STANDARD CONFIGURATION

久保田发动机/负载敏感9联液控多路阀/先导控制手柄/空调/侧摆/内置行走马达/防爆阀/正反手切换/可调节推土铲/耐磨工程橡胶履带/可调式驾驶座椅/标准挖斗
Kubota engine/load-sensing 9-way hydraulically controlled multi-way valve/pilot control handle/air conditioning/side swing/built-in travel motor/explosion-proof valve/Switching between forehand and backhand ISO and SAE/adjustable dozer blade/wear-resistant engineering rubber tracks/adjustable driver's seat/standard bucket

选装配置/OPTIONAL CONFIGURATION

破碎锤/松土器/抓木器/耙子/旋挖钻/大挖斗/泥浆斗/倾斜斗
Breaker/Ripper/Wood Grapple/Rake/Rotary Drill/Big Bucket/Mud Bucket/Tilt Bucket

型号	R32 PRO
基本参数	
整机重量	3623kg
操作重量	3736kg
运输长度	2921mm
运输宽度	1550mm
运输高度	2485mm
最大挖掘半径	4831mm
最大挖掘深度	2827mm
最大挖掘高度	4563mm
最大卸载高度	3181mm
最大偏转角度	110°
驱动	
发动机品牌	久保田
发动机型号	V1505
最大功率	17.1kw
行走特性	
行走速度	0.1.8/0-2.8km/h
爬坡能力	30%

MODEL	R32 PRO
BASIC PARAMETERS	
Machine Weight	7987lb
Operating Weight	8236lb
Transport length	115in
Transport width	61in
Transport height	97.9in
Maximum digging radius	190.2in
Maximum digging depth	111.3in
Maximum digging height	179.6in
Maximum dumping height	125.2in
Maximum deflection angle	110°
DRIVE	
Engine brand	Kubota
Engine model	V1505
Maximum power	22.9hp
WALKING CHARACTERISTICS	
Walking speed	0.11/0-1.7mph
Climbing angle	30%

小型挖掘机 R57 PRO

SMALL EXCAVATOR



产品定位 PRODUCT POSITIONING

小工程队、小承包商的直接替代KUBOTA机型
A direct alternative to Kubota models for construction teams and small contractors

适用人群 TARGET AUDIENCE

专业任务、租赁商、工程承包商。
Professional tasks, leasing companies, engineering contractors.

核心场景 CORE SCENARIOS

重型土方、商业挖掘、深基础工程、专业农场重载任务
Heavy earthmoving, commercial excavation, deep foundation engineering, and heavy-duty tasks for specialized farms

性能特点 FEATURE

- ◆小工程队的理想选择
Ideal choice for small construction teams
- ◆适合重型土方和深基础工程。
Suitable for heavy earthwork and deep foundation projects.
- ◆支持最强附件。
Supports the most powerful attachments.
- ◆设计寿命更长、维护更简单。
Longer design life and simpler maintenance
- ◆以更高性价比替代KUBOT AKX057
A more cost-effective alternative to Kubota KX057

标准配置/STANDARD CONFIGURATION

久保田发动机/先导多路阀/液压变量柱塞泵/工程专用油缸/中伟回转马达/可调节推土铲/空调/可调式驾驶座椅/标准挖斗/液压锁/驾驶室/逃生锤/便携式灭火器/音响
Kubota engine / pilot multi-way valve / hydraulic variable displacement piston pump / engineering cylinder / ZHTE swing motor / adjustable bulldozer blade / air conditioning / adjustable driver's seat / standard bucket / hydraulic lock / cab / escape hammer / portable fire extinguisher / audio system

选装配置/OPTIONAL CONFIGURATION

破碎锤/松土器/抓木器/耙子/旋挖钻/大挖斗/泥浆斗/倾斜斗/拇指夹/摆臂/推土铲侧摆
Breaker/Ripper/Wood Grapple/Rake/Rotary Drill/Big Bucket/Mud Bucket/Tilt Bucket/Thumb Clamp/Swing Arm/Side Swing of Bulldozer

型号	R57 PRO
基本参数	
整机重量	5620kg
操作重量	5792kg
运输总长度	4715mm
运输总宽度	1885mm
运输总高度	2498mm
最大挖掘半径	6160mm
最大挖掘深度	3785mm
最大卸料高度	5810mm
最大卸载高度	4080mm
推土板宽度	1880mm
驱动	
发动机品牌	久保田
发动机型号	V2607
输出功率	35.5kw
液压泵	海特克
行走马达	中伟
回转马达	中伟

MODEL	R57 PRO
BASIC PARAMETERS	
Machine Weight	12390lb
Operating Weight	12769lb
Total length for transport	185.8in
Total width for transport	74.3in
Total height for transport	98.4in
Maximum digging radius	242.5in
Maximum digging depth	149.0in
Maximum unloading height	228.7in
Maximum unloading height	160.6in
Bulldozer blade width	70.0in
DRIVE	
Engine brand	kubota
Engine model	V2607
Output power	47.6hp
Hydraulic pump	HYTEK
Travel motor	ZHTE
Rotary motor	ZHTE



小型挖掘机
SMALL EXCAVATOR

R82 PRO



产品用途 PRODUCT APPLICATION

R82是一台8.2吨级挖掘机，动力强劲且稳定，配合负载敏感变量柱塞泵，操作灵活高效。舒适驾驶室配备空调，为操作人员提供良好工作环境，是基础施工、市政建设、道路修复、土地整治及农林作业等多场景施工的理想选择。

The R82 is an 8.2-ton excavator with powerful and stable power. Equipped with a load-sensing variable displacement piston pump, it offers flexible and efficient operation. Its comfortable, air-conditioned cab provides an excellent working environment for operators, making it an ideal choice for a variety of construction scenarios, including foundation construction, municipal construction, road restoration, land reclamation, and agriculture and forestry operations.

性能特点 FEATURE

◆标配全封闭驾驶室 + 空调，全天候施工舒适无忧

Standard fully enclosed cab + air conditioning, comfortable and worry-free construction in all weather conditions

◆液压快换设计，轻松切换多种属具，提高作业效率

The hydraulic quick-change design allows easy switching between various attachments, improving work efficiency.

◆配备负载敏感变量柱塞泵，作业动作快速流畅，精准高效

Equipped with a load-sensitive variable displacement plunger pump, the operation is fast, smooth, accurate and efficient

◆配重离地间隙高，保障通过性和作业安全

The counterweight has a high ground clearance to ensure passability and operational safety.

◆大容量油液系统，满足长时间连续作业需求，减少停机补给次数

Large-capacity oil system meets the needs of long-term continuous operation and reduces the number of shutdowns for refueling

标准配置/STANDARD CONFIGURATION

久保田发动机/先导多路阀/先导控制手柄/空调/液压行走马达/变量轴向柱塞泵/进口油缸、油管内置NOK密封圈/液晶显示屏/工程橡胶履带/可调式驾驶座椅/标准挖斗

Kubota engine/pilot multi-way valve/pilot control handle/air conditioning/hydraulic travel motor/variable axial piston pump/imported cylinder and tubing with built-in NOK seals/LCD display/engineered rubber tracks/adjustable driver's seat/standard bucket

选装配置/OPTIONAL CONFIGURATION

破碎锤/松土器/抓木器/耙子/旋挖钻/大挖斗/泥浆斗/倾斜斗/拇指夹/推土铲侧摆

Breaker/Ripper/Wood Grapple/Rake/Rotary Drill/Big Bucket/Mud Bucket/Tilt Bucket/Thumb Clamp/Side Swing of Bulldozer

型号	R82 PRO
重量	
工作重量	8275kg
尺寸	
运输总长度	6146mm
运输总宽度	2242mm
运输总高度	2662mm
最大挖掘半径	6695mm
最大挖掘深度	4020mm
最大卸料高度	6380mm
最大卸载高度	4395mm
推土板宽度	2202mm
驱动	
发动机品牌	久保田
发动机型号	V2607
功率	35.5 kw
液压泵	海特克
回转马达	中伟
行走马达	中伟

MODEL	R82 PRO
WEIGHT	
Operating weight	18205lb
SIZE	
Total length for transport	242in
Total width for transport	88.3in
Total height for transport	104.8in
Maximum digging radius	263.6in
Maximum digging depth	158.3in
Maximum unloading height	251.2in
Maximum unloading height	173in
Bulldozer blade width	86.7in
DRIVE	
Engine brand	Kubota
Engine model	V2607
power	47.6hp
Hydraulic pump	HYTEK
Rotary motor	ZHTE
Travel motor	ZHTE