


QINDING

专业履带底盘生产商

PROFESSIONAL CRAWLER TRACK UNDERCARRIAGE MANUFACTURER

热忱欢迎国内外客商来我厂参观指导

We warmly welcome the customers from home and abroad to visit our factory



秦鼎机械工具（山东）有限公司
QINDING MACHINERY TOOLS (SHANDONG) CO., LTD.

地址： 山东省临沂市临工路100号1205-137
Add:1205-137,NO.100 LINGONG ROAD,LINYI CITY,SHANDONG,CHINA
工厂地址Factory Address: Dongwangzhuang Industry Park, Hedong District, Linyi City, Shandong China
电话（mobile):+86 156 1068 8056
邮箱（email):sales@cnqinding.com
网址（web):www.cnqinding.com


TRACK GROUP ASSY
履带总成


TRACK ROLLER
支重轮


CARRIER ROLLER
托链轮


IDLER
引导轮


SPROCKET
驱动齿


TRAVEL MOTOR
行走马达

秦鼎机械工具（山东）有限公司
QINDING MACHINERY TOOLS (SHANDONG) CO., LTD.



企业简介　Company profile

秦鼎机械坐落于素有“物流之都”的历史文化名城山东临沂。是工程机械和农业机械底盘制造行业的领军企业。凭借多年的经验和专业知识，我们已成为客户信赖的合作伙伴，为客户提供高质量，可靠和创新的底盘解决方案。

公司成立至今已有12余年，是一家集产品研发、设计、制造、国际贸易、电子商务为一体的技术企业。

秦鼎为不同的机器生产高品质的底盘，以获得不同的优异性能。我们产品通常应用于挖掘机、钻井机、打桩机、管道铺设机、移动破碎机、滑移装载机、拖拉机、农业收获机和其他机械设备。我们将根据每个客户的情况提供定制服务，使设计更适合不同的工况。我们的使命是为客户提供最好的底盘解决方案，以满足他们的特定需求并超越他们的期望。从设计和工程到制造和客户服务，我们在运营的各个方面都力求卓越。

秦鼎坚持“以质量求生存，以诚信求发展”的原则。目前，我们的产品已广泛应用于中国大陆各地，并受到欧洲，美国，南美，澳大利亚，东南亚等客户的好评。

我们满怀雄心壮志，为选择秦鼎底盘的客户谱写新的篇章，实现卓越的新境界。我们真诚欢迎海内外各界朋友携手共进，共创辉煌。


Qinding Machinery is located in Linyi City, Shandong Province,China, a historical and cultural city known as the "Logistics Capital". Qinding Machinery is the leading enterprise for the manufacturing of crawler track undercarriage for construction machinery and agricultural machinery in China.With years of experience and expertise, we have established ourselves as a trusted partner in delivering high-quality, reliable, and innovative complete track undercarriage system solutions.

Qinding Machinery has been established for more than 12 years. integrating product research and development, designing, manufacturing, international trade, e-commerce.

Qinding Machinery supplies the high-quality undercarriage for different machines and equipments. The applications include: excavators,drilling rigs,pile drivers,pipeline equipment,mobile crushers,skid steer loaders,tractors, and other machinery. for excellent performance on different grounds.We can provide customized services according to each customer's situation, so that the design is more suitable for different working conditions. We are developing more series like skid steer loader,pipe layer,and others. to enlarge market.Our mission is to provide our clients with the best possible chassis solutions that meet their specific needs and exceed their expectations.We strive for excellence in every aspect of our operations, from designing and engineering to manufacturing and customer service.

QINDING sticks to the principle of "survival by high quality, seeking better developments by sincerely and integrity".Now,our products have been widely used all over mainland China, and are also well received by clients from Europe, the USA, South America, Australia, Southeast Asia, etc.

Filled with ambition, we’re motivated to write the next chapter and achieve a new level of excellence for customers that choose QINDING undercarriage.We sincerely welcome all the friend from home and abroad to create the brilliant.



TRACKED UNDERCARRIAGE

履带底盘总成

我们的底盘系列包括

1-120吨钢制履带底盘；
0.5-10吨橡胶履带底盘；
电动底盘及异形底盘。
不同吨位、尺寸和功能可根据客人要求匹配。

Our Tracked Undercarriage series include

*Steel Tacked Undercarriage 1-120T
*Rubber Tracked Undercarriage 0.5-10T
*Electric Undercarriage and other types
Various capacity, dimension and functions are available.

部分构件特点


*摆线马达，单速或双速柱塞马达及不同减速比的减速机可供选择
*行走架可通过两侧履带梁与中间箱体刚性焊接或螺栓连接
*支重轮、托链轮、引导轮均为浮动油封密封，可保证长期工作不需添加任何润滑油
*黄油张紧油缸并装有吸收冲击的弹簧，履带调节变得更加容易
*护链架保障轨链不脱轨(选用)
*高强度合金钢制履带板或耐磨橡胶履带，承受外部冲击更强、更耐用

Some Features

*Obital Motors, Double/Single Speed Piston Motors and Reducers with different gear ratio are for choice.
*Intermediate beam can be connected to the two sides frame by all welding or bolt.
*The rollers and idlers are sealed with floating oil, no need to add extra lubricating oil during long-term work.
*Butter tensioning cylinders and shock-absorbing springs make tracks adjustment easier
*Track chain guard are optional.
*High-strength alloy steel track shoes/wear resistant rubber tracks can bear external impact better and are more durable.

STEEL TRACK UNDERCARRIAGE

钢制履带底盘



支持定制
SUPPORT CUSTOMIZATION



产品细节 Product details



高质量底盘件
High quality chassis parts



加厚框架
Thickened frame




液压马达
Hydraulic motor



精美喷漆
Fine spray paint

应用范围 Scope of application



侧架/SIDE FRAME




带横梁/WITH INTERMEDIATE BEAM



带伸缩/回转 (EXPANDABLE/SWING BEARING)





带车架/WITH MOUNT FRAME



带安装座/WITH MOUNTING SEAT









钢制履带底盘总成/Steel Tracked Undercarriage

编号 (NO)	型号 (Model)	L1(mm)	L(mm)	H(mm)	B(mm)	B1(mm)	可承载整机重量(含底盘) Loading Capacity (including Undercarriage)
1	QDST-01T	1272	912	367	200/230	1200	1600KG
2	QDST-02T	1815	1460	367	200/230	1350	2000KG
3	QDST-03T	2198	1809	415	230/250	1350	3500KG
4	QDST-04T	2100	1594	515	200/300	1400	4500KG
5	QDST-05TA	2356	1852	535	300	1600	7000KG
6	QDST-05TB	2442	1919	540	300	1600	7000KG
7	QDST-06TA	1828	1293	538	230	966	7000KG
8	QDST-06TB	1966	1431	532	300	1947	7000KG
9	QDST-06TC	2095	1577	538	300	1600	7000KG
10	QDST-06TD	2359	1852	533	300	--	7500KG
11	QDST-06TE	3030	2512	535	300	—	7500KG
12	QDST-07TA	2493	1987	533	350	—	7500KG
13	QDST-07TB	3540	2994	575	300	—	9000KG
14	QDST-08TA	2642	2122	532	300/350	—	9000KG
15	QDST-08TB	3097	2577	532	350/400	1950	9000KG
16	QDST-10TA	2206	1650	580	250	--	10000KG
17	QDST-10TB	3059	2460	580	400	--	11000KG
18	QDST-10TC	2592	1983	656	300	--	12000KG
19	QDST-10TD	2863	2270	656	400	--	13000KG
20	QDST-10TE	3130	2525	674	450	--	13000KG
21	QDST-12TA	3151	2595	580	300	--	13000KG
22	QDST-12TB	2797	2203	656	400	--	13000KG
23	QDST-12TC	3047	2433	673	450	--	13000KG
24	QDST-12TD	3327	2643	768	500	2400	18000KG
25	QDST-12TE	4065	3436	707	500	—	18000KG
26	QDST-15TA	3047	2433	673	400	2250	18000KG
27	QDST-15TB	3130	2510	674	450	—	18000KG
28	QDST-15TC	3288	2675	678	300	—	18000KG
29	QDST-15TD	3505	2895	679	400	—	18000KG
30	QDST-15TE	3663	3049	672	500	—	18000KG
31	QDST-15TF	3970	3352	689	500	—	18000KG
32	QDST-18TA	3201	2587	672	450	—	18000KG
33	QDST-18TB	3980	3345	674	450	—	20000KG
34	QDST-20TA	2367	1778	616	400	—	21000KG
35	QDST-20TB	3285	2631	736	450	2000	23000KG
36	QDST-20TC	4055	3406	736	600	—	23000KG
37	QDST-20TD	4254	3472	866	600	—	25000KG
38	QDST-20TE	4975	4174	850	600	—	28000KG
39	QDST-20TF	5791	5096	742	600	—	30000KG
40	QDST-25TA	3125	2395	772	350	—	27000KG
41	QDST-25TB	4761	4028	805	600	—	28000KG
42	QDST-30T	4398	3621	808	700	—	32000KG
43	QDST-35TA	4536	3733	881	500	—	40000KG
44	QDST-35TB	4192	3278	964	600	2430	40000KG
45	QDST-45TA	4073	3300	863	800	—	50000KG
46	QDST-45TB	6052	5271	875	600	—	50000KG
47	QDST-50T	4519.5	3600	1042	900	3000-4000	60000KG
48	QDST-55T	6355	5438	1042	600	—	60000KG
49	QDST-60T	5529	4473	1235	800	—	65000KG
50	QDST-65T	6918	6125	820	500	—	70000KG
51	QDST-80T	3077	2040	1206	600	—	85000KG
52	QDST-100T	6789	5900	1157	800	—	120000KG
53	QDST-120T	8000	7013	1140	800	—	150000KG

QDST-06T 6TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-06T 6吨钢制履带底盘总成






Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-06T	1448-2662	1966-3200	900-2200	250-400	528-535











QDST-08T 8TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-08T 8吨钢制履带底盘总成





Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-08T	1647-2879	2159-3432	900-2200	300-400	531-611










QDST-10T 10TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-10T 10吨钢制履带底盘总成




Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-10T	1647-2660	2160-3281	900-2200	400-450	531-611



QDST-12T 12TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-12T 12吨钢制履带底盘总成




Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-12T	1647-3358	2160-3992	900-2200	450-500	669-677



QDST-15T 15TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-15T 15吨钢制履带底盘总成




Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-15T	1890-3971	2524-4680	900-2200	450-500	682-827



QDST-18T 18TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-18T 18吨钢制履带底盘总成





Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-18T	1890-3971	2524-4680	900-2200	450-500	682-827



QDST-20T 20TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-20T 20吨钢制履带底盘总成







Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-20T	1890-3971	2524-4680	900-2800	450-500	682-932



QDST-25T 25TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-25T 25吨钢制履带底盘总成







Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-25T	1890-5096	2524-5792	900-2200	450-600	682-932



QDST-45T 45TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-45T 45吨钢制履带底盘总成







Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-45T	1890-3971	2524-4680	900-2800	450-500	682-932



QDST-55T 55TON STEEL TRACK UNDERCARRIAGE ASSEMBLY

QDST-55T 55吨钢制履带底盘总成






Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
QDST-55T	3874-5438	4602-6355	900-2800	450-600	785-1064



UNPOWERED STEEL TRACK CHASSIS ASSEMBLY

无动力钢制履带底盘总成



Track Specification 履带参数					
Model NO. 型号	External Dimensions 外型尺寸				
	L	L1	B0	B	H
	mm毫米				
	1427-2040	2053-3077	/	500-600	792-1206





RUBBER TRACKED UNDERCARRIAGE

橡胶履带底盘



支持定制
SUPPORT CUSTOMIZATION



产品细节 Product details



高品质工程橡胶履带
High quality engineering rubber track



液压马达
Hydraulic motor




高质量底盘件
High quality chassis parts



加厚框架
Thickened frame

应用范围 Scope of application



侧架/SIDE FRAME






带横梁/WITH BEAM






带回转/WITH SWING BEARING






伸缩底盘/EXPANDABLE UNDERCARRIAGE









橡胶履带底盘总成/Rubber Tracked Undercarriage

编号 (No)	型号 (Model)	L1(mm)	L(mm)	H(mm)	B(mm)	B1(mm)	可承载整机重量(含底盘) Loading Capacity (including Undercarriage)
1	QDRT-01TA	1112	787	309	150	450	1200KG
2	QDRT-01TB	1220	911	309	180	920	1200KG
3	QDRT-01TC	1460	1108	366	230	/	1500KG
4	QDRT-02TA	1600	1235	360	230	/	2200KG
5	QDRT-02TB	1778	1393	410	230	/	2800KG
6	QDRT-02TC	1812	1447	356	230	1200	2800KG
7	QDRT-02TD	1986	1616	373	230	1730	2800KG
8	QDRT-03TA	1635	1250	399	230	1000	3500KG
9	QDRT-03TB	2073	1604	479	300	1200	6000KG
10	QDRT-03TC	2621	2141	487	300	/	6000KG
11	QDRT-04TA	1783	1388	492	250	1500	4500KG
12	QDRT-04TB	2002	1556	470	250	1200	4500KG
13	QDRT-04TC	2175	1705	492	350	1900	7000KG
14	QDRT-05TA	1863	1394	479	300	/	6000KG
15	QDRT-05TB	2255	1812	938	450	/	6000KG
16	QDRT-05TC	2388	1908	506	350	1600	7500KG
17	QDRT-05TD	2779	2224	583	400	/	8000KG
18	QDRT-05TE	2967	2497	487	300	2000	8000KG
19	QDRT-06TA	2495	2024	503	300	/	7500KG
20	QDRT-06TB	2703	2232	505	300	/	7500KG
21	QDRT-08TA	2603	2125	500	350	1650	8500KG
22	QDRT-10TA	2932	2317	626	450	/	11000KG
23	QDRT-10TB	3551	2930	670	450	/	12000KG

电动底盘总成/Electric Tracked Undercarriage

编号 (No)	型号 (Model)	L1(mm)	L(mm)	H(mm)	B(mm)	B1(mm)	可承载整机重量(含底盘) Loading Capacity (including Undercarriage)
1	QDERT-01T	1574	1264	456	180	1200	1000-1200KG
2	QDERT-1.5TA	1540	1230	405	230	1500	1500-1600KG
3	QDERT-1.5TB	1740	1299	457	250	1140	1500-1600KG
4	QDERT-02T	1986	1616	373	230	1750	2000-3000KG
5	QDERT-03T	1999	1555	463	250	1250	3000-4000KG
6	QDERT-04T	1518	1079	458	300	1800	4000-5000KG
7	QDERT-05T	2093	1655	454	300	1480	5000-6000KG
8	QDEST-05T	2782	2259	533.5	230	889	5000-6000KG

QDRT-02T RUBBER TRACK UNDERCARRIAGE ASSEMBLY

QDRT-02T 2吨橡胶履带底盘总成



QDRT-03T-06T RUBBER TRACK UNDERCARRIAGE ASSEMBLY

QDRT-03T-06T 3-6吨橡胶履带底盘总成




QDRT-08T RUBBER TRACK UNDERCARRIAGE ASSEMBLY

QDRT-08T 8吨橡胶履带底盘总成



RUBBER TRACK 橡胶履带



Dumper rubber track 运输车橡胶履带



Excavator rubber track 挖掘机橡胶履带



Loader rubber track 装载机橡胶履带



EXCAVATOR UNDERCARRIAGE PARTS
挖掘机底盘件


TRACK GROUP ASSY
履带总成


TRACK CHAIN
履带链条


IDLER
引导轮


SPROCKET
驱动齿


TRACK ROLLER
支重轮


CARRIER ROLLER
托链轮


TENSION ASSEMBLY
张紧总成


TRACK SHOE
履带板



UNDERCARRIAGE PARTS
底盘件


SPROCKET
驱动齿



IDLER
引导轮


TRACK ROLLER
支重轮


EX5500


R9350



CAT385




PC1250



PC800



EX1800


CAT6015B

BULLDOZER UNDERCARRIAGE PARTS
推土机底盘件


TRACK SHOE
履带板


SWAMP TRACK SHOE
湿履带板


TRACK GROUP ASSY
履带总成


LUBRICATED TRACK CHAIN
润滑油链


DRY TRACK CHAIN
干链


CARRIER ROLLER
托链轮


SINGLE TRACK ROLLER
单边支重轮



DOUBLE TRACK ROLLER
双边支重轮


SEGMENT
驱动轮齿块


IDLER
引导轮


TENSION ASSEMBLY
张紧总成


BOLT AND NUT
螺栓螺母



D11N



D475

HITACHI

EX40-1	EX40-2	EX55	EX60	EX60-2	EX60-3	EX60-5	EX70	EX75
EX100	EX110	EX120	EX120-1	EX120-2	EX120-3	EX120-5	EX130-1	EX200-1
EX200-2	EX200-3	EX200-5	EX220-3	EX220-5	EX270	EX300	EX300-1	EX300-2
EX300-3	EX300-5	EX300A	EX330	EX370	EX400-1	EX400-2	EX400-3	EX400-5
EX450	ZAX30	ZAX55	ZAX200	ZAX200-2	ZAX330	ZAX450-1	ZAX450-3	ZAX450-5
EX1200	EX1900	EX2600	EX3600	EX5600	EX8000			

KOMATSU

PC20-7	PC30	PC30-3	PC30-5	PC30-6	PC40-7	PC45	PC45-2	PC55
PC120-6	PC130	PC130-7	PC200	PC200-1	PC200-3	PC200-5	PC200-6	PC200-7
PC200-8	PC210-6	PC220-1	PC220-3	PC220-6	PC220-7	PC220-8	PC270-7	PC202B
PC220LC-6	PC220LC-8	PC240	PC300	PC300-3	PC300-5	PC300-6	PC300-7	PC300-7K
PC300LC-7	PC350-6/7	PC400	PC400-3	PC400-5	PC400-6	PC400LC-7	PC450-6	PC450-7
PC600	PC650	PC750	PC800	PC1100	PC1250	PC2000	PC3000	PC4000
PC5500								
D20	D31	D50	D60	D61	D61PX	D65A	D65P	D64P-12
D80	D85	D155	D275	D355	D85PX	D85EX	D65EX	

CATERPILLAR

E200B	E200-5	E320D	E215	E320DL	E324D	E324DL	E329DL	E300L
E320S	E320	E320DL	E240	E120-1	E311	E312B	E320BL	E345
E324	E140	E300B	E330C	E120	E70	E322C	E322B	E325
E325L	E330	E450	E6015	E6020	E6030	E6040	E6050	E6060
CAT225	CAT312B	CAT315	CAT320	CAT320C	CAT320BL	CAT330	CAT322	CAT245
CAT325	CAT320L	CAT973	CAT939C	CAT963C				
D3	D3C	D4	D4D	D4H	D5M	D5H	D6C	D6D
D6M	D6R	D6T	D7	D7H	D7R	D8	D8N	D8R
D9R	D9N	D9G	D10	D10N	D10R	D8H	D11T	D11N

KOBELCO

SK120-6	SK120-5	SK210-8	SK210LC-8	SK220	SK220-1	SK220-3	SK220-5/6	SK200
SK200	SK200	SK200-3	SK200-6	SK200-8	SK200-5/6	SK60	SK290	SK100
SK230	SK250	SK250-8	SK260LC-8	SK300	SK300-2	SK300-4	SK310	SK320
SK330-8	SK330	SK350LC-8	SK235SR	SK450	SK480	SK30-6		

SUMITOMO

SH120	SH120-3	SH200	SH210-5	SH200	SH220-3	SH220-5/7	SH290-3	SH350-5/7
SH220	SH280	SH290-7	SH260	SH300	SH300-3	SH300-5	SH350	SH60

VOLVO

EC160C	EC160D	EC180B	EC180C	EC180D	EC210	EC210	EC210B	EC240B
EC290	EC290B	EC240	EC55	EC360	EC360B	EC380D	EC460	EC460B
EC460C	EC700	EC140	EC140B	EC160B				

LIEBHERR

R914	R924	R934	R944	R9350	R9600				

KUBOTA

JH60-7	JH115	JH135	JH161

DAEWOO

DH200	DH220-3	DH220	DH220S	DH280-2	DH280-3	DH55	DH258	DH130
DH370	DH80	DH500	DH450	DH225				

HYUNDAI

R60-5	R60-7	R80-7	R200	R200-3	R210	R210-1	R210-9	R210LC
R210LC-7	R225	R225-3	R225-7	R250	R250-7	R290	R290LC	R290LC-7
R320	R360	R954						

KATO

HD512	HD1430	HD512III	HD820III	HD820R	HD1430III	HD700VI	HD1250VII	HD250SE
HD400SE	HD500SE	HD1880						

DOOSAN

DX225	DX225LC	DX258	DX300	DX300LCA	DX420	DX430

SHANTUI

SD13-2	DH16J2XL	DH16J2LGP	SD16	SD22	SD32

EXCAVATOR ATTACHMENTS
挖掘机属具

BUCKET 挖斗



HEAVY ROCK BUCKET



STANDARD BUCKET



HEAVY DUTY ROCK BUCKET



ROCK BUCKET



SKELETON BUCKET



CLAMSHELL BUCKET



SCREENING BUCKET



GRADE BUCKET

HYDRAULIC BREAKER
液压破碎锤



HEAVY ROCK BUCKET



STANDARD BUCKET



HEAVY DUTY ROCK BUCKET

HYDRAULIC QUICK HITCH
快速连接器









G.E.T (GROUND ENGAGING TOOLS)
地面接触件

BUCKET TEETH 斗齿





















BLADE CUTTING 刀板









DUMPER UNDERCARRIAGE PARTS

运输车



MORooka HITACHI KOMATSU CATERPILLAR® YANMAR DOOSAN

底盘件 UNDERCARRIAGE PARTS



Rubber Track
橡胶履带



Track Roller Ass'y
支重轮



Segmented Sprocket
链轮




Carrier Roller Ass'y
托轮




Idler-wheel
引导轮

ENGINE&ENGINE PARTS SERVICE


发动机



403J-07




6WG1



B67-STAGE



V1505-E2B



V5009




C1.5

CATERPILLAR KOMATSU SANY MTU YANMAR ISUZU XCMG Perkins
DEUTZ DOOSAN WEICHAI 玉柴 YUCHAI Kubota MAN

发动机配件 ENGINE PARTS














DELIVERY PHOTO

发货实拍



CUSTOMER CASE

客户案例

