



COST-EFFECTIVE OEM: SOLID QUALITY, SMART PRICE

ZHTE mainly manufactures:

Hydraulic pump, final drive, swing motor, travel reducer, swing reducer.
These products are suitable for machines like Volvo, Hyundai, and Doosan, etc.

If you're in search of reliable and durable hydraulic parts,
we're always ready to meet your needs.



Xingtai Zhongwei Zhuote Hydraulic Technology Co., Ltd

Guangzhou Marketing Center

Tel: 0089 135 7028 6849

E-mail: zwzc88@126.com

Address: No. 1206 Zhongshan Avenue, Tianhe District, Guangzhou, Guangdong.

Xingtai Factory Production Base

Tel: 0086 0319 8587 888

Web: www.zwzhtehydraulic.com

Address: North Ring Road, Linxi Bearing Industrial Park, Xingtai, Hebei.

Scan the QR Code



Scan the QR Code



ZHTE HYDRAULIC EXCAVATOR'S PARTS



200000 m²
square meters of factory area

More than **1000** set
More than 1000 set of CNC processing
and manufacturing equipments

118 items
National authorized patent

more than **100**
Many products are sold to
regions all over the world



ZHTE OEM-LEVEL HIGH-QUALITY PRODUCTS

ZHTE, short for ZHTE Hydraulic, all ZHTE products are manufactured in Chinese OEM factories. We strictly control every production process to ensure that each product has excellent performance and reliable quality.

ZHTE owns high-tech modern factories, equipped with over 1,000 CNC machining and manufacturing devices and more than 50 sets of various inspection and testing instruments.

A team of over 60 mid-senior technical talents provides solid technical support for product R & D and production.

The high-cost-performance model of "self-developed and self-produced spare parts" has become ZHTE's core competitive advantage.

ZHTE has distributors worldwide, and its products are sold in over 100 countries and regions globally, winning wide acclaim for their quality. To further expand its market influence, ZHTE is actively looking for new distributors in more areas and continuously improving its global market layout.



BEST-SELLING PRODUCTS CLASSIFICATION

HYDRAULIC PUMP




DX300



EC210



JCB220



R130



R320-7

FINAL DRIVE



EC360



GM35(PC200)



TM03



TM04(204x9)



TM40

SWING MOTOR



DX225



R210-7



EC210



E320C



R320LC-7

TRAVEL REDUCER



ZAX200-3



E320C



EC210



PC200-7



R210-7

SWING REDUCER



R250-7



DX300



E320C



JCB200



R210

SCIENTIFIC RESEARCH EQUIPMENT

Zhongwei Zhuote has a high-tech modern factory, the existing staff of more than 1200 people, 65 senior technical personnel.

We employ domestic and foreign engineers to train in the factory and cultivate technical talent, including 5 quality engineers and technical engineers from South Korea.

The company has more than 50 sets of hydraulic pump test bench, three coordinates and other testing and inspection instruments, worth more than 30 million yuan.

More than 1000 sets of CNC machining and manufacturing equipment at home and abroad, including vertical and horizontal machining centers, CNC lathes, grinding machines, rolling and shaving production lines and other types of high-end CNC equipment.



HONOR APTITUDE




ZHTE has won many awards for its outstanding research and development level, quality products and services.

Now it has various patents and certificates:
national high-tech enterprises, national specialized special new "little giant" enterprises, national intellectual property advantage enterprises.

The enterprise has passed the ISO9001 quality system, ISO14001 environmental management system, ISO45001 occupational health and safety management system, ISO50001 energy management system, intellectual property system and international CE certification. Participated in the revision of 6 national standards, 1 group standard, has obtained 118 national authorized patents.



HYDRAULIC PUMP



It has the swashplate axial piston pump and double pump in series. It can adjust the angle of swashplate and realize independent control of single pump. With strong self-priming competence, long-life, low-noise and other characteristics, it is suitable for hydraulic excavator and various hydraulic open circuit.

TECHNOLOGY
CREATING
THE FUTURE

Hydraulic pump model

AP2D28(without solenoid)	K3V112DT-HNOV-14T	K5V140DTP-9T1L-17T
AP2D28(with solenoid)	K3V112DT-9C32-12T	K5V140DT-1E05-17T
K3VL80(without solenoid)	K3V112DT-9C32-14T	K5V140DTP-9TBR-14T
K3VL80(with solenoid)	K3V112DT-9N24-12T	K3V140DT-HNOV-14T
K3SP36C	K3V112DT-9N24-14T	K3V140DT-9C69-17T
PSVD2-27E	K3V112DTP-9C32-14T	K3V140DT-9N29-17T
AP2D36-14T	K3V112DTP-9P12-12T	K3V140DT-9TCM-17T
AP2D36-15T	K3V112DTP-9N24-12T	K3V140DT-9T1L-17T
PVC90R	K3V112DTP-9N24-14T	K3V180DT-9N29-17T
A10V071-14T	K3V112DTP-9N24-14T(PTO)	K3V180DT-9C69-17T
A10V063-15T	K3V112DTP-HNOV-14T(PTO)	K3V180DTP-9N29-17T
K3V63DT-HNOV-14T	K3V112DTP-9TEL-14T	K3V180DTP-9N29-17T(PTO)
K3V63DT-9C22-14T	K3V112DTP-OE11-14T	K3V180DTP-9C69-17T(PTO)
K3V63DT-9N09-14T	K3V112DTP-9T8L-14T	K5V160DTH-9N4A-17T
K3V63DT-9POH-14T	K3V112DTP-9TCM-14T	K5V160DTP-9Y04-13T
K3V63DT-9N3D-14T	K3V112DTP-YT6K-17T	K5V160DTH-9T16-17T
K3V63DTP-9C22-14T	K3V112DTP-9Y14-14T	K5V160DT-1E06-17T
K3V63DTP-9N09-14T(PTO)	K3V112DT-1E42-14T	K5V160DTH-OE70-17T
K3V63DTP-OE02-14T(PTO)	K7V125DTP-OE09-14T	K5V200DTH-9N4H-17T
K7V63DTP-9N0E-14T	HPV145-15T	K5V200DTH-9N0B-17T
K7V63DTP-OE23-14T	K5V140DTP-9C12-17T	K5V200DTH-9C0Z-17T
K5V80DTP-9N61-12T	K5V140DTP-9N07-17T	K5V200DTP-9N0B-17T(PTO)
K5V80DT-9N61-12T	K5V140DTP-9N01-17T	K5V200DT-9N44-17T
K5V80DTP-HNOV-12T(PTO)	K5V140DT-9N01-17T	K5V200DTH-OE30-17T
K5V80DTP-OE02-12T(PTO)	K5V140DTP-YT6K-17T	K5V200DTP-9N8X-17T
K3V112S-1NCJ-12T(single)	K5V140DTP-OE01-17T	K5V212DPH-OE81-17T
K3V112DT-HNOV-12T		

FINAL DRIVE



Swashplate axial piston motor and two-stage planetary reducer assembly, the motor installed one-way valve, balance valve, safety relief valve, variable speed valve and parking brake, with high and low speed conversion function, double displacement, low-noise, long-life, safe and reliable characteristics. It is suitable for various types of hydraulic crawler driving device.

TECHNOLOGY
CREATING
THE FUTURE

Final drive model

CAT	KOBELCO	VOLVO	SUMITOMO	OTHER
E150	GM35VL(SK200-6)	EC140	SH200A3	MAG85
E306	SK230-6	EC210	SH350A5	T9T2
E324	SK350-8	EC240	SH120	TM01
E320C	SK140-8	EC290		TM01-B
E330D	SK200-6	EC360	HITACHI	TM01-D
E336D	SK200-7	EC380	ZAX120-6	TM02
	SK200-8		ZAX200 SINGLE	TM02-B
SANY	SK250-8	HYUNDAI	ZAX200 DOUBLE	TM02-C
SY335	SK135	R110-7	ZAX200-3	TM03
SY375		R150-9	ZAX230	TM03-B
SY75	DEVELON	R215VS	ZAX240-3	TM04 (204) (18)
SY135	DX300-7	R225-9	ZAX270-3	TM04 (210) (12)
SY215	DX380	R305-7	ZAX330-1	TM04 (210) (9)
	DX500	R375-7	ZAX330-3	TM06 (12)
KOMATSU	DX55	R60-5	ZAX70	TM06 (9)
GM35VL(PC200-6)	DX140	R60-7		TM07
PC78	DX225	R80-7	TAKEUCHI	TM09
PC200-7	DX340	R160-7	TB175	TM09(TB175)
PC200-8	DX360	R210-7		TM10
PC120-6	DX420	R220-9		TM100
PC130	DX480	R250-7	SUMITOMO	TM18
	DX520	R260-9	SH200A3	TM22(DH150-9)
DOOSAN		R300-9	SH350A5	TM22(EC140)
DH370	SUNWARD	R320-7	SH120	TM40
GM35VL(DH220-5)	SWE70			TM85

SWING MOTOR



Swashplate axial piston motor and two-stage planetary reducer assembly, the motor is equipped with oil-filling one-way valve, anti-swing valve, safety relief valve and parking brake, low noise, long life, safe and reliable features. It is suitable for all types of excavator rotary drive device.

TECHNOLOGY
CREATING
THE FUTURE

Swing motor model

CAT	SANY	VOLVO
M5X130(E320C)	M2X150(SY205)	M5X130(EC210)
M5X180(E325C)	M2X63(SY135)	M5X130(EC460)
M5X180(E336D)	M5X180(SY365)	M5X130(EC480D)
E313	M5X250(SY485)	M5X180(EC240)
LIUGONG	SG04(YC135)	M5X180(EC290)
M5X130(LG200)	KOMATSU	KOBELCO
M5X130(LG225)	PC200-7	M5X130(SK200-6E)
M5X180(LG240)	DOOSAN	M5X130(SK200-8)
M5X180(LG936)	M2X150(DX225)	M5X180(SK350-8)
HYUNDAI	M2X150(DX255)	SG08(SK250-8)
M2X150(R210)	DX140	SG08(SK260HD8)
M2X63(R130)	SUMITOMO	SK260-8
R215VS	SG08(SH200)	OTHER
R265	SG08(SH210-5)	JMF195
HITACHI		JMF250
M5X130(ZAX200)	SUNWARD	JMF29
M5X130(ZAX230)	M5X130(SW215E)	JMF43
M5X130(ZAX240-3)	XCMG	MSG-27P
M5X180(ZAX330-1)	M2X63(XE150)	MSG-44P
M5X180(ZAX330-3)	M5X130(XE215)	PCL-120-18B

TRAVE REDUCER



The travel reducer is divided into two-planetary deceleration, three-planetary deceleration and double-planetary deceleration. It is composed of motor housing, driving housing, gear ring, planetary frame, planetary gear and other components. It has the characteristics of low speed, high torque and low noise, and can be matched with a variety of hydraulic moving motors.

TECHNOLOGY
CREATING
THE FUTURE

Trave reducer model

CAT	KOMATSU	KOBELCO	DAEWOO	HYUNDAI	HITACHI
E305.5	PC100-3	SK140-8	DH150-9	R110-7	EX100-1
E306	PC120-5	SK200-6	DH220-5	R150-9	EX120-2
E306E2	PC120-6	SK200-7	DH225-9	R150VS	EX120-5
E307C	PC200-6	SK200-8	DH258-7	R215VS	EX200-1
E311C	PC200-6(6D95)	SK230-6	DH300-7	R225-9	EX200-2
E312	PC200-7	SK350-8	DH370	R305-7	EX200-5
E312B	PC200-8	SK460	DH420	R375-7	EX300-5
E312C	PC220-8	SK250-8	DH60-7	R60-5	EX400
E320C	PC360-7	SK135	DH80-7	R60-7	ZAX120-6
E320D2	PC360-8	VOLVO	DH80G	R80-7	ZAX200(single)
E320GC	PC56-7	EC140	DEVELON	R160-7	ZAX200(double)
E324C	PC60-6	EC240	DX300-7	R210-7	ZAX200-3
E325C	PC60-7	EC290(old)	DX380	R220-9	ZAX230(single)
E329D	PC60-7(4D95)	EC290(NEW)	DX500	R250-7	ZAX230(double)
E330D	PC70-8	EC350D	DX55	R260-9	ZAX240-3
E336D	PC78	EC360(old)	DX140	R300-9	ZAX270-3
E308	PC130	EC360(NEW)	DX225	R320-7	ZAX330-1
SANY	PC160	EC460	DX260	R360	ZAX330-3
SY215-8S	PC40	EC55	DX340	R450	ZAX450
SY285-8S	PC300-7	EC210	DX360	SUMITOMO	ZAX60
SY305	PC300-8	EC220	DX420	SH200	ZAX70
SY335	SUNWARD	EC240	DX480	SH200A3	ZAX250-3G
SY375	SWE70	EC250	DX520	SH265	ZAX350-5
SY55	SWE80	EC300	XCMG	SH280	OTHER
SY135		EC380	XE370	SH300A3	Rexroth60
SY235	KATO	EC480	XCMG210	SH350A5	19*28(NEW)
SY365	HD1430	EC700	XCMG215	SH120	YC60-8

SWING REDUCER



Generally, swing reducer is based on two-stage planetary deceleration mode, composed of vertical shaft, vertical shaft seat, gear ring, planetary gear, planetary gear and other components. The speed and torque matching are reasonable. It has high efficiency, low noise and other characteristics, and it can be matched with a variety of hydraulic rotary motors.

TECHNOLOGY
CREATING
THE FUTURE

Swing reducer model

LIUGONG	CAT	SANY	KOMATSU	HYUNDAI	DEAWOO
LG200(180)	E200B	SY135-8	PC120-6	R130-5	DH150-7
LG200(190)	E305	SY205-10	PC128	R150-7	DH220-5
LG225(180)	E306	SY245	PC130-8	R150-9	DH225-7
LG225(190)	E307	SY305	PC160-7	R210	DH300-7
LG240	E307D	SY365	PC200-6	R215VS	DH370
LG908	E307E	SY485	PC200-7(high)	R265-7	DH500
LG936	E313D	SY75	PC200-7(short)	R305-7	DH55
LG922D	E318D	SY55	PC200-8	R335-7	DH80-7
LG922E	E320C	CASE	PC220-7	R455	HITACHI
LG924	E325C	CX210	PC360-7	R55-7	EX120-5
LG925	E312	CX290	PC56-7	R80-7	EX200-5
LG920D	VOLVO	SUMITOMO	PC60-7	R140-7	ZAX120-6
DOOSAN	EC210	SH120	PC70-8	R210-7	ZAX60
DX260	EC240(new)	SH200	KOBELCO	R220-9	ZAX70
DX60	EC300D	SH280	SK135	R250-7	ZAX200-3
DX75	EC350D	SH350A5	SK140-8	R300-9	ZAX240-3
DX140	EC360	SUNWARD	SK200-6	R320-7	KATO
DX225	EC460	SW215E	SK200-8	XCMG	HD400
DX260	EC55	SW50	SK200HD8	XCMG150	HD820
DX300	EC700	SW70	SK250-8	XE470	OTHER
DX340	SINOMACH	JCB	SK260HD8	XE490	JMF29
DX360	SM210	JCB220	SK350-8	XE700	ZCM913
DX420	IHI	JCB200	SK60-5	XCMG210	Lonking 85
DX480	IHI60	JCB205	SK60-8	XCMG215	YC60-8
DX520	IHI80	JCB130	SK75-8	TAKEUCHI	YC65
				TB135	YC85