鹏煜钢管

PENGYU STEEL PIPE



信作效新
诚合高创

sincerity
cooperation
High efficiency
innovate

TEN ARTICLE

展望未來 Outlook future

聊城鹏煜钢管有限公司是以高品质管道材料为主导产品，集设计、开发、制造和销售服务为一体，服务于国内外高端制造行业的精密钢管、冷拔钢管企业，是国内生产规模较大、规格品种超全、品种开发超具竞争力的异型管道研发生产基地。

Liaocheng Pengyu Steel Pipe Co., Ltd. is a precision steel pipe and cold drawn steel pipe enterprise with high-quality pipeline materials as its leading product, integrating design, development, manufacturing and sales services, serving domestic and foreign high-end manufacturing industries. It is a special-shaped pipeline R & D and production base with large-scale production scale, super complete specifications and varieties development, and super competitive variety development.

山东聊城鹏煜钢管有限公司

Company Profile



Liaocheng Pengyu Steel Pipe Co.,LTD.,founded in March 2017,isa high-quality pipe material as the leading products, set design, development, manufacturing and sales services as one, serving domesticand foreign high-end manufacturing industry of precision steel pipecold-drawn steelpipe, cold-drawn shaped steel pipe enter- prises.Itis a special-shaped pipeline R&D and production base with large prod.uction sca e. complete specifications and varieties. and competitiv evarieties.

The company specializes in the production and sales of cold-drawnprecision pipe with outer diameter of 4-400mm, wall thickness of 0.835mm, precision cvli nder pipe, high-precision cold-drawn steel pipearge diameter precision pipe, stainless steel cold-drawn pipe, speciasteel pipe cold-drawn, steel pipe length can be 25 meters. Our companycan produce triangle tube, hexagonal tube, octagonal tube, rectangulaltube, P type tube, D type tube, B type tube, mushroom type tube, catear tube.Elliptic tube,diamond tube,semi-circular tube, plum tubecorrugated tube and other shapes are different.

Section steelpipe, can accept customer drawings to sample processing producti on.The company has industry-leading productionequipment:2 sets of 300 tons of hig h-precision hydraulic cold drawingmachine 2 sets of 150 tons of high-precision chain cold drawing machine, 1 set of 25 tons chain cold drawing machine,3 sets of hydraulicpoint straightening machine, 1 set of 7-roll automatic straighteningmac hine1 set of11-rollautomatic straightening machine, 8 sets ofL2020-LG80finish-ing machine.Advanced production equipmentstrict production control, rigorous producti on supervision is the basicquarantee for our customers to provide quality produc ts.

The products produced by the company are widely used in the automobile indust ry, mining,agricultural machinery, military pipe, railwaypipe, petrochemical and petroleum machinery,engineering machineryntelligent light pole column, nuclearpo werindustrv.transformer. satellite launch tower, Marine machinery, glass machine ry, plastic machinery, textile printing and dyeing machinery, textile machinerv. drillingplatform,heavy machinery, bearing, boiler manufacturing, bridgeconstruct ion and so on A surname : Annual output of various steel pipe20.000 tons,and exp orted to Europe,the United States,SoutheastAsia and otherinternationalmarkets.



公 司 简 介

聊城鹏煜钢管有限公司创建于2017年3月，是以高品质管道材料为主导产品，集设计、开发、制造和销售服务为一体，服务于国内外高端制造行业的精密钢管、冷拔钢管、冷拔异形钢管企业，是国内生产规模较大、规格品种超全、品种开发超具竞争力的异型管道研发生产基地。

公司专业生产销售外径4-400mm，壁厚0.8-35mm的冷拔精密管、精密油缸管、高精度冷拔钢管、大口径精密管、不锈钢冷拔管、特种钢管冷拔钢管长度可以做到25米。我公司可生产三角管、六角管、八角管、矩形管、P型管、D型管、B型管、蘑菇型管、猫耳管、圆管、菱形管、半圆型管、梅花型管、波纹型管等各种形状类异型钢管，可接受客户来图来样加工生产。

公司拥有行业领先的生产设备：拥有300吨高精度液压冷拔机2台，150吨高精度链式冷拔机2台，25吨链式冷拔机1台，液压点校机3台，7辊全自动校直机1台，11辊全自动校直机1台，LG20-LG80精轧机8台。先进的生产设备，严格的生产管控，缜密的生产监督是我们为客户提供优质产品的基本保障。

公司生产的产品广泛应用于汽车行业、矿山农业机械、军工用管、铁路用管、石化石油机械、工程机械、智慧灯杆立柱、核电工业、变压器、卫星发射塔、船舶机械、玻璃机械、塑料机械、纺织印染机械、纺织机械、钻井平台、重工机械、轴承锅炉制造、桥梁建筑等行业:年产各种钢管2万吨并出口到欧美、东南亚等国际市场。

普通异型钢管公差及产品标准尺寸、角度公差

	PYLBG01(特殊)		JISG3466(日本)	
边长	＜100	±0.5（±0.25）	100 以下	±1.5
	≥100	±0.8%（±0.5%）	100 以上	±1.5%
平面度	100 以下	±0.5（±0.3）以下	100 以下	±0.5 以下
	100 以上	0.5%（0.4%）以下	100 以上	边长±0.5%
相邻平面夹角	±1.0°（±0.5°）		±1.5°	
弯曲度	全长 0.15% 1 米内 1mm		全长 0.3%以下	
角部	Rs≤2~3t		Rs=3t 以下	
扭转	全长 0.15% 1 米内 1mm		不能有明显扭转	
壁厚	使用材料的相应标准公差范围内			

	GB/T6728-2012(中国)				GB/T3094-2012(中国)		
边长	50 以下	±0.5	250	±2.0	30 以下	±0.3（普通）	±0.3（高级）
	100	±0.8	300	±2.4	30-50	±0.4（普通）	±0.4（高级）
	150	±1.2	350	±2.8	50-75	±0.8%(普通)	±0.8%(高级)
	200	±1.6	400	±3.2	75 以上	±1%（普通）	±1%（高级）
平面度	60 以下	±0.4			50-75	±0.8%(普通)	±0.5%(高级)
	60 以上	0.60%			75 以上	±0.9%(普通)	±0.6%(高级)
弯曲度	每米不大于 2，全长不大于 0.2%				每米≤4.0mm，全长≤0.4%		
角部	碳素钢 Rs=3.5t 以下				t＜6	Rs≤2t	
	低合金钢 Rs=4t 以下				6≤t≤10	Rs≤2.5t	
					t＞10	Rs≤3t	
扭转	不能有明显扭转				75 以下	≤2.5mm/m	
					75 以上	≤3.0mm/m	
壁厚	使用材料的相应标准公差范围内						

注：

1. PYLBG01—本企业标准
2. JISG3466--日本一般构造用方矩形钢管标准
3. GB/T6728-2012—结构用冷弯空心型钢
4. GB/T3094-2012—冷拔异型钢管
5. 其他特殊精度要求以供需双方所签协议为准

普通冷拔异型钢管













部 分 产 品 图 纸

图纸编号：py2201



图纸编号：py2202



图纸编号：py2203



图纸编号：py2204



图纸编号：py2205



图纸编号：py2206



图纸编号：py2207



图纸编号：py2208



图纸编号：py2209



图纸编号：py2210



图纸编号：py2211



图纸编号：py2212



图纸编号：py2213



图纸编号：py2214



图纸编号：py2215



图纸编号：py2216



图纸编号：py2217



图纸编号：py2218



图纸编号：py2219



图纸编号：py2220



图纸编号：py2221



图纸编号：py2222



图纸编号：py2223



图纸编号：py2224



图纸编号：py2225



图纸编号：py2226



图纸编号：py2227



图纸编号：py2228



图纸编号：py2229



图纸编号：py2230



图纸编号：py2231



图纸编号：py2232



图纸编号：py2233



图纸编号：py2234



图纸编号：py2235



图纸编号：py2236



高强度钢制灯杆









普通冷拔异型钢管













热处理













冷拔异型钢管执行标准：GB/T3094-2012

尺寸		允许偏差	
		普通级	高级
边长	≤30	±0.30	±0.2
	>30-50	±0.40	±0.3
	>50-75	±0.8%	±0.7%
	>75	±1%	±0.8%
壁厚	≤1.0	±0.18	±0.12
	>1.0-3.0	±15%s	±12.5%
	≥3.0	±12.5%	±10%

冷拔异型钢管的外圆角半径

壁厚/S	S≤6	6<S≤10	S>10
外圆角半径/R	≤2.0S	≤2.5S	≤3.0S

冷拔异型钢管的弯曲度

精度等级	弯曲度（mm/m）	全长（L）弯曲度
普通级	≤3.0	≤0.3%L
高级	≤2.0	≤0.2%L

冷拔异型钢管的边凹凸度

边长尺寸	边凹凸度（不大于）	
	普通级	高级
≤30	0.2	0.1
>30-50	0.3	0.15
>50-75	0.80%	0.50%
>75	0.90%	0.60%

冷拔异型钢管的扭曲值

钢管边长/mm	允许扭转值（mm/m）
≤30	≤1.5
>30-75	≤2.0
>75	≤2.5

注：

1. 冷拔异型钢管执行标准：GB/T3094-2012
2. 其他特殊精度要求以供需双方所签协议为准

冷拔异型钢管













冷轧/精轧精密无缝管钢管

精密无缝钢管是经过精轧设备轧制而成的一种高精密度无缝钢管，全称：冷轧或冷拔精密无缝钢管。
精密无缝钢管执行标准：GB/T3639-2008
精密无缝钢管常用设备：LG-H两辊精轧机，LG三辊精轧机，LG五辊精轧机
精密无缝钢管的用途：冷轧精密钢管广泛用于汽车、摩托车、电动车、石化、电力、船舶、航天、轴承、气动元件、中低压锅炉等领域。

精密无缝钢管的交货状态		
交货状态	代号	说明
冷加工/硬	+C	最后冷加工之后钢管不进行热处理
冷加工/软	+LC	最后热处理之后钢管进行适当地冷加工
冷加工后消除应力退火	+SR	最后冷加工之后，钢管在控制气氛中进行去应力退火
退火	+A	最后冷加工之后，钢管在控制气氛中进行完全退火
正火	+N	最后冷加工之后，钢管在控制气氛中进行去正火

精密无缝钢管的力学性能										
牌号	交货状态									
	+C		+LC		+SR		+A		+N	
	Rm/Mpa	A/%	Rm/Mpa	A/%	Rm/Mpa	A/%	Rm/Mpa	A/%	Rm/Mpa	A/%
	不小于									
10	430	8	380	10	400	16	335	24	320-450	27
20	550	5	520	8	520	12	390	21	440-570	21
35	590	5	550	7	—	—	510	17	≥460	21
45	645	4	630	6	—	—	590	14	≥540	18
Q355	640	4	580	7	580	10	450	22	490-630	12

注：1.精密无缝钢管执行标准：GB/T3639-2008
2.常规产品外径±0.05mm，壁厚公差±0.1mm，特殊行业对精密管要求达到μ m级别，比如航天发动机零部件、医疗器械等。
2.其他特殊精度要求以供需双方所签协议为准

冷轧/精轧精密无缝管钢管













冷拔精密油缸管常用规格

产品名称	产品规格	壁厚（mm）	产品名称	产品规格	壁厚（mm）
油缸管	30*20	5	油缸管	140*120	10
油缸管	32*25	3.5	油缸管	150*125	12.5
油缸管	35*25	5	油缸管	159*140	9.5
油缸管	40*43	5	油缸管	165*140	12.5
油缸管	50*40	5	油缸管	168*140	14
油缸管	60*50	5	油缸管	180*150	15
油缸管	65*50	7.5	油缸管	194*160	17
油缸管	70*60	5	油缸管	203*180	11.5
油缸管	76*63	6.5	油缸管	219*180	19.5
油缸管	80*70	5	油缸管	245*200	22.5
油缸管	90*80	5	油缸管	273*220	26.5
油缸管	90*75	7.5	油缸管	273*240	16.5
油缸管	95*80	7.5	油缸管	299*250	24.5
油缸管	102*90	6	油缸管	325*280	22.5
油缸管	105*90	7.5	油缸管	351*300	25.5
油缸管	108*90	9	油缸管	377*320	28.5
油缸管	110*100	5	油缸管	402*350	26
油缸管	114*100	7	油缸管	426*380	23
油缸管	121*100	10.5	油缸管	457*400	28.5
油缸管	127*100	13.5	油缸管	480*400	40
油缸管	130*110	10	油缸管	508*450	29

备注：

1. 冷拔精密油缸管常用材质：20# 45# Q355 27SiMn 25Mn
2. 其他特殊精度要求以供需双方所签协议为准

冷拔油缸专用无缝钢管













检 测 设 备



微机控制电液私服万能试验机

主要用于检测钢管的抗拉强度，
屈服强度，延伸率等。



涡流在线探伤机

主要用于钢管表面和近表面的缺陷检测。



超声波检测仪

主要用于钢管产品的
内部缺陷检测



微机直读试光谱仪

主要用于产品化学成分的分析。

厂 房 设 备













企业资质文件


信用中国
企业信用等级证书
Enterprise Credit Rating Certificate
聊城鹏煜钢管有限公司
AAA
证书说明：
1. 企业信用等级自评定之日起有效期为3年。
2. 有效期内企业改变名称的，必须持证到发证单位办理变更手续。
3. 本证书在注册有效期内，应每年接受监督审核，本证书年度审核合格后均可在相应网站查询更换证书。
4. 本证书只证明企业在有效期内的信用状况，不作他用。
5. 本证书不得涂改、转借。
互认标


信用中国
诚信供应商单位
Supplier Integrity Unit
聊城鹏煜钢管有限公司
AAA级诚信供应商
证书说明：
1. 企业信用等级自评定之日起有效期为3年。
2. 有效期内企业改变名称的，必须持证到发证单位办理变更手续。
3. 本证书在注册有效期内，应每年接受监督审核，本证书年度审核合格后均可在相应网站查询更换证书。
4. 本证书只证明企业在有效期内的信用状况，不作他用。
5. 本证书不得涂改、转借。
互认标


信用中国
诚信经营示范单位
Demonstration Unit of Good Faith Management
聊城鹏煜钢管有限公司
AAA级诚信经营示范单位
证书说明：
1. 企业信用等级自评定之日起有效期为3年。
2. 有效期内企业改变名称的，必须持证到发证单位办理变更手续。
3. 本证书在注册有效期内，应每年接受监督审核，本证书年度审核合格后均可在相应网站查询更换证书。
4. 本证书只证明企业在有效期内的信用状况，不作他用。
5. 本证书不得涂改、转借。
互认标


信用中国
重合同守信用单位
Contract abiding and trustworthy unit
聊城鹏煜钢管有限公司
AAA级重合同守信用单位
证书说明：
1. 企业信用等级自评定之日起有效期为3年。
2. 有效期内企业改变名称的，必须持证到发证单位办理变更手续。
3. 本证书在注册有效期内，应每年接受监督审核，本证书年度审核合格后均可在相应网站查询更换证书。
4. 本证书只证明企业在有效期内的信用状况，不作他用。
5. 本证书不得涂改、转借。
互认标


信用中国
质量服务诚信单位
Quality Service Integrity Unit
聊城鹏煜钢管有限公司
AAA级质量服务诚信单位
证书说明：
1. 企业信用等级自评定之日起有效期为3年。
2. 有效期内企业改变名称的，必须持证到发证单位办理变更手续。
3. 本证书在注册有效期内，应每年接受监督审核，本证书年度审核合格后均可在相应网站查询更换证书。
4. 本证书只证明企业在有效期内的信用状况，不作他用。
5. 本证书不得涂改、转借。
互认标


信用中国
企业资信等级证书
Certificate of Enterprise Credit Rating
聊城鹏煜钢管有限公司
资信等级AAA级单位
证书说明：
1. 企业信用等级自评定之日起有效期为3年。
2. 有效期内企业改变名称的，必须持证到发证单位办理变更手续。
3. 本证书在注册有效期内，应每年接受监督审核，本证书年度审核合格后均可在相应网站查询更换证书。
4. 本证书只证明企业在有效期内的信用状况，不作他用。
5. 本证书不得涂改、转借。
互认标

企业资质文件



统一社会信用代码

91371500MA3D9UHX3J

营业执照

扫描二维码登录"国家企业信用信息公示系统"了解更多登记、备案、许可、监管信息

名　　称　聊城鹏煜钢管有限公司

类　　型　有限责任公司(自然人独资)

法定代表人　孙学剑

经营范围　钢管、圆钢制造销售；钢材、管材、板材、建材、型材、不锈钢材料、五金管件、有色金属材料、机械配件销售。（依法须经批准的项目，经相关部门批准后方可开展经营活动）

注册资本　伍佰壹拾捌万元整

成立日期　2017 年 03 月 07 日

营业期限　2017 年 03月 07 日至　　年　　月　　日

住　　所　山东省聊城经济开发区广平乡南周工业园

登记机关

2020 年 04 月 30 日

国家企业信用信息公示系统网址：http://www.gsxt.gov.cn

国家市场监督管理总局监制



CIC

质量管理体系认证证书

证书号：282Q18070723226

授予

聊城鹏煜钢管有限公司

北京国认检验认证有限公司(CIC)证明

GB/T19001-2016/ISO9001:2015

认证/注册范围

自2018年07月23日至2021年07月22日

北京国认检验认证有限公司



CIC

Certificate of Registration

Certificate No.:282Q18070723226

Awarded to

Liaocheng Pengyu Steel Tube Co.,Ltd.

Beijing CIC Inspection & Certification CO.,LTD (CIC) certify that the Quality Management System of the above organization has been assessed and found to be in accordance with the requirements of the standard

GB/T19001-2016/ISO9001:2015

SCOPE OF CERTIFICATION/REGISTRATION

Manufacturing and sales of steel pipes,round steel (except for the required qualification)

Date from:Jul.23rd,2018　To:Jul.22nd,2021

The time limit of the certificate is to Jul.22nd,2019,please conducting the surveillance or re-certification assessment before Jul.22nd,2019.

If the assessment is overdue,the certificate is invalid

Signed for and on behalf of:



EUROPE CERTIFICATION UNION

CERTIFICATE OF CONFORMITY

EUROPE CERTIFICATION UNION CO.,LTD

according to the requirements established in the standards listed below

Certificate No: ECU-LCPS-VHG7-06Y

Holder: LIAOCHENG PENGYU STEEL PIPE CO., LTD.
Guang Ping Xiang Nan Zhou Industrial Park, Liaocheng Economic Development Zone, Shandong Province

Manufacturer: LIAOCHENG PENGYU STEEL PIPE CO., LTD.
Guang Ping Xiang Nan Zhou Industrial Park, Liaocheng Economic Development Zone, Shandong Province

Product: Steel pipe

Model(S): GB/T8162-2008,GB/T3639-2009,GB/T3094-2012

Directives: Pressure Equipment Directive 2014/68/EU

Standards: EN 10305-1:2016
EN 10297-1:2003

CE

Conclusion:

This assessment is based on an evaluation of the technical file of the above mentioned product and it is c
certify that the technical file has been made in compliance with the items established in the above mention
Directives. Certificate query: www.eurocun.org.uk

Certificate Issue Date:

Sep.07,2016

GENERAL MANAGER







SHANDONG LIAOCHENG PENGYU STEEL PIPE CO., LTD

山东·聊城鹏煜钢管有限公司

公司地址：山东省聊城市东昌府区广平乡南周工业园

电话：0635-8887444 13563048779（总经理）

电话：0635-8885722 18866523317（销售一部）

电话：0635-8886155 15966281221（销售二部）

邮编：252000