JUN CHENG

JUN CHENG

RUBBER PARTS

THE QUALITY IS THE SOUL OF AN ENTREPRISE

Julu County Juncheng Rubber Parts Factory

JUNCHENG RUBBER MANUFACTURE is located in XingTaicity HeBei province China mainland.one of the white hair company in china market.we have stator rotor experince for more than 15 years,we are the manufacture of cement spray machines,and its relating spare parts, stator rotor,spray gun,pipe,ect.

OUR MANAGEMENT TEAM IS MULTINATIONAL NATIVE SPEAKERS MANAGEMENT TEAM.

Our BRAND "J.C"We had the honor to serve many customer sall over the world such as Pakistan, England Thailand,Malysia,Turkey and So on.

WELCOME TO BE ONE OF OUR TOP"VIP"CUSTOMERS.

WE BEI IEVE THAT"THE QUALITY IS THE SOUL OF AN ENTREPRISE"WELCOME TO ONTACTUS. with us your MONEY in safe: "your business in safe".

Design

Research And Development

Production

Sales









FOUR REASONS TO CHOOSE JUN CHENG

Support Customization,One-stop Service,
Buyer Protection

01

QUICK SHIPPING

Juncheng people are committed to the production of spray machine stator rotor,material tube,spray gun and various spray machine accessories screw pump stator rotor,a variety of mechanical rubber accessories , 15 years of practice do not forget the original heart ,strictly do

02

FACTORY DIRECT PRICE

The spirit of craftsmanship into the product,the same quality ,the product cost-effective,in line with standards ,can be tailored according to the actual needs of customers ,reduce costs.

03

24HOURS SERVICE

Has a group of ndustry experienced R&D , production technical team ,the introduction of foreign automatic production lines ,strict selection of all kinds of good product raw materials,to ensure product quality ,customized products ,according to demand to complete the quantity

04

SMALL ORDER PROVIDE

After purchasing the goods ,you can get the contact information of the technical staff dedicated to your service(you can consult any questions about the machine and accessories)5 days after the purchase ,you can get the installation video of the accessories ,as long as you do not use the goods can be returned or replaced.

SERVICE ADVANTAGE

Strength factory,product diversity,focus on quality and service

SUPPORT CUSTOMIZATION

VARIETY OF TYPES

BUYER PROTECTION

PATENT CERTIFICATE









CUSTOM MADE

01 Pre-sales consultation

02 Provide a quote

03 Sign a contract

04 **Order and pay**

05 Final design

06 Executive production

07 Pack **and ship**

08 **Intimate after-sales**

MATERIAL,SIZE,COLOR,SHAPE





◎ JC-3 11R

Voltage	380V-220V
Power	4kW
Spraying particle size	4mm
Dimension	1600×1000×1150mm
Weight	240kg



◎ JC-3 11

Voltage	380V-220V
Power	4kW
Spraying particle size	4mm
Dimension	1600×1000×1150mm
Weight	240kg



◎ JC-5 11

Voltage	380V
Power	7.5kW
Spraying particle size	6mm
Dimension	1700×600×1100mm
Weight	280kg



◎ JC-7 11

Voltage	380V
Power	9kW
Spraying particle size	8mm
Dimension	1700×450×1100mm
Weight	280kg



◎ JC-D3 11/D5 11/D7 11

Energy	Diesel
Power	12hp/18hp/25hp
Efficiency	150㎡/h
Dimension	1300×450×750mm
Weight	280kg



◎ PARTS

MIXING AND SPRAYING MACHINE



◎ JC-M3 11/M5 11/M7 11

Voltage	380V
Power	4kw/7.5kW/9kw
Mixer power	2.2kw
Spraying particle size	4mm/6mm/ 8mm
Delivery flow	30L/min
Conveying height	40m
Hopper capacity	60L
Mixer hopper capacity	70L
Weight	280kg

Voltage	380V
Power	7.5kW
Mixer power	2.2kw
Spraying particle size	8mm
Delivery flow	50L/min
Conveying height	50m
Hopper capacity	150L
Mixer hopper capacity	170L
Weight	280kg

◎ JC-S6



MIXING AND SPRAYING MACHINE



◎ JC-M5

Voltage	220V
Power	5kW
Mixer power	6kw
Spraying particle size	4mm
Delivery flow	35L/min
Conveying height	50m
Mixer hopper capacity	50L
Weight	300kg

FULLY AUTOMATIC SERIES

◎ PLASTER MACHINE





◎ JC-M9-1

Product Power Supply	380v/50HZ
Motor Power	5.5 KW
Particle	5mm
Horizontal Transport Distance	35m
Vertical Transport Distance	15m

◎ JC-M9

Product Power Supply	380v/50HZ
Motor Power	5.5 KW
Particle	5mm
Horizontal Transport Distance	50m
Vertical Transport Distance	20m

WALL PLASTERING MACHINE SERIES

◎ MINI CONCRETE PUMP





◎ JC-MINI20



◎PART： Thickened pipe

Product name	MINI CONCRETE PUMP
Rated Voltage	220V/380V
Normal Frequency	50/60Hz
Rated Power	5.5KW/7.5KW
Maximum aggregate size	≤2cm
Conveying height	5M/7M
Conveying distance	6M/10M
Gross /Net weight	90kg
MOQ	1set



◎ JC-15-5

Voltage	380v
Aggregate diameter	<10mm
Maximum pressure	10Mpa
Motor power	15KW
Conveying distance	40-60M
Conveying height	20M
Weight	600kg



◎ JC-16

Voltage	380v
Aggregate diameter	<30mm
Maximum pressure	10Mpa
Motor power	15KW
Conveying distance	50-60M
Conveying height	25M
Weight	600kg



◎ JC-D 15-5

Diesel Power	25HP/32HP
Aggregate diameter	<30mm
Maximum pressure	10Mpa
Motor power	15KW
Conveying distance	70-80M
Conveying height	35M
Weight	800kg



◎ JC-D 16

Diesel Power	25HP/32HP
Aggregate diameter	<30mm
Maximum pressure	10Mpa
Motor power	15KW
Conveying distance	70-80M
Conveying height	35M
Weight	800kg

Aggregate diameter	<30mm
Maximum pressure	15Mpa
Motor power	30KW
Conveying distance	80-150M
Conveying height	50-80M



◎ JC-30

Aggregate diameter	<30mm
Maximum pressure	15Mpa
Motor power	37KW
Conveying distance	80-150M
Conveying height	70-90M



◎ JC-37-30

Aggregate diameter	<30mm
Maximum pressure	15Mpa
Diesel engine power	55KW/75Hp
Conveying distance	100M
Conveying height	60M



◎ JC-D30

Aggregate diameter	<20mm
Maximum pressure	10Mpa
Diesel engine power	22KW
Conveying distance	100M
Conveying height	50M



◎ JC-22-20

◎STATOR ROTOR



Model Number	D6-3
Delivery Capacity	20L/min
Power	5.5kw
Weight	6kg
Appearance	customizable



Model Number	D7-2.5
Delivery Capacity	25L/min
Power	5.5kw
Weight	6kg
Appearance	customizable



Model Number	D8-2
Delivery Capacity	30L/min
Power	5.5kw
Weight	6kg
Appearance	customizable



Dimension	140*51
Flow rate	12L/min
Support head	10m
Set weight	4KG



Dimension	145*42
Working pressure	0-18MPa
Transport flow	16L/min
Weight	4kg



Dimension	295*60
Maximum Discharge	18L/min
Working Diameter	20m
Use Motor Power	2.8KW



Model Number	2L6
Voltage	220V/380V
Power	7.5KW
Cable Length	30M

STATOR ROTOR



Dimension	190*125
Transport particle	4MM
Power	6KW
Delivery capacity	130m²/h
Set weight	7kg



Dimension	290*125
Transport particle	6MM
Power	7.5KW
Delivery capacity	200m²/h
Set weight	11kg



Dimension	380*135
Transport particle	7MM
Power	9KW
Delivery capacity	260m²/h
Set weight	15kg

OTHER ACCESSORIES



STOCK PIPE

19mm 25mm 32mm 38mm 51mm



SPRAY GUN

25mm 32mm 38mm 51mm



CONNECTOR +NOZZLE

19mm 25mm 32mm 38mm 51mm






CHINA
HEBEI LANGKADUO MACHINERY
ACCESSORIES CO., LTD






HEBEI LANGKADUO MACHINERY ACCESSORIES CO., LTD




LUCY LIU
SALE MANAGER
HEBEI LANGKADUO MACHINERY ACCESSORIES CO., LTD.
EXHIBITOR

JUN CHENG

Julu County Juncheng Rubber Parts Factory

Address :zhangwei industry zone,julu county, xingtai city.hebei province.China mainland

Website:https://xtjuncheng.en.alibaba.com

Email: admin@jcpump. com. cn

Whatsapp:008615231957849