JADE
聊城杰德·地坪装备

EDGER No Dead End

450SH PROFESSIONAL EDGE GRINDING MACHINE

450mm

edge trimming width

154kg

small size, light weight



FLOOR GRINDERS

450 EDGER

450SH professional edge grinding machine

The JADE-450SH is a concrete floor edge grinder designed for primary grinding, milling roughening, and polishing applications on concrete, natural stone, and terrazzo surfaces. With its enhanced design, it offers an improved, efficient, and dependable solution for construction projects, effectively overcoming the inaccuracies associated with traditional grinding machinery when it comes to precise grinding of edges and corners.

450 Product Description

RATED INPUT POWER **4kW**	CONVERTER POWER **4kW**
WEIGHT **154kg**	GRINDING WIDTH **450mm**

Liaocheng JADE Outdoor Power Equipment Co., Ltd

JADE

FLOOR GRINDER EDGER 450ALL SPECIFICATIONS

JADE

	Product Model	JADE-450SH
BASIC SPECIFICATIONS	Motor Brand	GAOQI/ZHONGCI
	Motor Power	4kW
	Frequency Inverter Brand	VEICHI
	Inverter Power	4kW
	Rated Voltage/Frequency	AC220V/50Hz/60Hz
	Rated Current	15.2A/8.8A
	Certificate	CE
GEARBOX	Grinding Disc Type	Round
	Grinding Disc Size	155mm
	Number of Grinding Discs	6
	Gearbox Type	Square Gearboxes
	Number of Abrasive Discs	2*6pcs
	Grinding Motor Speed	300 ~ 1800r/min
	Grinding Efficiency (Max)	300㎡/h
	Working Width	450mm
	Transmission Mode	Synchronous Belt
DRIVE SYSTEM	Drive Mode	Hand push
	Damping Mode	Rubber Damping
	Cable Requirements	4mm²
	Gearbox Weight	120kg
DIMENSIONS	Weight	154kg
	Packaging Weight	26kg
	Overall Dimensions	790mm*450mm*750mm
	Packaging Dimensions	850mm*520mm*1030mm
	Container Load 40HQ	70pcs
	Container Load 20GP	35pcs



Synchronous Belt Drive

Traditional gear drive is easy to be affected by the raised obstacles on the ground, and causing damage of grinding disc and drive shaft. JADE-450 SH adopt synchronous belt drive, effectively solved this issue, andproviding more reliable and stable transmis-sion effect.



No Dead End Grinding

Optimize grinding disc structure, it could close to the wall, no matter it's right angle, arc, it could achieve grinding no dead end, and perfectly solve the grinding difficult of colomn or corner.

CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503

JADE
聊城杰德·地坪装备

350SH430SH professional edge grinding machine

350mm/430mm
edge trimming width

98kg/185kg
small size, light weight



FLOOR GRINDERS

350/430 SH EDGER

350&430 SH professional edge grinding machine

The JADE 350 SH is a concrete floor edge grinding machine, suitable for basic grinding, milling roughening, and polishing of concrete, natural stone, and terrazzo floors. With its optimized design, it provides a more convenient, effective, and reliable experience for construction work, addressing the shortcomings of traditional grinding equipment in precise grinding of edges or corners.

350/430 Product Description

Motor Power 3kW/7.5kW	Inverter Power 4kW/7.5kW
Weight 98kg/185kg	Working Width 350mm/430mm

Liaocheng JADE Outdoor Power Equipment Co., Ltd

JADE

FLOOR GRINDER EDGER
350SH ALL SPECIFICATIONS

JADE

	Product Model	JADE-350SH	JADE-430SH
BASIC SPECIFICATIONS	Motor Brand	GAOQI	GAOQI
	Motor Power	3kW	7.5kW
	Frequency Inverter Brand	KEWO	KEWO
	Inverter Power	4kW	7.5kW
	Rated Voltage/Frequency	AC220V/50Hz/60Hz AC380V/50Hz	AC220V/50Hz/60Hz
	Rated Current	15.2A/8.8A	29.3A
	Certificate	CE	CE
GEARBOX	Grinding Disc Type	Round	Round
	Grinding Disc Size	130mm	155mm
	Number of Grinding Discs	6	6
	Gearbox Type	Square Gearboxes	Square Gearboxes
	Number of Abrasive Discs	3*6pcs	2*6pcs
	Grinding Motor Speed	300-1430r/min	300～1455r/min
	Grinding Efficiency (Max)	180-260㎡/h	240-340㎡/h
	Working Width	350mm	430mm
	Transmission Mode	Synchronous Belt	Synchronous Belt
DRIVE SYSTEM	Drive Mode	Hand push	Hand push
	Damping Mode	Rubber Damping	Rubber Damping
	Cable Requirements	4mm²	6mm²
	Gearbox Weight	46kg	95kg
DIMENSIONS	Weight	98kg	185kg
	Packaging Weight	19kg	23kg
	Overall Dimensions	710mm*350mm*630mm	790mm*430mm*800mm
	Packaging Dimensions	730mm*420mm*850mm	850mm*520mm*1030mm
	Container Load 40HQ	120pcs	70pcs
	Container Load 20GP	60pcs	35pcs



Synchronous Belt Drive

Traditional gear drive is easy to be affected by the raised obstacles on the ground, and causing damage of grinding disc and drive shaft. JADE-350 SH adopt synchronous belt drive, effectively solved this issue, andpro-viding more reliable and stable transmis-sion effect.



No Dead End Grinding

Optimize grinding disc structure, it could close to the wall, no matter it's right angle, arc, it could achieve grinding no dead end, and perfectly solve the grinding difficult of colomn or corner.

CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503

JADE
聊城杰德·地坪装备

GRINDING EXPERT
850CR



850CR
PRODUCT DESCRIPTION

850CR equipped 24 grinding head planetary disc gearbox, disk absorption disc and 18.5 kw main motor, it could coordinate with 0.75 kw travel drive motor, collocate NMRV gear reducer, excellent performance.This equipment adopted color scree remote control, using 485 field-bus protocol, it could feedback fault in time, fast response, signal stability, control more visual, swing-arm balancing weight type, three different grinding pressure are provided according to working conditions.In additon, this equipment's quality and durability passed strict quality control and test, it could provide more reliable work efficiency assurance for the users.If you are looking for a cost-effective, durablity floor grinder, this 850 CR planetary disc floor grinder is a worth considerable choice.

Product Description

RATED INPUT POWER 18.5kW	CONVERTER POWER 18.5kW
WEIGHT 624kg	GRINDING WIDTH 805mm

Liaocheng JADE Outdoor Power Equipment Co., Ltd

JADE

PLANETARY FLOOR GRINDERS
850CR ALL SPECIFICATIONS

JADE

	Product Model	JADE-850CR
BASIC SPECIFICATIONS	Motor Brand	GEXIN
	Motor Power	18.5kW
	Frequency Inverter Brand	VEICHI
	Inverter Power	18.5kW
	Rated Voltage/Frequency	AC380V/50Hz
	Rated Current	35.7A
	Certificate	CE
GEARBOX	Grinding Disc Type	Round
	Grinding Disc Size	305mm
	Number of Grinding Discs	4
	Gearbox Type	Planetary Disk Gearbox
	Number of Abrasive Discs	3*4&6*4pcs
	Grinding Motor Speed	300～1800r/min
	Grinding Efficiency (Max)	750㎡/h
	Working Width	805mm
	Transmission Mode	Gears
DRIVE SYSTEM	Drive Mode	Asynchronous Motor
	Damping Mode	Rubber Damping
	Cable Requirements	6mm²
	Gearbox Weight	330kg
DIMENSIONS	Weight	624kg
	Packaging Weight	75kg
	Overall Dimensions	1500mm*865mm*1300mm
	Packaging Dimensions	1550mm*950mm*1290mm
	Container Load 40HQ	30pcs
	Container Load 20GP	15pcs



Self-adaption balanced stable system

Need not rectification function, walk stable no deviation, equip servo motor, and walk control more precise, running more stalbe, swerve flexible.



Top Grade Gearbox excellent quality

Running stable, grinding efficient, uniform and flat, precision helical teeth, mute and durable,high-precision , low vibration,protective bearings



Intelligent Remote Control

With new generation millisecond response feedback system, it could intuitively feedback monitor grinding data , running status and fault information, so as to improve ground grinding accuracy and quality.

CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503

JADE
聊城杰德·地坪装备

GRINDING EXPERT
900CR



FLOOR GRINDERS

Make Perfect Floor

900CR
PRODUCT DESCRIPTION

JADEITE 900CR is the largest model of the grinders,which stands for operational reliability, precision, control and power. It is a planetary grinder with four grinding discs. The machine features remote control and an intuitive digital control panel which gives you continuous feedback and thus control over the grinding process. The com-pletely dustproof, hermetically sealed design of the grinding head and theelectrical cabinet protects vital components and extends their lifetime. The well-balanced chassis design makes the JADE 900CR floor grinder easy to operate, with superior ergonomics and advanced safety features.

Product Description

RATED INPUT POWER 22kW	CONVERTER POWER 22kW
WEIGHT 768kg	GRINDING WIDTH 850mm

PLANETARY FLOOR GRINDERS 900CR ALL SPECIFICATIONS

JADE

	Product Model	JADE-900CR
BASIC SPECIFICATIONS	Motor Brand	SUNVIM
	Motor Power	22kW
	Frequency Inverter Brand	VEICHI
	Inverter Power	22kW
	Rated Voltage/Frequency	AC380V/50Hz
	Rated Current	44.3A
	Certificate	CE
GEARBOX	Grinding Disc Type	Round
	Grinding Disc Size	342.5mm
	Number of Grinding Discs	4
	Gearbox Type	Planetary Disk Gearbox
	Number of Abrasive Discs	3*4&6*4pcs
	Grinding Motor Speed	300～1800r/min
	Grinding Efficiency (Max)	800㎡/h
	Working Width	850mm
	Transmission Mode	Gears
DRIVE SYSTEM	Drive Mode	Servo Dual Drive
	Damping Mode	Rubber Damping （butterfly shock disk）
	Cable Requirements	10mm²
	Gearbox Weight	420kg
DIMENSIONS	Weight	768kg
	Packaging Weight	85kg
	Overall Dimensions	1500mm*910mm*1250mm
	Packaging Dimensions	1640mm*1000mm*1580mm
	Container Load 40HQ	14pcs
	Container Load 20GP	7pcs



Top Grade Gearbox excellent quality

Running stable, grinding efficient, uniform and flat, precision helical teeth, mute and durable,high-precision , low vibration,protective bearings



Intelligent Remote Control

With new generation millisecond response feedback system, it could intuitively feedback monitor grinding data , running status and fault information, so as to improve ground grinding accuracy and quality.

CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503

JADE
聊城杰德·地坪装备

700SH/640SH

Make Perfect Floor

EXPERT GRINDING

FLOOR GRINDERS



700SH/640SH PRODUCT DESCRIPTION

JADEITE 700SH gearbox is designed in a split way, which makes handling and transportation more convenient, Double-bearing design, bearings are distributed up and down, operation is stable, Output shaft is Stronger, and gearbox body and conversion plate are thickened.so the anticollision ability is greatly improved.Makes the setting of an ergonomicposition easy.According to the working conditions, balancing weight system provides three different grinding pressure with higher efficiency and stronger adaptability.powerful floor grinder but still compact enough to pass through a standard door

700SH/640SH Product Description

RATED INPUT POWER 15kW/11kW	CONVERTER POWER 15kW/11kW
WEIGHT 400kg/358kg	GRINDING WIDTH 700mm/640mm

Liaocheng JADE Outdoor Power Equipment Co., Ltd

JADE

FLOOR GRINDERS
700SH ALL SPECIFICATIONS

JADE

	Product Model	JADE-700SH	JADE-640SH
BASIC SPECIFICATIONS	Motor Brand	GEXIN	GEXIN
	Motor Power	15kW	11kW
	Frequency Inverter Brand	VEICHI	VEICHI
	Inverter Power	15kW	11kW
	Rated Voltage/Frequency	AC380V/50Hz	AC380V/50Hz
	Rated Current	29.5A	22A
	Certificate	CE	CE
GEARBOX	Grinding Disc Type	Three-jawed disk (physics)	Three-jawed disk (physics)
	Grinding Disc Size	385mm	305mm
	Number of Grinding Discs	4pcs	4pcs
	Gearbox Type	Square Gearboxes	Square Gearboxes
	Number of Abrasive Discs	3*4pcs	3*4pcs
	Grinding Motor Speed	300 ~ 1800r/min	300 ~ 1800r/min
	Grinding Efficiency (Max)	650㎡/h	500㎡/h
	Working Width	700mm	640mm
	Transmission Mode	Gears	Gears
DRIVE SYSTEM	Drive Mode	Hand push	Hand push
	Damping Mode	Rubber Damping	Rubber Damping
	Cable Requirements	6mm²	6mm²
	Gearbox Weight	258kg	255kg
DIMENSIONS	Weight	400kg	358kg
	Packaging Weight	63kg	63kg
	Overall Dimensions	1200mm*700mm*900mm	1160mm*865mm*1300mm
	Packaging Dimensions	1350mm*850mm*1190mm	1350mm*850mm*1240mm
	Container Load 40HQ	44pcs	44pcs
	Container Load 20GP	22pcs	22pcs



Gearbox split design

Stronger Main Shaft

Double-bearing & double oil seal design

The balancing-weight system of swing arm type

CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503

JADE

聊城杰德·地坪装备

HIGH SPEED POLISHING

Professional Polishing



FLOOR GRINDERS

PG20/PG27 PRODUCT DESCRIPTION

JADE provids reliable high speed polishing equipment with frequency conversion and speed regulation function. It can provide customers with complete solutions in terms of improving the beauty, functionality and cleanliness of concrete surfaces.

PG20/PG27Product Description

RATED INPUT POWER 3kW/7.5kW	INVERTER POWER 4kW/7.5kW
WEIGHT 75kg/185kg	GRINDING WIDTH 500mm/700mm

Liaocheng JADE Outdoor Power Equipment Co., Ltd

JADE

HIGH SPEED POLISHING
PG20/PG27 ALL SPECIFICATIONS

JADE

	Product Model	PG27	PG20
BASIC SPECIFICATIONS	Motor Brand	Gexin	GAOQI/ZHONGCI
	Motor Power	7.5kW	3kW
	Frequency Inverter Brand	VEICHI	VEICHI
	Inverter Power	7.5kW	4kW
	Rated Voltage/Frequency	AC380V/50Hz	AC220V/50Hz/60Hz
	Rated Current	15.7A	12.5A/11.7A
	Certificate	CE	CE
GEARBOX	Grinding Disc Type	Round	Round
	Grinding Disc Size	700mm	500mm
	Number of Grinding Discs	1pcs	1pcs
	Gearbox Type	Rounded Gearboxes	Rounded Gearboxes
	Number of Abrasive Discs	1pcs	1pcs
	Grinding Motor Speed	300 ~ 1800r/min	300 ~ 1800r/min
	Grinding Efficiency (Max)	650㎡/h	450㎡/h
	Working Width	700mm	500mm
	Transmission Mode	Synchronous Belt	Synchronous Belt
DRIVE SYSTEM	Drive Mode	Hand push	Hand push
	Damping Mode	Rubber Damping	Rubber Damping
	Cable Requirements	4mm²	4mm²
	Gearbox Weight	120kg	55kg
DIMENSIONS	Weight	185kg	75kg
	Packaging Weight	17kg	13.5kg
	Overall Dimensions	860mm*700mm*971mm	847mm*505mm*678mm
	Packaging Dimensions	1350mm*850mm*1190mm	906mm*576mm*820mm
	Container Load 40HQ	66pcs	70pcs
	Container Load 20GP	33pcs	35pcs



Low maintenance, smooth operation

Powerful floor grinder but still compact enough to pass througha standard door.



Adjustable handlebar

Makes the setting of an ergonomic position easy.



Frequency control

PG27 high-speed polishing machine is equipped with frequency conversion and speed regulation function.

CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503

JADE
聊城杰德·地坪装备

DUST MANAGEMENT SYSTEM

INDUSTRIAL VACUUM CLEANER



GRINDERS
FLOOR

ZDS Industrial Vacuum Cleaner

JADE-ZDS PRODUCT DESCRIPTION

The JADE-ZDS, which handles abrasive dust and demolition materials in flooring construction, has a powerful motor that provides high airflow and manages a range of equipment that covers all needs and applications within the construction industry, providing customers with maximum workplace safety.

Product Description

RATED INPUT POWER **5.5kW**	MAXIMUM NEGATIVE PRESSURE **3500mm.H_2O**
WEIGHT **170kg**	MAXIMUM TREATED AIR VOLUME **580m^3/h**

INDUSTRIAL VACUUM CLEANER ALL SPECIFICATIONS

JADE

	Model Number	JADE-ZDS	JADE-ZDD	JADE-ZDP
BASIC SPECIFICATIONS	Voltage	380(V/Hz)	220(V/Hz)	220(V/Hz)
	Power	5.5kW	3.6kW	3.6kW
	Max. Negative Pressure	3500mm.H_2O	2700mm.H_2O	2700mm.H_2O
	Maximum Treated Airflow	580m³/h	540m³/h	540m³/h
FILTRATION	Filter Material	Polyester - coated Cartridge Filter	Coated polyester Fiber	Coated polyester Fiber
	Filter Area	40000cm²	40000cm²	40000cm²
	Filtration Accuracy	0.3	0.3	0.3
	Filtration Efficiency	0.99	0.99	0.99
	Filtering Mode	HEPA	High Efficiency Filter	High Efficiency Filter
	Cleaning Method	Manual blowback	Manual blowback	Manual blowback
	Ash - collecting System	Dust bag	Dust bag	Dust bag
	Collection Tank Capacity	50L continuous bagging	50+25L continuous bagging	25+25L continuous bagging
	Inlet diameter	50mm	50mm	50mm
DIMENSIONS	Main Machine Dimensions	1130mm*610mm*1750mm	600mm*1160mm*1420mm	580mm*680mm*1250mm
	Packaging Dimensions	/	/	/
	Weight	170kg	90kg	75kg
	Packaging Weight	/	/	/
	Container Load 40HQ	/	/	/
	Container Load 20GP	/	/	/



ZDD



ZDP



Filter with Extra Large Filter Area



Pressure Relief Valve

CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503

JADE
聊城杰德·地坪装备

DRIVING TYPE TROWEL



GRINDERS
FLOOR

836 DT

JADE-836 DT
Product Description

Large module design of gearbox, aluminum alloy box, maintenance free, long service life; The support arm of the trowel is made of super large diameter carbon structural steel with strict heat treatment, which can adapt to the brutal operation of individual workers;Scientifically designed centrifugal clutch transmission mechanism has large transmission torque, long service life and convenient maintenance;Low center of gravity design makes the machine run smoothly and flexibly;The surface is sprayed with beautiful, rust proof and corrosion resistant.

Product Description

RATED INPUT POWER 16kW	WORKING WIDTH 2000mm
WEIGHT 410kg	WORK EFFICIENCY (MAX) 400m²/h

Liaocheng JADE Outdoor Power Equipment Co., Ltd

JADE

DRIVING TYPE TROWEL
836DT ALL SPECIFICATIONS

JADE

	Product Model	JADE-836DT
ENGINE	Engine Power	16kW
DECK	Work Width	2000mm
	Grinding Plate Type	Four Claw Type
	Blade Angle	4-15°
	Trowel Diameter	7.09inch/180mm
	Number of Trowels	8pcs
	Grinding Plate Specifications	78.74inch/2000mm
	Number of Grinding Wheels	2pcs
	Working - plate Shape	Elliptical
DRIVE SYSTEM	Travel drive	Travel - drive Type
	Output Speed	0-138r/min
DIMENSIONS	Work Efficiency (Max)	400㎡/h
	Grinding Motor Speed	3600rpm
	Product Weight	410kg
	Packing Weight	/
	Body Dimensions	2000mm*1050mm*1150mm
	Packaging Dimensions	2010mm*1170mm*1250mm
	Container Load 40HQ	12pcs
	Container Load 20GP	/

CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503

JADE
聊城杰德·地坪装备

CONCRETE POWER TROWEL MACHINE



GRINDERS
FLOOR

436ES walk behind power trowel

JADE-436ES PRODUCT DESCRIPTION

Walk Behind Power trowel
Save time and effort/Portable and effcient/Simple operation/Lasting power
High Quality 436ES Easy To Operate Use Mechanical Drive Walk-Behind Handheld Gasoline Engine Concrete Power Trowel Machine

Product Description

RATED INPUT POWER 3.7kW	WORKING WIDTH 1000mm
WEIGHT 98kg	WORK EFFICIENCY (MAX) 200m²/h

WALK BEHIND POWER TROWEL 436ES ALL SPECIFICATIONS

JADE

	Product Model	JADE-436ES
ENGINE	Engine Power	3.7kW
DECK	Work Width	1000mm
	Grinding Plate Type	Four Claw Type
	Blade Angle	4-15°
	Trowel Diameter	4.72inch/120mm
	Number of Trowels	4pCs
	Grinding Plate Specifications	39.37inch/1000mm
	Number of Grinding Wheels	1pcs
	Working - plate Shape	Rounded
DRIVE SYSTEM	Travel Drive	Hand push
	Output Speed	0-138r/min
DIMENSIONS	Work Efficiency (Max)	200㎡/h
	Grinding Motor Speed	3600rpm
	Product Weight	98kg
	Packing Weight	/
	Body Dimensions	960mm*960mm*340mm
	Packaging Dimensions	980mm*980mm*360mm
	Container Load 40HQ	/
	Container Load 20GP	/

CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503

JADE
聊城杰德·地坪装备

Handheld edge grinder

3 heads

260 SH



JADE-260SH/200SH Handheld edge grinder

A multifunctional device capable of meeting diverse construction needs such as grinding, polishing, electrolytic grinding, handheld grinding, and stand-up grinding. Its distinctive feature is the unique auxiliary grinding wheel, which sets it apart from similar products by providing a more level grinding outcome and enhancing work efficiency. The 260SH model can be fitted with both alloy and resin grinding plates, and it is equipped with a vacuum cleaner, enabling the machine to accomplish surface grooving and grinding tasks while ensuring a safe working environment.

260SH/200SH Product Description

Motor Power 2.45kW/2.2kW	Inverter Power 220V
Weight 7.5kg/28kg	Working Width 260mm/200mm

Liaocheng JADE Outdoor Power Equipment Co., Ltd

JADE

FLOOR GRINFERS
260SH ALL SPECIFICATIONS

JADE

	Product Model	JADE-260SH	JADE-200SH
BASIC SPECIFICATIONS	Motor Brand	GUANGSU	GUANGSU
	Motor Power	2.45kW	2.2kW
	Frequency Inverter Brand	/	/
	Inverter Power	2.45kW	2.2kW
	Inverter Power	220V	220V
	Rated Current	10A	10A
	Certificate	CE	CE
GEARBOX	Grinding Disc Type	Round	Round
	Grinding Disc Size	100mm	80mm
	Number of Grinding Discs	3	5
	Gearbox Type	Triangle disk	Pentagon plate
	Number of Abrasive Discs	2*3pcs	1*5pcs
	Grinding Motor Speed	2200-4800r/min	2200-4800r/min
	Grinding Efficiency (Max)	50-70㎡/h	50-60㎡/h
	Working Width	260mm	200mm
	Transmission Mode	Synchronous Belt	Synchronous Belt
DRIVE SYSTEM	Drive Mode	Hand push	Hand push
	Damping Mode	No shock absorption	Rubber Damping
	Cable Requirements	4mm²	4mm²
	Gearbox Weight	7kg	9.5kg
DIMENSIONS	Weight	7.5kg	28kg
	Packaging Weight	22kg	31kg
	Overall Dimensions	760mm*290mm*630mm	860mm*290mm*630mm
	Packaging Dimensions	600mm*400mm*500mm	600mm*500mm*450mm
	Container Load 40HQ	300pcs	300pcs
	Container Load 20GP	150pcs	150pcs







CONTACT US

Liaocheng JADE Outdoor Power Equipment Co., Ltd

Telephone / Whats App
Andy Xu: +86 133 5446 6866

E-mail:
andyxu@jadeequipments.com

Address Yuji Industrial Park, Yuji Town, Jiangbei Watertown Tourism Resort, Liaocheng City

版本V2-202503