

◎ 本手册仅用于说明产品的相关信息。公司随时可能因技术升级或采用更新的生产工艺而改进本手册有关内容，
或对本手册的印刷错误及不准确信息进行必要的更改，恕不另行通知。
◎ 未经许可，禁止全部或部分复制。
◎ 本公司拥有最终解释权，更多详细资料敬请垂询！

SONGZ

松正密封件(广州)有限公司
SONGZHENG SEAL (GUANGZHOU) CO., LTD.

中国广东省广州市天河区中山大道中1190号广珠商务楼A栋
Building A, Guangzhu Business Building, No. 1190, Zhongshan
Avenue Middle, Tianhe District, Guangzhou, Guangdong Province,
China.
www.szseal.en.alibaba.com www.songzparts.com
WhatsApp: +86 181 9893 6394 / +86 1881680 1578
+86 188 1680 4556



SONGZ

PRODUCT TECHNOLOGY

SELECTION MANUAL
产品选型手册

SONGZHENG SEAL
(GUANGZHOU) CO., LTD.
松正密封件(广州)有限公司

O-RING SEAL KIT

O型圈修理包



适用于:日立、卡特、沃尔沃、三一、龙工、徐工、神钢, 现代、加藤
住友, 大宇、洋马、三菱、柳工、厦工、杰西博玉柴等进行配套

BE SUITABLE FOR: CATERPILLER,HITACHI,KOMATSU,VOLVO,KOBELCO,HYUNDAICATO
SUMITOMO,SANY,DAEWOO,YAMA,MITSUBISHI,LIUGONG,XGMA,JCBYUCHAI,ETC




SONGZ

TUBE HEAD O-RING
100% Imported seals
Distribution Valve /
Hydraulic Pump / Walking
Motor / Pilot Valve /
Rotary Motor



Used for 6-40 ton complete
machine pipe joints, hydraulic
pump oil inlet pipes,
distribution valve cover
O-rings, accurate data



※ 使用工况 / Working condition

★ 材料: 聚四氟乙烯

★ MATL: PTFE

规格 Specification
TFP-28*32*2.7
TFP-25*29*2.7
TFP-30*34*3
TFP-18*20*1.25
TFP-13*17*1.25
TFP-24*28*2.8
TFP-24*28*1.25
TFP-18*21*1.25
TFP-35*45*1.9
TFP-30*34.4*3.8
TFP-38*43*2.6
TFP-23*27.5*3
TFP-27*31*2.5
TFP-63*68*1.25
TFP-34*39*1.25
TFP-16*19*1.25
TFP-17*20*1.25
TFP-26*31*1.25
TFP-14*17*1.25
TFP-16*20*1.5
TFP-12*14*1.5
TFP-18*20.2*1.5
TFP-12*17*1.25
TFP-14*18.6*1.25
TFP-15.5*17.5*2
TFP-14*19*1.25
TFP-25*28*2
TFP-28*26*1.8

规格 Specification
TFP-3*6*1.25
TFP-4*7*1.25
TFP-5*8*1.25
TFP-6*9*1.25
TFP-7*10*1.25
TFP-8*11*1.25
TFP-9*12*1.25
TFP-10*13*1.25
TFP-10*14*1.25
TFP-11*15*1.25
TFP-11.2*15.2*1.25
TFP-12*16*1.25
TFP-12.5*16.5*1.25
TFP-14*18*1.25
TFP-15*19*1.25
TFP-16*20*1.25
TFP-17*21*1.25
TFP-18*22*1.25
TFP-19*23*1.25
TFP-20*24*1.25
TFP-21*25*1.25
TFP-22*26*1.25
TFP-22*28*1.25
TFP-22.4*28.4*1.25
TFP-23*29*1.25
TFP-24*30*1.25
TFP-25*31*1.25
TFP-25.5*31.5*1.25
TFP-26*32*1.25
TFP-27*33*1.25
TFP-28*34*1.25
TFP-29*35*1.25
TFP-29.5*35.5*1.25
TFP-30*36*1.25
TFP-31*37*1.25
TFP-31.5*37.5*1.25
TFP-32*38*1.25
TFP-34*40*1.25
TFP-35*41*1.25
TFP-35.5*41.5*1.25

规格 Specification
TFG-25*30*1.25
TFG-30*35*1.25
TFG-35*40*1.25
TFG-40*45*1.25
TFG-45*50*1.25
TFG-50*55*1.25
TFG-55*60*1.25
TFG-60*65*1.25
TFG-65*70*1.25
TFG-70*75*1.25
TFG-75*80*1.25
TFG-80*85*1.25
TFG-85*90*1.25
TFG-90*95*1.25
TFG-95*100*1.25
TFG-100*105*1.25
TFG-105*110*1.25
TFG-110*115*1.25
TFG-115*120*1.25
TFG-120*125*1.25
TFG-125*130*1.25
TFG-130*135*1.25
TFG-135*140*1.25
TFG-140*145*1.25
TFG-145*150*1.25
TFG-150*155*1.25
TFG-155*160*1.25
TFG-160*170*1.9
TFG-165*175*1.9
TFG-170*180*1.9
TFG-175*185*1.9
TFG-180*190*1.9
TFG-185*195*1.9
TFG-190*200*1.9
TFG-195*205*1.9
TFG-200*210*1.9
TFG-205*215*1.9
TFG-210*220*1.9
TFG-220*230*1.9
TFG-230*240*1.9



TFG/TFP

BEARING GASKETS


TFG/TFP垫片

20 | 专注密封件二十年
SKF授权经销商
FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER



订货方式 Order Method SPGW D*d*h*H (SPGW50*36*8.5*9)
若客户要求尺寸表内没有记录的尺寸, 请另行与我司联系。
If your required size are not listed in the table, please kindly contact us.

SONGZHENG SEAL (GUANGZHOU) CO., LTD.
206, BUILDING 1, NO. 1190, ZHONGSHAN AVENUE, TIANHE DISTRICT, GUANGZHOU CITY, GUANGDONG PROVINCE, CHINA.



※ 使用工况 / Working condition

- ★ 材料: 尼龙
- ★ MATL: NY

规格 Specification		规格 Specification		规格 Specification	
BRT (Nylon)	40*50*3	BRT (Nylon)	70*85*3	BRT (Nylon)	110*130*3
BRT (Nylon)	40*55*3	BRT (Nylon)	70*90*3	BRT (Nylon)	115*130*3
BRT (Nylon)	45*55*3	BRT (Nylon)	75*85*3	BRT (Nylon)	115*135*3
BRT (Nylon)	45*60*3	BRT (Nylon)	75*88*3	BRT (Nylon)	120*135*3
BRT (Nylon)	50*60*3	BRT (Nylon)	75*90*3	BRT (Nylon)	120*140*3
BRT (Nylon)	50*63*3	BRT (Nylon)	75*95*3	BRT (Nylon)	125*140*3
BRT (Nylon)	50*65*3	BRT (Nylon)	80*100*3	BRT (Nylon)	125*145*3
BRT (Nylon)	55*60*3	BRT (Nylon)	80*90*3	BRT (Nylon)	130*145*3
BRT (Nylon)	55*65*3	BRT (Nylon)	80*93*3	BRT (Nylon)	130*150*3
BRT (Nylon)	55*68*3	BRT (Nylon)	80*95*3	BRT (Nylon)	135*150*3
BRT (Nylon)	55*70*3	BRT (Nylon)	85*100*3	BRT (Nylon)	140*155*3
BRT (Nylon)	55*75*3	BRT (Nylon)	85*105*3	BRT (Nylon)	140*160*3
BRT (Nylon)	60*70*3	BRT (Nylon)	90*105*3	BRT (Nylon)	145*160*3
BRT (Nylon)	60*73*3	BRT (Nylon)	90*110*3	BRT (Nylon)	150*165*3
BRT (Nylon)	60*75*3	BRT (Nylon)	95*105*3	BRT (Nylon)	150*170*3
BRT (Nylon)	60*80*3	BRT (Nylon)	95*110*3	BRT (Nylon)	160*175*3
BRT (Nylon)	65*75*3	BRT (Nylon)	95*115*3	BRT (Nylon)	160*180*3
BRT (Nylon)	65*78*3	BRT (Nylon)	100*115*3	BRT (Nylon)	170*190*3
BRT (Nylon)	65*80*3	BRT (Nylon)	100*120*3	BRT (Nylon)	180*200*3
BRT (Nylon)	65*85*3	BRT (Nylon)	105*120*3		
BRT (Nylon)	70*80*3	BRT (Nylon)	105*125*3		
BRT (Nylon)	70*83*3	BRT (Nylon)	110*125*3		

订货方式: Order Method SPGW D*d*h(H) (SPGW50*36*8.5*9)
若客户要求尺寸表内没有记录的尺寸, 请另行与我司联系。
If your required size are not listed in the table, please kindly contact us.

SONGZHENG SEAL (GUANGZHOU) CO., LTD.
206, BUILDING 1, NO. 1190, ZHONGSHAN AVENUE, TIANHE DISTRICT, GUANGZHOU CITY, GUANGDONG PROVINCE, CHINA.

BRT

BEARING GASKETS

BRT垫片

20 | 专注密封件二十年
SKF授权经销商
FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER






BRT

BEARING GASKETS

BRT垫片

20 | 专注密封件二十年
SKF授权经销商
FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER



※ 使用工况 / Working condition

★ 材料: 铜粉+聚四氟乙烯

★ MATL: Bronze+PTFE



规格 Specification		规格 Specification		规格 Specification	
BRT (BRONZE)	30*40*2	BRT (BRONZE)	185*205*3	BRT (BRONZE)	100*115*3
BRT (BRONZE)	35*45*2	BRT (BRONZE)	190*200*3	BRT (BRONZE)	100*120*3
BRT (BRONZE)	35*50*2	BRT (BRONZE)	190*210*3	BRT (BRONZE)	100*130*3
BRT (BRONZE)	40*50*2	BRT (BRONZE)	195*215*3	BRT (BRONZE)	105*120*3
BRT (BRONZE)	40*53*2	BRT (BRONZE)	210*230*3	BRT (BRONZE)	105*125*3
BRT (BRONZE)	40*55*2	BRT (BRONZE)	215*235*3	BRT (BRONZE)	110*115*3
BRT (BRONZE)	45*55*2	BRT (BRONZE)	235*260*3	BRT (BRONZE)	110*125*3
BRT (BRONZE)	45*60*2	BRT (BRONZE)	255*280*3	BRT (BRONZE)	110*130*3
BRT (BRONZE)	50*65*2	BRT (BRONZE)	80*95*4	BRT (BRONZE)	115*130*3
BRT (BRONZE)	50*60*2	BRT (BRONZE)	85*100*4	BRT (BRONZE)	115*135*3
BRT (BRONZE)	50*63*2	BRT (BRONZE)	90*105*4	BRT (BRONZE)	120*135*3
BRT (BRONZE)	60*70*2	BRT (BRONZE)	95*110*4	BRT (BRONZE)	120*140*3
BRT (BRONZE)	60*73*2	BRT (BRONZE)	100*115*4	BRT (BRONZE)	125*135*3
BRT (BRONZE)	60*75*2	BRT (BRONZE)	100*135*4	BRT (BRONZE)	125*140*3
BRT (BRONZE)	65*80*2	BRT (BRONZE)	110*130*4	BRT (BRONZE)	125*145*3
BRT (BRONZE)	70*85*2	BRT (BRONZE)	115*130*4	BRT (BRONZE)	130*140*3
BRT (BRONZE)	70*90*2	BRT (BRONZE)	115*135*4	BRT (BRONZE)	130*145*3
BRT (BRONZE)	75*90*2	BRT (BRONZE)	120*140*4	BRT (BRONZE)	130*150*3
BRT (BRONZE)	80*92*2	BRT (BRONZE)	125*135*4	BRT (BRONZE)	135*150*3
BRT (BRONZE)	80*95*2	BRT (BRONZE)	130*150*4	BRT (BRONZE)	140*155*3
BRT (BRONZE)	80*100*2	BRT (BRONZE)	140*150*4	BRT (BRONZE)	140*160*3
BRT (BRONZE)	85*100*2	BRT (BRONZE)	180*205*4	BRT (BRONZE)	140*165*3

订货方式 Order Method SPGW D*d*h (SPGW50*36*8.5*9)

若客户要求尺寸表内没有记录的尺寸, 请另行与我司联系。

If your required size are not listed in the table, please kindly contact us.

SONGZHENG SEAL (GUANGZHOU) CO., LTD.
206, BUILDING 1, NO. 1190, ZHONGSHAN AVENUE, TIANHE DISTRICT, GUANGZHOU CITY, GUANGDONG PROVINCE, CHINA



※ 使用工况 / Working condition

- ★ 材料: 尼龙/聚甲醛
- ★ MATL: NY/POM

※ 说明/Description

N4W是一款专门为格来圈 (SPGO) 而设计的一种垫片, 可以最大限度的减小活间过大带来密封环损坏失效的风险。

N4W is a gasket specially designed for SPGO, which can minimize the risk of seal ring damage and failure caused by excessive live clearance.

规格 Specification

N4W-80*85*2.5
N4W-90*85*2.5
N4W-95*90*2.5
N4W-100*95*2.5
N4W-105*100*2.5
N4W-110*105*2.5
N4W-110*104*3
N4W-115*109*3
N4W-120*114*3
N4W-125*119*3
N4W-130*124*3
N4W-135*129*3
N4W-140*134*3
N4W-145*139*3
N4W-150*144*3
N4W-160*154*3
N4W-170*164*3
N4W-180*174*3



N4W


BEARING GASKETS

N4W垫片

20 | 专注密封件二十年
SKF授权经销商
FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER

订货方式 Order Method SPGW D*d*h (SPGW50*36*8.5*9)
若客户要求尺寸表内没有记录的尺寸, 请另行与我司联系。
If your required size are not listed in the table, please kindly contact us.

SONGZHENG SEAL (GUANGZHOU) CO., LTD.
206, BUILDING 1, NO. 1190, ZHONGSHAN AVENUE, TIANHE DISTRICT, GUANGZHOU CITY, GUANGDONG PROVINCE, CHINA.



※ 使用工况 / Working condition

- ★ 材料: 尼龙/聚甲醛
- ★ MATL: NY/POM
- ★ 工艺: 车削产品
- ★ PROCESS: Turned Products

※ 说明/Description

N4W是一款专门为格来圈 (SPGO) 而设计的一种垫片, 可以最大限度的减小活间隙过大带来密封环损坏失效的风险。

N4W is a gasket specially designed for SPGO, which can minimize the risk of seal ring damage and failure caused by excessive live clearance.

规格 Specification

N4W-80*85*2.5

N4W-90*85*2.5

N4W-95*90*2.5

N4W-100*95*2.5

N4W-105*100*2.5

N4W-110*105*2.5

N4W-110*104*3

N4W-115*109*3

N4W-120*114*3

N4W-125*119*3

N4W-130*124*3

N4W-135*129*3

N4W-140*134*3

N4W-145*139*3

N4W-150*144*3

N4W-160*154*3

N4W-170*164*3

N4W-180*174*3

N4W

BEARING GASKETS

N4W垫片

20 | 专注密封件二十年
SKF授权经销商
FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER

订货方式: Order Method SPGW D*d*h (SPGW50*36*8.5*9)
若客户要求尺寸表内没有记录的尺寸, 请另行与我司联系。
If your required size are not listed in the table, please kindly contact us.

SONGZHENG SEAL (GUANGZHOU) CO., LTD.
206, BUILDING 1, NO. 1190, ZHONGSHAN AVENUE, TIANHE DISTRICT, GUANGZHOU CITY, GUANGDONG PROVINCE, CHINA.

SONGZ



20 专注密封件二十年
SKF授权经销商
FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER

O RINGS O-Ring Series

O型圈系列

High quality O-Ring, Full range of models
P-series G-series AS-series JIS ANSI, Pass the European quality standards

产品编号	内径 * 线径		产品编号	内径 * 线径		产品编号	内径 * 线径	
ITEM NO.	ID	CS	ITEM NO.	ID	CS	ITEM NO.	ID	CS
P3	2.8	1.9	P39	38.7	3.5	P155	154.5	8.4
P4	3.8	1.9	P40	39.7	3.5	P160	159.5	8.4
P5	4.8	1.9	P40A	39.6	5.7	P165	164.5	8.4
P6	5.8	1.9	P41	40.7	3.5	P170	169.5	8.4
P7	6.8	1.9	P42	41.7	3.5	P175	174.5	8.4
P8	7.8	1.9	P43	42.7	3.5	P180	179.5	8.4
P9	8.8	1.9	P44	43.7	3.5	P185	184.5	8.4
P9A	8.8	2.4	P45	44.7	3.5	P190	189.5	8.4
P10	9.8	1.9	P46	45.7	3.5	P195	194.5	8.4
P10A	9.8	2.4	P47	46.7	3.5	P200	199.5	8.4
P11	10.8	2.4	P48	47.7	3.5	P210	209.5	8.4
P11.2	11	2.4	P48A	47.6	5.7	P220	219.5	8.4
P12	11.8	2.4	P49	48.7	3.5	P225	224.9	8.4
P12.5	12.3	2.4	P50	49.7	3.5	P230	229.5	8.4
P13	12.8	2.4	P50A	49.6	5.7	P240	239.5	8.4
P14	13.8	2.4	P52	51.6	5.7	P245	244.5	8.4
P15	14.8	2.4	P55	54.6	5.7	P250	249.5	8.4
P16	15.8	2.4	P58	57.6	5.7	P260	259.5	8.4
P17	16.8	2.4	P60	59.6	5.7	P270	269.5	8.4
P18	17.8	2.4	P60A	59.6	5.7	P280	279.5	8.4
P19	18.8	2.4	P62	61.6	8.4	P285	284.5	8.4
P20	19.8	2.4	P62A	61.6	5.7	P290	289.5	8.4
P21	20.8	2.4	P65	64.6	8.4	P295	294.5	8.4
P22	21.8	2.4	P65A	64.6	5.7	P300	299.5	8.4
P22.4	22.1	3.5	P67	66.6	5.7	P310	309.5	8.4
P22A	21.7	3.5	P70	69.6	5.7	P315	314.5	8.4
P23	22.7	3.5	P75	74.6	5.7	P320	319.5	8.4
P24	23.7	3.5	P80	79.6	5.7	P330	329.5	8.4
P25	24.7	3.5	P85	84.6	5.7	P335	334.5	8.4
P25.5	25.2	3.5	P90	89.6	5.7	P340	339.5	8.4
P26	25.7	3.5	P95	94.6	5.7	P345	344.5	8.4
P27	26.7	3.5	P100	99.6	5.7	P350	349.5	8.4
P28	27.7	3.5	P105	104.6	5.7	P355	354.5	8.4
P29	28.7	3.5	P110	109.6	5.7	P360	359.5	8.4
P30	29.7	3.5	P115	114.6	5.7	P365	364.5	8.4
P31	30.7	3.5	P120	119.6	5.7	P370	369.5	8.4
P32	31.7	3.5	P125	124.6	5.7	P380	379.5	8.4
P33	32.9	3.5	P130	129.6	5.7	P390	389.5	8.4
P34	33.7	3.5	P135	134.6	5.7	P400	399.5	8.4
P35	34.7	3.5	P140	139.6	5.7	P410	409.5	8.4
P36	35.7	3.5	P145	144.6	5.7	P420	419.5	8.4
P37	36.7	3.5	P150	149.6	5.7	P460	459.5	8.4
P38	37.7	3.5	P150A	149.5	8.4			
Special order			Require for other size or material, please contact us for further discussion about new mould and price.					



High quality O-Ring, Full range of models
P-series G-series AS-series JIS ANSI, Pass the European quality standards

产品编号	内径 * 线径		产品编号	内径 * 线径		产品编号	内径 * 线径	
ITEM NO.	ID	CS	ITEM NO.	ID	CS	ITEM NO.	ID	CS
AS284	456.06	3.53	AS439	164.47	6.99	M2035	35.00	2.00
AS325	37.47	5.33	AS440	170.82	6.99	M2036	36.00	2.00
AS326	40.64	5.33	AS445	202.57	6.99	M2037	37.00	2.00
AS327	43.82	5.33	AS446	215.27	6.99	M2038	38.00	2.00
AS330	53.34	5.33	AS447	227.97	6.99	M2039	39.00	2.00
AS331	56.52	5.33	AS450	266.07	6.99	M2040	40.00	2.00
AS332	59.69	5.33	AS904	8.92	1.83	M2043	43.00	2.00
AS333	62.87	5.33	AS906	11.89	1.98	M2044	44.00	2.00
AS334	66.04	5.33	AS908	16.36	2.21	M2045	45.00	2.00
AS335	69.22	5.33	AS910	19.18	2.46	M2048	48.00	2.00
AS336	72.39	5.33	AS912	23.47	2.95	M2049	49.00	2.00
AS337	75.57	5.33	AS914	26.59	2.95	M2050	50.00	2.00
AS338	78.74	5.33	AS920	37.47	3.00	M2060	60.00	2.00
AS339	81.92	5.33	AS924	43.69	3.00	M2063	63.00	2.00
AS340	85.09	5.33	AS928	53.09	3.00	M2064	64.00	2.00
AS341	88.27	5.33				M2065	65.00	2.00
AS342	91.44	5.33	M2008	8.00	2.00	M2066	66.00	2.00
AS343	94.62	5.33	M2009	9.00	2.00	M2067	67.00	2.00
AS344	97.79	5.33	M2010	10.00	2.00	M2070	70.00	2.00
AS345	100.97	5.33	M2011	11.00	2.00	M2071	71.00	2.00
AS346	104.14	5.33	M2012	12.00	2.00	M2075	75.00	2.00
AS347	107.32	5.33	M2013	13.00	2.00	M2080	80.00	2.00
AS348	110.49	5.33	M2014	14.00	2.00	M2085	85.00	2.00
AS349	113.67	5.33	M2015	15.00	2.00	M2090	90.00	2.00
AS350	116.84	5.33	M2016	16.00	2.00	M2095	95.00	2.00
AS351	120.02	5.33	M2017	17.00	2.00	M2100	100.00	2.00
AS355	132.72	5.33	M2018	18.00	2.00	M2110	110.00	2.00
AS357	139.07	5.33	M2019	19.00	2.00	M2115	115.00	2.00
AS360	142.24	5.33	M2020	20.00	2.00	M2120	120.00	2.00
AS361	148.59	5.33	M2021	21.00	2.00	M2140	140.00	2.00
AS373	151.77	5.33	M2022	22.00	2.00	M3008	8.00	3.00
AS425	227.97	5.33	M2023	23.00	2.00	M3011	11.00	3.00
AS426	113.67	6.99	M2024	24.00	2.00	M3012	12.00	3.00
AS427	116.84	6.99	M2025	25.00	2.00	M3014	14.00	3.00
AS428	120.02	6.99	M2026	26.00	2.00	M3015	15.00	3.00
AS429	123.19	6.99	M2027	27.00	2.00	M3017	17.00	3.00
AS430	126.37	6.99	M2028	28.00	2.00	M3018	18.00	3.00
AS431	129.54	6.99	M2029	29.00	2.00	M3019	19.00	3.00
AS432	132.72	6.99	M2030	30.00	2.00	M3020	20.00	3.00
AS433	135.89	6.99	M2031	31.00	2.00	M3021	21.00	3.00
AS434	139.07	6.99	M2032	32.00	2.00	M3022	22.00	3.00
AS435	145.42	6.99	M2033	33.00	2.00	M3023	23.00	3.00
AS437	151.77	6.99	M2034	34.00	2.00	M3024	24.00	3.00
Special order	Require for other size or material, please contact us for further discussion about new mould and price.							

O RINGS O-Ring Series

O型圈系列

产品编号	内径 * 线径		产品编号	内径 * 线径		产品编号	内径 * 线径	
ITEM NO.	ID	CS	ITEM NO.	ID	CS	ITEM NO.	ID	CS
M3025	25.00	3.00	M3300	300.00	3.00	M2311	10.90	2.30
M3026	26.00	3.00	M3350	350.00	3.00	M2313	12.90	2.30
M3027	27.00	3.00	M4024	24.00	4.00	M2315	14.70	2.30
M3028	28.00	3.00	M4041	41.00	4.00	M2405	5.30	2.40
M3029	29.00	3.00	M4042	42.00	4.00	M2407	7.30	2.40
M3030	30.00	3.00	M4044	44.00	4.00	M2409	9.20	2.40
M3032	32.00	3.00	M4045	45.00	4.00	M0013	11.20	2.40
M3033	33.00	3.00	M4102	102.00	4.00	M0014	13.20	2.40
M3034	34.00	3.00	M4112	112.00	4.00	M0015	22.10	2.40
M3035	35.00	3.00	M4160	160 * 4	4.00	M0016	22.80	2.40
M3037	37.00	3.00	M4165	165 * 4	4.00	M0017	23.30	2.40
M3038	38.00	3.00	M4170	170 * 4	4.00	M0018	26.20	2.40
M3039	39.00	3.00	M4175	175 * 4	4.00	M0019	27.60	2.40
M3041	41.00	3.00	M4180	180 * 4	4.00	M0020	29.70	2.40
M3043	43.00	3.00	M4185	185 * 4	4.00	M0021	29.80	2.40
M3044	44.00	3.00	M4190	190 * 4	4.00	M0022	33.20	2.40
M3052	52.00	3.00	M4195	195 * 4	4.00	M0023	35.20	2.40
M3053	53.00	3.00	M4200	200 * 4	4.00	M0024	37.20	2.40
M3060	60.00	3.00	M4210	210 * 4	4.00	M0025	39.70	2.40
M3062	62.00	3.00	M4235	235 * 4	4.00	M0026	40.80	2.40
M3063	63.00	3.00	M4255	255 * 4	4.00	M0027	41.70	2.40
M3083	82.60	3.00	M4260	260 * 4	4.00	M0028	42.20	2.40
M3150	150.00	3.00	M1507	7.50	1.50	M0029	44.70	2.40
M3155	155.00	3.00	M1508	8.00	1.50	M0030	47.20	2.40
M3160	160.00	3.00	M1509	9.00	1.50	M0031	65.00	2.40
M3165	165.00	3.00	M1509A	9.50	1.50	M0032	8.00	2.50
M3170	170.00	3.00	M1510	10.00	1.50	M0033	19.20	2.50
M3175	175.00	3.00	M1511	11.50	1.50	M0034	35.00	2.50
M3180	180.00	3.00	M1515	15.50	1.50	M0035	37.00	2.50
M3182	182.00	3.00	M1516	16.00	1.50	M0036	285.00	3.40
M3185	185.00	3.00	M0001	4.20	1.90	M0037	16.70	3.40
M3190	190.00	3.00	M0002	6.20	1.90	M0038	20.70	3.40
M3195	195.00	3.00	M0003	10.00	1.90	M0039	26.70	3.40
M3200	200.00	3.00	M0004	12.30	1.90	M0040	29.70	3.40
M3205	205.00	3.00	M0005	13.80	1.90	M0041	21.00	3.50
M3210	210.00	3.00	M0006	14.80	1.90	M0042	31.20	3.50
M3215	215.00	3.00	M0007	15.72	1.90	M0043	58.00	3.50
M3217	217.00	3.00	M0008	18.80	1.90	M0044	61.00	3.50
M3220	220.00	3.00	M0009	19.80	1.90	M0045	68.00	3.50
M3225	225.00	3.00	M0010	24.70	1.90	M0046	77.50	3.50
M3230	230.00	3.00	M0011	26.20	1.90	M0047	106.00	3.50
M3250	250.00	3.00	M0012	33.20	1.90	M0048	149.60	3.50
M3255	255.00	3.00	M2305	5.40	2.30	M0049	128.00	3.55
M3280	280.00	3.00	M2307	7.40	2.30	M0050	107.00	3.65
Special order	Require for other size or material, please contact us for further discussion about new mould and price.							



High quality O-Ring, Full range of models
P-series G-series AS-series JIS ANSI, Pass the European quality standards

产品编号	内径 * 线径		产品编号	内径 * 线径		产品编号	内径 * 线径	
ITEM NO.	ID	CS	ITEM NO.	ID	CS	ITEM NO.	ID	CS
G25	24.4	3.1	G240	239.3	5.7	AS019	20.33	1.78
G30	29.4	3.1	G245	244.3	5.7	AS020	21.95	1.78
G35	34.4	3.1	G250	249.3	5.7	AS021	23.52	1.78
G40	39.4	3.1	G255	254.3	5.7	AS022	25.12	1.78
G45	44.4	3.1	G260	259.3	5.7	AS023	26.7	1.78
G50	49.4	3.1	G265	264.3	5.7	AS024	28.3	1.78
G55	54.4	3.1	G270	269.3	5.7	AS025	29.87	1.78
G60	59.4	3.1	G275	274.3	5.7	AS026	31.47	1.78
G65	64.4	3.1	G280	279.3	5.7	AS027	33.05	1.78
G70	69.4	3.1	G290	289.3	5.7	AS028	34.65	1.78
G75	74.4	3.1	G300	299.3	5.7	AS029	37.82	1.78
G80	79.4	3.1	G305	304.3	5.7	AS030	41	1.78
G85	84.4	3.1	G310	309.3	5.7	AS031	44.17	1.78
G90	89.4	3.1	G320	319.3	5.7	AS032	47.35	1.78
G95	94.4	3.1	G330	329.3	5.7	AS033	50.52	1.78
G100	99.4	3.1	G340	339.3	5.7	AS034	53.7	1.78
G105	104.4	3.1	G345	344.3	5.7	AS035	56.87	1.78
G110	109.4	3.1	G350	349.3	5.7	AS107	5.23	2.62
G115	114.4	3.1	G360	359.3	5.7	AS108	6.02	2.62
G120	119.4	3.1	G365	364.3	5.7	AS109	7.59	2.62
G125	124.4	3.1	G370	369.3	5.7	AS110	9.19	2.62
G130	129.4	3.1	G380	379.3	5.7	AS111	10.78	2.62
G135	134.4	3.1	G390	389.3	5.7	AS112	12.37	2.62
G140	139.4	3.1	G400	399.3	5.7	AS113	13.94	2.62
G145	144.4	3.1	G410	409.3	5.7	AS114	15.54	2.62
G150	149.3	5.7	G420	419.3	5.7	AS115	17.12	2.62
G155	154.3	5.7	G440	439.3	5.7	AS116	18.72	2.62
G160	159.3	5.7	G450	449.3	5.7	AS117	20.3	2.62
G165	164.3	5.7	G485	484.3	5.7	AS118	21.89	2.62
G170	169.3	5.7	G520	519.3	5.7	AS119	23.47	2.62
G175	174.3	5.7				AS120	25.07	2.62
G180	179.3	5.7	AS007	3.68	1.78	AS121	26.64	2.62
G185	184.3	5.7	AS009	5.28	1.78	AS122	28.24	2.62
G190	189.3	5.7	AS010	6.07	1.78	AS123	29.84	2.62
G195	194.3	5.7	AS011	7.65	1.78	AS124	31.42	2.62
G200	199.3	5.7	AS012	9.25	1.78	AS125	32.99	2.62
G205	204.3	5.7	AS013	10.82	1.78	AS126	34.59	2.62
G210	209.3	5.7	AS014	12.42	1.78	AS127	36.17	2.62
G215	214.3	5.7	AS015	140	1.78	AS128	37.77	2.62
G220	219.3	5.7	AS016	15.6	1.78	AS129	39.34	2.62
G225	224.3	5.7	AS017	17.17	1.78	AS130	40.94	2.62
G230	229.3	5.7	AS017	17.17	1.78	AS131	42.52	2.62
G235	234.3	5.7	AS018	18.77	1.78	AS132	44.12	2.62
Special order	Require for other size or material, please contact us for further discussion about new mould and price.							

O RINGS O-Ring Series O型圈系列

产品编号	内径 * 线径		产品编号	内径 * 线径		产品编号	内径 * 线径	
ITEM NO.	ID	CS	ITEM NO.	ID	CS	ITEM NO.	ID	CS
AS133	45.69	2.62	AS176	234.62	2.62	AS241	98.02	3.53
AS134	47.29	2.62	AS177	240.97	2.62	AS242	101.19	3.53
AS135	48.90	2.62	AS178	247.32	2.62	AS243	104.37	3.53
AS136	50.47	2.62	AS201	4.34	3.53	AS244	107.54	3.53
AS137	52.07	2.62	AS202	5.94	3.53	AS245	110.72	3.53
AS138	53.64	2.62	AS203	7.52	3.53	AS246	113.89	3.53
AS139	55.25	2.62	AS204	9.12	3.53	AS247	117.07	3.53
AS140	56.82	2.62	AS205	10.69	3.53	AS248	120.04	3.53
AS141	58.42	2.62	AS206	12.29	3.53	AS249	123.42	3.53
AS142	59.99	2.62	AS207	13.87	3.53	AS250	126.59	3.53
AS143	61.6	2.62	AS208	15.47	3.53	AS251	129.77	3.53
AS144	63.17	2.62	AS209	17.04	3.53	AS252	132.94	3.53
AS145	64.77	2.62	AS210	18.64	3.53	AS253	136.12	3.53
AS146	66.34	2.62	AS211	20.22	3.53	AS254	139.94	3.53
AS147	67.95	2.62	AS212	21.82	3.53	AS255	142.47	3.53
AS148	69.52	2.62	AS213	23.39	3.53	AS256	145.64	3.53
AS149	71.13	2.62	AS214	24.99	3.53	AS257	148.82	3.53
AS150	72.69	2.62	AS215	26.57	3.53	AS258	151.99	3.53
AS151	75.87	2.62	AS216	28.17	3.53	AS259	158.34	3.53
AS152	82.22	2.62	AS217	29.74	3.53	AS260	164.69	3.53
AS153	88.57	2.62	AS218	31.34	3.53	AS261	171.04	3.53
AS154	94.92	2.62	AS219	32.92	3.53	AS262	177.39	3.53
AS155	101.27	2.62	AS220	34.52	3.53	AS263	183.74	3.53
AS156	107.62	2.62	AS221	36.09	3.53	AS264	190.09	3.53
AS157	113.97	2.62	AS222	37.69	3.53	AS265	196.44	3.53
AS158	120.32	2.62	AS223	40.87	3.53	AS266	202.79	3.53
AS159	126.67	2.62	AS224	44.04	3.53	AS267	209.14	3.53
AS160	133.02	2.62	AS225	47.22	3.53	AS268	215.49	3.53
AS161	139.37	2.62	AS226	50.39	3.53	AS269	221.84	3.53
AS162	145.72	2.62	AS227	53.57	3.53	AS270	228.19	3.53
AS163	152.08	2.62	AS228	56.74	3.53	AS271	234.54	3.53
AS164	158.42	2.62	AS229	59.92	3.53	AS272	240.89	3.53
AS165	164.77	2.62	AS230	63.09	3.53	AS273	247.24	3.53
AS166	171.12	2.62	AS231	66.27	3.53	AS274	253.59	3.53
AS167	177.47	2.62	AS232	69.44	3.53	AS275	266.29	3.53
AS168	183.82	2.62	AS233	72.62	3.53	AS276	278.99	3.53
AS169	190.17	2.62	AS234	75.79	3.53	AS277	291.69	3.53
AS170	196.52	2.62	AS235	78.97	3.53	AS278	304.39	3.53
AS171	202.87	2.62	AS236	82.14	3.53	AS279	329.79	3.53
AS172	209.22	2.62	AS237	85.32	3.53	AS280	355.19	3.53
AS173	215.57	2.62	AS238	88.49	3.53	AS281	380.59	3.53
AS174	221.92	2.62	AS239	91.67	3.53	AS282	405.26	3.53
AS175	228.27	2.62	AS240	94.84	3.53	AS283	430.66	3.53
Special order	Require for other size or material, please contact us for further discussion about new mould and price.							

SONGZ



NBR/HNBR

丁晴橡胶/氢化丁晴橡胶

SONGZ



规格 Specification	规格 Specification
NBR-4.47*1.78	NBR-20.29*2.62
NBR-5.28*1.78	NBR-21.89*2.62
NBR-6.07*1.78	NBR-23.47*2.62
NBR-7.65*1.78	NBR-25.07*2.62
NBR-9.25*1.78	NBR-26.64*2.62
NBR-10.82*1.78	NBR-28.24*2.62
NBR-12.42*1.78	NBR-29.82*2.62
NBR-14*1.78	NBR-31.42*2.62
NBR-15.6*1.78	NBR-32.99*2.62
NBR-17.17*1.78	NBR-34.59*2.62
NBR-18.77*1.78	NBR-36.17*2.62
NBR-20.35*1.78	NBR-37.77*2.62
NBR-21.95*1.78	NBR-39.34*2.62
NBR-23.52*1.78	NBR-40.94*2.62
NBR-25.12*1.78	NBR-42.52*2.62
NBR-26.7*1.78	NBR-44.12*2.62
NBR-28.3*1.78	NBR-45.69*2.62
NBR-29.87*1.78	NBR-52.07*2.62
NBR-31.47*1.78	NBR-55.25*2.62
NBR-33.05*1.78	NBR-53.64*2.62
NBR-34.65*1.78	NBR-47.29*2.62
NBR-37.82*1.78	NBR-58.42*2.62
NBR-5.23*2.62	NBR-59.99*2.62
NBR-6.02*2.62	NBR-61.6*2.62
NBR-7.59*2.62	NBR-63.17*2.62
NBR-9.19*2.62	NBR-64.77*2.62

NBR O-RING O型圈系列

规格 Specification	规格 Specification
NBR-66.34*2.62	NBR-54.6*5.7
NBR-67.95*2.62	NBR-69.6*5.7
NBR-69.52*2.62	NBR-74.6*5.7
NBR-71.12*2.62	NBR-79.6*5.7
NBR-72.69*2.62	NBR-84.6*5.7
NBR-75.87*2.62	NBR-89.6*5.7
NBR-82.22*2.62	NBR-94.6*5.7
NBR-88.57*2.62	NBR-99.6*5.7
NBR-202.87*2.62	NBR-104.6*5.7
NBR-240.97*2.62	NBR-109.6*5.7
NBR-139.37*2.62	NBR-114.6*5.7
NBR-145.72*2.62	NBR-119.6*5.7
NBR-152.07*2.62	NBR-124.6*5.7
NBR-158.42*2.62	NBR-129.6*5.7
NBR-164.77*2.62	NBR-134.6*5.7
NBR-177.47*2.62	NBR-139.6*5.7
NBR-190.17*2.62	NBR-144.6*5.7
NBR-94.92*2.62	NBR-2.8*1.9
NBR-101.27*2.62	NBR-3.8*1.9
NBR-183.82*2.62	NBR-4.8*1.9
NBR-10.69*3.53	NBR-5.8*1.9
NBR-12.29*3.53	NBR-6.8*1.9
NBR-13.87*3.53	NBR-7.8*1.9
NBR-15.47*3.53	NBR-8.8*1.9
NBR-17.04*3.53	NBR-9.8*1.9
NBR-18.64*3.53	NBR-9.8*2.4
NBR-20.22*3.53	NBR-10.8*2.4
NBR-21.82*3.53	NBR-11.8*2.4
NBR-23.39*3.53	NBR-12.8*2.4
NBR-24.99*3.53	NBR-13.8*2.4
NBR-26.57*3.53	NBR-14.8*2.4
NBR-28*17*3.53	NBR-15.8*2.4
NBR-29.74*3.53	NBR-16.8*2.4
NBR-31.34*3.53	NBR-18.8*2.4
NBR-32.92*3.53	NBR-19.8*2.4
NBR-34.52*3.53	NBR-20.8*2.4
NBR-36.09*3.53	NBR-21.8*2.4
NBR-37.69*3.53	NBR-21.7*3.5
NBR-40.87*3.53	NBR-22.7*3.5
NBR-44.04*3.53	NBR-23.7*3.5
NBR-47.22*3.53	NBR-24.7*3.5
NBR-50.39*3.53	NBR-25.7*3.5

订货方式 Order Method SPGW D*d*h*H (SPGW50*36*8.5*9)
若客户要求尺寸表内没有记录的尺寸，请另行与我司联系。
If your required size are not listed in the table, please kindly contact us.

SONGZHENG SEAL (GUANGZHOU) CO., LTD.
206, BUILDING 1, NO. 1190, ZHONGSHAN AVENUE, TIANHE DISTRICT, GUANGZHOU CITY, GUANGDONG PROVINCE, CHINA.

141/142

SONGZ



FKM

氟橡胶

SONGZ

FKM O-RING Series

O型圈系列

※ 说明/Description

工程机械专用90度氟胶耐温度可高达200度合成橡胶中最优良的耐热、耐油性。

The 90 degree fluorine rubber for construction machinery has the best heat resistance and oil resistance among synthetic rubbers with temperature resistance up to 200 degrees.

※ 使用工况 / Working condition

- ★ 工程机械专用90度氟胶
90 degree fluorine glue for construction machinery
- ★ 耐温度可高达200度(Temperature resistance up to 200 °C)
- ★ 合成橡胶材料中最具优良的耐热性、耐油性
The most excellent heat and oil resistance of synthetic rubber materials



规格 Specification	规格 Specification	规格 Specification	规格 Specification
FKM-2.8*1.9	FKM-28.7*3.5	FKM-74.4*3.1	FKM-10.77*2.62
FKM-3.8*1.9	FKM-29.7*3.5	FKM-79.4*3.1	FKM-12.37*2.62
FKM-4.8*1.9	FKM-30.7*3.5	FKM-84.4*3.1	FKM-13.94*2.62
FKM-5.8*1.9	FKM-31.7*3.5	FKM-89.4*3.1	FKM-15.54*2.62
FKM-6.8*1.9	FKM-33.7*3.5	FKM-94.4*3.1	FKM-17.12*2.62
FKM-7.8*1.9	FKM-34.7*3.5	FKM-99.4*3.1	FKM-18.72*2.62
FKM-8.8*1.9	FKM-35.7*3.5	FKM-104.4*3.1	FKM-20.29*2.62
FKM-9.8*1.9	FKM-37.7*3.5	FKM-109.4*3.1	FKM-21.89*2.62
FKM-9.8*2.4	FKM-39.7*3.5	FKM-114.4*3.1	FKM-23.47*2.62
FKM-10.8*2.4	FKM-40.7*3.5	FKM-119.4*3.1	FKM-25.07*2.62
FKM-11.8*2.4	FKM-41.7*3.5	FKM-124.4*3.1	FKM-26.64*2.62
FKM-12.3*2.4	FKM-43.7*3.5	FKM-129.4*3.1	FKM-29.82*2.62
FKM-13.8*2.4	FKM-47.7*3.5	FKM-134.4*3.1	FKM-31.42*2.62
FKM-14.8*2.4	FKM-48.7*3.5	FKM-139.4*3.1	FKM-32.99*2.62
FKM-15.8*2.4	FKM-44.7*3.5	FKM-144.4*3.1	FKM-36.17*2.62
FKM-18.8*2.4	FKM-49.7*3.5	FKM-164.3*5.7	FKM-37.77*2.62
FKM-17.8*2.4	FKM-24.4*3.1	FKM-184.3*5.7	FKM-39.34*2.62
FKM-19.8*2.4	FKM-29.4*3.1	FKM-189.3*5.7	FKM-40.94*2.62
FKM-20.8*2.4	FKM-34.4*3.1	FKM-4.47*1.78	FKM-42.52*2.62
FKM-21.8*2.4	FKM-39.4*3.1	FKM-5.28*1.78	FKM-44.12*2.62
FKM-21.7*3.5	FKM-44.4*3.1	FKM-6.07*1.78	FKM-45.69*2.62
FKM-22.1*3.5	FKM-49.4*3.1	FKM-7.69*1.78	FKM-47.29*2.62
FKM-23.7*3.5	FKM-54.4*3.1	FKM-9.25*1.78	FKM-48.9*2.62
FKM-24.7*3.5	FKM-59.4*3.1	FKM-10.82*1.78	FKM-50.47*2.62
FKM-25.7*3.5	FKM-64.4*3.1	FKM-12.42*1.78	FKM-52.07*2.62
FKM-27.7*3.5	FKM-69.4*3.1	FKM-14*1.78	FKM-53.64*2.62

20

专注密封件二十年
SKF授权经销商

FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER

SONGZ



PU

聚氨酯

SONGZ



PU O-RING O-Ring Series

※ 说明/Description

NOTE: INTERNATIONAL DIMENSIONING

注解: 国际尺寸标注法

名称/NAME: PU O-RING

材质: 聚氨酯 MATERIAL: PU

特殊标注: 尺寸表里标注的尺寸, 是日标规格, 原材料是标准原材料, 如果你有特殊要求请联系我们。

NOTE: ALL SIZES ARE SUBJECT TO JAPANESE STANDARD CONTACT US IN THE CASE OF SPECIAL REQUIREMENT

规格 Specification

BP-60-P2011 59.6*5.7

BP-70-P2011 69.6*5.7

BP75-P2011 74.6*5.7

BP-80-P2011 79.6*5.7

BP-90-P2011 89.6*5.7

BP-100-P2011 99.6*5.7

BP-110-P2011 109.6*5.7

BP-120-P2011 119.6*5.7

O型圈
O-ring

W
截径

O型圈的使用方法
Use of O-ring

H
高度

20

专注密封件二十年
SKF授权经销商

FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER



D-RING

Travel Motor Seal
O型圈密封件

20 | 专注密封件二十年
SKF授权经销商
FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER

材料标志/Material Marking		PU	NBR
名义号/Nominal Number		密封件的公称尺寸/Nominal Size Of Seal	
D-Ring	d	D	h
70	69.6	80.4	5.7
90	89.6	100.4	5.7
110	109.6	120.4	5.7
120	118.6	129.4	5.7
125	124.6	135.4	5.7
148	147.6	158.4	5.7
171	171.3	180.5	3.1
188	187.8	195	3.53
200	200.5	207.7	3.53
216	216.2	223.4	3.53
184	184.2	191.5	5
201	201.4	208.7	5
214	214.5	221.7	5
240	233.9	241.1	5
133	133.4	148.4	4
149	148.4	163.8	4
169	169.8	184.8	4
189	189.45	204.65	4

订货方式 Order Method SPGW D*d*h (SPGW50*36*8.5*9)
若客户要求尺寸表内没有记录的尺寸，请另行与我司联系。
If your required size are not listed in the table, please kindly contact us.

SONGZHENG SEAL (GUANGZHOU) CO., LTD.
206, BUILDING 1, NO. 1190, ZHONGSHAN AVENUE, TIANHE DISTRICT, GUANGZHOU CITY, GUANGDONG PROVINCE, CHINA.



日立专用
Hitachi



小松专用
Komatsu



卡特专用
Caterpillar



日立专用
Hitachi



小松专用
Komatsu



卡特专用
Caterpillar



神钢专用
Kobelco



住友专用
Sumitomo



大字专用
Daewoo



现代专用
Hyundai



住友专用
Sumitomo



大字专用
Daewoo



现代专用
Hyundai



加藤专用
Cato



沃尔沃专用
Volvo



神钢专用
Kobelco



加藤专用
Cato



日立专用
Hitachi



日立专用
Hitachi



卡特专用
Caterpillar



住友专用
Sumitomo



O圈盒(氟胶)日立专用
Hitachi



O圈盒(氟胶)卡特专用
Caterpillar



O圈盒(氟胶)小松专用
Komatsu



神钢专用
Kobelco



小松专用
Komatsu



大字专用
Daewoo



D-RING KIT 4C-4784



D-RING KIT 4C-4784(NEW)



D-RING KIT E120B