

◎ 本手册仅用于说明产品的相关信息。公司随时可能因技术升级或采用更新的生产工艺而改进本手册有关内容，
或对本手册的印刷错误及不准确信息进行必要的更改，恕不另行通知。
◎ 未经许可，禁止全部或部分复制。
◎ 本公司拥有最终解释权，更多详细资料敬请垂询！

SONGZ

松正密封件(广州)有限公司
SONGZHENG SEAL (GUANGZHOU) CO., LTD.

中国广东省广州市天河区中山大道中1190号广珠商务楼A栋
Building A, Guangzhou Business Building, No. 1190, Zhongshan
Avenue Middle, Tianhe District, Guangzhou, Guangdong Province,
China.
www.szseal.en.alibaba.com www.songzparts.com
WhatsApp: +86 181 9893 6394 / +86 1881680 1578
+86 188 1680 4556


















SONGZ

**PRODUCT
TECHNOLOGY**

SELECTION MANUAL
产品选型手册

SONGZHENG SEAL
(GUANGZHOU) CO., LTD.
松正密封件(广州)有限公司

Standard oil seal

	Labial form	S	T	V	K
Outside diameter structure		Single lip, one spring, suitable for low pressure, pollution-free environment	Double lips, a spring, for low-pressure, dusty environments	Single lip, no spring, suitable for pressure free, pollution-free environment	Double lips, no spring, for pressure free, dusty environments
C	The outer diameter has rubber for increased sealing capacity	SC 	TC 	VC 	KC 
B	Outer diameter frame design, front chamfer for easy installation	SB 	TB 	VB 	KB 
A	The outer diameter skeleton design, the internal combination of a skeleton, increase the structural rigidity	SA 	TA 	VA 	KA 
F	The outer diameter is covered with rubber, which increases the outer diameter sealing ability and prevents the skeleton from rusting	SF 	TF 	VF 	KF 
M	The outer diameter skeleton has a front chamfer, and the inner layer has rubber, which is suitable for the occurrence of rust	SM 	TM 	VM 	KM 

SONGZ

FKM/NBR Frame Oil Seal Series For Shaft
轴用骨架油封系列



规格 Specification	规格 Specification	规格 Specification	规格 Specification
AP0598	AP2653	AP4346B	AP3842H
AP0760	AP2659E	AP4399E	AP3932B
AP0787	AP2666	AP4451G	AP3919
AP0875	AP2668G	AP4498E	AP3994B
AP1013E	AP2668A	AP4542F	AP4063B
AP1033I	AP2775G	AP4581G	AP4153H
AP1147F	AP2791G	AP4624G	AP4212B
AP1148F	AP2861	AP4711	AP4282G
AP1260E	AP2864I	AP4713G	AP2083E
AP1325	AP2967J	AP4795F	AP2240G
AP1336E	AP2965E	UP0234E	AP2240A
AP1338F	AP3053	UP0445E	AP2388E
AP1884	AP3055F	UP0449E	AP2388A
AP7615	AP3154H	UP0450E	AP2379F
AP1563J	AP3211E	BP1518	AP2390Q
AP1665E	AP3220	BP4561E	AP2507H
AP1706E	AP3222B	BP3411E	AP2659ESplittype
AP1709H	AP3297	BP3054	AP2379F-Split
AP1904F	AP3400	BP0494	60-82-12-Split
AP1978G	AP3409F	BP2777E	65-90-13-Split
AP2085G	AP3461E	XP0803	GJ1721
AP2085A	AP3527B	AH1467	GJ1668
AP2086F	AP3618G	70×88×10	70×88×12
AP2083G	AP3744K	AE3505	

订货方式 Order Method SPGW D*d*h(H) (SPGW50*36*8.5*9)
若客户要求尺寸表内没有记录的尺寸，请另行与我司联系。
If your required size are not listed in the table, please kindly contact us.

SONGZHENG SEAL (GUANGZHOU) CO., LTD.
206, BUILDING 1, NO. 1190, ZHONGSHAN AVENUE, TIANHE DISTRICT, GUANGZHOU CITY, GUANGDONG PROVINCE, CHINA.



NOK Frame Oil Seal Series For Shaft 轴用骨架油封系列



规格 Specification	规格 Specification	规格 Specification	规格 Specification
AP0787	AP2240G	AP3053	AP4282G
AP1033I	AP2388A	AP3055F	AP4346B
AP1147F	AP2388E	AP3154H	AP4399E
AP1148F	AP2379F	AP3222B	AP4451G
AP1260	AP2390Q	AP3297G	AP4498E
AP1338F	AP2507H	AP3409F	AP4542F
AP1563J	AP2659E	AP3461E	AP4581G
AP1665	AP2666	AP3527B	AP4624G
AP1709H	AP2668A	AP3618G	AP4711
AP1904F	AP2668G	AP3744K	AP4713G
AP1978G	AP2775	AP3842H	AP4795F
AP2085A	AP2791G	AP3932B	BP4561E
AP2085G	AP2861	AP3994B	BP3054
AP2086F	AP2864I	AP4063B	BP0494
AP2083G	AP2967J	AP4153H	BP2777E
AP2240A	AP2965E	AP4212B	XP0803



规格 Specification	规格 Specification
TC NBR-6*14*4	TC NBR-12*24*4
TC NBR-6*15*7	TC NBR-15*24*7
TC NBR-6*17*6	TC NBR-10*25*10
TC NBR-6*19*7	TC NBR-10*25*7
TC NBR-7*16*7	TC NBR-10*25*8
TC NBR-8*14*4	TC NBR-10*25*5
TC NBR-8*15*5	TC NBR-12*25*10
TC NBR-8*16*5	TC NBR-12*25*7
TC NBR-8*18*5	TC NBR-12*25*6
TC NBR-8*18*7	TC NBR-12*25*5
TC NBR-10*20*7	TC NBR-12.5*25*7
TC NBR-10*20*6	TC NBR-13.5*25*10
TC NBR-12*20*7	TC NBR-15*25*10
TC NBR-12*20*5	TC NBR-15*25*7
TC NBR-8*20*6	TC NBR-15*25*5
TC NBR-14*20*5	TC NBR-16*25*6
TC NBR-10*21*7	TC NBR-11*26*7
TC NBR-8*22*8	TC NBR-12*26*7
TC NBR-8*22*7	TC NBR-15*26*7
TC NBR-8*22*5	TC NBR-20*26*4
TC NBR-10*22*7	TC NBR-16.8*27.2*6
TC NBR-12*22*8	TC NBR-13*27*7
TC NBR-12*22*7	TC NBR-15*28*7
TC NBR-12*22*5	TC NBR-12*28*7
TC NBR-12*24*7	TC NBR-14*28*8
TC NBR-14*24*7	TC NBR-14*28*7

TC NBR Frame Oil Seal Series For Shaft 轴用骨架油封系列

规格 Specification	规格 Specification
TC NBR-14*28*5	TC NBR-17*32*7
TC NBR-16*28*7	TC NBR-18*32*7
TC NBR-17*28*7	TC NBR-18*32*7/8
TC NBR-18*28*8	TC NBR-20*32*8
TC NBR-19*28*5	TC NBR-20*32*7
TC NBR-20*28*7	TC NBR-22*32*7
TC NBR-22*28*4	TC NBR-25*32*7
TC NBR-14*30*10	TC NBR-19*33*7
TC NBR-14*30*7	TC NBR-20*34*7
TC NBR-15*30*10	TC NBR-14*35*10
TC NBR-15*30*8	TC NBR-14*35*7
TC NBR-15*30*7	TC NBR-15*35*10
TC NBR-15*30*5	TC NBR-15*35*8
TC NBR-16*30*10	TC NBR-15*35*7
TC NBR-16*30*8	TC NBR-16*35*10
TC NBR-16*30*7	TC NBR-16*35*7
TC NBR-16*30*5	TC NBR-16*35*8
TC NBR-17*30*10	TC NBR-17*35*10
TC NBR-17*30*8	TC NBR-17*35*7
TC NBR-17*30*7	TC NBR-17*35*8
TC NBR-17*30*5	TC NBR-18*35*10
TC NBR-17*30*10	TC NBR-18*35*8
TC NBR-18*30*8	TC NBR-18*35*7
TC NBR-18*30*7	TC NBR-19*35*10
TC NBR-18*30*8*10	TC NBR-19*35*7
TC NBR-19*30*10	TC NBR-19*35*8
TC NBR-19*30*7	TC NBR-20*35*10
TC NBR-20*30*10	TC NBR-20*35*7
TC NBR-20*30*9	TC NBR-20*35*8
TC NBR-20*30*8	TC NBR-22*35*10
TC NBR-20*30*7	TC NBR-22*35*8
TC NBR-20*30*6	TC NBR-22*35*7
TC NBR-20*30*5	TC NBR-22*35*5
TC NBR-22*30*7	TC NBR-23*35*7
TC NBR-22*30*5	TC NBR-24*35*7
TC NBR-18*31*7	TC NBR-25*35*10
TC NBR-12*32*7	TC NBR-25*35*8
TC NBR-12*32*6	TC NBR-25*35*7
TC NBR-15*32*10	TC NBR-25*35*6
TC NBR-15*32*7	TC NBR-24*36*8
TC NBR-15*32*7	TC NBR-20*36*10
TC NBR-17*32*8	TC NBR-20*36*7

20 专注密封件二十年
SKF授权经销商
FOCUS ON SEALS FOR 20 YEARS
SKF AUTHORIZED DEALER

订货方式 Order Method SPGW D*d*h*H (SPGW50*36*8.5*9)
若客户要求尺寸表内没有记录的尺寸, 请另行与我司联系。
If your required size are not listed in the table, please kindly contact us.

SONGZHENG SEAL (GUANGZHOU) CO., LTD.
206, BUILDING 1, NO. 1190, ZHONGSHAN AVENUE, TIANHE DISTRICT, GUANGZHOU CITY, GUANGDONG PROVINCE, CHINA