




HAITOLECH

客户信任是我们最大的动力
**OUR BIGGEST POWER COMES FROM
CUSTOMER TRUST**



QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO.,LTD


青州市现代液压机械有限公司 山东海卓利克机械有限公司

关于我们: ABOUT US

■ 青州市现代液压机械有限公司坐落在历史文化古城—山东省青州市 其前身阳光液压公司自2004年成立, 2011年3月更变为青州市现代液压机械有限公司, 组建了一支专业的液压油缸研发团队。

■ 公司产品广泛用于大中小装载机、挖掘装载机、玉米收割机、轮式挖掘机、伸缩臂装载机、滑移装载机、环保车等设备提供全套液压油缸, 做到了让客户用我们的产品, 享受最大的便利与服务。


■ 目前已与徐工、临工、龙工、威猛、汇众以及全国多家知名装载机厂家成为合作伙伴。



■ Qingzhou Modern Hydraulic Machinery Co., Ltd is located in the historical and cultural ancient city —Qingzhou, Shandong Province Our old factory name is Qingzhou Sunshine Hydraulic Company Co.,Ltd which established in 2004 and we changed the company name to Qingzhou Modern Hydraulic Machinery Co., Ltd Since in March, 2011 .Then we established a professional hydraulic cylinder designing and updating team.

■ Our main products have been widely used in kinds of equipments such as large, medium, and mini loaders, excavator loaders, corn harvesters, wheel excavators, telescopic arm wheel loaders, skid steer loaders, and environmental cleaning vehicles etc . We provide all kinds of hydraulic cylinders to let cutomers enjoy maximum convenience and service on the base of our products.

■ we have become biggest partners with XCMG, SDLG, LonKing, SHANMON, HZM and others famous loader manufacturers from china and overseas market .



合作伙伴

COOPERATIVE PARTNER



相互扶持 团结协作 共创未来

SUPPORT EACH OTHER

UNITE AND COOPERATE TO CREATE A BETTER FUTURE

■ 产品性能介绍: PRODUCT PERFORMANCE OVERVIEW

缸筒采用16锰钢
高密度材料



活塞杆采用45#
锻造一体杆，调制
中频处理

油封采用好莱
特与国内一线品牌
唯万密封

大臂挖斗回转油
缸采用缓冲设置
增加了稳定性

1. The cylinder barrel is constructed from high-density 16-manganese steel material.
2. The piston rod is 45# forged integrated rod, treated with modulated intermediate frequency processing.
3. The oil seal utilizes products from hailite which from England and voneseals Seal, the most famous china brand.
4. The slewing cylinder of the boom excavator incorporates a buffering mechanism, enhanced the whole machine stability.

■ CAD DRAWING



■ 技术参数 TECHNICAL PARAMETER

Name名称	906 series 906系列	908 series 908系列	Telescopic oil cylinder 伸缩油缸	Backhoe 388 series 388系列	JCB series JCB系列	XCMG series 徐工系列	388 JCB boom 388JCB臂
Bomm cylidner 大臂油缸	63/35*660	70/40*717	70/40*717	125/90*1240	125/63*1355	125/63*1364	125/63*1339
Arm cylinder 斗杆油缸	50/30*538	70/40*685	70/40*685	125/63*1006	110/63*1158	125/63*1400	125/63*1148
Excavator bucket oil cylinder 挖斗油缸	50/30*470	70/40*675	70/40*675	90/50*1145	90/60*1145	90/50*1065	
Support oil cylinder 支腿油缸	50/30*482	63/35*430	63/35*430	90/50*815	100/60*1120	90/50*910	
Rotary cylinder 回转油缸	50/30*420	63/35*790	40/25*732	80/45*560	70/40*86	100/60*105	
Lifting cylinder 举升油缸		80/45*600	70/40*990	80/45*1175	90/50*1060	70/45*1063	
Tipping bucket cylinder 翻斗油缸		50/30*661		70/40*1016	70/40*1085	80/45*1236	
Quick hitch cylinder 快换油缸				80/50	70/40*473		
Telescopic Cylinder 伸缩油缸				Ø100	70/40*1550		
Push-pull cylinder 推拉油缸							
Clamping cylinder 夹紧油缸							






QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

HAITOLECH 青州市现代液压机械有限公司 山东海卓利克机械有限公司

■ 挖掘装载机系列油缸

BACKHOE LOADER SERIES OIL CYLINDER



■ 应用车型

APPLICATION MODEL



生产研发液压油缸、支持异型定制、支持标准选型





Manufacture and design all kinds of hydraulic cylinders, we support for customized shapes, and any kinds of standard selection



QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

HAITOLECH 青州市现代液压机械有限公司 山东海卓利克机械有限公司

■ 多功能搅拌灌装载机系列油缸/叉装机系列油缸
**MULTIFUNCTION MIXER TRUCK /TELESCOPIC HANDLER
SERIES HYDRAULIC CYLINDER**



■ 应用车型
APPLICATION MODEL



生产研发液压油缸、支持异型定制、支持标准选型

Manufacture and design all kinds of hydraulic cylinders, we support for customized shapes, and any kinds of standard selection

■ 产品性能介绍: PRODUCT PERFORMANCE OVERVIEW

缸筒采用16锰钢，
焊后滚光加工。



活塞杆采用45#
锻造一体杆，调
制中频处理。

油封采用进口好
莱特与国产唯万
密封。

活塞杆镀铬单面
0.3um以上，中
性盐雾试验120
小时。

1. The cylinder barrel is constructed from high-density 16-manganese steel material. Rolling processing after welding.
2. The piston rod is 45# forged integrated rod, treated with modulated intermediate frequency processing.
3. The oil seal utilizes products from hailite which from England and voneseals Seal, the most famous china brand.
4. Piston rod chrome plated single-sided more than 0.3um , neutral salt spray test for more than 120 hours.

■ CAD DRAWING



■ 技术参数 TECHNICAL PARAMETER

Name名称	1.5CBM mixer truck series 1.5方系列	3CBM mixer truck series 3方系列	4CBM mixer truck series 4方系列	5CBM mixer truck series 5方系列
Bucket door cylinder 开门油缸	40/25*430*270	40/25*552*310	40/25*552*310	40/25*552*310
Lifting bucket cylinder 举升油缸	80/45*960*485	80/45*910*560	80/45*1007*665	63/35*877*320
Tipping bucket cylinder 翻斗油缸	63/35*1800*300	70/40*672*200	63/35*792*320	80/45*845*170
Lifting mixer tank cylinder 升降油缸		70/40*720*280		



QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

HAITOLECH 青州市现代液压机械有限公司 山东海卓利克机械有限公司

■ 轮式挖掘机系列油缸

WHEEL EXCAVATOR SERIES HYDRAULIC CYLINDER



■ 应用车型

APPLICATION MODEL



生产研发液压油缸、支持异型定制、支持标准选型

Manufacture and design all kinds of hydraulic cylinders, we support for customized shapes, and any kinds of standard selection

■ 产品性能介绍:

PRODUCT PERFORMANCE OVERVIEW

缸筒采用16锰钢，
焊后滚光加工。


活塞杆采用45#锻
造一体杆，调制中
频处理。

油封采用进口赫
莱特与国产唯万
密封

活塞杆镀铬单面
0.3um以上，中
性盐雾试验120
小时

1. The cylinder barrel is constructed from high-density 16-manganese steel material.Rolling processing after welding
- 2.The piston rod is 45# forged integrated rod, treated with modulated intermediate frequency processing
- 3.The oil seal utilizes products from hailite which from England and voneseals Seal, the most famous china brand
- 4.Piston rod chrome plated single-sided more than 0.3um , neutral salt spray test for more than 120 hours

■ CAD DRAWING



■ 技术参数

TECHNICAL PARAMETER

Name 名称	40 series 40系列				
Excavator bucket cylinder 挖斗油缸	55/30*562*350				
Moving arm cylinder 动臂油缸	70/45*745*410				
Bucket arm cylinder 斗杆油缸	63/35*675*360				
Bulldozer cylinder 推土油缸	80/45*440*95				
Rotating arm cylinder 转臂油缸	75/35*646*345				




QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

HAITOLECH 青州市现代液压机械有限公司 山东海卓利克机械有限公司

■ 伸缩臂装载机系列油缸/滑移装载机系列油缸

TELESCOPIC BOOM WHEEL LOADER /SKID STEER LOADER SERIES HYDRAULIC CYLINDER



■ 应用车型

APPLICATION MODEL



生产研发液压油缸、支持异型定制、支持标准选型

Manufacture and design all kinds of hydraulic cylinders, we support for customized shapes, and any kinds of standard selection



QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

HAITOLECH 青州市现代液压机械有限公司 山东海卓利克机械有限公司

■ 产品性能介绍: PRODUCT PERFORMANCE OVERVIEW

缸筒采用16锰钢
焊后滚光加工


活塞杆采用45#
锻造一体杆，调
制中频处理。

油封采用进口赫
莱特与国产唯万
密封

活塞杆镀铬单面
0.3um以上，中
性盐雾试验120
小时

1. The cylinder barrel is constructed from high-density 16-manganese steel material. Rolling processing after welding
2. The piston rod is 45# forged integrated rod, treated with modulated intermediate frequency processing
3. The oil seal utilizes products from hailite which from England and voneseals Seal, the most famous china brand
4. Piston rod chrome plated single-sided more than 0.3um , neutral salt spray test for more than 120 hours

■ CAD DRAWING



■ 技术参数 TECHNICAL PARAMETER

Name名称	918 telescopic 918伸缩臂	930S telescopic 930s伸缩臂	Name名称	280 model skid steer loader 280滑移	380 skid steer loader 380滑移
Steering cylinder 转向油缸	63/35*610*313	70/40*549*245	Lifting cylinder 举升油缸	63/35*610*370	50/30*645*440
Lifting cylinder 举升油缸	100/55*1369*802	120/70*1159*740	Tipping bucket cylinder 翻斗油缸	63/35*510*260	63/35*525*260
Bucket cylinder 铲斗油缸	110/63*925*430	120/80*875*360			
Telescopic cylinder 伸缩油缸	70/40*940*490	70/40*1513*905			
Counterbalance cylinder 平衡油缸	63/40*1300*1040	70/45*1150*860			





QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

HAITOLECH 青州市现代液压机械有限公司 山东海卓利克机械有限公司

■ 拖拉机前装装载机油缸

TRACTOR FRONT END BUCKET WHEEL LOADER HYDRAULIC CYLINDER



■ 应用车型

APPLICATION MODEL



生产研发液压油缸、支持异型定制、支持标准选型

Manufacture and design all kinds of hydraulic cylinders, we support for customized shapes, and any kinds of standard selection

■ 产品性能介绍: **PRODUCT PERFORMANCE OVERVIEW**

缸筒采用16锰钢
焊后滚光加工



活塞杆采用45#锻
造一体杆，调制中
频处理

油封采用进
口赫莱特与国产唯
万密封

活塞杆镀铬单
面0.3um以上
中性盐雾试验
120小时

1. The cylinder barrel is constructed from high-density 16-manganese steel material. Rolling processing after welding.
2. The piston rod is 45# forged integrated rod, treated with modulated intermediate frequency processing.
3. The oil seal utilizes products from hailite which from England and voneseals Seal, the most famous china brand.
4. Piston rod chrome plated single-sided more than 0.3um , neutral salt spray test for more than 120 hours.

■ **CAD DRAWING**



■ 技术参数 **TECHNICAL PARAMETER**

Name名称	FQ30	FQ40	FQ60	FQ80	FQ100
Lifting arm cylinder 动臂油缸	50/30*750*525	63/35*750*525	63/35*760*510	63/35*902*671	80/45*950*680
Tipping bucket cylinder 翻斗油缸	50/30*790*485	50/30*950*490	63/35*1180*420	63/35*1150*585	63/35*1300*570




QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

HAITOLECH 青州市现代液压机械有限公司 山东海卓利克机械有限公司

■ 徐工、临工、山工装载机油缸

XCMG SDLG SEM SERIES WHEEL LOADER HYDRAULIC CYLINDER



■ 应用车型

APPLICATION MODEL



生产研发液压油缸、支持异型定制、支持标准选型

Manufacture and design all kinds of hydraulic cylinders, we support for customized shapes, and any kinds of standard selection



青州市现代液压机械有限公司

山东海卓利克机械有限公司


缸筒采用16锰钢
焊后滚光加工

活塞杆采用45#
锻造一体杆，调制
中频处理

油封采用进口赫莱特与国产唯万密封

活塞杆镀铬
单面0.3um以上,
中性盐雾试验120
小时

1. The cylinder barrel is constructed from high-density 16-manganese steel material. Rolling processing after welding.
2. The piston rod is 45# forged integrated rod, treated with modulated intermediate frequency processing. .
3. The oil seal utilizes products from hailite which from England and voneseals Seal, the most famous china brand.
4. Piston rod chrome plated single-sided more than 0.3um , neutral salt spray test for more than 120 hours.



■ 技术参数

Name名称	SDLG 936 wheel loader 临工936油缸	SEM 3 ton wheel loader 山工30油缸	LOVOL SDLG 953 wheel loader 福田、临工953油缸
Steering cylinder 转向油缸	80/45*594*327	80/45*604*294	90/50*605*352
Lifting cylinder 举升油缸	125/70*1240*770	110/63*1220*780	160/90*1310*811
Bucket cylinder 翻斗油缸	140/80*1028*507	160/90*930*499	180/90*1026*541

■ Iphone: 17616783567 Sun

■Web: <https://haizhuolike.en.alibaba.com>

■地址：山东省潍坊青州市黄楼街道东阳河村

■ 网址: <https://haizhuolike.en.alibaba.com>

■电话: 17616783567 孙

■ 邮箱: china-loader@vip.163.com






QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

HAITOLECH 青州市现代液压机械有限公司 山东海卓利克机械有限公司

■ 玉米收割机、打药机、环卫车、附具系列油缸

**CORN HARVESTER, PESTICIDE APPLICATOR, SANITATION
VEHICLE, IMPEMNTS SERIES HYDRAULIC CYLINDER**



■ 应用车型

APPLICATION MODEL



生产研发液压油缸、支持异型定制、支持标准选型

Manufacture and design all kinds of hydraulic cylinders, we support
for customized shapes, and any kinds of standard selection

■ 产品性能介绍： PRODUCT PERFORMANCE OVERVIEW

缸筒采用16锰钢，
焊后滚光加工



活塞杆采用45#
锻造一体杆，调制
中频处理

油封采用进
口赫莱特与国产唯
万密封

活塞杆镀铬
单面0.3um以上，
中性盐雾试验
120小时

1. The cylinder barrel is constructed from high-density 16-manganese steel material.Rolling processing after welding.
- 2.The piston rod is 45# forged integrated rod, treated with modulated intermediate frequency processing.
- 3.The oil seal utilizes products from hailite which from England and voneseals Seal, the most famous china brand.
- 4.Piston rod chrome plated single-sided more than 0.3um , neutral salt spray test for more than 120 hours.

■ CAD DRAWING




■ 技术参数

TECHNICAL PARAMETER

Name 名称	玉米收割机玉米	Name 名称	打药机油缸	Name 名称	sanitation vehicle cylinder 环卫车油缸	附具系列油缸
Cutting table cylinder 割台油缸	56/50*370*140	Arm extension cylinder 展臂油缸	63/40*678*400	Lifting cylinder 提升油缸	63/40*726*400	Design 定制
Unloading grain cylinder 卸粮油缸	63/45*830*580	Supporting cylinder 支撑油缸	63/40*879*600	Shovel cylinder 推铲油缸	100/40*800*2000	
Steering cylinder 转向油缸	40/25*365*160	Steering double head cylinder 转向双头油缸	63/40*398*250	Scraper cylinder 刮板油缸	63/40*700*390	
Using cylinder 用油缸	56/50*340*120	Climbing stairs cylinder 爬梯油缸	50/30*387*150			
CVT gear shift cylinder 无极变速油缸	40/22*418*67	Tire Shrinking Cylinder 轮胎收缩油缸	63/40*670*400			

为客户定制生产原厂油缸零部件， 您的需要就是我们生产的方向


Customize and produce original cylinder parts for customers,
Your needs are our production direction





QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

HAITOLECH 青州市现代液压机械有限公司 山东海卓利克机械有限公司



为客户定制全套油缸零部件，缸筒，活塞杆，缸底，球头，叉头，活塞，导向套，密封件，关节轴承，钢套，油口，只要您需要，我们会提供最便捷的服务

Customize a complete set of cylinder parts, cylinder barrel, piston rod, cylinder bottom, ball head for customers, Fork head, piston, guide sleeve, seal, joint bearing, steel sleeve, oil port, as long as You need, we will provide the most convenient service

现代智能科技 引领前进方向

MODERN INTELLIGENT TECHNOLOGY LEADING THE WAY FORWARD



业务洽谈
BUSINESS NEGOTIATION



外贸主管
FOREIGN TRADE DIRECTOR

QINGZHOU MODERN HYDRAULIC MACHINERY CO., LTD
SHANDONG HYDRAULIC MACHINERY CO., LTD

青州市现代液压机械有限公司

■ Address :Dongyanghe Village, Huanglou Street, Qingzhou City,
Weifang, Shandong Province
■ Iphone: 17616783567 Sun
■ Email: chinaloader@vip.163.com
■ Web: <https://haizhuolike.en.alibaba.com>

山东海卓利克机械有限公司

■ 地址：山东省潍坊青州市黄楼街道东阳河村
■ 电话：17616783567 孙
■ 邮箱：chinaloader@vip.163.com
■ 网址：<https://haizhuolike.en.alibaba.com>