JCR®
RXGET

Add：Zezhou County,Shanxi Province,China（山西 晋城）
Tel：0356-2080102　13503563882　13663662159
Fax：0356-2080102
Web：www.jcrxjx.com
E-mail：info@jcrxjx.com

JCR®
RXGET



Quality G.E.T Manufacturer from China

晋城市锐锡铸造有限公司
JINCHENG CITY RUIXI CASTING CO.,LTD

晋城市锐锡机械制造有限公司
JINCHENG RUIXI MACHINERY MANUFACTURING CO.,LTD



Company Profile

Jincheng City Ruixi Casting Co., Ltd was founded in 1993 , located in Jincheng, which is one of the most famous cities of Casting products in China . Our company covers an area of 32,000 square meters and has around 300 staff members. The annual output of the precision casting steel is 8000 tons. We use silica sol investment casting, shell molding casting, clay sand static pressure production line to produce a wide range of castings, supply bucket teeth, adapter, and high strength wear resistant steel castings for different machines like Excavator ,Loader, Bulldozer,Grader,Rotary drilling rig, Diaphragm-wall grab and so on.

Our company has always adhered to the corporate principles of "Development by quality, and market expansion by reputation", constantly improving product quality and enhancing competitiveness. At present, the company has 18 provincial-level agents and more than 80 point-to-point suppliers across the country. Its products are exported to more than 30 countries and regions such as Southeast Asia, Europe, America and the Middle East. The market channels are stable and our company has maintained close cooperation with customers for a long time.

Our new factory Jincheng Ruixi Machinery Manufacturing Co., Ltd. was established in 2017,have equipped with an intelligent die forging production line, using industry-leading electric screw press and multi-directional die forging equipment to produce High strength , wear resistance forging parts such as bucket teeth for construction and mining machinery.

The planning and construction of the new plant is aimed at the information-based smart factory, which embodies the integration of engineering, information and intelligence in terms of overall planning, architectural design, engineering design, process design and equipment layout.

Ruixi welcome every customer to come for a visit and negotiation and for setting up the win-win cooperation with our company.

公司简介









晋城市锐锡铸造有限公司，成立于1993年，是一家专业铸造企业。公司采用硅溶胶熔模精铸、壳型精铸、粘土砂静压生产线生产各类铸件，主导产品为各种型号的挖掘机、装载机齿尖、齿座、及高强度耐磨铸钢件。

公司始终坚持“以质量求发展，以信誉拓市场”的企业宗旨，不断提高产品质量，增强竞争力。目前公司在全国拥有18家省级代理商，80多个点对点供应商，产品远销东南亚、欧美及中东等30多个国家和地区，市场渠道稳定，并长期与客户保持密切的合作关系。

2017年新成立的晋城市锐锡机械制造有限公司，项目布置智能锻造生产线、采用行业前沿的电动螺旋压力机和多向模锻等设备，主要产品为挖掘机斗齿等工程机械高强耐磨锻压零部件。

新厂区规划建设以信息化智慧工厂为目标，在总体规划、建筑设计、公用工程设计、工艺设计、装备布局方面体现出工业化、信息化和智能化“三化”融合的思想。

“锐器精心，锡心铸魂”。锐锡欢迎海内外新老客户莅临公司指导参观、交流合作，携手共创美好明天。



Ruixi Casting adopts three production technologies: silica sol investment casting, shell coated sand casting and forging, As well as combines modern production technologies such as computer three-dimensional design, computer-aided processing, physical and chemical testing and also professional heat treatment. The matching accuracy of the products, alongside the hardness and durability of the castings have reached the advanced level in the industry. Our company has a complete process, professional technicians and production equipment, and products can be customized according to the three-dimensional drawings or samples provided by customers.

工艺流程



锐锡斗齿采用硅溶胶熔模铸造、覆膜砂壳型、智能锻造三种生产工艺，并结合电脑三维设计模拟，计算机辅助加工，理化检测试验，专业热处理等现代化生产技术，不断分析改进，目前产品配合精度，机械性能等均达到行业先进水平。公司拥有完善的工艺流程，专业的技术人员与生产设备，另可根据客户提供的三维图纸或样品定制加工。



Quality creates the future

By perfect production and testing equipment, quality guarantee system, advanced detection measurement and long term technology innovation , the products quality can be guaranteed. And it ensures the bright future for both of our customers and us.

品质创造未来

在全球化的经济时代， 为使企业永续经营， 我们更加追求产品品质的提高， 公司拥有完善的生产、 检验设备， 对每一道工艺流程都制定了严格的检测要求， 以保证产品的品质 。 并持续发展多样化新产品， 使锐锡与客户共同创造美好的未来。





A1



A2

When ordering the G.E.T parts you require, it is important to have either the part number, or as much of the following information as possible about the machine and the part in demand.

The Model information is on the side of machine , like Cat 323 D, (Pictured A1). The ID Tag is often found at outside of the driving cab or near the boom(Pictured A2).You can find machine maker,weight, bucket size,production date on it.

You can also analyze the shape and assembly as following when ordering G.E.T :

1) Bolt-on (the tooth bolt-on the blade, pictured B)

2) Pin-on (the tooth pin on the adapter,pictured C). Generally, there are two styles , top pin(C1) and side pin(C2).Top Pin, include ESCO Conical, Hensley Parabolic.

And the side pin include two styles, two pc. Steel Pin&Retainer likeCat, Sany(C1-1), 1 PC. Steel pin with steel snap ring at center, like Komatsu(C1-2).

What are the demensions of the tooth "pocket"?(D) The tooth pocket is the hollow space of the tooth where the adapter is inserted then pinned. Much like a puzzle, the two must fit togerther to work properly. Important measurements of the pocket are as such: Inside Horizontal Width, Inside Vertical Height and Inside Depth.


All the above informations are helpful for you to choose the right bucket teeth.

订购斗齿的时候 ,要知道零件号（C1-2）或者更多关于机型和配件的信息。型号信息印在设备的两侧，如卡特 CAT、SANY（A1），铭牌钉在驾驶室外内侧或动臂附近 (A2) : 这个标签上有制造商、重量、斗容、生产日期等信息。


订购斗齿除要清楚零件号机型外，从形状和装配方式上也可以从下面步骤分析：齿连座 (B)(齿与斗板螺丝连接)；分体式 (C); 齿尖由销子和齿座连接，齿座焊接在斗扳上，这款比较普通。分体式有横销装 (C1) 和竖销装 (C2)，横销分边卡簧 C1-1 和中卡簧 C1-2 一般连接采用的有边卡簧销，比如卡特、三一等，小松系列采用中卡簧销，竖销有艾斯科、亨斯利等。

齿腔尺寸是多少？所谓齿腔就是齿尖上供齿座插入固定的空心部分。两部分必须匹配才能正常工作。齿腔重要的尺寸 (D) 内部宽度 a、内部高度 b、内部深度 c


以上简单的常识有助于您正确采购和使用斗齿。



B



C




D




Certificate: ISO9001:2008

Short/ 短齿



MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J200	1U3201	1.2	133	51	40.8	47.4	8E6208	8E6209	8J7525
J250	1U3251	2.6	162	65	56.1	69.2	8E6258	8E6259	6Y3254
J300	1U3301	3.6	189	76	65.6	78.4	9J2308	8E6259	3G6304
J350	1U3351	5.3	203	80.3	74.9	87.3	8E6358	8E6359	3G8354
J460	9W8451	10	267	124	98.2	103	8E0468	8E8469	6I6464
J550	1U3551	18	288	141	119	117	6Y8558	8E5559	6I6554

Long/ 长齿




MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J200	1U3202	1.2	145	50.4	40.8	47.4	8E6208	8E6209	8J7525
J225	1U3222	1.8	169	56.2	48.2	59.3	6Y3228	8E6259	6Y3224
J250	1U3252	3	199	61.5	56.1	69.2	8E6258	8E6259	6Y3254
J300	1U3302	4.2	215	74	65.6	78.4	9J2308	8E6259	3G6304
J350	1U3352	6.1	240	87	74.9	87.3	8E6358	8E6359	3G8354
J400	7T3402	9	263	93	86.6	95.6	7T3408	8E8409	6I6404
J460	9W8452	11	293	111	98.2	103	8E0468	8E8469	6I6464
J550	1U3552	19.2	335	143	119	117	6Y8558	8E5559	6I6554
J600	6I6602	33	410	150	141	134	6I6608	6I6609	6I6604
J700	4T4702	40.5	426	172	150	150	4T4708	4T4707	4T4704

RXGET

All manufacturer's names ,numbers,symbols&descriptions are used for reference purpose only.


CAT Style /卡特系列

Heavy Duty Long / 加重长齿




MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J250	9N4252	4	200	60.3	56.1	69.2	8E6258	8E6259	6Y3254
J300	9N4302	6	220	69.9	65.6	78.4	9J2308	8E6259	3G6304
J350	9N4352	8.5	256	79.5	74.9	87.3	8E6358	8E6359	3G8354
J400	8E4402	12	283	102	86.6	95.6	7T3408	8E8409	6I6404
J460	9N4452	16.4	316	118	98.2	103	8E0468	8E8469	6I6464
J550	9N4552	27	140	191	119	117	6Y8558	8E5559	6I6554
J600	7Y0602	43	406	165	141	134	6I6608	6I6609	6I6604

Abrasion / 耐磨齿



MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J200	4T2203	1.6	146	60	40.8	47.4	8E6208	8E6209	8J7525
J250	9J4253	4	191	76.2	56.1	69.2	8E6258	8E6259	6Y3254
J300	4T2303	6.5	219	102	65.6	78.4	9J2308	8E6259	3G6304
J350	4T2353	8	230	110	74.9	87.3	8E6358	8E6359	3G8354
J460	9W1453	15.5	295	137	98.2	103	8E0468	8E8469	6I6464
J550	9W1553	23.5	345	191	119	117	6Y8558	8E5559	6I6554
J600	6I6603	55	413	229	141	134	6I6608	6I6609	6I6604
J700	4T4703	51	418	150	150	150	4T4708	4T4707	4T4704

Heavy Duty Abrasion / 加重耐磨齿




MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J250	9N4253	5.9	189	77.8	56.1	69.2	8E6258	8E6259	6Y3254
J300	9N4303	6.5	225	108	65.6	78.4	9J2308	8E6259	3G6304
J350	9N4353	11	264	123	74.9	87.3	8E6358	8E6359	3G8354
J460	9N4453	22.5	313	165	98.2	103	8E0468	8E8469	6I6464
J550	6Y2553	33	145	188	119	117	6Y8558	8E5559	6I6554

RXGET


All manufacturer's names ,numbers,symbols&descriptions are used for reference purpose only.

Penetration / 渗透齿




MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J250	9J4259	2.6	192	31.8	56.1	69.2	8E6258	8E6259	6Y3254
J300	9J4309	3.6	219	37.2	65.6	78.4	9J2308	8E6259	3G6304
J350	9J4359	5.7	245	47.6	74.9	87.3	8E6358	8E6359	3G8354
J460	9W8459	11.6	294	54	98.2	103	8E0468	8E8469	6I6464
J550	9W8559	14.9	337	65.1	119	117	6Y8558	8E5559	6I6554
J700	4T4709	39.5	419	77	150	150	4T4708	4T4707	4T4704

SYL/ 平渗透齿



MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J250	1U3252SYL	3.3	191	65	56.1	69.2	8E6258	8E6259	6Y3254
J300	1U3302SYL	4.3	229	93.7	65.6	78.4	9J2308	8E6259	3G6304
J350	1U3352SYL	7.5	252	79.2	74.9	87.3	8E6358	8E6359	3G8354
J400	7T3402SYL	13	305	121	86.6	95.6	7T3408	8E8409	6I6404
J460	9W8452SYL	13.8	334	128	98.2	103	8E0468	8E8469	6I6464
J550	1U3552SYL	23.1	365	156	119	117	6Y8558	8E5559	6I6554

Rock Chisel / 岩石齿




MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J200	1U3202RC	1.4	160	45.7	41.1	49.1	8E6208	8E6209	8J7525
J225	6Y3222RC	2.2	190	50.2	49.1	57.8	6Y3228	8E6259	6Y3224
J250	1U3252RC	3	212	58.3	56.1	69.2	8E6258	8E6259	6Y3254
J300	1U3302RC	4.6	220	69.6	65.6	78.4	9J2308	8E6259	3G6304
J350	1U3352RC	7.5	253	83.1	74.9	87.3	8E6358	8E6359	3G8354
J400	7T3402RC	10.4	310	98.5	86.6	95.6	7T3408	8E8409	6I6404
J460	9W8452RC	13.4	334	104	98.2	103	8E0468	8E8469	6I6464
J550	1U3552RC	20.6	387	131	119	117	6Y8558	8E5559	6I6554
J600	6I6602RC	37.4	457	165	141	134	6I6608	6I6609	6I6604
J700	4T4702RC	48.7	517.7	167.3	150	150	4T4708	4T4707	222-7700
J800	6I8803RC	63.5	569.1	176.8	171.2	167.3	1341808	1341809	6I8804

RXGET

All manufacturer's names ,numbers,symbols&descriptions are used for reference purpose only.


CAT Style /卡特系列

Tiger Long / 长虎齿




MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J200	1U3202TL	1.2	155.8	--	41.1	49.1	8E6208	8E6209	8J7525
J225	1U3222TL	2.1	200	--	49	59	6Y3228	8E6259	6Y3224
J250	1U3252TL	2.5	215	--	55.4	68.2	8E6258	8E6259	6Y3254
J300	1U3302TL	4	241	--	65.6	78.4	9J2308	8E6259	3G6304
J350	1U3352TL	6.2	286	--	74.9	87.3	8E6358	8E6359	3G8354
J400	7T3402TL	8.1	325	--	86.6	95.6	7T3408	8E8409	6I6404
J460	9W8452TL	15.2	370	--	98.2	103	8E0468	8E8469	6I6464
J550	1U3552TL	16.4	416	--	119	117	6Y8558	8E5559	6I6554
J600	6I6602TL	33.9	457	--	141	134	6I6608	6I6609	6I6604

Twin Tiger / 双虎齿



MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J300	1U3302WTL	4.85	241	--	65.6	78.4	9J2308	8E6259	3G6304
J350	1U3352WTL	6.85	286	--	74.9	87.3	8E6358	8E6359	3G8354
J400	7T3402WTL	10.8	318	--	86.6	95.6	7T3408	8E8409	6I6404
J460	9W8452WTL	15	357	--	98.2	103	8E0468	8E8469	6I6464
J550	1U3552WTL	17.4	381	--	119	117	6Y8558	8E5559	6I6554
J600	6I6602WTL	38	475	--	141	134	6I6608	6I6609	6I6604

Flare / 宽齿




MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J250	3G8250	3.85	197	116	56.1	69.2	8E6258	8E6259	6Y3254
J300	4T1300	5.2	216	152	65.6	78.4	9J2308	8E6259	3G6304
J350	8J3350	7.6	241	178	74.9	87.3	8E6358	8E6359	3G8354
J400	7T3402F	11.3	262	210	86.6	95.6	7T3408	8E8409	6I6404
J460	8J1450	15.7	286	229	98.2	103	8E0468	8E8469	6I6464
J550	7J9550	26.6	330	279	119	117	6Y8558	8E5559	6I6554

RXGET

All manufacturer's names ,numbers,symbols&descriptions are used for reference purpose only.

PT / 加重渗透齿





MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J300	1U3302PT	7.3	263	51	65.6	78.4	9J2308	8E6259	3G6304
J350	1U3352PT	10.5	286	44	74.9	87.3	8E6358	8E6359	3G8354
J460	9W8452PT	21.2	332	52.2	98.2	103	8E0468	8E8469	6I6464
J550	9W8552PT	29.2	383	65.9	119	117	6Y8558	8E5559	6I6554
J600	6I6602PT	49.7	449.7	99.6	141	134	6I6608	6I6609	6I6604


Heavy Duty Penetration/加重耐磨渗透齿



MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER	E/W
			A	B	C	D			
J300	135-9300	8.3	259	27	65.6	78.4	9J2308	8E6259	3G6304
J550	1386552	32	385.3	35	119	109	6Y8558	8E5559	6I6554
J600	135-9600	52.2	443.6	47	141	134	6I6608	6I6609	6I6604
J600	135-9600RHX	59	448.8	54.7	141	134	6I6608	6I6609	6I6604

Ripper Teeth / 松土器齿





MODEL	PART#	KG	Dimension(mm)				PIN	RETAINER
			A	B	C	D		
D4	6Y0309	5.4	287	46	60.1	81.2	9W2668	1U2405
D5/D6/D7	6Y0359	11	359	51.1	78.2	112	8E6358	1U2405
D8/D9	9W2451	15	330	76.4	86	125	6Y3394	8E4743
D8/D9	9W2452	17.2	383	78.8	88.1	126	6Y3394	8E4743
D8/D9	4T5452	17.5	391.6	50	88.1	126	6Y3394	8E4743
D9L/D10/D11	4T5501	25	388	74.6	104	167	6Y3909	4T4707
D9L/D10/D11	4T5502	29.5	440	76.8	104	167	6Y3909	4T4707
D9L/D10/D11	4T5502HD	33	475	73.8	104	167	6Y3909	4T4707
D9L/D10/D11	4T5502TL	25.2	46	28.1	104	167	6Y3909	4T4707
D9L/D10/D11	4T5503	36	483	74.1	108	172	6Y3909	4T4707
D11	9W4551	46.5	444.3	76.8	113	204	3G0500	--
D11	6Y3552	49.5	545	66.3	120	233	3G0500	--
D11	6Y3552TL	44	575.4	14	115	220	3G0500	--

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.

CAT Style /卡特系列

Loader Teeth / 装载机齿



MODEL	PART#	KG	Blade Size(mm)	BOLT	NUT
950	8E1637	17.2	34.5	1J3527/8J2928	8J2933
966	1U1887	20.5	33	5P8823	5P8362
966	1U1567	23.7	40	5P8361	5P8362

Backhoe Loader Teeth / 两头忙齿



MODEL	PART#	KG	Blade Size(mm)	BOLT	NUT
424/426/428	277-8664	5.5	22	--	--
	6Y6335	3	22	--	--
	277-8665	5.5	22	--	--

Penetration Tip渗透齿



MODEL	PART#	KG	Dimension(mm)				PIN	Shank
			A	B	C	D		
307	208-5235	1.5	153.5	65.7	66.6	60.6	2011238	2011239

Grader Teeth / 平地机齿



MODEL	PART#	KG	Dimension(mm)				BOLT	NUT
			A	B	C	D		
112/130/140	2D5572/6Y5230	1.2	186	42.3	--	--	5K1458	5K1459

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.

Shank / 齿杆



MODEL	PART#	KG	Dimension(mm)				TIP	PIN	RETAINER
			A	B	C	D			
112/130/140	9F5124	5.2	422	75.6	24	--	2D5572/6Y5230	--	--
D4/D5	9J6586	25.2	532	141	55	--	6Y0309	136-8308	114-0359
D6	9J3139	48.3	731	173	74	--	6Y0359	8E6358	1U2405

Weld-On Adapter / 挖掘机齿座



MODEL	PART#	KG	Blade Size(mm)	PIN	RETAINER
J200	119-3204	1.8	13-25	8E6208	8E6209
J225	6Y3224	2.5	25	6Y3228	8E6259
J250	6Y3254	3.9	25	8E6258	8E6259
J300	3G6304	7.5	30	9J2308	8E6259
J350	3G8354	9.8	40	8E6358	8E6359
J400	6I6404	13.2	45/50	7T3408	8E8409
J460	6I6464	20	50/55/60	8E0468	8E8469
J550	6I6554	34	60	6Y8558	8E5559
J600	6I6604	52	70/75/80	6I6608	6I6609
J600	119-8604	72.5	70	6I6608	6I6609
J700	222-7700	89	90	4T4708	4T4707

Left / Right weld-on adapter/挖掘机边齿座



MODEL	PART#	KG	Blade Size(mm)	PIN	RETAINER
J350	3G8355	9.5	40	8E6358	8E6359
	3G8356	9.5	40	8E6358	8E6359
J460	8E6465	17.5	50	8E0468	8E8469
	8E6466	17.5	50	8E0468	8E8469
J600	119-8605	73	70	6I6608	6I6609
	119-8606	73	70	6I6608	6I6609

CAT Style / 卡特系列

Flushmount Adapter / 装载机齿座



MODEL	PART#	KG	Blade Size(mm)	PIN	RETAINER
J200	4T1204	2.1	--	8E6208	8E6209
J250	1U1254	5.5	--	8E6258	8E6259
J300	1U1304	8	--	9J2308	8E6259
J350	1U1354	13.6	--	8E6358	8E6359
J460	8E0464	17	--	8E0468	8E8469
J550	3G4554	34	--	6Y8558	8E5559

Bolt on Fork Adapter / 装载机齿座



MODEL	PART#	KG	Blade Size(mm)	BOLT	NUT
J300	1U1878	24.2	30	6V6535	5P8362
	1U1879	24.2	30	6V6535	5P8362
J350	1U1888	38	38	6V8360	5P8362
	1U1889	38	38	6V8360	5P8362

Bottom Strap Adapter / 装载机齿座



MODEL	PART#	KG	Blade Size(mm)	PIN	RETAINER
J200	8J7525	1.2	13-25	8E6208	8E6209
J250	3G0169	4.2	19-32	8E6258	8E6259
J300	9J8929	6.82	25-30	9J2308	8E6259
J350	1U1350(Center)	9.5	32-45	8E6358	8E6359
	1U1351(RH)	10.2	32-45	8E6358	8E6359
	1U1352(LH)	10.2	32-45	8E6358	8E6359

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.
All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.

Bolt-on conner Adapter/装载机齿座



MODEL	PART#	KG	Blade Size(mm)	BOLT	NUT
J200	1U2208	4.1	20	5G2807	5G2806
	1U2209	4.1	20	5G2807	5G2806
J250	3G4258	10.2	25	4V1544	4V1545
	3G4259	10.2	25	4V1544	4V1545
J300	3G8308	15.8	38	5V2772	5V2773
	3G8309	15.8	38	5V2772	5V2773
J350	3G5358	23.6	38	4V7175	4V7174
	3G5359	23.6	38	4V7175	4V7174

Bolt-on 2 holes conner Adapter/装载机齿座



MODEL	PART#	KG	Blade Size(mm)	BOLT	NUT
J250	6I9250	14.5	25	6I8319	618311
	6I9251	14.5	25	6I8319	618311
J300	8E5308	17.5	32	8E5302	8E5303
	8E5309	17.5	32	8E5302	8E5303
J350	8E5358	26.5	35	8E5320	8E5321
	8E5359	26.5	35	8E5320	8E5321

2 Holes Bolt conner Adapter/装载机齿座




MODEL	PART#	KG	Blade Size(mm)	BOLT	NUT
J200	9J4207	3	20	5J4771	2J3506
J250	1U0257	8	25	8J2928	8J2933
J300	1U0307	11.2	25	8J2928	8J2933
J350	3G3357	16.7	38	5P8361	5P8361
J450	6I9898	27.5	45	5P8361	5P8361

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.

CAT Style / 卡特系列



3 Holes Bolt conner Adapter/装载机齿座



MODEL	PART#	KG	Blade Size(mm)	BOLT	NUT
J300	3G5307	13.5	38	8J2928	8J2933
J450	8E2467	25.5	45	5P8361	5P8361

Ripper Adapter/松土器齿座



MODEL	PART#	KG	Blade Size(mm)	PIN	RETAINER
D9 D10	1U3630	39.4	--	6Y3909	4T4707
D9 D10	1U3630	55	--	6Y3909	4T4707
D8 D9	4T8315	65.1	--	6Y3394	8E4743
D11	R550STDHD	89.5	--	3G0500	--

Ripper Protector/ 松土器保护器



MODEL	PART#	KG	Blade Size	PIN
D8 D9	6J8814	14.3	75	6Y3394
D9 D10	9W8365	42	90	6Y3909
D9 D10	1U3644	39.5	90	3G0500

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.



Bucket Protector/挖斗保护器



PART#	KG	Blade Size	PIN	RETAINER
1U0740	23.6	54	133-0738	107-8559
112-2489-35	16.5	35	112-2490	132-0999
112-2489-40	15.2	40	112-2490	132-0999

Side Cutter/边刀




MODEL	PART#	KG	DESCRIPTION	BOLT	NUT
307	7Y0738	3.8	CAT-Side Cutter	6V3531	8T4131
	7Y0739	3.8	CAT-Side Cutter	6V3531	8T4131
312	7Y0203	7	CAT-Side Cutter	6V3531	8T4131
	7Y0204	7	CAT-Side Cutter	6V3531	8T4131
320	0964747	11	CAT-Side Cutter	8T0664	7X0851
	0964748	11	CAT-Side Cutter	8T0664	7X0851
330	7Y0357	21.5	CAT-Side Cutter	1D4635	2J3507
	7Y0358	21.5	CAT-Side Cutter	1D4635	2J3507
	2322147	25.7	CAT-Side Cutter	1D4635	2J3507
	2322148	25.7	CAT-Side Cutter	1D4635	2J3507

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.


Standard/标准齿





MODEL	PART#	KG	Dimension(mm)				PIN	E/W
			A	B	C	D		
PC60	201-70-24140	1.6	160	50.3	50.6	52.8	20X-70-00100	PC60B
PC100	20X-70-14160	2.1	180	60.2	55.5	56.2	203-70-74281	20X-70-14151
PC120	202-70-12130	3.8	201.5	75.2	76.9	65.9	09244-02489	202-70-12140
PC200	205-70-19570	4	217.3	58.2	74.9	79.9	09244-02496	205-939-7120
PC300	207-70-14151	6.2	259.8	90	94.8	88.9	19244-02516	207-939-5120
PC400	208-70-14270	11	311.7	118.7	113	97.9	09244-03036	208-929-3120
PC650	209-70-54210	31	--	--	--	--	209-70-54240	209-70-74140
PC1250	21N-72-14290	42.5	443	157.3	122.5	184	21N-72-14330	21N-70-14140


Rock Chisel/岩石齿





MODEL	PART#	KG	Dimension(mm)				PIN	E/W
			A	B	C	D		
PC60	201-70-24140RC	1.8	173	52.3	50.6	52.8	20X-70-00100	PC60B
PC100	20X-70-14160RC	2.4	181	64.4	56.9	58	203-70-74281	20X-70-14151
PC120	202-70-12130RC	4.8	225	66.7	76.9	65.9	09244-02489	202-70-12140
PC200	205-70-19570RC	5.2	253.2	69.3	74.9	79.9	09244-02496	205-939-7120
PC300	207-70-14151RC	8.2	284	81.4	94.8	88.9	19244-02516	207-939-5120
PC400	208-70-14270RC	12.5	324.5	95.2	96.5	108.1	09244-03036	208-929-3120
PC650	209-70-54210RC	32	429.8	140.1	135.2	141	209-70-54240	209-70-74140

Tiger Long/长虎齿





MODEL	PART#	KG	Dimension(mm)				PIN	E/W
			A	B	C	D		
PC60	PC60TL	1.7	190	10.7	50.6	52.8	20X-70-00100	PC60B
PC100	PC100TL	2.2	210	10.6	55.5	56.2	203-70-74281	20X-70-14151
PC200	PC200TL	5	305	6.2	74.9	79.9	09244-02496	205-939-7120
PC300	14151TL	8.6	343	10.6	94.8	88.9	19244-02516	207-939-5120
PC400	PC400TL	12	345	15	96.5	108.1	09244-03036	208-929-3120

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.


Komatsu Style /小松系列

Adapter/齿座



MODEL	PART#	KG	Blade Size(mm)	PIN
PC60	PC60-B	2.1	20	20X-70-00100
PC100	20X-70-14151	2.8	25	203-70-74281
PC120	202-70-12140	6.7	25	09244-02489
PC200	205-939-7120	8	30/35/40	09244-02496
PC300	207-939-5120	13.2	40/45/50/55	19244-02516
PC400	208-929-3120	22	50/55/60	09244-03036
PC650	209-70-54142	49	80/85	209-70-54240

Ripper Teeth/松土器齿





MODEL	PART#	KG	Dimension(mm)				PIN	Shank
			A	B	C	D		
GD555-GD755	234-785-1121	5.2	284.1	56	46	79.4	113-78-21170	232-785-1291
D65	141-78-11253	12	289.7	102	78.2	110.1	09244-02508	141-78-11241
D85	175-78-31230	16	341	74.4	85	133.7	09244-02508	
D85	175-78-31230RC	14.8	350	68.1	83.9	133.6	09244-02508	175-78-21613
D85	175-78-31230TL	14.8	390.5	16.6	83.9	133.6	09244-02508	175-78-21614
D155	175-78-31232	16.2	341	67.3	85	133.7	09244-02508	
D275/D355	195-78-21333	19	375	74.1	84.1	155.2	09244-02508	195-79-31140
D375	195-78-71320	25.2	422.1	91.3	87	159.7	09244-02508	195-79-51151
D475	198-78-21340	34.5	459.9	74.9	106.5	194.5	09244-03036	198-78-21340

Ripper Protector/松土器保护器



MODEL	PART#	KG	Blade Size	PIN
D85/D135/D150/D155/D275/D355/D455	195-78-21320	15.1	75	09244-02508

Wheel Loader Teeth/ 装载机齿



MODEL	PART#	KG	Blade Size (mm)
WA300/WA320	419-847-1111	10.3	25
	419-847-1121	10	25
	419-847-1131	10	25
WA380/420	423-70-13114	17.9	35
	423-70-13154	24.3	35
	423-70-13144	24.3	35
WA500	426-847-1110	12.4	--
PC20	10E-70-22211	2	16
PC40	20T-70-13130	2.4	20

Backhoe Loader Teeth/ 两头忙齿



MODEL	PART#	KG	Blade Size(mm)
WB93	42N-833-1390	3.9	20
	42N-812-1230	6.5	20
	42N-812-1220	6.5	20

Side Cutter/ 边刀




MODEL	PART#	KG	DESCRIPTION
PC60	201-70-74171L.H	12	KOM-Side Cutter-PC60
	201-70-74181R.H	12	KOM-Side Cutter-PC60
PC100	202-70-63161L.H	12.2	KOM-Side Cutter-PC100
	202-70-63171R.H	12.2	KOM-Side Cutter-PC100
PC200	205-70-74180L.H	15	KOM-Side Cutter-PC200
	205-70-74190R.H	15	KOM-Side Cutter-PC200
PC300	207-70-34160L.H	15.7	KOM-Side Cutter-PC300
	207-70-34170R.H	15.7	KOM-Side Cutter-PC300
PC400	208-70-34160L.H	22.7	KOM-Side Cutter-PC400
	208-70-34170R.H	22.7	KOM-Side Cutter-PC400

RXGET
RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.
All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.

Double Flange






MODEL	PART#	Description	KG	Dimension(mm)					Bolt	Nut
				A	B	C	D	φ		
3CX	53103208	Double Flange	4.9	87.5	57	44.5	21	20.5	5J4771	2J3506
	53103209	Double Flange	4.9	87.5	57	44.5	21	20.5	5J4771	2J3506
	53103205	Standardard	2.4	87.5	57	44.5	21	20.5	5J4771	2J3506

Super Bomb






MODEL	PART#	Description	KG	Dimension(mm)					Bolt	Nut
				A	B	C	D	φ		
3CX	332-C4389	Double Flange	5.6	87.5	57	44.5	21	20.5	5J4771	2J3506
	332-C4390	Double Flange	5.6	87.5	57	44.5	21	20.5	5J4771	2J3506
	332-C4388	Standardard	2.8	87.5	57	44.5	21	20.5	5J4771	2J3506

Single Flange





MODEL	PART#	Description	KG	Dimension(mm)					Bolt	Nut
				A	B	C	D	φ		
3CX	53103206	Single Flange	4.3	--	57	44.5	--	20.5	5J4771	2J3506
	53103207	Single Flange	4.3	--	57	44.5	--	20.5	5J4771	2J3506
	52200102	Single Flange	1	--	57	44.5	--	20.5	5J4771	2J3506

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.



Type / Size	标准齿(kg) Standard	加重平齿 (kg) Heavy Duty	岩石齿(kg) Rock Chisel	长虎齿 (kg) Tiger Long	齿座(kg) Adapter	销子 Pin&Lock
R60	68M7-31230	--	68M7-31230RC	--	68M7-31220	--
	1.1	--	1.2	--	1.5	--
R110/140	61N4-31210	--	61N4-31210RC	--	61N4-31320	66N4-30350
	4.8	--	5.2	--	6	66N4-11150
R200	61N6-31310	61N6-31310T	61N6-31310RC	61N6-31310TL	61N6-31320	E161-3035
	4.5	7.3	4.8	4.5	7.1	S411-180002
R225-9	--	61Q6-31310T	61Q6-31310RC	61Q6-31310TL	61Q6-31320	E161-3035
	--	7	6.6	5.2	9	S411-180002
R300	E262-3046	E262-3046T	E262-3046RC	--	E262-3047	E262-5004
	7	8.5	8.5	--	11.5	61E5-11150
R360	61E7-0101	61E7-0101T	61E7-0101RC	61E7-0101TL	61E7-0100	61E7-0105
	10.6	12.6	10.6	9	16.8	61EH-11150
R385	61QA-31310	--	--	--	61QA-31320	61E7-0105
	14	--	--	--	19.8	61EH-11150
R450	61NB-31310	--	61NB-31310RC	--	61NB-31320	61E7-04620
	22.5	--	21.5	--	30	61E7-04630
R500	66NB-31310	--	--	--	66NB-31320	61E7-04620
	18.3	--	--	--	33.5	61E7-04630

Wheel Loader Teeth/装载机齿

MODEL	PART#	KG	Blade Size (mm)
HL730/ HL740	61L3-0169	12	25
	61L3-0170	16.3	
	61L3-0171	16.3	
HL760/ HL770	61L1-3022	23.8	40
	61L1-3028	24	
	61L1-3029	24	



61M5-30270/30280



61E3-3033/3034



63E1-3533/3534

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.









Type / Size	标准齿(kg) Standard	岩石齿(kg) Rock Chisel	TL(kg) Tiger Tooth	齿座(kg) Adapter	销子 Pin&Lock
VOL80	14659025	--	--	14659026	V80
	2	--	--	2.7	V80
VOL140	14527863	14527863RC	--	14527865	V140
	4.2	5.7	--	5.5	V140
VOL210	14530544	14530544RC	14530544TL	1171-01620	2705-1020
	6.2	7.3	6.4	11.2	2114-9008
VOL290	14540728	LFV290RC	--	1171-01900	1171-01910
	11.5	11	--	22	1454-0728
VOL360	14553243	14553243RC	T55TL	14556464	1455-0967
	14.7	16	12.6	25	1455-0968
VOL460	14537843/14553244	14537843RC	14537843TL-8	14537826	V460
	17.2	17.5	14.8	28.2	V460


1070-23180/23190


1171-00171/00181


11958


1171-01170/01180








Type / Size	标准齿(kg) Standard	岩石齿(kg) Rock Chisel	TL(kg) Tiger Tooth	齿座(kg) Adapter	销子 Pin&Lock
DH55/60	2713-9051	--	18STL	2713-9050	18-20PN
	1	--	1	1.8	18LK
DH130/150	2713-1221	2713-1221RC	2713-1221TL	2713-1222	2705-9014
	4.6	3.7	3.1	6	2705-9015
DH220	2713-1217	2713-1217RC	2713-1217TL	2713-1218	2705-1020
	4.6	5.5	4.9	8	2114-9008
DH220(OLD)	2713-9041	2713-9041RC	--	2713-9042	2705-9012
	6.5	5.3	--	7.6	2114-9008
DH280/300	2713-1219	2713-1219RC	2713-1219TL	2713-1220	2705-9010
	7.4	6.7	7.8	11.7	2114-1849
DH360	2713-00032	2713-00032RC	2713-00032TL	2713-00033	2705-1021
	9.5	10.1	10.3	17	2114-1849
DH420	2713-1236	2713-1236RC	2713-1236TL	2713-1273	2705-1034
	15	16.1	13.8	25.6	2114-1931
DH700	--	230111-00094	--	--	--
	--	24.7	--	--	--

Type / Size	标准齿(kg) Standard	齿座(kg) Adapter
DH130/150	K9005347	K9005348
	4	6
DH220	K9005349	K9005350
	5.1	8
DH280/300	K9005351	K9005352
	7	13


2713-6050/6051


2713-1228/1229


2713-1059/1060


2713-1047/1048

RXGET
RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.
All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.

Super V



Type / Size	SYL(kg)	TYL(kg)	RYL(kg)	AD(kg)	SHV(kg)	Adapter(kg)	销子 Pin&Lock
13	V13SYL	--	--	--	--	1610T-V13	V13PN
	0.7	--	--	--	--	1	
17	V17SYL	V17TYL	--	--	--	8841-V17	V17PN
	1.2	1.2	--	--	--	1.8	
19	V19SYL	--	--	V19AD	--	8822-V19	V19PN
	2.4	--	--	3	--	4.5	
23	V23SYL	--	--	V23AD	V23SHV	3880-V23	V23PN
	3.1	--	--	4.5	3.9	6	
29	V29SYL	V29TYL	V29RYL	V29AD	V29SHV	3882A-V29	V29PN
	4.5	5.1	4.4	6.4	5.5	7.5	
33	V33SYL	V33TYL	V33RYL	V33AD	V33SHV	3882A-V33	V33PN
	6.8	7.2	6.2	9	8	13	
39	V39SYL	V39TYL	V39RYL	V39AD	V39SHV	1837A-V39	V39PN
	9.7	10	9	12.8	11.5	18	
43	V43SYL	V43TYL	V43RYL	V43AD	V43SHV	8801-V43	V43PN
	13	14	12	18	16	21	
51	V51SYL	--	V51RYL	V51AD	V51SHV	3858-V51	V51PN
	16	--	15	22	21	27	
59	V59SYL	V59TYL	V59RYL	V59AD	V59SHV	3858-V59	V59PN
	21	24	21	28	26	34	
61	V61SYL	--	V61RYL	V61AD	V61SHV	5898-V61	V61PN
	23.6	--	22.5	33.6	31.3	54	
69	--	--	V69RYL	--	--	5898-V69	V69PN
	--	--	36	--	--	66	

Esco Conical / 爱思科竖销齿



Type / Size	18(kg)	22(kg)	25(kg)	30(kg)	35(kg)	40(kg)	45(kg)
Teeth	18S	22S	25S	30S	35S	40S	45S
	1.1	1.4	2.2	2.7	4.4	7	11.8
Adapter	833-18	23574-22	3806-25	3807-30	3808-35	3809-40	3810-45
	1.6	2.9	3.9	5.6	7.3	13.8	17.5
Pin	18-20PN	22PN	25-30PN	25-30PN	35PN	40PN	45PN
Retainer	18LK	22LK	25-30LK	25-30LK	35-40LK	35-40LK	45LK

Kobelco / 神钢



Type / Size	标准齿(kg) Standard	岩石齿(kg) Rock Chisel	TL(kg) Tiger Tooth	齿座(kg) Adapter	销子 Pin&Lock
SK60	--	SK60RC	--	--	--
	--	1.6	--	--	--
SK200	SK200	SK200RC/RC-6	SK200TL	BF01P	E161-3035
	5	5.4/6.5	6.3	9.1	S411-180002
SK230	SK230	SK230RC	--	AF01L	7T3408
	8	8.1	--	11.6	8E8409
SK350	SK350	SK350RC	--	--	7T3408
	9	10.4	--	--	8E8409

RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.

Hydraulic Grab Bucket Tooth 成槽机抓斗齿



Type / Size	Standard 标准齿	Short 短齿	Standard/ 标准齿	Heavy Duty 加重齿	Penetration 渗透齿	Adapter 齿座	Nose 齿座	Standard 标准齿
	22R10	25RC10	25RC12	25RC12HD	25LS12	3861-25RC	25RN	35R14
	3.7	5.3	6.2	6.9	6.7	12.9	8.3	13.9

Rotary Drilling Rig Bucket Tooth 旋挖钻齿



Type / Size	18T			25T		30T	V19	V20	宝峨	截齿	
齿	18TL	18S	18ST-3	25T		30T	V19	V20	宝峨齿		
	1	1	1.3	2.2		2.9	2.2	2.6	4		
齿座	833-18	18SB-R-3	18ST-3B	AD-25T	855-25	AD-30T	V19B	V20B	宝峨座	截齿方座	截齿圆座
	1.6	1.5	1.5	3	3.1	4.1	3.1	3.2	3.8	1.6	2.3



RXGET



Lonkin LG60 LG85 LG150 LG220 40B

Lonkin / 龙工



72A0005 72A0039T 72A0339 72A0006 72A0007 72A0462

柳工 /Liugong



72A0439 XCMG 30 (25) XCMG 30 (30) XCMG 50

徐工 /XGMG



小护齿 小护齿H U型护齿 小护块HU U型护齿-40 50 60 175-140挖斗护块

护块

Forged bucket teeth/锻造斗齿 JCR



PC60

小松 60



PC100RC

小松 100



7120-40

小松 200



RK400RC

小松400



1U3352



1U3352RC

卡特320



9W8452RC

卡特330



1U3552RC

卡特350



1U3552TL

卡特350



27130032RC

大宇360



1236RC

大宇420



1236TL

大宇420



T55RC



V360TL

沃尔沃360



V480TL

沃尔沃480



6Y3552(D11)

松土器齿

RXGET

高品质
耐磨锻造斗齿

几万次的摩擦也磨不掉
一往无前的卓越性能



RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.

Cat Pin&Retainer

Size	Part Number	Dimension (mm)
J200	8E6208/8E6209	11*62
J225	6Y3228/8E6259	14*69
J250	8E6258/8E6259	14*79
J300	9J2308/8E6259	14*92
J350	8E6358/8E6359	19*108
J400	7T3408/8E8409	22*124
J450/460	6Y2527/8E6359	24*133
J550	6Y8558/8E5559	25*162
J600	6I6608/6I6608	30*195
J700	4T4708/4T4707	32*200

Komatsu Pin&Retainer

Size	Part Number	Dimension (mm)
PC60	20X-70-00100	16.8*71
PC100	203-70-74281	19.5*81
PC200	09244-02496	24.5*100
PC300	09244-02516	24.7*119
PC400	09244-03036	30*152
PC650	209-70-54240	36*176
PC1000	21N-72-14330	40*176

Doosan/Daewoo Pin&Retainer

Size	Part Number	Dimension (mm)
DH130	2705-9014/2705-9015	18*85
DH220	2705-1020/2114-9008	20*105
DH300	2705-9010/2114-1849	22*109
DH360	2705-1021/2114-1849	23*137
DH420	2114-1849/2114-1849	25*152

Volvo Pin&Retainer

Size	Part Number	Dimension (mm)
VOL210	2705-1020/2114-9008	20*105
VOL290	1171-01910/1454-0728	22*124
VOL360	1454-0728/1455-0968	29*145
VOL460	VOL460B	32*150

Hyundai Pin&Retainer

Size	Part Number	Dimension (mm)
R130	E161-3035/ 61E5-11150	18*99
R225	E161-3035/ 61E5-11150	19*105
R300	E262-5004/61E5-11150	19*115
R360	61E7-0105/61EH-11150	24*133

Kobelco Pin&Retainer

Size	Part Number	Dimension (mm)
SK200	E161-3035/ 61E5-11150	18*112
SK230	7T3408/8E8409	22*124
SK350	7T3408/8E8409	22*124

Super V Pin

Tooth size	Part Number	Weight/Kg
V13-V17	V13-V17PN	0.04
V19-V23	V19-V23PN	0.08
V29	V29PN	0.12
V33	V33PN	0.16
V39	V39PN	0.22
V43	V43PN	0.28
V51	V51PN	0.32
V59	V59PN	0.4
V61	V61PN	0.45
V69	V69PN	0.72
V71	V71PN	0.78
V81	V81PN	1.2

Esco Conical Pin&Lock

Tooth size	Part Number	Weight/Kg
18S	18-20PN	0.04
	18LK	0.02
22S	22PN	0.05
	22LK	0.02
25/30S	25-30PN	0.1
	25-30LK	0.015
35S	35PN	0.12
	35-40LK	0.02
40S	40PN	0.24
	35-40LK	0.04
45S	45PN	0.4
	45LK	0.04
50S	50PN	0.42
	50LK	0.05
55S	55PN	0.56
	55LK	0.07











RXGET

All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.
All manufacturer's names , numbers, symbols&descriptions are used for reference purpose only.