


Lithium Electric Torque Wrench PL6000~3000

HIGH SPEED AND EFFICIENCY, LONG ENDURANCE




- ◉ Adopt the latest high voltage and high torque brushless DC motor
- ◉ Maximum torque up to 6000Nm
- ◉ Output torque accuracy $\pm 5\%$
- ◉ Repeatability $\pm 2\%$
- ◉ Built-in multiple working modes
- ◉ High strength planetary gear reducer, high torque and light weight
- ◉ Reaction arm automatically retracts and releases
- ◉ Output torque report export function
- ◉ High-definition LCD display
- ◉ Optional bluetooth and WIFI function, support for bluetooth
- ◉ connection to the smart socket

Model	Drive Shaft (in)	Torque Range (Nm)	Max. RPM	Weight (kg)	Dimension(mm)				Battery
					A	B	C	D	
PL6000A	1.5	1200-6000	2.0	12.2	318	99	80	323	36V/8Ah
PL6000B	1.5	1200-6000	2.0	10.5	318	99	80	294	36V/4Ah
PL5000A	1.5	1000-5000	2.0	12.2	318	99	80	323	36V/8Ah
PL5000B	1.5	1000-5000	2.0	10.5	318	99	80	294	36V/4Ah
PL4000A	1	800-4000	3.2	8.8	305	81	78	323	36V/8Ah
PL4000B	1	800-4000	3.2	7.1	305	81	78	294	36V/4Ah
PL3000A	1	600-3000	3.2	8.8	305	81	78	323	36V/8Ah
PL3000B	1	600-3000	3.2	7.1	305	81	78	294	36V/4Ah
PL2000	1	400-2000	6.0	5.3	269	70	71	288	36V/4Ah
PL1400	3/4, 1	280-1400	6.0	5.2	269	70	71	288	36V/4Ah
PL700	3/4	140-700	13.8	4.7	241	70	71	288	36V/4Ah
PL500	3/4	100-500	13.8	4.7	241	70	71	288	36V/4Ah


PL6000~3000 Accessories

Standard Reaction Arm




Type	Model Code	Dimension(mm) A×B×C×D	Weight (kg)
Standard Length Reaction Arm	PL4000-04-1	88×150×196×108	2.2
Extended Reaction	PL4000-04-2	88×150×226×120	2.6

Arc Reaction Arm (Optional)



Model Code	Dimension(mm) A×B×C×D	Weight (kg)
PL4000-04-3	88×138×196×108	2.0

Deep Socket Reaction Arm (Optional)



Model Code	Dimension(mm) A×B×C×D	Weight (kg)
PL4000-04-4	88×75×206×75	1.8

Battery Pack



Model Code	PL4000-24
Dimension(mm)	204×93×103
Weight (kg)	2.3

*36V/8Ah



Model Code	PL2000-15
Dimension(mm)	137×84×79
Weight (kg)	1.0

*36V/4Ah

Battery Charger



Model Code	PL4000-25
Dimension(mm)	252×181×105
Weight (kg)	1.5



Model Code	PL2000-16
Dimension(mm)	210×160×84
Weight (kg)	1.1



Lithium Electric Torque Wrench PL2000/1400

HIGH SPEED AND EFFICIENCY, LONG ENDURANCE



PL2000



PL1400




Standard Reaction Arm



Model Code	PL2000-04-1
Dimension(mm)	72×141×188×89
Weight (kg)	1.5

Deep Socket Reaction Arm (Optional)



Model Code	PL2000-04-3
Dimension(mm)	72×62×167×60
Weight (kg)	1.0

Battery Pack



Model Code	PL2000-15
Dimension(mm)	137×84×79
Weight (kg)	1.0

*36V/4Ah

Battery Charger



Model Code	PL2000-16
Dimension(mm)	210×160×84
Weight (kg)	1.1



Lithium Electric Torque Wrench PL700/500

HIGH SPEED AND EFFICIENCY, LONG ENDURANCE



PL700



PL500




Standard Reaction Arm



Model Code	PL700-04-1
Dimension(mm)	77×125×151×75
Weight (kg)	1.0

Deep Socket Reaction Arm (Optional)



Model Code	PL700-04-3
Dimension(mm)	72×57×167×51
Weight (kg)	0.8

