

PANSHIKE

磐石克硬岩钻裂机-矿山版霹雳系列

Panshike Hard Rock Drill Crusher - Mine Edition Bolt series



磐石克 掌握硬岩劈裂核心科技

Panshike, master hard rock separation core technology



客户满意是我们的宗旨

Customer satisfaction is our tenet


携手磐石克-矿山专用霹雳系列

Hand in hand with Panstone to overcome - Lightning series for mines

武安市精诚机械设备科技有限公司位于河北省武安市工业园区创新基地，是一家专业从事工程机械研发制造的高新技术企业。

二零一五年六月十六日，我公司研发出世界上第一台全液压硬岩钻孔劈裂一体机。现在产品已经涵盖六个型号，匹配不同型号的挖掘机，适应各种工地和矿山的硬岩工况。产品销往国内和世界各地。

精诚机械以质量为根本，以客户满意为宗旨，与广大客户朋友共同发展，携手共赢！



磐石克产品适配挖掘机：30T级-50T级

Panshike products are suitable for excavators: 30t-50t

矿山专用-霹雳系列

Mine dedicated-Bolt series

补偿器

Compensator

劈裂位移、自动补偿
Split displacement, automatic compensation

液压动力头

Hydraulic Power Head

动力强劲、经久耐用
Powerful and durable

360° 无限回转、
工况适应性强
360° infinite rotation,
strong adaptability

回转支撑

Slewing bearing

随意回转、任意方向劈裂
Turn at will, split in any direction

劈裂主机

Split the mainframe

冲击器

Impactor

高速、节能
High Speed, energy saving

轧制一体强化机身
Rolled integrated fuselage

机架总成

Rack Assembly

大劈力、长寿命
Great splitting force, long life

钢楔

Steel wedge

精确定位、高低可调
Precise positioning, adjustable height

定位器

locator



优良部品 品质保证
Excellent parts quality assurance



电液一体化压力流量控制系统
Electro-hydraulic integrated pressure and flow control system

- 选用负载敏感比例集成控制液压系统，响应灵敏可靠，为产品的持久耐用提供保障。



液压动力箱
Hydraulic Power Box

- 配置高性能的液压动力箱，扭矩大，寿命长。



位移补偿阀
Displacement compensation valve

- 自动控制，实现劈裂位移补偿。
- 优品部件保障回转平稳。



无线遥控
Wireless remote control

- 采用先进的无线遥控系统，操作便捷、性能可靠。
- 挖掘机、钻机、空压机一人即可操控。



降尘系统
Dust control system

- 独特的气压平衡射流技术，将粉尘雾化，除尘效果好。
- 除尘过程不会消耗能量，节省燃油。



矿山版霹雳系列产品规格参数

Specifications and parameters of the mine version of Pili series products

产品型号 Model	210H	210L
适配挖掘机吨位级别 (T) Suitable for excavator tonnage level (T)	36-50	≥55
主机型号 Host model	PL-420	PL-500
长度*宽度*高度 (m) Length * width * height (m)	5.5*2.1*1.9	5.9*2.2*2.0
设备总重 (T) Total weight of equipment (T)	9.15	12.5
主系统额定流量 (L/min) Main system rated flow (L/min)	280	380
空压机最大排量 (m³/min) Maximum discharge volume of air compressor (m³/min)	31	38
空压机额定压力 (bar) Rated pressure of air compressor (bar)	25	28
额定推力 (T) Rated thrust (T)	18000	35000
劈裂速度 (s) Splitting speed (s)	15	20
无线遥控操作系统 Wireless remote control system	●	●
大架360° 无限制回转 Big frame 360° unrestricted rotation	●	●
劈裂机360° 无限制回转 Splitting machine 360° unlimited rotation	●	●
机架高度可升降 The rack height is adjustable	●	●
负压吸尘 Negative pressure vacuuming	●	●
劈裂位移自动补偿 Automatic compensation for splitting displacement	●	●



客户满意是我们的宗旨
Customer satisfaction is our tenet



武安市精诚机械设备科技有限公司

Wu'an Jingcheng Machinery Equipment Technology Co., Ltd

工厂地址：河北省邯郸市武安市工业园区3期8号

Address: No. 8, Phase 3, Wu'an Industrial Park, Handan, China

全国服务热线：13315092789

National Service Hotline:

网址：www.wajcjx.cn

Address:

●磐石克产品在不断更新和改进中，我们保留在未事先通知用户的情况下，修改参数及设计的权利。●宣传品种产品配置和外观颜色可能与实际机型存在差异，一切以实物为准。
The panshike products are constantly being updated and improved, We reserve the right to do so without prior notice, The right to modify the parameters and design. The configuration and appearance color of the advertised product may differ from the actual model, Everything is subject to the substance.