PROFESSIONAL TABLE SAW SERIES

LEADING EQUIPMENTS IN TILE&BRIDGE SAWS,
MASONRY SAWS,BLOCK SAWS FOR EFFICIENT WORK

VBS-150PRO



VBS-230

VBS-400PRO

Specification

Model	VBS-230	VBS-150A	VBS-150PRO	VBS-400PRO
Art No	1511230	1512150	1513150	1514400
Motor Voltage	230V/50HZ	230V/400V/50HZ	230V/400V/50HZ	230V/50HZ
Rated Power	1.2KW	1.2Kw	1.2Kw	2.2Kw
Blade Diameter	Ø230mm	Ø120-150mm	Ø120-150mm	Ø350-400mm
Hole Diameter	Ø22.23mm	Ø22.23mm	Ø22.23mm	Ø25.4mm
Blade Speed	2800RPM	9000RPM	9000RPM	2800RPM
Max Cutting Depth	40mm	20-40mm	20-40mm	132mm
Max Cutting Length	1000/1200mm	1200/1600/2500/3000mm	1200/1600/2500/3000mm	1200/1600/2500/3000mm
Working Table Size	1060/1255*510mm	1310*500mm	1310*500mm	1310*500mm
Weight	60KG	46KG	96KG	118KG
Packing size	131/159*70*62.5CM	185*49*57CM	206*67*78CM	206*76*95CM

Bridge Saw VBS-150A

Intelligent automatic feed with electronic control bridge saw (46kg) is ideal for cutting all types of ceramic tiles and construction materials.

Features

1.The double-layer high-strength aluminum alloy guide rail, inlaid with alloy steel with high strength and better wear-resisting performance.
2.High-performance brushless silent motors can achieve continuously variable speed from 9000 to 12000 rpm.
3.With folding feet design and aluminum alloy material is very stable during operation and easy for transportation.
4.Both the machine frame and worktable are made of double-layer high-strength aluminum alloy with high strength and lightweight (46kg).
5.This multi-functional angle guide (patented) features a flexible pin on the left side for hands-free operation, a guide on the right side can rotate from 0°~45° plus a movable triangularguide for easy adjustment, enabling precise cutting in multiple sizes and angles.

Specification

Model	VTS-350	VTS-400	VTS-450	VTS-500
Art No	1511350	1511400	1511450	1511500
Motor Voltage	230V/50HZ	230V/50HZ	400V/50HZ	400V/50HZ
Rated Power	2.2KW	2.2KW	3.0KW	4.0KW
Blade Diameter	Ø350mm	Ø400mm	Ø450mm	Ø500mm-600mm
Hole Diameter	Ø25.4mm	Ø25.4mm	Ø25.4mm	Ø25.4mm
Blade Speed	2800RPM	2800RPM	1800RPM	1800RPM
Max Cutting Depth	107mm	132mm	170mm	180mm
Max Cutting Length	600mm	600mm	600mm	800mm
Working Table Size	440*470mm	415*450mm	410*460mm	560*570mm
Weight	71KG	80KG	110KG	147KG
Packing size	114*61.5*63CM	132*73*80CM	120*66*90CM	156*76*105CM

Masonry Saw VTS-400

Compact and Universal Masonry Saw For Cutting discs Ø400 mm and Cutting depths up to 132 mm.



Features

1. A light universal table saw with high cutting capacity for masonry and building blocks.
2. Folding feet easy set-up and one man operation.
3. Carry handle and transport wheels for easy transportation.
4. Plunge ang bevel cutting at 45°or 90°for maximum versatility.
5. With collection tray for efficient slurry hanging.

VTS-650



VTS-900



Specification

Model	VTS-650	VTS-700	VTS-900
Art No	1511650	1511700	1511900
Motor Voltage	400V/50HZ	400V/50HZ	400V/50HZ
Rated Power	5.5KW	5.5KW	7.5KW
Blade Diameter	Ø600mm-650mm	Ø650-700mm	Ø900-1000mm
Hole Diameter	Ø60mm	Ø60mm	Ø60mm
Blade Speed	1520RPM	1350RPM	1000RPM
Max Cutting Depth	230-250mm	250-270mm	380-400mm
Max Cutting Length	600mm	650mm	1100mm
Working Table Size	420*530mm	580*650mm	1100*800mm
Weight	213KG	294KG	365KG
Packing size	143*64*179CM	157*83*161CM	228*119*172CM

Block Saw VTS-700

Powerful Block Saw With Max.Cutting Depth 270mm For Cutting Large Blocks On Construction Industry.



Features

1. Mitre stop ensures a precise mitre cutting.
2. Removable water tang for better cleaning and keeps tools cooling
3. Huge and stainless-steel saw table guide for a clean cut.
4. Heavy duty motor and power ensures a effective work.
5. Indurative hook on block saw in case of crane transportation.