



GDW430

**GDW430 Compact Floor Scrubber
Dual-Brush Design**



GDW350

**GDW350 Walk-Behind Floor Scrubber
Foldable Handle**



Specifications

MODEL	GDW430	GDW350
Cleaning width	430 mm	380 mm
Max. productivity	1200 m ² /h	1500 m ² /h
Squeegee width	450 mm	400 mm
Run time	1–1.2 h	2–3 h
Solution tank capacity	4 L	17 L
Recovery tank capacity	6.5 L	18 L
Battery voltage	36 V	24 V
Battery capacity	12 Ah	32 Ah
Vacuum motor power	150 W	300 W
Brush motor power	2 × 200 W	300 W
Overall dimensions (L × W × H)	450 × 360 × 1200 mm	880 × 420 × 1030 mm
Weight	17 kg	65 kg

GDW1
Manual Push



GDW2Z
Self-Propelled



Self-Propelled Floor Scrubber



Specifications

MODEL	GDW1	GDW2Z
Drive type	Manual push	Self-propelled
Max. productivity	2500 m ² /h	2500 m ² /h
Cleaning width	500 mm	530 mm
Squeegee width	830 mm	800 mm
Brush speed	180 rpm	180 rpm
Brush motor power	550 W	550 W
Vacuum motor power	500 W	550 W
Drive motor power	/	300 W
Battery voltage	2 × 12 V DC	24 V
Battery capacity	100 Ah	100 Ah
Solution tank capacity	55 L	55 L
Recovery tank capacity	65 L	60 L
Run time	3–4 h	2–3 h
Overall dimensions (L × W × H)	1260 × 830 × 1120 mm	1250 × 560 × 1060 mm
Weight	150 kg	160 kg



GDW5 Single-Brush



GDW7 Dual-Brush



Specifications

MODEL	GDW5	GDW7
Max. productivity	3600 m ² /h	4500 m ² /h
Cleaning width	500 mm	700 mm
Squeegee width	830 mm	1000 mm
Brush speed	180 rpm	180 rpm
Brush motor power	550 W	2 × 550 W
Vacuum motor power	600 W	600 W
Drive motor power	700 W	700 W
Travel speed	0–6 km/h	0–6 km/h
Battery voltage	2 × 12 V	2 × 12 V
Battery capacity	100 Ah	100 Ah
Run time	3–5 h	3–5 h
Solution tank capacity	80 L	80 L
Recovery tank capacity	100 L	100 L
Noise level	≤60 dB(A)	≤60 dB(A)
Max. gradeability	15%	15%
Turning radius	500 mm	500 mm
Overall dimensions (L × W × H)	1440 × 830 × 1170 mm	1440 × 1000 × 1170 mm
Weight	223 kg	235 kg



Specifications

MODEL	GDW8
Max. productivity	4800 m ² /h
Cleaning width	800 mm
Squeegee width	1080 mm
Brush speed	180 rpm
Brush motor power	2 × 550 W
Vacuum motor power	600 W
Drive motor power	1200 W
Travel speed	0–6 km/h
Battery voltage	2 × 12 V
Battery capacity	100 Ah
Run time	3–5 h
Solution tank capacity	120 L
Recovery tank capacity	135 L
Noise level	≤60 dB(A)
Max. gradeability	15%
Vacuum pressure	180 mbar
Overall dimensions (L × W × H)	1600 × 1200 × 1250 mm
Weight	265 kg



Debris collection basket



Control panel



Dual water filling ports



Large-opening recovery tank
Water level sensor



Standard high-pressure
water gun



External charging port

Specifications


MODEL	GDW9
Max. productivity	6500 m ² /h
Cleaning width	920 mm
Squeegee width	1200 mm
Brush speed	180 rpm
Brush motor power	2 × 500 W
Vacuum motor power	600 W
Drive motor power	650 W
Travel speed	0–7 km/h
Battery voltage	24 V DC
Battery capacity	200 Ah
Run time	3–4 h
Solution tank capacity	145 L
Recovery tank capacity	155 L
Noise level	≤68 dB
Debris basket capacity	6 L
High-pressure water gun	Standard
Overall dimensions (L × W × H)	1750 × 960 × 1300 mm
Weight (incl. battery)	400 kg
Packaging dimensions (L × W × H)	1760 × 860 × 1570 mm
Gross weight	445 kg



Debris collection basket



Control panel



Dual water filling ports



Large-opening recovery tank
Water level sensor



Standard high-pressure
water gun



External charging port

Specifications

MODEL	GDW10
Max. productivity	8400 m ² /h
Cleaning width	1050 mm
Squeegee width	1350 mm
Brush speed	180 rpm
Brush motor power	500 W
Vacuum motor power	650 W
Drive motor power	1100 W
Travel speed	0–7 km/h
Battery voltage	36 V DC
Battery capacity	200 Ah
Run time	4–5 h
Solution tank capacity	255 L
Recovery tank capacity	265 L
Noise level	≤68 dB
Debris basket capacity	6 L
High-pressure water gun	Standard
Overall dimensions (L × W × H)	1930 × 1050 × 1450 mm
Weight (incl. battery)	555 kg
Packaging dimensions (L × W × H)	2000 × 1000 × 1500 mm
Gross weight	605 kg