



涵发集团
HANFA GROUP


HANFA GROUP

PHOTOVOLTAIC DRILLING RIG BROCHURE



打桩头

冲击能量 :1050J /1350J
冲击频率: 450-950 bpm
工作压力 : 130-150 bar



HFPV-1M can ram H-type,U-type,C-type,O-type and other types of piles.

回转动力头

潜孔锤钻孔直径: 90-400 mm
最大钻孔深度:120m
螺旋钻孔直径: 0-400 mm
螺旋钻进最大深度: 30m



Screw Pile



DTH (Rock Precast piles)



Auger (Soil Precast piles)






HFPV-200

HFPV-200

光伏钻机

CE

HFPV-200 hydraulic crawler multifunctional drill rig, using a new type of hydraulic technology, low consumption, large rotary torque, convenient hole deflection. The drilling machine structure is compact, while the mast has an adjustable compensation function.



HFPV-200 Photovoltaic drilling rig	
潜孔锤钻孔直径	90—350mm
钻孔深度	20—100 m
耗气量	10—26m ³ /min
空气压力	0.7—1.6 Mpa (medium) 1.6—2.46 MPa (high)
管径	76mm/89mm
适用于岩石地层	F=6—20
螺旋钻孔直径	Max 350 mm
钻孔深度	0—30 m
螺旋钻杆直径	130—400 mm
单次推进长度	2000 mm
滑架仰俯角度	100°
滑架摆动角度	Left and right total 40°
回转速度	0—70 r/min
主机功率	Yuchai 56 kW
爬坡能力	35°
外形尺寸(长*宽*高)	5200*2100*2450 (mm)
重量	5225 kg
行走速度	0—2.5 km/h






产品质量即是我们的生命。我们致力于打造高品质产品，为客户在竞争中提供强有力的支持。



涵发集团

HANFA GROUP



HANFA GROUP

E-mail: info@hanfagroup.com

Phone: 0086-371-55019187 0086-371-55019184 0086 17739786040

Address: Room 602, Building 7, E-commerce Industrial Park,
Dongqing Street, High-tech Zone, Zhengzhou, Henan, China.

Web: WWW.HANFAGROUP.COM WW.HANFAMACHINE.COM