



涵发集团
HANFA GROUP

HANFA GROUP


PHOTOVOLTAIC DRILLING RIG BROCHURE



Impact: 1050J /1350J
Impact Frequency: 450–950
bpmWork Pressure: 130–150 bar



上_{17mm}



DTH Borehole Dia.: 90–400 mm
Max depth:120m
Screw Dia.: 0–400 mm
Max Screw depth: 30m






HFPV-200

HFPV-200

Photovoltaic drilling rig

CE

HFPV-200 hydraulic crawler multifunctional drill rig, using a new type of hydraulic technology, low consumption, large rotary torque, convenient hole deflection. The drilling machine structure is compact, while the mast has an adjustable compensation function.



HFPV-200 Photovoltaic drilling rig	
Bore diameter (DTH hammer)	90—350mm
Bore depth	20—100 m
Air consumption	10—26m ³ /min
Air pressure	0.7—1.6 Mpa (medium) 1.6—2.46 MPa (high)
Pipe diameter	76mm/89mm
For rock	F=6—20
Bore diameter (Auger)	Max 350 mm
Bore depth	0—30 m
Screw pipe diameter	130—400 mm
Once promoted	2000 mm
Skid pitch	100°
Swinging angle of skid	Left and right total 40°
Rotation speed	0—70 r/min
Host power	Yuchai 56 kW
Climbing ability	35°
Dimension (L*W*H)	5200*2100*2450 (mm)
Weight	5225 kg
Walk speed	0—2.5 km/h





Product quality is our life. We strive to create high quality products,provide strong support in the competition for customers.



涵发集团
HANFA GROUP



HANFA GROUP

E-mail: info@hanfagroup.com

Phone: 0086-371-55019187 0086-371-55019184 0086 17739786040

Address: Room 602, Building 7, E-commerce Industrial Park,
Dongqing Street, High-tech Zone, Zhengzhou, Henan, China.

Web: WWW.HANFAGROUP.COM WW.HANFAMACHINE.COM