



搭建桥梁 创造连接
Building Bridges, Creating Connections!

十堰市信质和工贸有限公司

SHIYAN XINZHIHE INDUSTRY AND TRADE CO., LTD.

公司介绍

COMPANY PROFILE

十堰市信质和工贸有限公司，是一家专业生产各种类型喉箍的公司，从事夹具类产品已有20余年，在服务好国内客户的同时，先后成功开发了中东非洲市场、南美市场以及欧洲市场。

目前在产产品包括V型卡箍、T型卡箍、德式、美式以及英式喉箍、强力卡箍、双钢丝卡箍、单耳无极喉箍、弹性卡箍、单管夹片、排气管卡箍、蜗杆传动式喉箍等多种类型及规格。广泛应用于汽车的增压器、消声器排气管、水路、油路、气路及电路等管路的连接固定，并且我们拥有专业团队，集开发、设计与创新为一体，可满足客户的需求。

我们始终秉持着以诚信为基础、质量为追求的经营理念。以更优质的服务来服务客户，以更质优价廉的产品来为客户创造价值。





Shiyan Xinzhihe Industry and Trade Co., Ltd. is a company specializing in the production of various types of clamps, focusing on clamps for more than 20 years, while serving domestic customers, has successfully developed the Middle East and Africa market, South America market and European market.

At present, our products include V band clamp, T bolt clamp, German type, American type and British type clamp, strong clamp, double wires clamp, single ear clamp, elastic clamp, single pipe clamp, exhaust pipe clamp, worm drive type clamp and so on. Widely used in automobile supercharger, muffler, exhaust pipe, water pipe, oil pipe, air pipe and circuit and other pipeline connection fixed, and some industrial and agricultural scenarios. In order to better meet the different needs of customers, we set up a professional team, product development, design and innovation.

Our business philosophy is based on good faith, quality as the pursuit. Better service and products to customers, create value for customers.

工厂展示





V型卡箍 V band clamp



- V型卡箍主要应用于法兰的连接固定，汽车排气管、增压器进排气管等。

V band clamp is mainly used for flange connection and fixation, automobile exhaust pipe, turbocharger inlet and exhaust pipe, etc.

- V型卡箍具有比较大的扭力，通常其主体材质为不锈钢制作，螺杆为铁镀锌，304不锈钢自锁螺母

V band clamp has large torque, usually its main material is made of stainless steel, galvanized iron screw, 304 stainless steel self-locking nut

- 可以提供201SS/304SS/316SS等材质可供选择，尺寸可以接受定制，同时可以提供OEM、ODM服务


Customers can choose 201SS/304SS/316SS, size can be customized, and we also provide OEM, ODM services

1. V型卡箍法兰套装 V band clamp kit




型号 Size	V型卡箍套装 V band clamp kit		V型卡箍 V band clamp		法兰 Flange	
1.50"	VBK-Q150	VBK-S150	VBC-Q150	VBC-S150	M/F150	F/F150
1.75"	VBK-Q175	VBK-S175	VBC-Q175	VBC-S175	M/F175	F/F175
2.00"	VBK-Q200	VBK-S200	VBC-Q200	VBC-S200	M/F200	F/F200
2.25"	VBK-Q225	VBK-S225	VBC-Q225	VBC-S225	M/F225	F/F225
2.36"	VBK-Q236	VBK-S236	VBC-Q236	VBC-S236	M/F236	F/F236
2.50"	VBK-Q250	VBK-S250	VBC-Q250	VBC-S250	M/F250	F/F250
2.75"	VBK-Q275	VBK-S275	VBC-Q275	VBC-S275	M/F275	F/F275
3.00"	VBK-Q300	VBK-S300	VBC-Q300	VBC-S300	M/F300	F/F300
3.25"	VBK-Q325	VBK-S325	VBC-Q325	VBC-S325	M/F325	F/F325
3.50"	VBK-Q350	VBK-S350	VBC-Q350	VBC-S350	M/F350	F/F350
4.00"	VBK-Q400	VBK-S400	VBC-Q400	VBC-S400	M/F400	F/F400
4.50"	VBK-Q450	VBK-S450	VBC-Q450	VBC-S450	M/F450	F/F450
5.00"	VBK-Q500	VBK-S500	VBC-Q500	VBC-S500	M/F500	F/F500
6.00"	VBK-Q600	VBK-S600	VBC-Q600	VBC-S600	M/F600	F/F600

2. 康明斯卡箍 Clamps for Cummins



NO.	OE	NO.	OE	NO.	OE	NO.	OE
1	A034T093	13	3089765	25	3971122	37	5305063
2	102408	14	3354862	26	3977217	38	5331782
3	186917	15	3415546	27	4065488	39	5336433
4	201989	16	3415547	28	4897018	40	5361109
5	2871862	17	3538932	29	4898590	41	5417271
6	2880212	18	3684312	30	4936115	42	5417471
7	2880213	19	3892648	31	4938989	43	5506815
8	2880482	20	3896337	32	4965120	44	5531782
9	3016306	21	3903652	33	4965123	45	5547632
10	3029631	22	3905216	34	5266140	46	5547648
11	3067979	23	3918951	35	5269284	47	5582969
12	3069053	24	3923060	36	5290117	48	5591669


3. 东风商用车卡箍 Clamps for DCEC



NO.	OE	NO.	OE	NO.	OE
1	1109034-T38V0	14	1203095-E9501	27	1203095-TR800
2	1109034-TL100	15	1203095-E9502	28	1203095-TR900
3	1119129-KN3H0	16	1203095-K13N06Y	29	1203095-TR910
4	1119129-KR210	17	1203095-K37C0	30	1207921-E9300
5	1203048-GA6376	18	1203095-KW100	31	D5000-C46
6	1203048-GA8910	19	1203095-KW200	32	D5010224317
7	1203075-40A	20	1203095-N0100T	33	D5010224632
8	1203075-50A	21	1203095-N1700T	34	K6100
9	1203075-55A	22	1203095-T26H0	35	K6505 247
10	1203095-E4A00	23	1203095-T4000	36	LNC00-C46
11	1203095-E9300	24	1203095-T45H0	37	MN2D1 247
12	1203095-E9301	25	1203095-TF680	38	Q187681
13	1203095-E9500	26	1203095-TL380	39	VT10656K

4. 欧系卡车卡箍 Clamps for European truck

序号	适用车系	OE编号	序号	适用车系	OE编号	序号	适用车系	OE编号
No.	Truck Brand	OE	NO.	Truck Brand	OE	NO.	Truck Brand	OE
1	SCANIA	1371085	51	VOLVO	21445536	101	DAF	1701988
2		1392944	52		21472836	102		1701995
3		1340727	53		21472836	103		1701996
4		1352704	54		21574697	104		1704962
5		1371083	55		22568585	105		1707468
6		1371089	56		22778070	106		1708562
7		1387136	57		22907383	107		1787296
8		1391051	58		23122882	108		1925214
9		1392945	59		23122882	109		1976451
10		1395741	60		23260887	110		1976452
11		1404764	61		23260891	111		1976845
12		1422474	62	MERCEDES BENZ	0009951833	112	MAN	1980467
13		1431579	63		0009957033	113		1980468
14		1431701	64		0039953802	114		1997980
15		1433190	65		0039954002	115		1997981
16		1439822	66		A0019958402	116		2001237
17		1439823	67		A0009953933	117		2325404
18		1439824	68		A0009957602	118		3674349144
19		1439825	69		A0019950702	119		6674190004
20		1445398	70		A0019955202	120		6674190010
21		1863831	71		A0029950702	121		6674314105
22		1863832	72		A0029957102	122		6674314125
23		2092177	73		A0029958002	123		6674314282
24		2097660	74		A0029959402	124		6674314307
25		2134613	75		A0039954302	125		6674318105
26		2137233	76		A0039954402	126		6674348127
27		2197729	77		A6809950202	127		36974200005
28	VOLVO	2263307	78	IVECO	500390639	128	RENAULT	36974200006
29		2826624	79		41201881	129		81974200184
30		1542776	80		41271182	130		81974200185
31		1542778	81		500339542	131		81974200190
32		1556930	82		504043157	132		81974200192
33		1624612	83		504047548	133		81974200193
34		1624613	84		504073261	134		81974200196
35		1629499	85		504105924	135		88974450015
36		1997442	86		504201913	136		22907382
37		3033054	87		5006210992	137		23122882
38		3033054	88		5801478451	138		6674104153
39		8149758	89		5801491218	139		7401629499
40		20504408	90		5801623568	140		7403033054
41		20592783	91		5801651134	141		7421445536
42		20592787	92		5801651206	142		7421445539
43		20712440	93		5801680759	143		7421472836
44	VOLVO	20728465	94	DAF	1638594	144		7421664904
45		20731224	95		1250953	145		7421664906
46		20755169	96		1400876	146		7421719872
47		20828464	97		1401689	147		7422907382
48		21029030	98		1409390	148		7422907383
49		21211715	99		1680027	149		7423122882
50		21445536	100		1700319	150		7460110458



T型卡箍 T bolt clamp

- T型卡箍通常安装在车辆需要安装硅胶管的位置，其边缘做了磨边处理，可保护软管。同时在工业船舶和农业也有广泛的应用

T bolt clamp is usually installed in the vehicle where silicone tubing is required. The edge of the clamp is ground to protect the hose. And, it is also widely used in industrial shipbuilding and agriculture

- T型卡箍全系列宽度为19mm，厚度为0.6mm或者1mm，全系均采用了不锈钢材质，螺杆及自锁螺母可以选择使用镀锌、达克罗、不锈钢。可以定制不同尺寸。

T bolt clamp the whole series width is 19mm, thickness is 0.6mm or 1mm, the whole series are made of stainless steel material, screw and self-locking nut can choose to use galvanized, dacro, stainless steel. Different sizes can be customized.

直径Diameter mm			英寸	货号	个/包	个/箱
Normal	Min.	Max.	Inch	Item no.	Pcs/bag	Pcs/CTN
50	46	52	2.00	RQ677B50	10	300
57	51	59	2.25	RQ677B57	10	300
60	54	62	2.40	RQ677B60	10	300
64	58	66	2.50	RQ677B64	10	300
70	64	72	2.75	RQ677B70	10	300
76	70	78	3.00	RQ677B76	10	300
80	74	82	3.15	RQ677B80	10	200
85	79	87	3.35	RQ677B85	10	200
90	84	92	3.50	RQ677B90	10	200
96	90	98	3.78	RQ677B96	10	200
100	94	102	3.94	RQ677B100	10	200
103	97	105	4.00	RQ677B103	10	200
105	99	107	4.10	RQ677B105	10	200
110	104	112	4.35	RQ677B110	10	200
115	109	117	4.53	RQ677B115	10	100
120	114	122	4.70	RQ677B120	10	100
125	119	127	4.90	RQ677B125	10	100
130	124	132	5.15	RQ677B130	10	100
135	129	137	5.30	RQ677B135	10	100
140	134	142	5.50	RQ677B140	10	100
145	139	147	5.70	RQ677B145	10	100
150	144	152	5.90	RQ677B150	5	50
160	154	162	6.30	RQ677B160	5	50
170	164	172	6.70	RQ677B170	5	50
180	174	182	7.10	RQ677B180	5	50
190	184	192	7.50	RQ677B190	5	50
200	194	202	7.90	RQ677B200	5	50
225	219	227	8.86	RQ677B225	5	50
288	282	290	11.30	RQ677B288	5	50





德式卡箍 German type hose clamps



- 德式卡箍的用途比较广泛，主要应用于各类气管、水管、油管等的连接固定。

German type hose clamp is widely used, mainly used in all kinds of gas pipe, water pipe, oil pipe connection.

- 德式卡箍边缘是光滑的可以保护软管，由201ss的钢带与镀锌螺栓组成，可根据客户需求提供其他钢材或铁制。
German type hose clamp has a smooth edge to protect the hose. It is made of 201SS steel band and galvanized bolts. Other steel or iron can be supplied according to customer's requirements.

- 德式卡箍可分为不同带宽（9mm、12mm）的产品，其存在扭力大小的不同，钢带尺寸为9*0.6mm/12*0.6mm。

German type hose clamp can be divided into different bandwidth (9mm, 12mm) products, the existence of different torque. Band size is 9*0.6mm/12*0.6mm.


1. 德式中间型卡箍 German type middle head clamps

规格 Size	英寸 Inch	货号 Item no.	个/包 Pcs/bag	个/箱 9mm	Pcs/CTN 12mm
8-12mm	1/2"	DS0812	100	3000	---
10-16mm	5/8"	DS1016	100	2000	---
12-20mm	3/4"	DS1220	100	2000	---
12-22mm	7/8"	DS1222	100	2000	---
16-25mm	1"	DS1625	100	2000	1000
16-27mm	1-1/16"	DS1627	100	2000	1000
20-32mm	1-1/4"	DS2032	50	1000	500
25-40mm	1-1/2"	DS2540	50	1000	500
30-45mm	1-3/4"	DS3045	50	1000	500
32-50mm	2"	DS3250	50	1000	500
40-60mm	2-1/4"	DS4060	20	500	300
50-70mm	2-3/4"	DS5070	20	500	300
60-80mm	3-1/8"	DS6080	20	500	300
70-90mm	3-1/2"	DS7090	20	500	300
80-100mm	4"	DS80100	20	500	300
90-110mm	4-1/4"	DS90110	10	200	100
100-120mm	4-3/4"	DS100120	10	200	100
110-130mm	5"	DS110130	10	200	100
120-140mm	5-1/2"	DS120140	10	200	100
130-150mm	5-7/8"	DS130150	10	200	100
140-160mm	6-1/4"	DS140160	10	200	100



2. 德式偏头卡箍 German type side head clamps

规格 Size	英寸 Inch	货号 Item no.	个/包 Pcs/bag	个/箱 9mm	Pcs/CTN 12mm
8-12mm	1/2"	DS0812	100	3000	---
10-16mm	5/8"	DS1016	100	2000	---
12-20mm	3/4"	DS1220	100	2000	---
12-22mm	7/8"	DS1222	100	2000	---
16-25mm	1"	DS1625	100	2000	1000
16-27mm	1-1/16"	DS1627	100	2000	1000
20-32mm	1-1/4"	DS2032	50	1000	500
25-40mm	1-1/2"	DS2540	50	1000	500
30-45mm	1-3/4"	DS3045	50	1000	500
32-50mm	2"	DS3250	50	1000	500
40-60mm	2-1/4"	DS4060	20	500	300
50-70mm	2-3/4"	DS5070	20	500	300
60-80mm	3-1/8"	DS6080	20	500	300
70-90mm	3-1/2"	DS7090	20	500	300
80-100mm	4"	DS80100	20	500	300
90-110mm	4-1/4"	DS90110	10	200	100
100-120mm	4-3/4"	DS100120	10	200	100
110-130mm	5"	DS110130	10	200	100
120-140mm	5-1/2"	DS120140	10	200	100
130-150mm	5-7/8"	DS130150	10	200	100
140-160mm	6-1/4"	DS140160	10	200	100



材质 Material	钢带 Band	箍头 Housing	螺丝 Screw
W1	Galvanized iron	Galvanized iron	Galvanized iron
W2	SS430/SS201/SS304	SS430/SS201/SS304	Galvanized iron
W4	SS304	SS304	SS304
W5	SS316	SS316	SS316

3. 德式盘带&箍头套装 German type DIY set



零件号 Item No.	带宽 Bandwidth	厚度 Thickness	长度 Length	箍头 Housing	材质 Material
DS04B09	9mm	0.6mm	3000mm	W2/W4	Galvanized iron/SS201/SS301/SS304/SS430
DS04B12	12mm	0.6mm	3000mm	W2/W4	Galvanized iron/SS201/SS301/SS304/SS430



美式卡箍 American type hose clamps



- 美式卡箍的用途最为广泛，主要应用于各类气管、水管、油管等的紧固。在汽车、工业、农业、家用等的也有广泛的应用。

American type hose clamp is the most widely used, mainly used in all kinds of gas pipe, water pipe, oil pipe fastening. It is also widely used in automobile, industry, agriculture, household and so on.

- 常规美式卡箍由201ss的钢带与镀锌螺栓组成，可根据客户需求提供其他钢材或铁制。

American clamp consists of 201SS steel band and galvanized bolt, other steel or iron can be provided according to customer's requirements.

- 美式卡箍可分为不同带宽（12mm、10mm、8mm）的产品，其存在扭力大小的不同，可接受定制。


American clamp can be divided into different bandwidth (12mm, 10mm, 8mm) products, there are different torque, can be customized.

1. 美式标准卡箍 American type standard clamps

SAE编号	规格		货号	个/包	个/箱 Pcs/CTN		
SAE No.	mm	Inch	Item no.	Pcs/bag	8mm	10mm	12.7mm
3	8-12mm	1/2"	MS0812	100	5000	---	---
4	10-16mm	5/8"	MS1016	100	5000	---	---
6	11-20mm	3/4"	MS1120	100	5000	---	---
8	13-25mm	1"	MS1325	100	5000	3000	---
10	14-27mm	1 1/16"	MS1427	100	4000	3000	2000
12	18-32mm	1 1/4"	MS1832	100	4000	3000	2000
16	21-38mm	1 1/2"	MS2138	100	3000	2000	1000
20	21-44mm	1 3/4"	MS2144	50	2000	1000	1000
24	27-51mm	2"	MS2751	50	2000	1000	1000
28	33-57mm	2-1/4"	MS3357	50	2000	1000	1000
32	40-64mm	2-1/2"	MS4064	50	2000	1000	500
36	46-70mm	2-3/4"	MS4670	50	2000	1000	500
40	50-76mm	3"	MS5076	50	2000	1000	500
44	59-83mm	3-1/4"	MS5983	25	1000	500	500
48	65-89mm	3-1/2"	MS6589	25	1000	500	500
52	72-95mm	3-3/4"	MS7295	25	1000	500	500
56	78-102mm	4"	MS78102	25	1000	500	500
60	84-108mm	4-1/4"	MS84108	25	1000	500	500
64	91-114mm	4-1/2"	MS91114	25	1000	500	500
72	103-127mm	5"	MS103127	25	1000	500	500
80	117-140mm	5-1/2"	MS117140	20	500	200	200
88	130-152mm	6"	MS130152	20	500	200	200
96	141-165mm	6-1/2"	MS141165	20	500	200	200
104	157-178mm	7"	MS157178	20	500	200	200




2. 美式扣盖卡箍 Power gear clamps



SAE编号	英寸		直径		钢带宽/货号 Band width		
SAE No.	Inches		Millimeters		12.7mm	14.2mm	15.8mm
12	11/16	1-1/4	18	32	MSKG1232	MSKG1432	/
16	3/4	1-1/2	19	38	MSKG1238	MSKG1438	/
20	13/16	1-3/4	21	44	MSKG1244	MSKG1444	MSKG1544
24	1-1/16	2	27	51	MSKG1251	MSKG1451	MSKG1551
28	1-5/16	2-1/4	33	57	MSKG1257	MSKG1457	MSKG1557
32	1-9/16	2-1/2	40	64	MSKG1264	MSKG1464	MSKG1564
36	1-13/16	2-3/4	46	70	MSKG1270	MSKG1470	MSKG1570
40	2-1/16	3	52	76	MSKG1276	MSKG1476	MSKG1576
44	2-5/16	3-1/4	59	83	MSKG1283	MSKG1483	MSKG1583
48	2-9/16	3-1/2	65	89	MSKG1289	MSKG1489	MSKG1589
52	2-13/16	3-3/4	71	95	MSKG1295	MSKG1495	MSKG1595
56	3-1/16	4	78	102	MSKG12102	MSKG14102	MSKG15102
60	3-5/16	4-1/4	84	108	MSKG12108	MSKG14108	MSKG15108
64	3-9/16	4-1/2	90	114	MSKG12114	MSKG14114	MSKG15114
72	4-1/16	5	103	127	MSKG12127	MSKG14127	MSKG15127
80	4-9/16	5-1/2	116	140	MSKG12140	MSKG14140	MSKG15140
88	5-1/16	6	129	152	MSKG12152	MSKG14152	MSKG15152
96	5-9/16	6-1/2	141	165	MSKG12165	MSKG14165	MSKG15165
104	6-1/16	7	154	178	MSKG12178	MSKG14178	MSKG15178
116	6-1/2	7-3/4	165	197	MSKG12197	MSKG14197	MSKG15197

材质	钢带	箍头	螺丝	建议使用扭力
Material	Band	Housing	Screw	Suggested Install Torque
W2	SS201/SS301/SS304	SS201/SS301/SS304	Galvanized iron	5.3Nm/7.5Nm/10Nm
W4	SS201/SS301/SS304	SS201/SS301/SS304	SS201/SS301/SS304	

3. 美式重型卡箍 Constant Torque Clamp



货号	直径范围	英寸范围	个/箱	Pcs/CTN
Item No.	ID Range-mm	Inch Range	14.2mm	15.8mm
MSZX2545	25-45mm	1-1 3/4	1000	1000
MSZX3254	32-54mm	1 1/4-2 1/8	1000	1000
MSZX4467	44-67mm	1 3/4-2 5/8	800	800
MSZX5779	57-79mm	2 1/4-3 1/8	800	800
MSZX7092	70-92mm	2 3/4-3 5/8	500	500
MSZX83105	83-105mm	3 1/4-4 1/8	500	500
MSZX95117	95-117mm	3 3/4-4 5/8	500	500
MSZX108130	108-130mm	4 1/4-5 1/8	300	300
MSZX121143	121-143mm	4 3/4-5 5/8	300	300
MSZX133155	133-155mm	5 1/4-6 1/8	300	300
MSZX146168	146-168mm	5 3/4-6 5/8	200	200
MSZX159181	159-181mm	6 1/4-7 1/8	200	200
MSZX172193	172-193mm	6 3/4-7 5/8	100	100
MSZX184206	184-206mm	7 1/4-8 1/8	100	100
MSZX197219	197-219mm	7 3/4-8 5/8	100	100
MSZX210232	210-232mm	8 1/4-9 1/8	100	100



材质	钢带	箍头	螺丝	垫片	建议使用扭力
Material	Band	Housing	Screw	Washers	Suggested install torque
W2	SS301/SS304	SS301/SS304	Iron plated Zinc	SS410	11 Nm
W4	SS301/SS304	SS301/SS304	SS301/SS304	SS410	

4. 美式盘带套装 American type DIY clamps set

零件号	钢带宽	厚度	长度	箍头	可选材质
Item No.	Bandwidth	Thickness	Length	Housing	Material
MS04B08	8mm	0.6mm	3000mm/custom-made	W2/W4	SS201/SS301/SS304
MS04B12	12.7mm	0.6mm	3000mm/custom-made	W2/W4	SS201/SS301/SS304



单头实心强力卡箍

Unitary clamp

- 适用于需要有强力紧固的位置例如农业、灌溉、排水系统、污泥抽吸等中的大型加固软管，具有强大的力量。在所有夹具中性价比非常高

It is suitable for large hardened hoses which need strong fastening, such as agriculture, irrigation, drainage system, sludge suction, etc., with strong strength. Very cost-effective in all clamps



- 强力卡箍的边缘光滑，可以保护管子，同时可以满足强力的拆装和反复拆卸。

The smooth edge of the unitary clamp protects the pipe and allows for strong disassembly and repeated disassembly.

- 其同样具有蜗杆传动系夹具的优点，线性增长其夹紧力，使管路受力均匀。

It also has the advantage of the worm drive system fixture, linear increase its clamping force, so that the pipeline force uniform.

型号	螺杆	货号	个/包	个/箱	钢带尺寸	使用扭力
Size	Screw	Item no.	Pcs/bag	Pcs/CTN	Band W*D	Torque
17-19mm	M5*40	UT1719	20	500	0.6*18mm	4.5Nm
20-22mm	M5*40	UT2022	20	500		
23-25mm	M5*40	UT2325	20	500		
26-28mm	M5*40	UT2628	20	500		
29-31mm	M6*50	UT2931	10	300	0.8*20mm	9Nm
32-35mm	M6*50	UT3235	10	300		
36-39mm	M6*50	UT3639	10	300		
40-43mm	M6*50	UT4043	10	300		
44-47mm	M6*50	UT4447	10	300	1.2*22mm	
48-51mm	M6*50	UT4851	10	300		
52-55mm	M6*50	UT5255	10	300		
56-59mm	M6*50	UT5659	10	300		
60-63mm	M6*50	UT6063	10	300	1.5*24mm	18Nm
64-67mm	M8*70	UT6467	10	200		
68-73mm	M8*70	UT6873	10	200		
74-79mm	M8*70	UT7479	10	200		
80-85mm	M8*70	UT8085	10	200		
86-91mm	M8*70	UT8691	10	200		
92-97mm	M8*70	UT9297	10	200		
98-103mm	M8*70	UT98103	10	100		
104-112mm	M8*80	UT104112	10	100	1.7*26mm	29Nm
113-121mm	M8*80	UT113121	10	100		
122-130mm	M8*80	UT122130	10	100		
131-139mm	M10*90	UT131139	5	100		
140-148mm	M10*90	UT140148	5	100		
149-161mm	M10*110	UT149161	5	50		
162-174mm	M10*110	UT162174	5	50		
175-187mm	M10*110	UT175187	5	50		
188-200mm	M10*110	UT188200	5	50		
210-213mm	M10*110	UT210213	5	50		
214-226mm	M10*110	UT214226	5	50		
227-236mm	M10*110	UT227236	5	50		
227-239mm	M10*110	UT227239	5	50		
240-252mm	M10*110	UT240252	5	50		



排气管卡箍 Exhaust pipe clamp

- 独特的设计使安装快速、简单和准确。不会对管道或软管造成破坏性变形。
Unique design makes installation quick, simple and accurate. No destructive deformation to pipes or hoses.
- 简单，方便，准确的连接排气管、消声器、转换器等。
Simple, convenient and accurate connection of exhaust pipe, muffler, converter, etc.
- 易于拆卸和后期排气系统的维修等。
Easy disassembly and later exhaust system maintenance, etc.

1. 变径卡箍&通径卡箍 Variable diameter clamp&uniform diameter clamp

型号 Size	厚度 Thickness	带宽 Band width	货号 Item no.	个/盒 Pcs/box	个/箱 Pcs/CTN
2.00"	0.6mm/0.8mm	76mm	EPC200	1pc/2pcs	50
2.25"	0.6mm/0.8mm	76mm	EPC225	1pc/2pcs	50
2.50"	0.6mm/0.8mm	76mm	EPC250	1pc/2pcs	50
2.75"	0.6mm/0.8mm	76mm	EPC275	1pc/2pcs	50
3.00"	0.6mm/0.8mm	76mm	EPC300	1pc/2pcs	50
3.50"	0.6mm/0.8mm	76mm	EPC350	1pc/2pcs	50
4.00"	0.6mm/0.8mm	76mm	EPC400	1pc/2pcs	50
4.50"	0.6mm/0.8mm	76mm	EPC450	1pc/2pcs	50
5.00"	0.6mm/0.8mm	76mm	EPC500	1pc/2pcs	50
5.50"	0.6mm/0.8mm	76mm	EPC550	1pc/2pcs	50
6.00"	0.6mm/0.8mm	76mm	EPC600	1pc/2pcs	50



2. 强力卡箍 Strong band clamp

型号 Size	厚度 Thickness	带宽 Band width	货号 Item no.	个/盒 Pcs/box	个/箱 Pcs/CTN
2.00"	1.8mm	31mm	EPQ200	1pc	50
2.25"	1.8mm	31mm	EPQ225	1pc	50
2.50"	1.8mm	31mm	EPQ250	1pc	50
2.75"	1.8mm	31mm	EPQ275	1pc	50
3.00"	1.8mm	31mm	EPQ300	1pc	50
3.50"	1.8mm	31mm	EPQ350	1pc	50
4.00"	1.8mm	31mm	EPQ400	1pc	50
4.50"	1.8mm	31mm	EPQ450	1pc	50
5.00"	1.8mm	31mm	EPQ500	1pc	50



3. U型卡箍U-bolt clamp

型号	英寸	货号	个/包	个/箱
Size	Inch	Item No.	Pcs/bag	Pcs/Ctn
32mm	1-1/4"	UB0832	10	100
38mm	1-1/2"	UB0838	10	100
44mm	1-3/4"	UB0844	8	80
51mm	2"	UB0851	8	80
57mm	2-1/4"	UB0857	8	80
64mm	2-1/2"	UB0864	5	50
76mm	3"	UB0876	5	50
89mm	3-1/2"	UB0889	5	50
102mm	4"	UB08102	2	20
114mm	4-1/2"	UB08114	2	20
127mm	5"	UB08127	2	20
152mm	6"	UB08152	2	20



4. 排气管连接单元Exhaust pipe connection unit

直径	零件号	材质	长度	装箱数
OD&ID	Item No.	Material	Length	PCS/CTN
38	EPDJ38152	SS409	152mm	50
42	EPDJ42152	SS409	152mm	50
45	EPDJ45152	SS409	152mm	50
57	EPDJ57152	SS409	152mm	50
64	EPDJ64152	SS409	152mm	50
76	EPDJ76152	SS409	152mm	50
89	EPDJ89152	SS409	152mm	50
102	EPDJ102152	SS409	152mm	50



5. 排气管连接管夹Exhaust pipe coupler



Exhaust pipe coupler		长度 Length						
		80mm	85mm	90mm	95mm	100mm	120mm	125mm
直径 ID&OD	1.5"	EPZT15080	EPZT15085	EPZT15090	EPZT15095	EPZT150100	EPZT150120	EPZT150125
	1.75"	EPZT17580	EPZT17585	EPZT17590	EPZT17595	EPZT175100	EPZT175120	EPZT175125
	2.0"	EPZT20080	EPZT20085	EPZT20090	EPZT20095	EPZT200100	EPZT200120	EPZT200125
	2.25"	EPZT22580	EPZT22585	EPZT22590	EPZT22595	EPZT225100	EPZT225120	EPZT225125
	2.35"	EPZT23580	EPZT23585	EPZT23590	EPZT23595	EPZT235100	EPZT235120	EPZT235125
	2.5"	EPZT25080	EPZT25085	EPZT25090	EPZT25095	EPZT250100	EPZT250120	EPZT250125
	2.75"	EPZT27580	EPZT27585	EPZT27590	EPZT27595	EPZT275100	EPZT275120	EPZT275125
	3.0"	EPZT30080	EPZT30085	EPZT30090	EPZT30095	EPZT300100	EPZT300120	EPZT300125
	3.25"	EPZT32580	EPZT32585	EPZT32590	EPZT32595	EPZT325100	EPZT325120	EPZT325125
	3.5"	EPZT35080	EPZT35085	EPZT35090	EPZT35095	EPZT350100	EPZT350120	EPZT350125
	4.0"	EPZT40080	EPZT40085	EPZT40090	EPZT40095	EPZT400100	EPZT400120	EPZT400125
	...	...	...	...	...	...	...	...



单耳无极卡箍 Single ear clamp

- 单耳卡箍主要应用于防尘套的紧固和小口径的水管油管的紧固，安装快速方便，需要使用专用工具夹紧。
The single-ear clamp is mainly used for fastening the rubber boots and tightening the water pipe and tubing. It is quick and convenient to install, but it needs to be clamped with special tools.
- 单耳卡箍具有低回弹性，强大的夹紧力，边缘光滑等优势。无极技术的应用使得管件受力均匀且抗高压膨胀。
The single-ear clamp has the advantages of low resilience, strong clamping force and smooth edge. The application of Stepless technology makes the pipe uniform force and resistant to high pressure expansion
- 无极技术：这个特殊设计消除了卡箍内圈的任何凸台或台阶。因为在装配过程中插舌完全滑入凹槽，这个“插舌入槽”结构使整个卡箍内圈360度范围内对被卡紧工件释放相同的压力，使卡箍对连接部位直径外围持续完整地施加径向负载。
Stepless design: This special design eliminates steps or overlaps on the inner circumference of the clamp. Because the tongue resides in a groove, the “tongue-in-groove” feature exerts pressure on the assembled parts over 360 degrees. This enables the clamp to apply a continuous radial force completely around the connection’s diameter.


1. 单耳无极卡箍 Single ear clamp

货号	型号	带宽*厚度	货号	型号	带宽*厚度
Item No.	Size	Band Width*Thickness	Item No.	Size	Band Width*Thickness
SEC565	5.3-6.5mm	5mm*0.5mm	SEC7256	22.4-25.6mm	7mm*0.6mm
SEC570	5.8-7.0mm		SEC7271	23.9-27.1mm	
SEC587	7.0-8.7mm		SEC7285	25.4-28.5mm	
SEC590	7.3-9.0mm		SEC7301	26.9-30.1mm	
SEC595	7.8-9.5mm		SEC7316	28.4-31.6mm	
SEC5100	8.3-10.0mm		SEC7331	29.9-33.1mm	
SEC5105	8.8-10.5mm		SEC7346	31.4-34.6mm	
SEC5113	9.6-11.3mm		SEC7361	32.9-36.1mm	
SEC7119	9.4-11.9mm		SEC7376	34.4-37.6mm	
SEC7123	9.8-12.3mm		SEC7381	34.9-38.1mm	
SEC7128	10.3-12.8mm	7mm*0.6mm	SEC7396	36.4-39.6mm	
SEC7133	10.8-13.3mm		SEC7410	37.8-41.0mm	
SEC7138	11.3-13.8mm		SEC7425	39.3-42.5mm	
SEC7140	11.5-14.0mm		SEC7440	40.8-44.0mm	
SEC7145	12.0-14.5mm		SEC7450	42.0-45.0mm	
SEC7148	12.3-14.8mm		SEC7455	42.3-45.5mm	
SEC7153	12.8-15.3mm		SEC7470	43.8-47.0mm	
SEC7157	13.2-15.7mm		SEC7485	45.3-48.5mm	
SEC7162	13.7-16.2mm		SEC7470	43.8-47.0mm	
SEC7166	14.1-16.6mm		SEC7485	45.3-48.5mm	
SEC7168	14.3-16.8mm		SEC7500	46.8-50.0mm	
SEC7170	14.5-17.0mm		SEC7515	48.3-51.5mm	
SEC7175	15.0-17.5mm		SEC7530	49.8-53.0mm	
SEC7180	14.8-18.0mm		SEC7545	51.3-54.5mm	
SEC7185	15.3-18.5mm		SEC7560	52.8-56.0mm	
SEC7210	17.8-21.0mm		SEC75470	54.0-57.0mm	
SEC7226	19.4-22.6mm		SEC7575	54.3-57.5mm	
SEC7235	20.3-23.5mm		SEC7590	55.8-59.0mm	
SEC7241	20.9-24.1mm		SEC7600	57.3-60.0mm	



2. Ear Clamp for PEX

型号	宽度	厚度	最大直径	最小直径	货号
PEX Size	Width	Thickness	Open Dia.	Closed Dia.	Item No.
3/8"	7mm	0.6mm	13.3mm	10.8mm	PEX133
1/2"	7mm	0.8mm	17.5mm	14.3mm	PEX175
5/8"	7mm	0.8mm	20.6mm	17.4mm	PEX206
3/4"	9mm	0.8mm	23.3mm	20.1mm	PEX233
1"	10mm	1.0mm	29.6mm	26.4mm	PEX296



3. CV Joint Clamp

材质	型号	宽度	厚度	货号
Material	Size	Width	Thickness	Item No.
304SS	25-45mm	9mm	0.8mm	SEC-QL908
	60-120mm			
201SS	25-45mm	8mm	0.6mm	SEC-QL806
	60-120mm			



4. Pull band clamp for CV joint

材质	长度	宽度	厚度	货号
Material	Length	Width	Thickness	Item No.
304SS	450mm	7mm	0.25mm	PBC-QL304
	750mm			
201SS	450mm	7mm	0.25mm	PBC-QL201
	750mm			




弹性卡箍 Elastic clamp

- 一体式设计，无螺栓结构的卡箍。夹紧力分布均匀，加紧后具有良好的密封可靠性。

One-piece, bolt-free hose clamp, The clamping force is evenly distributed and has good sealing reliability after tightening

- 安装后，其弹性性能可以自动跟随软管的变化自动调节加紧，即使在低温环境也保持着高水平的径向夹紧力
After installation, its elastic properties automatically adjust and tighten as the hose changes, maintaining a high level of radial clamping force even at low temperatures



货号	内径	最小直径	最大直径	厚度	宽度
Item No.	I.D	Min.	Max.	Thickness	Width
Q673B070	7	7.6mm	8.3mm	0.6mm	6mm
Q673B080	8	8.6mm	9.5mm	0.6mm	6mm
Q673B085	8.5	9.2mm	10.2mm	0.6mm	8mm
Q673B090	9	9.7mm	10.7mm	0.6mm	8mm
Q673B095	9.5	10.3mm	11.3mm	0.8mm	8mm
Q673B100	10	10.8mm	11.9mm	0.8mm	8mm
Q673B105	10.5	11.4mm	12.5mm	0.8mm	8mm
Q673B110	11	11.9mm	13.1mm	0.8mm	8mm
Q673B115	11.5	12.4mm	13.7mm	0.8mm	8mm
Q673B120	12	13mm	14.3mm	0.8mm	8mm
Q673B125	12.5	13.5mm	14.9mm	0.8mm	8mm
Q673B130	13	14mm	15.5mm	0.8mm	8mm
Q673B135	13.5	14.6mm	16.1mm	0.8mm	8mm
Q673B140	14	15.1mm	16.7mm	0.8mm	10mm
Q673B145	14.5	15.7mm	17.3mm	0.8mm	10mm
Q673B150	15	16.2mm	17.9mm	1mm	10mm
Q673B155	15.5	16.7mm	18.4mm	1mm	10mm
Q673B160	16	17.3mm	19.1mm	1mm	12mm
Q673B165	16.5	17.9mm	19.7mm	1mm	12mm
Q673B170	17	18.4mm	20.2mm	1mm	12mm
Q673B175	17.5	18.9mm	20.9mm	1mm	12mm
Q673B180	18	19.4mm	21.4mm	1mm	12mm
Q673B185	18.5	20mm	22.1mm	1mm	12mm
Q673B190	19	20.5mm	22.6mm	1mm	12mm
Q673B195	19.5	21.1mm	23.3mm	1mm	12mm
Q673B200	20	21.6mm	23.8mm	1mm	12mm
Q673B205	20.5	22.2mm	24.4mm	1mm	12mm
Q673B210	21	22.7mm	25mm	1mm	12mm
Q673B230	23	24.8mm	27.4mm	1.2mm	12mm
Q673B240	24	25.9mm	28.5mm	1.2mm	12mm
Q673B250	25	27mm	29.8mm	1.2mm	12mm

货号	内径	最小直径	最大直径	厚度	宽度
Item No.	I.D	Min.	Max.	Thickness	Width
Q673C13	13	12mm	14.2mm	0.8mm	12mm
Q673C14	14	13.3mm	15.8mm	0.8mm	12mm
Q673C15	15	14mm	16.5mm	0.8mm	12mm
Q673C16	16	14.9mm	17.5mm	0.8mm	12mm
Q673C17	17	15.6mm	18.5mm	0.8mm	12mm
Q673C18	18	16mm	19mm	0.8mm	12mm
Q673C19	19	17.8mm	20.2mm	1.3mm	12mm
Q673C20	20	18.4mm	21.6mm	1.3mm	12mm
Q673C21	21	19.4mm	22.5mm	1.3mm	12mm
Q673C22	22	20.5mm	24.2mm	1.3mm	12mm
Q673C23	23	21mm	24.7mm	1.3mm	12mm
Q673C24	24	22mm	26mm	1.3mm	12mm
Q673C25	25	23.5mm	26.8mm	1.3mm	12mm
Q673C26	26	24.3mm	28mm	1.7mm	12mm
Q673C27	27	25.2mm	29mm	1.7mm	12mm
Q673C28	28	26.1mm	30.2mm	1.7mm	12mm
Q673C29	29	27mm	31.5mm	1.7mm	12mm
Q673C30	30	28mm	32.5mm	1.7mm	12mm
Q673C32	32	29.5mm	34.5mm	1.7mm	12mm
Q673C34	34	30.6mm	36.4mm	1.7mm	12mm
Q673C35	35	31.5mm	38mm	1.7mm	12mm
Q673C36	36	32.5mm	39mm	1.7mm	12mm
Q673C38	38	34.5mm	41.5mm	1.7mm	12mm
Q673C40	40	35.5mm	42.5mm	1.7mm	12mm
Q673C42	42	37.5mm	44.5mm	2.1mm	12mm
Q673C43	43	37.9mm	45.5mm	2.1mm	12mm
Q673C44	44	38.5mm	46.5mm	2.1mm	12mm
Q673C46	46	40.5mm	48.5mm	2.1mm	12mm
Q673C47	47	41.5mm	50mm	2.1mm	12mm
Q673C49	49	42.5mm	52mm	2.1mm	12mm
Q673C50	50	43.5mm	53mm	2.1mm	12mm
Q673C51	51	44mm	54mm	2.1mm	12mm
Q673C53	53	46mm	55.8mm	2.1mm	12mm
Q673C55	55	47mm	58mm	2.1mm	12mm
Q673C60	60	51.5mm	63mm	2.6mm	12mm
Q673C65	65	57.5mm	68mm	2.6mm	12mm
Q673C70	70	61.5mm	73mm	2.6mm	12mm
Q673C75	75	66.5mm	78mm	2.6mm	12mm
Q673C80	80	70mm	83mm	2.6mm	12mm
Q673C85	85	74mm	88mm	2.6mm	12mm
Q673C90	90	79mm	93mm	2.6mm	12mm

双钢丝卡箍

Double wires clamp

高性价比卡箍，可替代大部分卡箍，安装方便，简单，快速
Cost-effective clamp, can replace most of the clamp, easy to install, simple, fast

型号	英寸	钢丝直径	螺栓	货号	个/包	个/箱
Size	inch	Wires Dia.	Bolt	Item No.	Pcs/bag	Pcs/ctn
12	1/2"	1.8	M6*35	DWC12	100	1000
16	5/8"	1.8	M6*35	DWC16	100	1000
19	3/4"	1.8	M6*35	DWC19	100	1000
22	7/8"	1.8	M6*35	DWC22	100	1000
25	1"	3	M8*50	DWC25	100	1000
27	1-1/16"	3	M8*50	DWC27	100	1000
32	1-1/4"	3	M8*50	DWC32	100	1000
38	1-1/2"	3	M8*50	DWC38	50	500
44	1-3/4"	3	M8*50	DWC44	50	500
51	2"	3	M8*50	DWC51	50	500
57	2-1/4"	3	M8*60	DWC57	50	500
64	2-1/2"	3	M8*60	DWC64	50	500
70	2-3/4"	3	M8*60	DWC70	50	500
76	3"	3	M8*70	DWC76	50	500
83	3-1/4"	3	M8*70	DWC83	50	500
89	3-1/2"	3	M8*70	DWC89	50	500
95	3-3/4"	3	M8*70	DWC95	50	500
100	4"	3	M8*70	DWC100	50	500
110	4-1/4"	3	M8*70	DWC110	20	200
115	4-1/2"	3	M8*70	DWC115	20	200
120	4-3/4"	3	M8*70	DWC120	20	200
125	4-7/8"	3	M8*70	DWC125	20	200
130	5"	3	M8*70	DWC130	20	200
135	5-1/4"	3	M8*70	DWC135	20	200
140	5-1/2"	3	M8*70	DWC140	20	200
145	5-3/4"	3	M8*70	DWC145	20	200
150	5-7/8"	3	M8*70	DWC150	20	200
155	6"	3	M8*70	DWC155	20	200
160	6-1/4"	3	M8*70	DWC160	20	200



英式卡箍

British type hose clamps

• 英式卡箍的用途比较广泛，主要应用于各类气管、水管、油管等的紧固。在汽车、工业、农业、家用等的也有广泛的应用。
British type hose clamp is widely used, mainly used in all kinds of gas pipe, water pipe, oil pipe fastening. It is also widely used in automobile, industry, agriculture, household and so on.

• 常规英式卡箍是铁镀锌材质，宽度分为9.7和11.7mm，可根据客户需求定制尺寸。

The standard British type hose clamp is made of galvanized iron. The band width has 9.7 mm and 11.7mm. The size can be customized according to customer's requirements.



编号	型号	英寸	带宽	货号	个/包	个/箱
No.	Size	Inch	Bandwidth	Item no.	Pcs/bag	Pcs/ctn
OOO	8-12mm	1/2"	9.7mm	YSC0812	100	1000
MOO	10-16mm	5/8"	9.7mm	YSC1016	100	1000
OO	13-19mm	3/4"	9.7mm	YSC1319	100	1000
O	16-25mm	1"	9.7mm	YSC1625	100	1000
OX	19-29mm	1-1/16"	9.7mm	YSC1929	100	1000
1A	22-32mm	1-1/4"	11.7mm	YSC2232	50	500
1#	25-38mm	1-1/2"	11.7mm	YSC2538	50	500
1X	32-44mm	1-3/4"	11.7mm	YSC3244	50	500
2A	35-51mm	2"	11.7mm	YSC3551	50	500
2#	38-57mm	2-1/4"	11.7mm	YSC3857	50	500
2X	44-64mm	2-1/2"	11.7mm	YSC4464	50	500
3#	51-70mm	2-3/4"	11.7mm	YSC5170	50	500
3X	64-76mm	3"	11.7mm	YSC6476	50	500
4#	70-89mm	3-1/2"	11.7mm	YSC7089	25	250
4X	76-92mm	3-5/8"	11.7mm	YSC7692	25	250
5#	80-100mm	4"	11.7mm	YSC80100	25	250
5X	90-110mm	4-1/4"	11.7mm	YSC90110	20	200
6#	100-120mm	4-3/4"	11.7mm	YSC100120	20	200
6X	110-130mm	5"	11.7mm	YSC110130	20	200
7#	120-140mm	5-1/2"	11.7mm	YSC120140	20	200
7X	130-150mm	5-7/8"	11.7mm	YSC130150	20	200
8#	140-160mm	6-1/4"	11.7mm	YSC140160	20	200

迷你卡箍 Mini clamp

迷你卡箍适用于小直径的软管处，边缘光滑可以保护软管
有两种材质可供选择，W1/W4

Mini clamp is suitable for small diameter hose with smooth edge to protect hose There are two materials available, W1/W4

型号	宽度	厚度	货号	个/盒	个/箱
Size	Width	Thickness	Item no.	Pcs/box	Pcs/CTN
6-8mm	9mm	0.6mm	MN0608	200	2000
7-9mm	9mm	0.6mm	MN0709	200	2000
8-10mm	9mm	0.6mm	MN0810	200	2000
9-11mm	9mm	0.6mm	MN0911	200	2000
10-12mm	9mm	0.6mm	MN1012	100	1000
11-13mm	9mm	0.6mm	MN1113	100	1000
12-14mm	9mm	0.6mm	MN1214	100	1000
13-15mm	9mm	0.6mm	MN1315	100	1000
14-16mm	9mm	0.6mm	MN1416	100	1000
15-17mm	9mm	0.6mm	MN1517	100	1000
16-18mm	9mm	0.6mm	MN1618	100	1000
17-19mm	9mm	0.6mm	MN1719	100	1000
18-20mm	9mm	0.6mm	MN1820	100	1000
19-21mm	9mm	0.6mm	MN1921	100	1000
20-22mm	9mm	0.6mm	MN2022	100	1000
21-23mm	9mm	0.6mm	MN2123	100	1000
22-24mm	9mm	0.6mm	MN2324	100	1000
23-25mm	9mm	0.6mm	MN2325	100	1000
25-27mm	9mm	0.6mm	MN2527	100	1000



单管夹片 Single pipe clamp

单管夹片适用于单根管子的固定

Single pipe clamp is suitable for fixing single pipe

型号	带宽	货号	个/包	个/箱
Size	Band width	Item No.	Pcs/bag	Pcs/ctn
6mm	16mm	DGC1606	200	2000
8mm	16mm	DGC1608	200	2000
10mm	16mm	DGC1610	200	2000
12mm	16mm	DGC1612	100	1000
14mm	16mm	DGC1614	100	1000
16mm	16mm	DGC1616	100	1000
18mm	16mm	DGC1618	100	1000
20mm	16mm	DGC1620	100	1000
25mm	20mm	DGC2025	100	1000
30mm	20mm	DGC2030	100	1000
35mm	20mm	DGC2035	50	500
40mm	20mm	DGC2040	50	500
45mm	20mm	DGC2045	50	500
50mm	20mm	DGC2050	50	500
55mm	20mm	DGC2055	50	500
60mm	20mm	DGC2060	50	500



连胶条卡箍


Pipe clamps with rubber

型号 Size	材质 Material	带宽 Bandwidth		厚度 Thickness	孔径 Diameter
15mm	20mm				
6mm	W1/W4	LJT156506	LJT208506	0.6/0.8mm	6.5/8.5mm
8mm	W1/W4	LJT156508	LJT208508	0.6/0.8mm	6.5/8.5mm
10mm	W1/W4	LJT156510	LJT208510	0.6/0.8mm	6.5/8.5mm
12mm	W1/W4	LJT156512	LJT208512	0.6/0.8mm	6.5/8.5mm
13mm	W1/W4	LJT156513	LJT208513	0.6/0.8mm	6.5/8.5mm
14mm	W1/W4	LJT156514	LJT208514	0.6/0.8mm	6.5/8.5mm
15mm	W1/W4	LJT156515	LJT208515	0.6/0.8mm	6.5/8.5mm
16mm	W1/W4	LJT156516	LJT208516	0.6/0.8mm	6.5/8.5mm
18mm	W1/W4	LJT156518	LJT208518	0.6/0.8mm	6.5/8.5mm
20mm	W1/W4	LJT156520	LJT208520	0.6/0.8mm	6.5/8.5mm
22mm	W1/W4	LJT156522	LJT208522	0.8mm	6.5/8.5mm
24mm	W1/W4	LJT156524	LJT208524	0.8mm	6.5/8.5mm
26mm	W1/W4	LJT156526	LJT208526	0.8mm	6.5/8.5mm
28mm	W1/W4	LJT156528	LJT208528	0.8mm	6.5/8.5mm
30mm	W1/W4	LJT156530	LJT208530	0.8mm	6.5/8.5mm
32mm	W1/W4	LJT156532	LJT208532	0.8mm	6.5/8.5mm
35mm	W1/W4	LJT156535	LJT208535	0.8mm	6.5/8.5mm
38mm	W1/W4	LJT156538	LJT208538	0.8mm	6.5/8.5mm
40mm	W1/W4	LJT156540	LJT208540	0.8mm	6.5/8.5mm
42mm	W1/W4	LJT156542	LJT208542	0.8mm	6.5/8.5mm
45mm	W1/W4	LJT156545	LJT208545	0.8mm	6.5/8.5mm
48mm	W1/W4	LJT156548	LJT208548	0.8mm	6.5/8.5mm
50mm	W1/W4	LJT156550	LJT208550	0.8mm	6.5/8.5mm
55mm	W1/W4	LJT156555	LJT208555	0.8mm	6.5/8.5mm
60mm	W1/W4	LJT156560	LJT208560	0.8mm	6.5/8.5mm
...	...	...	...	...	...







其他卡箍

Other clamps



卡箍应用场景 Clamp application



电话/Tel: 0719-8313806

手机/Mob: +86 13986918568/ 13986889525

邮箱/E-mail: service@xzhgm.com; bruce@xzhgm.com

网址/Http: www.xzhgm.com; www.zakerclamp.com

地址1/Add 1: 湖北省十堰市汽配城大明C区二栋1044号

No. 1044, Building 2, Daming C District, Shiyan Auto Parts City, Hubei

地址2/Add 2: 河北省河间市京津冀再制造产业园24栋

Building 24, Beijing-Tianjin-Hebei Remanufacturing Industrial Park, Hejian Economic Development Zone, Hebei



Website



WhatsApp



WeChat