

山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com

Ride-on hydraulic vibratory roller（Fully hydraulic） RWYL51BC-1.7 ton



Yanmar engine




Danfoss hydraulic pump



Intelligent dashboard



Danfoss driving motor




Danfoss vibration motor

Type	RWYL51BC
Run	
Speed	0-8km/h
Turning radius	1900mm
Climbing capacity in theory	30%
Compaction	
Static load forward/back	80/85N/cm
Nominal amplitude	0.5mm
Vibration frequency	65Hz
Exciting force	2×25kN
Water tank volume	150L
Working	
Drive	Variable plunger pump, constant displacement hydraulic motor
Vibration	Gear pump, Gear motor
Turning	Hydraulic steering

山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com

Engine	
Model	YANMAR Engine （Import from Japan Originally）
Type	Diesel engine, water-cooled, 4stroke, three cylinder
Power	20hp/3000rpm
Fuel tank volume	30L
Lubricant L	3.8L
Fuel consumption	280g/kWh
Dimension	
Width of steel wheel	900mm
Diameter of steel wheel	560mm
Tread	1460mm
Total length	2080mm
Total width	980mm
Total height	2230mm
Packing size	2300×1140×1700mm
Weight	
Working weight	1700kg
Price	



山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com



