ROADWAY 山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com

Automatic Curb Paver RWHM31

Intelligent control panel




HONDA gasoline engine or YANMAR diesel engine




Storage bin, compacted using a vibrating rod








Customized molds according to customer needs




high sensitivity tilt sensor, to control direction



U.S.A Eaton driving motor

ROADWAY 山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com











ROADWAY 山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com

Type	**RWHM31**
Engine	
Model	HONDA GX630
Type	Gasoline Engine, air cooled, two cylinder
Power	20hp/3600rpm
Fuel tank volume	60L
Lubricant L	1.5L
Fuel consumption	313g/kWh
Traveling system	
Driving	Hydraulic motor
Wheel	Solid puncture-proof tyre
Speed	0-70m/min
Vibration system	
Vibrating rod	Hydraulic vibrating rod
Nominal amplitude	1.5mm
Vibrating frequency	Adjustable
Exciting force	11kN(under 10000rpm)
Control system	
Control mode	Auto/Manual
Automatic control	Steering, Transverse slope and Longitudinal slope by high accuracy sensor
Clean system	
Power	Hydraulic motor
Theoretical flow	20L/min
Theoretical pressure	7Mpa
Working	
Speed	0-15m/min
Mold size	Width 100cm*Height 60cm
Dimension	
Overall dimension	2610x1970x1500mm
Weight	
Weight	1200kg

ROADWAY 山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com



