ROADWAY 山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway04@163.com

Circular Cutting Machine RWYQ22

It is used for repairing and changing sewer well cover in the sectors of municipal engineering, telecom, gas and water supply.



ROADWAY 山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway04@163.com



Equipped with imported HONDA engine.




Remote control operation



Low labor intensity，very convenient for field transfer




The base is self-leveling for slant sewer cover



Adjustable blade to prevent stalling



Cutting depth monitor



Cutting depth adjustment on/off



Automatic Lock release mechanism operates smoothly



The blade guard can against cutting splashes.



Adjust the circumferential diameter



Remote control storage box



The draw bar can adjust for different height tractor.



LED lighting



Height adjustment pad to accommodate sunken covers



Oil level indicator

ROADWAY 山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway04@163.com

Type	RWYQ22
Run	
Speed	--
Cutting method	Remote control operation
Cutting	
Diameter of blade	760-1800mm
Cutting depth	0-110mm
Blade	400mm
Water tank volume	60L
Engine	
Model	Honda GX690
Type	Gasoline engine, air cooled, 4stroke, single cylinder
Power	22.5hp/3600rpm
Fuel tank volume	14L
Lubricant L	1.9L
Fuel consumption	313g/kwh
Dimension	
Total length	1220mm
Total width	1020mm
Total height	1700mm
Weight	
working weight	470kg