
ROADWAY山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com

Remote Dust Suppression Sprayer RWJC13





The angle of the fan which made of aircraft grade aluminum can be adjustable strong wind good kinetic balance



Famous brand LS/3 electric devices stable quality performance very suitable for the outdoor working conditions

ROADWAY山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com



Scientific designed stainless steel sprayer with good performance of atomization falling dust and saving water



Well—known brand high pressure water pump high efficiency long lifespan









ROADWAY 山东路得威工程机械制造有限公司
SHANDONG ROADWAY CONSTRUCTION MACHINERY MANUFACTURING CO., LTD.
High-Tech Zone Jining Shandong China. **TEL:86-537-2239258 FAX:86-537-5160603** E-mail: roadway@163.com



Model	RWJC13
Horizontal range	60m
Horizontal rotation angle	0-350°
Elevation angle	-5° - 45°
Effective area	4000 ㎡
Move mode	Fixed type
Swing mode (level)	Electric, remote control
Swing mode (pitching)	Electric, remote control
Wind cylinder elevating mode	Fixed height
Air volume	25000m³ /h
Air pressure	980Pa
Environment temperature	-30℃-+50℃
Fan power	7.5 kW
Fan speed	2900 rpm
Pump power	3 kW
Pump speed	1450 rpm
Method of fan motor starting	Delte starter
Method of pump starting	Star starter
Nozzles	12
Water consumption	22-24 L / m
Operate mode	Remote control/ button
Power	External power
Supply water	External water tank
Net Weight	460kg