

提升金属回收价值
TO INCREASE YOUR METAL SCRAP VALUE

回收处理设备制造企业
亿 迈 圣
YMSRECYCLING
RECYCLING MACHINES MANUFACTURER




FOCUS ON
DESIGN AND

MANUFACTURER

专注设计与制造

Jiangyin Yimaisheng Hydraulic Machinery Co., Ltd.
E-mail: info@ymsrecycling.com
www.ymsrecycling.com
Add: No.8 Jizhuang Road, Yunting Street, Jiangyin City, Jiangsu Province, China

江阴市亿迈圣液压机械有限公司
JIANGYIN YIMAISHENG HYDRAULIC MACHINERY CO.,LTD.



A 关于我们 ABOUT US

江阴市亿迈圣液压机械有限公司（简称：亿迈圣）是一家专注于金属回收与加工设备研发、设计和制造的高新技术企业，成立于2019年。

亿迈圣专注于提供创新的金属回收解决方案，生产包括金属打包机、金属压块机、金属剪切机等设备，广泛应用于废旧金属的回收和处理。我们为客户提供定制化设计和符合国际相关标准的设备，帮助提升生产效率、降低能耗，创造环保与经济效益的双赢局面。

公司在全球多个国家设有办事处，为不同地区的客户提供便捷的销售和售后服务。我们遵循ISO质量管理体系，依托经验丰富的研发制造团队和先进的生产工艺，确保每一台设备的卓越性能和稳定质量。

亿迈圣秉承“创新、质量、合作、共赢”的服务宗旨，始终为客户提供优质的技术支持和售后服务。我们期待与全球客户携手合作，共同推动金属回收行业的可持续发展为环境保护和资源再生贡献力量。

Jiangyin Yimaisheng Hydraulic Machinery Co., Ltd. (abbreviated as YMS) is a high-tech enterprise specializing in the research, design, and manufacture of metal recycling and processing equipment. Established in 2019, the company focuses on delivering innovative solutions for metal recycling.

We manufacture a range of equipment, including metal balers, metal briquetting presses, and metal shears, widely used in the recycling and processing of scrap metals. We provide customized designs and equipment that comply with relevant international standards, helping clients improve production efficiency, reduce energy consumption, and achieve a win-win scenario for both environmental and economic benefits.

With offices in multiple countries around the world, YMS ensures convenient sales and after-sales services for clients in different regions. We adhere to the ISO quality management system and rely on our experienced R&D and manufacturing teams, along with advanced production processes, to ensure the excellent performance and stable quality of every piece of equipment.

We uphold the service philosophy of "Innovation, Quality, Cooperation, and Win-Win," always providing customers with high-quality technical support and after-sales services. We look forward to collaborating with global clients to promote the sustainable development of the metal recycling industry and contribute to environmental protection and resource regeneration.

Y83W 卧式压饼机 / Y83W Horizontal Briquetting Press

功能 / FUNCTION

Y83W系列卧式压饼机专为高效处理多种金属碎料（如钢刨花屑、铜屑、铝屑等）而设计，配备了储料仓、输送机 and 称重系统，优化物料处理中的储存和输送过程。

该系列压块机系统特别适用于废料处理量大的金属回收场、金属加工行业和钢铁企业，能够满足高效、大规模的金属废料压缩需求。

The Y83W series horizontal briquetting machine is specifically designed for the efficient processing of various metal scraps (such as steel turnings, copper shavings, aluminum chips, etc.). It is equipped with a storage hopper, conveyor, and weighing system to optimize the storage and transportation processes in material handling.

This series of briquetting machines is particularly suitable for scrap yards with high processing volumes, the metal processing industry, and steel enterprises, capable of meeting the demands for efficient, large-scale metal scrap compression.



技术参数 / TECHNICAL DATA

设备型号	最大压力 (吨)	饼块尺寸 (毫米)	功率 (千瓦)	产量(千克/时)-钢铁
Model	Max. force (ton)	Briquette size (mm)	Power (kw)	Capacity(kg/h)-Fe
Y83W-630	630	Φ130-200	120/135	≤4000
Y83W-800	800	Φ160-240	165	≤6000
Y83W-1000	1000	Φ180-260	220	≤8000
Y83W-1250	1250	Φ200-310	275	≤14000
Y83W-2000	2000	Φ350-400	450	≤24000

*保留技术更改的权利-产量取决于材料和设备配置。

*可根据要求提供其他配置。

*Technical specifications are subject to change. Capacity may vary depending on the input material.

*Other configurations available upon request.

特点 / FEATURES

- 全自动运行
- 坚固的设计
- 低维护成本
- 高产量压饼
- Fully automatic operation
- Robust design
- Low-maintenance
- High efficiency presses



YW卧式压饼机 / YW Horizontal Briquetting Press

功能 / FUNCTION

YW系列卧式金属压饼机是一款全自动运行的液压机械。

一体化设计以及广泛处理各种金属切屑，如铸铁，铝，铜，钢，黄铜，锌，青铜，钛和镁，设备也适合其他加工产生的废料。它能给产生切屑刨花的金属加工企业、金属废屑回收公司和金属废屑铸造公司带来可观的经济效益。此外，金属屑压块处理还具有一定的环保效益。

YW series of horizontal briquetting presses are hydraulic machines designed to operate in automatic mode. Developed to compact and to make maximum use of metal swarf such as cast iron, aluminum, copper, steel, brass, zinc, bronze, titanium and magnesium, are also suitable for other machining scraps. It results in economic benefits for companies that generate the swarf, companies that recycle metal scraps, and for foundries that process the scraps. Also, there are some environmental benefits resulting from the briquetting process.



铝屑饼块
ALUMINUM BRIQUETTE



铸铁屑饼块
CAST IRON BRIQUETTE

技术参数 / TECHNICAL DATA

设备型号	最大压力 (吨)	饼块尺寸 (毫米)	功率 (千瓦)	产量参考(千克/时)-铝
Model	Max. force (ton)	Briquette size (mm)	Power (kw)	Refer Capacity(kg/h)-Al
YW1-180	63	Φ50-90	18.5	≤200
YW1-250	125	Φ90-120	22	≤600
YW1-320	200	Φ100-140	37	≤900
YW2-180	63	Φ70-90	22	≤400
YW2-250	125	Φ90-120	30	≤900
YW2-320	200	Φ100-140	44	≤1500
YW2-360	250	Φ120-160	74	≤2200

*保留技术更改的权利-产量取决于材料和设备配置。

*可根据要求提供其他配置。

*Technical specifications are subject to change. Capacity may vary depending on the input material.

*Other configurations available upon request.

特点 / FEATURES

- 高度自动化，循环处理切屑。
- 分离和回收切削油和切削液。
- 提高工作环境清洁，降低环境影响。
- 节省处理和运输成本。

- Highly automated cycle for processing the machining swarf.
- Removal and reclamation of cutting oils and fluids.
- Enhanced level of cleanliness and lower environmental impact.
- Savings on handling and transportation costs.



铸铁屑
CAST IRON CHIPS



铝屑
ALUMINUM CHIPS



Y83W2 卧式双头金属压饼机

/Y83W2 Horizontal Briquetting Press

功能 / FUNCTION

Y83W2系列卧式压饼机专为高效处理多种金属碎料（如钢刨花屑、铜屑、铝屑等）而设计，配备了储料仓、输送机 and 称重系统，优化物料处理中的储存和输送过程。
该系列压块机系统特别适用于废料处理量大的金属回收场、金属加工行业和钢铁企业，能够满足高效、大规模的金属废料压缩需求。

The Y83W2 series horizontal briquetting machine is specifically designed for the efficient processing of various metal scraps (such as steel turnings, copper shavings, aluminum chips, etc.). It is equipped with a storage hopper, conveyor, and weighing system to optimize the storage and transportation processes in material handling.
This series of briquetting machines is particularly suitable for scrap yards with high processing volumes, the metal processing industry, and steel enterprises, capable of meeting the demands for efficient, large-scale metal scrap compression.



Y83W2 卧式双头金属压饼机

/Y83W2 Horizontal Briquetting Press

设备型号	最大压力（吨）	饼块尺寸（毫米）	功率（千瓦）	产量(千克/时)-钢铁
Model	Max. force (ton)	Briquette size (mm)	Power (kw)	Capacity(kg/h)-Fe
Y83W2-120	120	Φ70-100	30/37	≤800
Y83W2-150	150	Φ80-120	66	≤2000
Y83W2-630	630	Φ160-220	220	≤8000

*保留技术更改的权利-产量取决于材料和设备配置。
*可根据要求提供其他配置。
*Technical specifications are subject to change. Capacity may vary depending on the input material.
*Other configurations available upon request.



特点 / FEATURES

高效生产
全自动运行
降低人工成本
减少能耗
占地更小

High Production Efficiency
Fully Automated Operation
Reduced Labor Costs
Lower Energy Consumption
Small Footprint

Y83立式压饼机 / Y83 Vertical Briquetting Press



功能 / FUNCTION

Y83系列立式压饼设备可加工多种金属碎料，如铁屑、铜屑、铝屑、镁屑、铅屑等其他金属碎料。

饼块尺寸选择多样性，高密度压缩，紧密结实耐摔。方便仓储和运输，回炉熔化效果更佳，低燃烧损耗。

Y83 series vertical briquetting press can process a wide range of metal shavings, such as iron chips, copper shavings, aluminum shavings, magnesium shavings, lead scrap and other metal shavings.

With various shape sizes, the briquettes are compact and dense, convenient for storage and transportation, better melting effect in the furnace with low burning loss.

特点 / FEATURES

- 全自动运行操作
- 金属饼块获得更高利润
- 操作方便
- 高可用性和可扩展性
- Fully automatic operation
- Higher profits with briquettes
- Operate friendly
- strong-usability and high-expandability

技术参数 / TECHNICAL DATA

设备型号	最大压力 (吨)	饼块尺寸 (毫米)	功率 (千瓦)	产量(千克/时)-钢铁
Model	Max. force (ton)	Briquette size (mm)	Power (kw)	Capacity(kg/h)-Fe
Y83-250	250	Φ90-120	18.5	≤700
Y83-360	360	Φ100-140	30	≤1200
Y83-500	500	Φ110-180	60	≤2500
Y83-630	630	Φ130-200	60	≤3500
Y83-800	800	Φ150-230	110	≤5300
Y83-1000	1000	Φ180-250	220	≤6800
Y83-250L	250	Φ90-120	18.5	≤800
Y83-360L	360	Φ100-140	30	≤1300
Y83-500L	500	Φ110-180 / 200×200	60	≤2700
Y83-630L	630	Φ130-200	60	≤3800
Y83-800L	800	Φ160-230	110	≤5700
Y83-1000L	1000	Φ180-260	220	≤8000

*保留技术更改的权利-产量取决于材料和设备配置。

*可根据要求提供其他配置。

**“L”系列带预压功能和封闭模腔。

*Technical specifications are subject to change. Capacity may vary depending on the input material.

*Other configurations available upon request.

**“L” Series with prepressing function and totally-enclosed mold.

Y82立式打包机 / Y82 Vertical Baler

功能 / FUNCTION

Y82系列立式打包机有多种设计型号，压力从40吨到250吨不等，具有单主缸或双主缸结构，以及不同的锁门设计。
立式打包机首先将物料压成紧凑的包块形状，然后将包块进行捆扎或装袋，方便物料的搬运，储放和运输。

Y82 series vertical balers are designed with different kinds of models. Press force from 40tons to 250tons feature with single or dual-ram structure and different lock door mechanism design.
The vertical baler presses the materials into a compact form, and then band or bag the bales, ensuring easy handling, storing and transportation.



特点 / FEATURES



- 适用于多种类型或尺寸的材料。
- 可定制压料箱尺寸和包块尺寸。
- 维护费用低。
- Suit any type or size of material.
- Customized press chamber size and bale size.
- Low maintenance costs.

技术参数 / TECHNICAL DATA

设备型号 Model	最大压力（吨） Max. force (ton)	压料箱尺寸（毫米） Press chamber (mm)	包块大小（毫米） Bale size (mm)	功率（千瓦） Power (kw)
Y82-40	40	1000*600*1200	1000*600	11
Y82-63	63	1000*700*1500	1000*700	15
Y82-80	80	1100*700*1500	1100*700	15
Y82-100	100	1100*800*1600	1100*800	18.5
Y82-120	120	1500*800*1600	1500*800	22
Y82-160	160	1500*1100*1800	1500*1100	22
Y82-200	200	1800*1100*1800	1800*1100	30
Y82-250	250	2000*1100*1800	2000*1100	45

*保留技术更改的权利-产量取决于材料和设备配置。

*可根据要求提供其他型号。

*捆扎可用PET带或铁丝，出包方式可手动，翻包链或推包油缸。

*Subject to technical modifications - Capacity depends on the source material.

*Other versions available upon request.

*PET belt or Wire binding, discharge package can be manual, ejector chain or push cylinder.

Y81金属压块机 /Y81 Metal Baler

功 能 / FUNCTION

Y81系列金属压块机采用闭合式挤压结构，高强度耐磨板和带有剪切刀片的门盖，可剪切体积较大的部件，并实现预压。机器可进行手动或自动操作运行。

金属打包机可以高效、快速地处理多种金属废料，无论是诸如罐头、铝和钢刨花和废铁之类的中小型废料，还是诸如钢板、洗衣机、彩钢瓦、其他白色家电和整车框架的大型笨重的废料。

Y81 series metal baler machine with closed extruded structure, high-strength wear plates and door cover with cutting blades, which could shear bulky scraps to be smaller as well as achieving pre compaction. Each machine can be operated manually or automatically.
The metal baler can be used to press efficiently and quickly with metals scraps, whether it is something as small as cans, aluminium and steel turnings and wire scrap, or as large and robust as steel sheet, washing machines, other white goods and whole vehicles.



特征 / FEATURES

- 适用于多种类型或尺寸的废金属材料。
- 可定制压料箱尺寸和包块尺寸。
- 维护成本低
- 配备高强度耐磨板的压料箱
- Suit any type or size of metal scraps.
- Customized press chamber size and bale size.
- Low maintenance costs
- Press chamber with fully wear plates

技术参数 / TECHNICAL DATA

设备型号	最大压力（吨）	压料箱尺寸-长×宽×高（毫米）	包块尺寸（毫米）	功率（千瓦）
Model	Max. force (ton)	Press chamber-L×W×H (mm)	Bale size (mm)	Power (kw)
Y81-125	125	1200*700*550	250*250	15
Y81-125	125	1200*800*600	300*300	15
Y81-135	135	1400*600*600	240*600	18.5
Y81-160	160	1600*1000*800	350*350	22
Y81-160	160	1600*1200*800	400*400	22
Y81-200	200	1800*1400*800	400*400	37
Y81-200	200	1800*1400*800	450*450	37
Y81-250	250	2000*1400*900	450*450 / 500*500	44
Y81-250	250	2000*1750*1000	500*500 / 600*600	44
Y81-250	250	2500*2000*1200	500*500 / 600*600	60
Y81-315	315	2500*2000*1200	500*500 / 600*600	74
Y81-315	315	3000*2500*1200	500*500 / 600*600	90
Y81-315	315	3500*3000*1200	600*600 / 700*700	90
Y81-400	400	3000*2500*1200	600*600 / 700*700	135
Y81-400	400	3500*3000*1300	600*600 / 700*700	135
Y81-500	500	3500*3000*1300	600*600 / 700*700	135
Y81-630	630	3500*3000*1300	600*600 / 700*700	180
Y81-800	800	3500*3000*1300	600*600 / 700*700	225
Y81-1000	1000	3500*3000*1300	600*600 / 700*700	270
Y81-1250	1250	3500*3000*1300	600*600 / 700*700	315
Y81-1500	1500	3500*3000*1300	600*600 / 700*700	360
Y81-1500	1500	4000*3000*1400	600*600 / 700*700	360
Y81-2000	2000	3500*3000*1300	700*700 / 800*800	450
Y81-2000	2000	4000*3000*1400	700*700 / 800*800	450

*保留技术更改的权利-产量取决于材料和设备配置。
*可根据要求提供其他型号。
*几种不同的出包结构选择：F-“侧翻包结构”，T-“侧推包结构”，Q-“前推包结构”，S-“双主缸结构”。
*Subject to technical modifications - Capacity depends on the source material.
*Other versions available upon request.
*Several ways of discharging bale optional: F-“Side turn out”, T-“Side push out”, Q-“Front push out”, S-“Double main cylinders”.

Y81ST剪切压块机 / Y81ST Shear Baling

功能 / FUNCTION

剪切打包机适用于将各种金属激光切割后的板材剪成小块后压缩成金属包块。
该设备主要适用于金属板材加工中心，金属回收中心等企业的作业。

Shear baling machine is suitable for cutting various laser-cut plates into small pieces then compress them into bales.
The machine is suitable for operation in the metal-processing industry and metal recycling center which with a large amount of metal plates processing.



Y81T2全自动二重压块机 / Y81T2 Auto Double-acting Baler

功能 / FUNCTION

Y81T2全自动二重压块机适用于中型生产要求。
本机适用于铜、铝、锌、钢、铝屑、饮料罐、
气雾剂、油漆罐等金属加工行业和废料场的压
块。

Y81T2 series automatic double-acting baler is suitable for medium
metal scraps baling.
It is designed for ease baling in the metal making industrial and
scrapyard, which making bales with copper, aluminium, zinc, steel,
aluminium shavings, beverage cans, aerosol, paint cans, etc.



特点 / FEATURES

- 紧凑的设计。
- 预压次数可调节。
- 坚固结构支持连续高强度工作。
- Compact design.
- An adjustable number of precompressions.
- Robust structure for continuous heavy-duty operation.

技术参数 / TECHNICAL DATA

设备型号	最大压力 (吨)	料箱尺寸 (毫米)	包块尺寸 (毫米)	功率 (千瓦)
Model	Max. force (ton)	Press Chamber (mm)	Bale size (mm)	Power (kw)
Y81T2-125	125	1500*1000*250	250*250	30
Y81T2-200	200	1700*1200*300	300*300	74
Y81T2-250	250	2000*1400*400	400*400	90

*保留技术更改的权利-产量取决于材料和设备配置。

*可根据要求提供其他型号。

*Subject to technical modifications - Capacity depends on the source material.

*Other versions available upon request.

Q91重废剪切机 / Q91 Heavy-duty Scrap Shear



功能 / FUNCTION

Q91系列重废剪切机是剪切金属板材、汽车车身及类似轻中型废料的最佳选择。

设备有多个系列可供选择，从400到1600吨剪切力以及更多定制型号。

采用独特的剪切结构设计，能确保剪切废料时稳定高效。

所有进料仓耐磨板均采用NM500材料，保证了产品的耐磨强度和较长的使用寿命。

Q91 Series Heavy-duty Scrap Shears are the best choice for cutting metal plates and components, car body and similar light to medium weight scrap.

The machines are available in different sizes for optional, from 400 to 16,00-ton shear force and more custom models.

With unique shear, structure design can ensure stability and efficiency of shearing waste.

All Feeding chamber wear plates are made of NM500 and guarantee the highest quality and a long service life.

技术参数 / TECHNICAL DATA

设备型号	最大剪切力（吨）	剪切宽度（毫米）	料箱尺寸（毫米）	功率（千瓦）
Model	Max. force (ton)	Shear width (mm)	Chamber Size (mm)	Power (kw)
Q91-400	400	1400	6000*1400*700	90
Q91-500	500	1600	6000*1600*700	110
Q91-630	630	1800	8000*1800*900	225
Q91-800	800	1800	8000*1800*1200	270
Q91-1000	1000	2000	8000*2000*1200	360
Q91-1250	1250	2000	8000*2000*1200	450
Q91-1600	1600	2000	8000*2000*1200	540

*保留技术更改的权利-剪切范围取决于材料和设备配置。

*可根据要求提供其他型号。

*Subject to technical modifications - Capacity depends on the source material.

*Other versions available upon request.

特点 / FEATURES

- 废料投入流畅。
- 坚固的结构设计。
- 集中润滑，减少磨损。
- 分体式结构，便于运输。
- Fluent scrap feeding.
- Robust construction.
- Central lubrication, reduce wear.
- Separated structure, easy transport.

Q43鳄鱼剪切机 / Q43 Alligator Shear

功能 / FUNCTION

鳄鱼式剪切机适用于将各种金属废料剪成小块或者破坏物料结构。

Q43系列剪切机强度高，适用于剪断钢筋、铜缆、轮胎、车轮、窗框废钢、铝板和其他种类废料。

The Q43 serious alligator shear machine is used to shear metal scraps into small pieces or destruct their structures. They are strong and ideal for shearing reinforcing bar, copper cable, tires and wheels, window frames, steel scraps, aluminium plates and others.



特点 / FEATURES

- 带机械脚踏板，可单次或连续切割
- 最大限度地提高操作员的安全性
- 功能强大，适用性广
- 操作简单
- Mechanical foot pedal for single or continuous cutting
- Maximize the operator safety
- Powerful function, wide applicability
- Operate friendly

技术参数 / TECHNICAL DATA

设备型号	最大剪切力（吨）	刀片长度（毫米）	功率（千瓦）	剪切力（毫米）
Model	Max. force	Blade length (mm)	Power (kw)	Shear capacity (mm)
Q43-63	63	600	7.5	30, Φ35
Q43-100	100	600	11	35, Φ40
Q43-160	160	700	18.5	45, Φ50
Q43-200	200	800	22	55, Φ60
Q43-250	250	1000	30	65, Φ70
Q43-315	315	1200	37	70, Φ80
Q43-400	400	1500	44	85, Φ95
Q43-500	500	1600	60	95, Φ100

*保留技术更改的权利-剪切范围取决于材料和设备配置。

*可根据要求提供其他型号。

*Subject to technical modifications - Capacity depends on the source material.

*Other versions available upon request.

CCD三元催化器去壳机 / CCD Catalyst Converter Decanner

功能 / FUNCTION

三元催化器去壳机旨在从废旧三元催化器中回收潜在有价值的粉末，它提供了一种更安全，更高效的方法。

通过剪切催化器，人工操作，粉末颗粒会被收集在机器下方的容器中。

设备配备集尘器，轻松集尘，确保工人安全和您的利润。

The Catalytic Converter Decanner is designed to recover the potentially valuable dust from used catalytic converters, which offers a safer and more productive method.

After cutting the converters, with the bin below the machine to capture the catalyst.


Equipped the dust collector to do the easy dust collection, for worker safety and your profitability.



特点 / FEATURES

- 处理的催化剂颗粒收集在机器下方的容器中。
- 侧面镶板，易于灰尘收集和工人安全。
- 集尘器可带走任何有害粉尘。
- 每分钟轻松处理一个转换器。
- 用脚踏板即可轻松操作。
- The captured catalyst drops in a bin below the machine.
- Sides panelled for easy dust collection and worker safety.
- Dust collector takes any hazardous dust.
- Easily process one converter per minute.
- With the foot pedal for easy operation.

销售服务 / Sale and Service



设备操作及问题解决方案

亿迈圣为制造的每台机械设备都提供了详细的操作手册，因为我们了解运行稳定可靠的回收机器的重要性。我们的设备操作手册以易于理解的方式编写和组织，让您的操作人员容易理解。手册所包含的操作示意图和原理图，详细讲解了设备如何正确使用的方法。如果您对手册内容有任何疑问？请联系我们。我们将会为您提供优质服务。

设备维修

亿迈圣为您的设备提供完善的服务。我们经验丰富的维护人员会专门为您的设备进行安装，维修，翻新和维护工作。亿迈圣的设备销往中国和海外地区。在国内，我们的技术人员可以使用装备齐全的售后服务车前往客户现场；对于海外客户，我们也可以随时为您服务。一旦我们人员到达现场后，可以立即开始工作，以解决您的回收机问题。我们的仓库中已经准备好所有必要的工具和常用的零件，我们的目标是根据我们的整体服务理念，使您摆脱所有售后顾虑。

零部件供应

小型零件（例如常用的密封件）是免费配件清单中的一部分。主要机器部件的更换可能需要在我们的工厂进行。亿迈圣设备的零件可运送到所有客户所在场地。因为我们知道良好的设备性能对您工作的重要性。如果您需要有关零件的正确使用建议，请联系我们的售后部门。我们很高兴为您提供关于如何使设备保持最佳状态所需零件的建议。

设备操作培训

亿迈圣会为您的员工提供专门设计的培训课程。亿迈圣可以在您的场地或我们的工厂内举办有关设备使用的培训课程。为了确保您的设备得到最佳使用，亿迈圣可提供与我们的设备相同质量的操作培训课程。所有亿迈圣设备都设计为易于操作。在亿迈圣设备使用培训课程中，我们的技术人员会使您熟悉机器的所有操作。在培训课程中还将讨论诸如安全，服务和维护等方面的主题。

Manual & Solutions

YMSRECYCLING provides a clear manual for each machine it manufactures, because we understand the importance of a fully operational, reliable recycling machine. Our recycling machine manuals are written and structured in a way that is easy to understand for all your employees. These detailed manuals contain numerous photographs and drawings illustrating correct use of the recycling machines. If you have questions about the content of the manual? please contact us. Because we at YMSRECYCLING are proud of our ability to offer good service.

Maintenance Service

YMSRECYCLING offers a complete service for all your recycling machines. Our experienced maintenance technicians specialist in installation, repair, refurbishment, maintenance and delivery of spare parts for your recycling machine. YMS's service for recycling machines is spread China and overseas. Our technicians have a fully equipped service van at their disposal. For oversea customers, they are also ready to your site at their disposal. After they have arrived on site, they can start working immediately in order to resolve the problem with your recycling machine. Our are ready all the necessary tools and the most commonly required parts in our warehouse. Our objective is to free you from all your concerns in line with our total service concept.

Spare Parts Supply

Small components such as commonly used seals are part of the standard technical inventory in our service vans. Replacement of major machine components may need to be carried out at our own factory. YMSRECYCLING delivers parts for recycling machines to any location in the world. Because we understand the importance of good recycling machine performance. Do you need advice about the right parts for your recycling machines? Please contact one of our specialists. We will be delighted to advise you about the parts required to keep your recycling machines in optimum condition.

Training Service

YMSRECYCLING offers purpose-designed training courses for your employees. The training courses on the use of your recycling machines can be held at your site or at our facility. In order to guarantee optimum use of your recycling machine, YMSRECYCLING offers training courses of the same high level of quality as our recycling machines. All YMSRECYCLING recycling machines are easy to operate. Our technician familiarize you with all the ins and outs of the machine during the YMSRECYCLING machine training course. Topics such as safety, service and maintenance are also discussed during the training course.