

江西沃思德凿岩液压有限公司

JIANGXI WOSERLD ROCK DRILLING HYDRAULIC CO.,LTD.

地址:江西省萍乡市经济技术开发区彭高镇上栗工业园

电话: 0799-3671000　手机:19907991000　热线电话: 400-097-6818

网址: www.woserld.com　邮箱: sales@woserld.com　* 2025年9月 印刷

Address:Shangli Industrial Park, Penggao Town, Pingxiang City, Jiangxi Province.

Telephone:0799-3671000　Mobile:19907991000　Hotline: 400-097-6818

Web site:www.woserld.com　Mailboxes:sales@woserld.com　* Printed in September 2025

关注微信公众号、抖音号了解更多详情

沃思德
WOSERLD

沃思德钎具 WOSERLD ROCK TOOLS



WOSION

WORLD

目录

TABLE OF CONTENTS

企业简介	Company Introduction	**01**
生产车间	Production workshop	**03**
钎尾系列	Shank adapter	**05**
钎杆系列	Drill rod	**14**
连接套系列	Coupling	**21**
钻头系列	Thread drill bit	**25**
截齿系列	Cutting bits	**27**



COMPANY PROFILE
企业简介

“WOSERLD”源自瑞典，是全球知名液压凿岩机及钻具品牌，2019年经招商引资入驻江西萍乡国家级经济开发区，成立江西沃思德凿岩液压有限公司。公司引入先进品牌理念与精湛技术，组建专业科研团队，致力于突破行业技术瓶颈，引领行业技术发展潮流。

公司一期工厂占地110亩，拥有38000平方米的现代化智能厂房和4500平方米的高端综合办公楼，现有员工300余人，二期规划占地120亩。公司从德国、日本及中国台湾引进了200 余台套国际顶尖的生产及检测设备，构建了高度自动化、智能化的生产线，专业制造全球前沿的液压凿岩机及相关配件、钎具。

目前，高端钎具年产量可达10000-12000吨。通过不断改进迭代升级，产品覆盖多种市面主流机型凿岩机配件和钎具，包括钎杆、钎头、钎尾、连接套、截齿、机头以及其他凿岩钎具、矿用钎具，产品广泛应用于矿山开采、隧道挖掘、工程建设项目。

"WOSERLD," a globally renowned brand of hydraulic rock drills and drilling tools originating from Sweden, entered Pingxiang National Economic Development Zone in Jiangxi Province in 2019 through investment promotion and established Jiangxi WOSERLD Rock Drilling Hydraulics Co., Ltd. The company introduced advanced brand concepts and sophisticated technology, forming a professional R&D team dedicated to breaking through industry technical bottlenecks and leading the trends of technological development in the sector.

The Phase I factory covers an area of 110 mu (approximately 7.33 hectares), featuring a modern intelligent workshop of 38,000 square meters and a high-end comprehensive office building of 4,500 square meters. Currently, the company employs over 300 staff members, with Phase II planning to occupy an additional 120 mu (approximately 8 hectares). The company has imported more than 200 sets of internationally top-tier production and testing equipment from Germany, Japan, and Taiwan, China, establishing a highly automated and intelligent production line specialized in manufacturing cutting-edge hydraulic rock drills and related accessories, as well as drill tools.

At present, the annual production capacity of high-end drill tools reaches 10,000–12,000 tons. Through continuous improvement and iterative upgrades, the product range covers components and drill tools for various mainstream rock drill models on the market, including drill rods, drill bits, shank adapters, couplings, picks, drill heads, and other rock drilling and mining tools. These products are widely used in mining, tunnel excavation, and engineering construction projects.

为全球客户及时提供产品和服务

Timely provision of products and services for global customers.

40+
国家地区
Country/Region

50+
全球服务配套商
Global service provider

100+
合作分销商
Cooperative distributor



FACTORY STRENGTH

卓越品质之源 实力工厂铸就辉煌



钎具生产车间 | Drill tool production workshop







毛坯车间 | Blank workshop



抛丸线 | Shot Blasting line



深井炉热处理生产线 | Deep well furnace heat treatment production line







SHANK ADAPTER
钎尾系列

主要的螺纹形式有R22、R25、R28、R32、R38、T38
T45、T51等螺纹钎尾产品

The main thread forms include R22, R25, R28, R32, R38, T38, T45 and T51 threaded Shank adapter

钎尾 Shank adapter

编码 Part No.	凿岩机型号 Drifter Model	螺纹 Thread	A (mm)	B (mm)	C (mm)	花键类型 Spline Type	D (mm)	E (mm)	F (mm)	螺纹类型 Thread Type	备注 Remarks
											
7100000082	A18DL,1440,1432,1532,1838HD,1838ME	T45	525	52	34	Regular	84	9	54	Male	常备 In Stock
7300000081	A18DL,1440,1432,1532,1838HD,1838ME	T51	525	52	34	Regular	81	10	54	Male	常备 In Stock
											
7100001485	A18DLX,1838MUX,1838HUX	T38	730	52	35	Regular	84	9	54	Male	常备 In Stock
7100000815	A18DLX,1838MUX,1838HUX	T45	730	52	35	Regular	88	9	54	Male	常备 In Stock
											
7300000062	1838T	R32	435	38	36	Regular	82	10	54	Male	定做 Customized
7100000098	1838T	T38	435	38	36	Regular	84	10	54	Male	常备 In Stock
7100000524	1838T	T38	525	38	36	Regular	84	10	54	Male	常备 In Stock
											
7300000069	A20A, 1840ME	T51	565	52	35	Helical	126	10	53	Male	常备 In Stock

钎尾 Shank adapter

编码 Part No.	凿岩机型号 Drifter Model	螺纹 Thread	A (mm)	B (mm)	C (mm)	花键类型 Spline Type	D (mm)	E (mm)	F (mm)	螺纹类型 Thread Type	备注 Remarks
											
7100000863	A25AX , 2160EXT , 2560EXT	T51	770	63	37	Regular	156	8	61	Male	常备 In Stock
											
7100000515	A25LX,1240EX,1640EX,1840EX,1850EX,2550UX	T51	770	60	35	Helical	134	10	53	Male	常备 In Stock
7100003056	4050MUX , 4050EX	ST68	835	90	46	Helical	134	9	68	Male	常备 In Stock
											
7100002799	A30LX , 3060MUX	ST68	745	90	50	Regular	172	7	75	Male	定做 Customized
7100002002	A30LX , 3060MUX	ST58	745	90	50	Regular	172	7	75	Male	定做 Customized

钎尾 Shank adapter

编码 Part No.	凿岩机型号 Drifter Model	螺纹 Thread	A (mm)	B (mm)	C (mm)	花键类型 Spline Type	D (mm)	E (mm)	F (mm)	螺纹类型 Thread Type	备注 Remarks
											
7100002044	A20D , MD20	T38	470	38	35	Regular	125	9	53	Male	常备 In Stock
											
7100000842	A22LD , RD22U , RD18UP	T38	525	45	37	Regular	80	7	61	Male	常备 In Stock
7100000962	A22LD , RD22U , RD18UP	T45	525	45	37	Regular	80	7	61	Male	常备 In Stock
7100000610	M27D , HC110	T45	530	45	38	Regular	84	9.5	60	Male	定做 Customized
7300000066	M27D , HC110	T45	425	45	38	Regular	84	9.5	60	Male	定做 Customized
7300000065	M27D , HC110	R38	460	45	38	Regular	86	9.5	60	Male	定做 Customized
											
7100001444	M8BD , HC25	R25F	202	45	34	Regular	33	8.4	53	Female	常备 In Stock
7300000052	M8BD , HC25	R32F	202	45	34	Regular	34	8.4	53	Female	常备 In Stock

钎尾 Shank adapter

编码 Part No.	凿岩机型号 Drifter Model	螺纹 Thread	A (mm)	B (mm)	C (mm)	花键类型 Spline Type	D (mm)	E (mm)	F (mm)	螺纹类型 Thread Type	备注 Remarks
											
7300000050	M10BD , HC28	R32F	272	45	34	Regular	54	8.4	53	Female	常备 In Stock
7100000808	M10BD , HC28	T38	385	45	34	Regular	54	8.4	53	Female	常备 In Stock
7300000067	M10BD , HC28	R38	385	45	34	Regular	54	8.4	53	Female	常备 In Stock
											
7300000059	M13BD , HC40 , HC50	R38	390	38	38	Regular	58	8	53	Male	常备 In Stock
											
7100000818	M24DX , HC95LMR	T38	503	45	40	Regular	73	9	60	Male	常备 In Stock

钎尾 Shank adapter

编码 Part No.	凿岩机型号 Drifter Model	螺纹 Thread	A (mm)	B (mm)	C (mm)	花键类型 Spline Type	D (mm)	E (mm)	F (mm)	螺纹类型 Thread Type	备注 Remarks
											
7300000063	M21BD , HC95SA	T38	440	45	40	Regular	89	9.5	60	Male	常备 In Stock
7100000872	M21BD , HC95SA	T38	500	45	40	Regular	89	9.5	60	Male	定做 Customized
											
7100002674	S33A , HL1560	ST58	635	80	50	Regular	111	14	79	Male	常备 In Stock
											
7100001270	S33A , HL1560T	T60	760	65	50	Regular	112	14	79	Male	定做 Customized
7100002674	S33A , HL1560T	ST58	635	80	50	Regular	112	14	79	Male	定做 Customized

钎尾 Shank adapter

编码 Part No.	凿岩机型号 Drifter Model	螺纹 Thread	A (mm)	B (mm)	C (mm)	花键类型 Spline Type	D (mm)	E (mm)	F (mm)	螺纹类型 Thread Type	备注 Remarks
											
7100001788	S21AL , HL700 , HL710 , HL800T HL810T , HF810T , HL820T , HF820T	T45	600	52	42	Regular	95	13	69	Male	常备 In Stock
											
7100002791	S20DL , HLX5 , HLX5T , HFX5T , RDX5	T38	525	65	37	Regular	49	8	59	Male	常备 In Stock
7100000817	S20DL , HLX5 , HLX5T , HFX5T , RDX5	T38	500	45	37	Regular	49	8	59	Male	常备 In Stock
7100000812	S20DL , HLX5 , HLX5T , HFX5T , RDX5	T38	575	45	37	Regular	49	8	59	Male	常备 In Stock
7100000813	S20DL , HLX5 , HLX5T , HFX5T , RDX5	T45	575	45	37	Regular	49	8	59	Male	常备 In Stock

钎尾 Shank adapter

编码 Part No.	凿岩机型号 Drifter Model	螺纹 Thread	A (mm)	B (mm)	C (mm)	花键类型 Spline Type	D (mm)	E (mm)	F (mm)	螺纹类型 Thread Type	备注 Remarks
											
7100001696	RD308 , RD314 , RD414	T38	410	38	34	Regular	42	8	59	Female	常备 In Stock
											
7100000920	S14BD	R32F	205	38	34	Regular	42	8	59	Male	常备 In Stock
7100001619	RD308 , RD314 , RD414	R32F	205	45	34	Regular	35	8	59	Female	常备 In Stock
											
7100001263	S25DL , RD520 , RD525	T38	525	45	37	Regular	70	8	59	Male	常备 In Stock
7100001219	S25DL , RD520 , RD525	T45	525	45	37	Regular	70	8	59	Male	常备 In Stock

钎尾 Shank adapter

编码 Part No.	凿岩机型号 Drifter Model	螺纹 Thread	A (mm)	B (mm)	C (mm)	花键类型 Spline Type	D (mm)	E (mm)	F (mm)	螺纹类型 Thread Type	备注 Remarks
											
7100001587	M10BD , HC28	32六方	420	45	33	Regular	59	8.4	53	-	常备 In Stock
7100000486	M10BD , HC28	32六方	435	45	33	Regular	59	8.4	53	-	常备 In Stock
7300000508	M10BD , HC28	32六方	450	45	33	Regular	59	8.4	53	-	常备 In Stock
7300000507	W14BD	32六方	520	45	33	Regular	59	8.4	53	-	常备 In Stock
											
7300000509	M10BD , HC28	-	590	45	33	Regular	59	8.4	53	-	常备 In Stock
7300000510	W14BD	-	660	45	33	Regular	59	8.4	53	-	常备 In Stock
											
7100001146	S14BD	32六方	455	45	34	Regular	53	8	59	Male	常备 In Stock
											
7100001145	S14BD	-	610	45	34	Regular	53	8	59	-	常备 In Stock

DRILL ROD
钎杆系列



主要的螺纹形式有R22、R25、R28、R32、R38、T38
T45、T51等螺纹连接钎杆产品

The main thread forms include R22、R25、R28、R32、R38、T38、T45、T51
and other threaded connection drill rod products

产品视图 Product view	编码 Part No.	总长A Length (mm)	螺纹C Thread	螺纹D Thread	B
六方钎杆 Hexagonal drill rod 	7100000964	2175	R32	R25	25H
	7100002193	2700	R32	R25	25H
	7100002192	2975	R32	R25	25H
	7100000965	2475	R32	R25	25H
	7100003174	1900	R32	R25	25H
	7100002222	3500	R32	R25	25H
	7100002195	2600	R32	R25	25H
	7100001608	1900	R32	R28	28H
	7100001256	2175	R28	R28	28H
	7100000846	2175	R32	R28	28H
	7100000847	2475	R28	R28	28H
	7100001043	2475	R32	R28	28H
	7100000848	2600	R32	R28	28H
	7100000849	2700	R32	R28	28H
	7100001065	2975	R32	R28	28H

产品视图 Product view	编码 Part No.	总长A Length (mm)	螺纹C Thread	螺纹D Thread	B
六方钎杆 Hexagonal drill rod 	7100001064	3090	R28	R28	28H
	7100001066	3090	R32	R28	28H
	7100001589	2475	R32	R32	32H
	7100002221	2475	R38	R32	32H
	7100000871	3090	R32	R32	32H
	7100001582	3400	R38	R32	32H
	7100000870	3500	R32	R32	32H
	7100000867	3700	R38	R32	32H
	7100001257	3700	R32	T38	32H
	7100000850	4305	R38	R32	32H
	7100001556	4305	T38	R32	32H

产品视图 Product view	编码 Part No.	总长A Length (mm)	螺纹C Thread	螺纹D Thread	B
六方钎杆 Hexagonal drill rod 	7100001067	6400	T38	R32	32H
	7300000134	3700	T38	R32	35H
	7100001413	4305	R38	R32	35H
	7100001074	4305	T38	R32	35H
	7100001132	4915	R38	R32	35H
	7100000845	4915	T38	R32	35H
	7100000844	5525	T38	R32	35H
	7100001070	6400	R32	T38	35H

产品视图 Product view	编码 Part No.	总长A Length (mm)	螺纹C Thread	螺纹D Thread	E	B
快换圆钎杆 Quick change round drill rod 	7100001044	800	R32	R32	Φ46	32R
	7100001560	1525	R32	R32	Φ46	32R
快换六方钎杆 Quick change hexagonal drill rod 	7100001175	3700	T38	R32	Φ56	35H
	7100003129	4050	T38	R32	Φ56	35H
	7100001176	4305	T38	R32	Φ56	35H
	7100003131	4305	T38	T38	Φ56	35H
	7100001177	6400	T38	R32	Φ56	35H
快换圆钎杆 Quick change round drill rod 	7100001028	800	T38	T38	Φ56	39R
	7100000742	915	T38	T38	Φ56	39R
	7100000819	1017	T38	T38	Φ56	39R
	7100000743	1220	T38	T38	Φ56	39R

产品视图 Product view	编码 Part No.	总长A Length (mm)	螺纹C Thread	螺纹D Thread	E	B
快换圆钎杆 Quick change round drill rod 	7100000744	1525	T38	T38	Φ56	39R
	7100001451	1830	T38	T38	Φ56	39R
	7100001595	3660	T38	T38	Φ56	39R
	7100001023	4270	T38	T38	Φ56	39R
	7100001025	4880	T38	T38	Φ56	39R
	7100001046	5490	T38	T38	Φ56	39R
	7100000936	915	T45	T45	Φ65	46R
	7100000745	1220	T45	T45	Φ65	46R
	7100000839	1525	T45	T45	Φ65	46R
	7100000806	1630	T45	T45	Φ65	46R

产品视图 Product view	编码 Part No.	总长A Length (mm)	螺纹C Thread	螺纹D Thread	E	B
快换圆钎杆 Quick change round drill rod 	7100001130	3660	T45	T45	Φ65	46R
	7100001110	4270	T45	T45	Φ65	46R
	7100001111	4880	T45	T45	Φ65	46R
	7100001112	5490	T45	T45	Φ65	46R
	7100001062	1220	T51	T51	Φ74	52R
	7100000750	1525	T51	T51	Φ74	52R
	7100001131	3660	T51	T51	Φ74	52R

产品视图 Product view	编码 Part No.	总长A Length (mm)	螺纹C Thread	螺纹D Thread	卡方E Across Flats	B
两头T38圆钎杆 T38 Threaded Both Ends Round Drill Rod 	7100003087	3660	T38	T38	2X32.5	39R
ST68钎杆 ST68 Rock Drill Rod 	7100000887	1830	ST68	ST68	\	87R

COUPLING
连接套系列

主要的螺纹形式有R32、R38、T38、T45等连接套产品

The main thread forms include R32、R38、T38、T45 coupling products

产品视图 Product view	编码 Part No.	总长A Length (mm)	外径B Outer diameter (mm)	螺纹C Thread	螺纹D Thread
变径连接套 Reducing Coupling Sleeve 	7100000563	172	Φ56	R32	R38
变径连接套 Reducing Coupling Sleeve 	7100000537	181	Φ56	T38	R38
变径连接套 Reducing Coupling Sleeve 	7100000562	178	Φ56	R32	T38
同径连接套 Straight Coupling Sleeve 	7900000051	170	Φ56	R38	R38
同径连接套 Straight Coupling Sleeve 	7100000536	191	Φ56	T38	T38

产品视图 Product view	编码 Part No.	总长A Length (mm)	外径B Outer diameter (mm)	螺纹C Thread	螺纹D Thread
同径连接套 Straight Coupling Sleeve 	7100002837	210	Φ63	T45	T45
同径连接套 Straight Coupling Sleeve 	7100002838	235	Φ72	T51	T51
变径连接套 Reducing Coupling Sleeve 	7100003006	210	Φ63	T38	T45
同径连接套 Straight Coupling Sleeve 	7100003130	150	Φ45	R32	R32
变径连接套 Reducing Coupling Sleeve 	7100002270	178	Φ56	T38	R28

产品视图 Product view	编码 Part No.	总长A Length (mm)	外径B Outer diameter (mm)	内方C Splined Drive Socket	内方D Splined Drive Socket
搅拌器 Agitator 	7100000563	205	Φ56	6X36	12X27.5
	7100000537	205	Φ56	6X32	12X30.5
	7100000562	205	Φ56	6X36	12X36
搅拌器 Agitator 	7100002220	210	Φ80	6X36	12X30.5
	7100002099	210	Φ80	6X36	12X32.5
	7300000336	210	Φ80	6X36	12X34.5
	7100002868	210	Φ80	6X36	12X27.5
	7100003148	210	Φ80	6X36	12X29.5



THREAD DRILL BIT
钻头系列

主要的螺纹形式有R22、R25、R28、R32、R38、T38
T45、T51等螺纹钻头产品

The main thread forms include R22、R25、R28、R32、R38、T38、T45、T51 and other threaded drill bit products

产品视图 Product view	编码 Part No.	打孔径 Borehole diameter (mm)	螺纹 Thread	边齿角度 Edge tooth angle	合金数量 Number of carbide inserts		冲洗孔 Flushing hole		顶槽 Top groove	合金类型 Carbide type	排屑槽 Chip flute
					边齿 Edge tooth	面齿 Face tooth	中心 Center	侧面 Side		1:抛物线形 Parabolic 2:球形 Spherical	
	7100001153	Φ38	R28	35°	5X9	2X7	1	2	无	1,2	2
	7100001606	Φ41	R28	35°	5X9	2X8	1	2	无	1,2	2
	7100003216	Φ41	R25	35°	5X9	2X8	1	2	无	1,2	2
	7100001156	Φ43	R32	30°	6X10	3X8	3	1	无	1,2	3
	7100001157	Φ45	R32	35°	6X9	3X8	3	1	3	1,2	3
	7100001160	Φ64	T38	30°	6X12	3X11	3	1	无	1,2	6
	7100003217	Φ76	T38	35°	8X11	4X11	2	2	无	1,2	4
	7100001161	Φ76	R32	35°	8X11	4X11	2	1	无	1,2	4

CUTTING BITS
截齿系列

沃思德品牌截齿，适用于各种岩石切割和矿物挖掘使用。已大批量应用于各类隧道开挖、巷道掘进及其它工程的施工。我公司截齿采用进口碳化钨合金，具有高耐磨、抗火花、长寿命等特点。结合目前先进的冷锻胚体成型技术，该胚体具有完美的金属流线组织结构，可适应恶劣环境下的负载和冲击，有效提高了截齿的使用寿命。

WOSERLD brand cutting bits are suitable for various rock cutting and mineral excavation applications. They have been widely used in various tunnel excavation, roadway tunneling, and other engineering projects. Our cutting bits are made of imported tungsten carbide alloy, featuring high wear resistance, spark resistance, and long service life. Combined with advanced cold forging blank forming technology, the blank has a perfect metal streamline structure, which can withstand loads and impacts in harsh environments, effectively extending the service life of the cutting bits.



柄体直径Φ38mm(加强型) Shank Diameter: Φ38mm (Reinforced Type)



型号 (Model)	D (mm)	d (mm)	D1 (mm)	L1 (mm)	L (mm)
7100001275	38	30	80	81.5	158.5
7100001274	38	33	88	78.5	155.5

柄体直径Φ38mm Shank Diameter: Φ38mm



型号 (Model)	D (mm)	d (mm)	D1 (mm)	L1 (mm)	L (mm)
7100001416	38	30	80	81.5	158.5
7100001415	38	33	80	78.5	155.5

柄体直径Φ38mm(重型) Shank Diameter: Φ38mm (Heavy Duty)



型号 (Model)	D (mm)	d (mm)	D1 (mm)	L1 (mm)	L (mm)
7100001280	38	30	80	81.5	158.5
7100001279	38	33	88	78.5	155.5



THANK YOU FOR CHOOSING US

感谢关注沃思德

www.woserld.com