巨耀
JU YAO





清河县巨耀
汽车零部件有限公司

Qinghe County JuYao Auto Parts Co.,Ltd

地址: 河北省邢台市清河县王官庄镇范家村
联系电话：15130930905

ADD:Wang Guan Zhuang Zhen Fan Jia Cun, Qinghe County, Xingtai City, Hebei Province Contact person
Mobile phone/Wechat:13623198510
Email address: 13623198510@163.com

清河县巨耀汽车零部件有限公司

公司介绍
Company Profile



清河县巨耀汽车零部件有限公司是一家专业生产汽车发动机和新能源汽车用气流体胶管厂家。公司位于河北省邢台市清河县，隶属于汽车零部件行业，是河北省AAA级信用优秀单位，河北省3.15质量信誉双优单位。

Qinghe Juyao Automotive Parts Co., Ltd. is a professional manufacturer of gas fluid hoses for automotive engines and new energy vehicles. The company is located in Qinghe County, Xingtai City, Hebei Province, and belongs to the automotive parts industry. It is an AAA level credit excellent unit in Hebei Province and a 3.15 quality and reputation double excellent unit in Hebei Province.

公司自设立以来一直专注于研发、生产和销售车辆用胶管系列产品，核心业务是为各大汽车整车制造厂商提供配套汽车橡胶软管产品，产品范围涵盖燃油系统胶管、冷却系统胶管、制动系统胶管、动力转向胶管、车身附件系统胶管、进排气系统胶管、氢燃料电池发动机胶管。公司是目前国内市场领先、具备了批量规模的氢燃料电池发动机胶管专业生产企业之一。同时，公司也是国内摩托车胶管产品的主流供应商。公司作为国内一家车用胶管专业生产厂商，具有年产车用胶管15000吨的生产能力。产品以优异的性价比，受到了国内外广大汽车、摩托车生产企业的认可。主要客户有陕汽、大运、云内动力、中国中车、潍柴动力、三环车身、法士特等100多家客户，我公司于2019年成立国际贸易事业部专业针对国外主机客户提供整车胶管解决方案。主要销往美国、俄罗斯、加拿大、日本、越南、印度、南非、意大利、克罗地亚等地区或国家。

Since its establishment, the company has been focusing on the research and development, production, and sales of vehicle rubber hose series products. Its core business is to provide supporting automotive rubber hose products for major automobile manufacturers, covering fuel system hoses, cooling system hoses, brake system hoses, power steering hoses, body accessory system hoses, intake and exhaust system hoses, and hydrogen fuel cell engine hoses. The company is currently one currently one of the leading manufacturers of hydrogen fuel cell engine rubber tubes in the domestic market with batch scale. At the same time, the company is also a mainstream supplier of motorcycle hose products in China. As a professional manufacturer of automotive hose in China, the company has an annual production capacity of 15000 tons of automotive hose. The product has been recognized by a large number of domestic and foreign automobile and motorcycle production enterprises for its excellent cost-effectiveness. Our main customers include more than 100 customers, including Shaanxi Automobile, Dayun, Yunnei Power, CRRC, Weichai Power, Sanhuan Body, and Fastest. Our company established an International Trade Division in 2019 to provide complete vehicle rubber hose solutions for foreign host customers. Mainly sold to regions or countries such as the United States, Russia, Canada, Japan, Vietnam, India, South Africa, Italy, Croatia, etc.

近年来，公司始终坚持"科技兴企"的宗旨，走科技创新之路，具有强有力的技术支撑和新产品研发实力。

公司严格按照《公司法》建立了完善的法人治理结构和质量保证体系，先后通过了ISO14001环保认证、OHSAS18001职业健康安全认证、IATF16949质量体系认证、为巨耀产品进入国际市场建立了绿色通道。

目前，巨耀人正致力于打造"中国的巨耀、世界的品牌"，为实现"做中国汽车胶管行业一流质量和主流供应商，兴巨耀百年企业"的宏伟目标而不懈努力。


In recent years, the company has always adhered to the principle of "revitalizing enterprises through technology", followed the path of technological innovation, and has strong technical support and new product research and development capabilities.

The company has established a sound corporate governance structure and quality assurance system in strict accordance with the Company Law. It has successively passed ISO14001 environmental protection certification, OHSAS18001 occupational health and safety certification, IATF16949 quality system certification, and established a green channel for Juyao products to enter the international market.

At present, Juyao people are committed to building "China's Juyao and the world's brand", and making unremitting efforts to achieve the grand goal of "becoming a first-class quality and mainstream supplier in the Chinese automotive hose industry, and thriving Juyao's century old enterprise".



组织机构 Organizational structure



公司荣誉
Company Honor







合作伙伴
Business Partner


陕汽轻卡　三环商用车　WEICHAI 潍柴　中国中车 CRRC　大运汽车 DAYUN AUTO　云内动力 YUNNEI POWER

潍柴动力 供商代码：947U
山东汽车 供商代码：Q685
大运汽车 供商代码：110606
三环车身 供商代码：XJ019

云内动力 供商代码：HBA000120
宝鸡中车 供商代码：732916
大运机车 供商代码：PHB0176



适用车型/发动机
Applicable Model/Engine


潍柴氢燃料发动机


湖北大运自卸车


绿化洒水车



陕汽轻卡冷藏车


云内发动机


水泥搅拌车

清河县巨耀汽车零部件有限公司

巨耀的储备区

JUYAO Dispatch area

我公司常年备有大量通用型号现货。当天付款即可当天发货。
我们拥有工龄10年以上技术成熟工人50人以上，可保证定制产品的质量和交货时间。

Our company always has a large number of general-purpose models in stock. Pay on the same day and ship on the same day.

We have over 50 skilled workers with over 10 years of service experience, ensuring the delivery time of customized products.











产品介绍


Product Introduction

适用潍柴发动机代表产品 Suitable for Weichai engine representative product

内铂金 食品级 外硅胶管 电池组 专用
Inside platinum food grade outside silicone tube battery pack special



内氟外硅 氢燃料 专用
Special for inner fluorine outer silicone hydrogen fuel



适用发动机，各车型 Suitable engine, all models

硅胶管：直管/异型 /增加防爆环/增加钢管
Silicone pipe: straight pipe/special shape/increase explosion-proof ring/increase steel pipe



EPDM胶管：直管/异型 /增加防磨网/增加钢管接头
EPDM hose: straight pipe/shaped/add anti-wear net/add steel pipe joint



EPDM钢丝管：直管/异型 /增加钢管接头/增加螺丝接头
EPDM steel pipe: Straight pipe/special shape/add steel pipe joint/add screw joint



附带单品 Incidental item

模压件：进出气伸缩管 空滤胶管
Molded parts: inlet and outlet air expansion tube air filter hose



变径直管 Straight Reducer Silicone Hose



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
38-19	1-1/2"-3/4"	4	5.0	76mm
38-25	1-1/2"-1"	4	5.0	76mm
45-32	1-3/4"-1-1/4"	4	5.0	76mm
45-35	1-3/4"-1-3/8"	4	5.0	76mm
45-38	1-3/4"-1-1/2"	4	5.0	76mm
51-38	2"-1-1/2"	4	5.0	76mm
57-45	2-1/4"-1-3/4"	4	5.0	76mm
57-51	2-1/4"-2"	4	5.0	76mm
60-51	2-3/8"-2"	4	5.0	76mm
63-57	2-1/2"-2-1/4"	4	5.0	76mm
70-51	2-3/4"-2"	4	5.0	76mm
70-60	2-3/4"-2-1/4"	4	5.0	76mm
70-57	2-3/4"-2-3/8"	4	5.0	76mm
70-63	2-3/4"-2-1/2"	4	5.0	76mm
76-51	3"-2"	4	5.0	76mm
76-57	3"-2-1/4"	4	5.0	76mm
76-63	3"-2-1/2"	4	5.0	76mm
76-70	3"-2-3/4"	4	5.0	76mm

内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
80-60	3-1/8"-2-3/8"	4	5.0	76mm
80-63	3-1/8"-2-1/2"	4	5.0	76mm
80-70	3-1/8"-2-3/4"	4	5.0	76mm
80-76	3-1/8"-3"	4	5.0	76mm
83-63	3-1/4"-2-1/2"	4	5.0	76mm
83-70	3-1/4"-2-3/4"	4	5.0	76mm
83-76	3-1/4"-3"	4	5.0	76mm
89-51	3-1/2"-2"	4	5.0	76mm
89-57	3-1/2"-2-1/4"	4	5.0	76mm
89-63	3-1/2"-2-1/2"	4	5.0	76mm
89-70	3-1/2"-2-3/4"	4	5.0	76mm
89-76	3-1/2"-3"	4	5.0	76mm
89-83	3-1/2"-3-1/4"	4	5.0	76mm
102-76	4"-3"	4	5.0	76mm
102-83	4"3-1/4"	4	5.0	76mm

45°弯头 45° Elbow Silicone Hose





内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
16	5/8"	4	5.0	90*90/120*120
19	6/8"	4	5.0	90*90/120*120
25	1"	4	5.0	90*90/120*120
32	1-1/4"	4	5.0	90*90/120*120
38	1-1/2"	4	5.0	90*90/120*120
45	1-3/4"	4	5.0	90*90/120*120
51	2"	4	5.0	90*90/120*120
57	2-1/4"	4	5.0	90*90/120*120
60	2-1/2"	4	5.0	90*90/120*120
63	2-1/2"	4	5.0	90*90/120*120
70	2-3/4"	4	5.0	90*90/120*120
76	3"	4	5.0	90*90/120*120
86	3-1/4"	4	5.0	90*90/120*120
89	3-1/2"	4	5.0	90*90/120*120
90	3-6/11"	4	5.0	90*90/120*120
102	4"	4	5.0	90*90/120*120
127	5"	4	5.0	90*90/120*120

90°弯头 90° Elbow Silicone Hose



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
16	5/8"	4	5.0	90*90/120*120
19	6/8"	4	5.0	90*90/120*120
25	1"	4	5.0	90*90/120*120
32	1-1/4"	4	5.0	90*90/120*120
38	1-1/2"	4	5.0	90*90/120*120
45	1-3/4"	4	5.0	90*90/120*120
51	2"	4	5.0	90*90/120*120
57	2-1/4"	4	5.0	90*90/120*120
60	2-1/2"	4	5.0	90*90/120*120
63	2-1/2"	4	5.0	90*90/120*120
70	2-3/4"	4	5.0	90*90/120*120
76	3"	4	5.0	90*90/120*120
86	3-1/4"	4	5.0	90*90/120*120
89	3-1/2"	4	5.0	90*90/120*120
90	3-6/11"	4	5.0	90*90/120*120
102	4"	4	5.0	90*90/120*120
127	5"	4	5.0	90*90/120*120


驼峰管 Hump Silicone Hose



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
25	1"	4	5.0	76mm
32	1-1/4"	4	5.0	76mm
38	1-1/2"	4	5.0	76mm
45	1-3/4"	4	5.0	76mm
51	2"	4	5.0	76mm
57	2-1/4"	4	5.0	76mm
60	2-1/2"	4	5.0	76mm
63	2-1/2"	4	5.0	76mm
70	2-3/4"	4	5.0	76mm
76	3"	4	5.0	76mm
80	3-1/8"	4	5.0	76mm
83	3-1/4"	4	5.0	76mm
89	3-1/2"	4	5.0	76mm
102	4"	4	5.0	76mm

45°变径弯头 45° Elbow Reducer





内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
25-19	1"-3/4"	4	5.0	90*90mm
38-25	1-1/2"-1"	4	5.0	90*90mm
38-32	1-1/2"-1-1/4"	4	5.0	90*90mm
45-38	1-3/4"-1-1/2"	4	5.0	90*90mm
51-38	2"-1-1/2"	4	5.0	90*90mm
57-51	2-1/4"-2"	4	5.0	90*90mm
63-51	2-1/2"-2"	4	5.0	90*90mm
63-57	2-1/2"-2-1/4"	4	5.0	90*90mm
70-57	2-3/4"-2-1/4"	4	5.0	90*90mm
70-63	2-3/4"-2-1/2"	4	5.0	90*90mm
76-51	3"-2"	4	5.0	90*90mm
76-57	3"-2-1/4"	4	5.0	90*90mm
76-63	3"-2-1/2"	4	5.0	90*90mm
76-67	3"-2-16/25"	4	5.0	90*90mm
85-76	3-1/3"-3"	4	5.0	90*90mm
89-76	3-1/2"-3"	4	5.0	90*90mm
89-83	3-1/2"-3-1/4"	4	5.0	90*90mm

90°变径弯头 90° Elbow Reducer





内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
25-19	1"-3/4"	4	5.0	90*90/120*120
38-25	1-1/2"-1"	4	5.0	90*90/120*120
45-38	1-3/4"-1-1/2"	4	5.0	90*90/120*120
51-38	2"-1-1/2"	4	5.0	90*90/120*120
57-45	2-1/4"-1-3/4"	4	5.0	90*90/120*120
57-51	2-1/4"-2"	4	5.0	90*90/120*120
60-51	2-3/8"-2"	4	5.0	90*90/120*120
63-51	2-1/2"-2"	4	5.0	90*90/120*120
63-57	2-1/2"-2-1/4"	4	5.0	90*90/120*120
70-51	2-3/4"-2"	4	5.0	90*90/120*120
70-63	2-3/4"-2-1/2"	4	5.0	90*90/120*120
76-51	3"-2"	4	5.0	90*90/120*120
76-57	3"-2-1/4"	4	5.0	90*90/120*120
76-63	3"-2-1/2"	4	5.0	90*90/120*120
76-70	3"-2-3/4""	4	5.0	90*90/120*120
80-63	3-1/8"-2-1/2"	4	5.0	90*90/120*120
80-70	3-1/8"-2-3/4"	4	5.0	90*90/120*120
80-76	3-1/8"-3"	4	5.0	90*90/120*120
89-70	3-1/2"-2-3/4"	4	5.0	90*90/120*120
102-76	4"-3"	4	5.0	90*90/120*120
102-89	4"-3-1/2"	4	5.0	90*90/120*120
127-102	5"-4"	4	5.0	90*90/120*120

135°变径弯头 135° Elbow Reducer



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
51-38	2"-1-1/2"	4	5.0	100*100
63-51	2-1/2"-2"	4	5.0	100*100
63-57	2-1/2"-2-1/4"	4	5.0	100*100
76-51	3"-2"	4	5.0	125*125
76-63	3"-2-1/2"	4	5.0	125*125
89-76	3-1/2"-3"	4	5.0	125*125
102-76	4"-3"	4	5.0	125*125

180°U型弯头 180° U-SHAPE Elbow



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
6.5	1/4"	4	5.0	90*90
8	5/16"	4	5.0	90*90
25	5/8"	4	5.0	90*90
38	1-1/2"	4	5.0	102*75*102
45	1-3/4"	4	5.0	102*114*102
51	2"	4	5.0	102*153*102
57	2-1/4"	4	5.0	127*171*127

内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
60	2-3/8"	4	5.0	127*180*127
63	2-1/2"	4	5.0	127*189*127
70	2-3/4"	4	5.0	127*210*127
76	3"	4	5.0	127*228*127
89	3-1/2"	4	5.0	140*267*140
102	4"	4	5.0	140*306*140

带钢环变径直管 Straight Reducer Silicone Hose With Steel Ring

内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
63*51	4"-2-1/2""	4	5.0	76mm
63-57	4"-3"	4	5.0	76mm
63-70	4"-3-1/2"	4	5.0	76mm

T型异径接头 T shape reducer

内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
38*16	1-1/2"-5/8"	4	5.0	102*50
38*25	1-1/2"-1"	4	5.0	102*50
45*25	1-3/4"-1"	4	5.0	102*50
51*25	2"-1"	4	5.0	102*50
51*24	2"-1-1/3"	4	5.0	102*50
57*34	2-1/4"-1-1/3"	4	5.0	102*50
60*25	2-3/8"-1"	4	5.0	102*50
60*34	2-3/8"-1-1/3"	4	5.0	102*50
63*25	2-1/2"-1"	4	5.0	102*50
63*34	2-1/2"-1-1/3"	4	5.0	102*50
70*25	2-3/4"x1"	4	5.0	102*50
70*34	2-3/4"x1-1/3"	4	5.0	102*50
76*25	3"-1"	4	5.0	102*50
76*34	3"-1-1/3"	4	5.0	102*50

OEM硅胶管 OEM silicone rubber hose



参数 Argument

口径范围：6mm-152mm
Diameter range:6mm—152mm
长度：可根据客户要求裁剪
Length: Can be customized
加强层层数：3-7层
Reinforcement layer:3-7 layers

这是巨耀汽配最有优势的产品。

我们可以定制各种尺寸的不规则硅胶软管，尤其是带有分支的软管。我们拥有一支专业的工程师团队，他们可以根据3D图纸快速确定原材料成本、劳动力成本和交付时间。

一般来说，我们的技术工人有10年以上的工作经验，因此他们能熟练地制作各种不规则的软管，动作迅速，交货时间有保障。

This is also the biggest advantage of Juyao Auto Parts.

We can customize various sizes of irregular hoses, especially those with branches. We have a professional team of engineers who can quickly determine the cost of raw materials, labor costs, and delivery time based on 3D drawings.

Generally, our technical workers have more than 10 years of service experience, so they are skilled in wrap irregular hoses, with quick movements and guaranteed delivery times.



氢能源电堆出口管
Hydrogen energy stack outlet hose



空气排出管
Air exhaust hose



氢能源管
Hydrogen hose



加湿器连接管
Humidifier connecting pipe



氢能源管
Hydrogen hose



压缩机出口管
Compressor outlet hose

三元乙丙橡胶管　EPDM Rubber Hose

三元乙丙橡胶是我们熟悉的一种橡胶材料，也是通用橡胶之一。它具有优异的抗氧化性、耐臭氧性和耐腐蚀性，已被广泛应用于许多领域。

EPDM rubber is a kind of rubber material that we are familiar with, and it is also one of the general-purpose rubbers. With its excellent oxidation resistance, ozone resistance, and corrosion resistance, it has been widely used in many fields.

三元乙丙橡胶软管的优势

- 三元乙丙橡胶性价比高；
- 三元乙丙橡胶软管具有高达120°C的耐温性；
- 三元乙丙橡胶管可耐高压1.0Mpa；
- 三元乙丙橡胶耐酸碱。



Advantages of EPDM rubber hoses

- EPDM rubber has a high cost-effectiveness.
- EPDM rubber hoses have a temperature resistance of up to 120 ° C
- EPDM rubber pipes are resistant to high pressure of 1.0Mpa.
- EPDM rubber is acid and alkali resistant.

硅胶软管的应用

- 汽车性能
- 重型卡车
- 客车（公共汽车）
- 海军陆战队
- 工业

Application of silicone hoses

- Auto performance
- Duty Truck
- Coach(Bus)
- Marine
- Industrial
- Construction

三元乙丙软管主要产品 The main products of EPDM rubber hose

➤ 各种三元乙丙形状软管 EPDM shaped Hose

口径范围：4mm—50mm
Diameter range:4mm—50mm
内外材质：三元乙丙
Inner & Outer material: EPDM
加强层：单层聚酯布
Reinforcement layer:1 layers polyester
长度和形状：可以根据要求定制
Length and shape: Can be customized





➤ 三元乙丙橡胶挤出管 EPDM roll hose


口径范围：4mm—50mm
Diameter range:4mm—50mm
内外材质：三元乙丙
Inner & Outer material: EPDM
加强层：单层聚酯布
长度：200m一卷或根据要求剪切
Length:200meters per roll or customized




清河县巨耀汽车零部件有限公司

部分产品与图纸 Some products and drawings







硅胶管类产品工艺流程图 Process flow chart of silicone tube products




原料进行配比



混炼



碾压成片



贴膜成轴



半成品称重和硬度测试



缠绕成型



放入干燥箱硫化成型



成品定尺及检验/包装

橡胶管类产品工艺流程图 Rubber tube product process flow chart



公司检验设备 Company inspection equipment


巨耀汽配拥有齐全的产品测试设备，可满足各行业对硅橡胶软管的要求。如高低温试验箱、臭氧老化试验箱、橡胶软管爆裂试验箱、橡胶软管抽吸机、橡胶软管气密性试验机、疲劳裂纹试验机、拉伸试验机、计算器等。

JuYao have fully equipped product equipment to meet the requirements of various industries for silicone and rubber hoses. Such as high and low temperature test box, Ozone aging test box, rubber hose burst test box,,, rubber hose suction machine, Rubber hose air tightness tester, Fatigue crack tester, Tensile test machine, calculator Etc.


胶管负压实验机


胶管负压实验机


胶管爆破实验机


拉力试验机


高低温试验箱


臭氧老化试验箱


胶管爆破试验箱


胶管吸瘪试验机


胶管气密性试验机



疲劳龟裂试验机


测厚仪


设备设施齐全

清河县巨耀汽车零部件有限公司

现场文件管理 Field document management


成品检验作业指导


硫化现场作业指导书


设备操作 作业指导书

现场管理 Scene manage


员工熟练操作


现场3定5S管理



先进先出库房管理

细节管理 Detail management



零部件管理


生产记录管理


使用物料管理

产品质量管控 Product quality control

01 原材料进库-检验

02 半成品- 橡胶片检验

03 生产过程中的巡检

04 包装全检

05 发货前抽检




我们参与的项目

JUYAO Project

巨耀汽配是潍柴动力柴油和氢能散热器上下软管以及电堆进出口气体软管的指定供应商。

Juyao is the designated supplier of radiator upper and lower hoses for diesel and hydrogen energy at Weichai Power, as well as inlet and outlet gas hoses for electric stacks.







巨耀汽配是大运汽车重型卡车和轻型卡车的整车软管供应商，无论是硅胶软管还是三元乙丙橡胶软管。

Full vehicle hose supplier for Dayun Automobile heavy trucks and light trucks, no matter silicone hose and EPDM hose.












巨耀汽配是是俄罗斯拉达汽车全系列三元乙丙橡胶管的供应商。

Russian Lada Automobile Full Series EPDM Hoses and silicone hose supplier .





巨耀汽配是云内发动机指定发动机软管供应工厂。

Yunnei Power Engine Connection Hose.





钢丝加强柔性波纹管 Flexible Steel Wire Silicone Corrugated Hose



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
12	1/2"	4	5.0	200-1000mm
16	5/8"	4	5.0	200-1000mm
19	3/4"	4	5.0	200-1000mm
25	1"	4	5.0	200-1000mm
32	1-1/4"	4	5.0	200-1000mm
38	1-1/2"	4	5.0	200-1000mm
45	1-3/4"	4	5.0	200-1000mm
51	2"	4	5.0	200-1000mm
57	2-1/4"	4	5.0	200-1000mm
63	2-1/2"	4	5.0	200-1000mm
70	2-3/4"	4	5.0	200-1000mm
76	3"	4	5.0	200-1000mm
80	3-1/8"	4	5.0	200-1000mm
83	3-1/4"	4	5.0	200-1000mm
89	3-1/2"	4	5.0	200-1000mm
102	4"	4	5.0	200-1000mm


Super Flexible Features

*Easy to bend by a WOEMN hand











高温硅胶管
型号:1109021A0-3C551
规格:Φ102




高温硅胶管
型号:1109021A0-5E682
规格:Φ102*100



连接硅胶管
型号:1109022A0-M028
规格:Φ60/80



中冷器胶管
型号:1109024A0-1K550
规格:Φ102/130



高温硅胶管
型号:1109024A0-3E583
规格:Φ102/150



空滤出口气
型号:1109024A0-3E660
规格:Φ120/102



空滤出气口
型号:1109024A0-3K075
规格:Φ80/130



空滤出气口
型号:1109024A0-3R608
规格:ΦΦ90/102



空滤出口器胶管
型号:1109024A0-5D581
规格:Φ90/112



增压器胶管总成
型号:1109120A0-3R608
规格:Φ68/51



连接胶管
型号:1119013A0-3Q566
规格:Φ756



连接硅胶管
型号:1119013A0-3Q569
规格:Φ63.5/76



连接胶管
型号:1119013A0-3R023
规格:Φ63.5



连接胶管
型号:1119013A0-N062
规格:Φ70/76*140



连接胶管总成
型号:1119110A0-3k643
规格:Φ82



连接胶管总成
型号:1119120A0-3E622
规格:Φ82/80*180




高温硅胶管
型号:1119120A0-3L001
规格:Φ70/65



连接胶管总成
型号:1119120A0-5Q681
规格:Φ76/82



连接胶管
型号:1119123A0-3R050
规格:Φ50/60



高温硅胶管
型号:1119124A0-3K001
规格:Φ64/82




连接硅胶管
型号:111924A0-3Q566
规格:Φ50



中冷器胶管
型号:1109024A0-1K550
规格:Φ102/130



高温硅胶管
型号:1109024A0-3E583
规格:Φ102/150



空滤出口气
型号:1109024A0-3E660
规格:Φ120/102



空滤出气口
型号:1109024A0-3K075
规格:Φ80/130



空滤出气口
型号:1109024A0-3R608
规格:ΦΦ90/102



空滤出口器胶管
型号:1109024A0-5D581
规格:Φ90/112



增压器胶管总成
型号:1109120A0-3R608
规格:Φ68/51



连接胶管
型号:1119013A0-3Q566
规格:Φ756



连接硅胶管
型号:1119013A0-3Q569
规格:Φ63.5/76



连接胶管
型号:1119013A0-3R023
规格:Φ63.5



连接胶管
型号:1119013A0-N062
规格:Φ70/76*140



连接胶管总成
型号:1119110A0-3k643
规格:Φ82



连接胶管总成
型号:1119120A0-3E622
规格:Φ82/80*180



高温硅胶管
型号:1119120A0-3L001
规格:Φ70/65



连接胶管总成
型号:1119120A0-5Q681
规格:Φ76/82



硅胶管
型号:JY001
规格:Φ150*300



硅胶管
型号:JY002
规格:Φ320*300



硅胶管
型号:JY003
规格:Φ200/150*200



硅胶管
型号:JY004
规格:Φ219*200



硅胶管
型号:JY005
规格:Φ219*300




硅胶管
型号:JY006
规格:320*400



硅胶管
型号:JY007
规格:110/140 /210/195/
300/310/145/168



硅胶管
型号:JY008
规格:110/140 /210/195/
300/310/145/168



硅胶管
型号:JY009
规格:160*1000




压缩机进气管
图号：3000256284



空气排气管
图号：3000256580



空气连接管
图号：3000256584



冷却液连接胶管
图号:3000365904



电堆出水管
图号：3000373349



电堆出水管
图号：3000379365



电堆出水管
图号：3000506401




氢气管
图号：3000517439



空气排气管
图号：3000551290

清河县巨耀汽车零部件有限公司



增湿器连接管
图号：3000551363



连接胶管
图号：3000553242



氢气管
图号：3000553280



型号：1119112-K84
内径：45/55




型号：1119111XP4QXA
内径：63



型号1119112-K70
内径：49



压缩机出气管
图号：3000567944



冷却液连接管
图号：3007036032



冷却液连接管
图号：3007036033




型号：1119111-K84
内径：55/60



型号：1119111AP45AA（风骏3）
型号：1119111AP45A
内径：45



型号：P1119012018A0
P1119012018
内径：65



氢气管
图号：3007036039



冷却液连接管
图号：3007036196



冷却液连接管
图号：3007036198



型号：1119113AP45AA
内径：50



型号：1119102XPW01A
内径：45/50




型号：P1119012017A0
P1119012017
内径：45/65



型号：P1119012017A0
P1119012017
内径45/65



型号：1119112AP45AA（欧洲版）
内径：45



型号：1119111XP4QXA
内径：60



型号：1109016P1050
内径：40/60



型号：1109016P101
内径：50/65



型号：1119011XKZ20A（哈弗H6）
内径：50



型号：1119111-K70
内径：50/55



型号：1119011XKY80A
内径：45



型号：1119111XK84XA
内径：50/55



型号：1303010-0133-001
内径：30/35



型号：1303010-0134-001
内径：30



型号：1303013-P301
内径：35/45



型号：13202-4L22BZL0
内径：30



型号：1303010-0373-001
内径：40/50



型号：1303010-0029-001
内径：25 哈弗H5



型号：1303010-0023-001
内径：25/30 风骏5



型号：1303011XKZ16A
内径：30 哈弗H6



型号：1303011-P301
内径：35/40



型号：1303010-0112-001
内径：30/35



上下水管
上下水管
内径：30 宝骏730-560



型号：CA100000222
内径：50



型号：25468-26101
内径：6



型号：F1303110
内径：25



型号：1301012P1050
内径：30/35



下水管
型号：1303010-0017-001
内径：30 下水管



型号：1303012XP64XA
内径：30



上水管
型号：1303010-0015-001
内径：30



型号：16571-21060



型号：16571-21120



型号：16571-22070



型号：16572-11220



型号：16572-21090



型号：16572-37090



型号：16571-11130



型号：16571-11220



型号：16573-21040



型号：21501-53Y00



型号：21503-0M001



型号：97312-2H100



型号：16571-62070



型号：16571-0P360



型号：16571-17070



型号：16571-66040



型号：16572-0L050



型号：21501-9Y000



型号：21503-5V200



型号：21503-8H301



型号：25411-07000



型号：24512-25100




型号：25412-4H000



型号：25411-25100




型号：21503-AX000




型号：21503/21501/25412/25411系列

拉达系列



型号：2108-101206



型号：2170-8101200-11



型号：2170-8101208-11



型号：2114-8101200




型号：2101-8101204



型号：2180-8101200



型号：2108-8101204




型号：2108-8101206



型号：2190-8101200



型号：21082-1303025



型号：2190-1303025-10



型号：2108-1303010



型号：2170-1303025-10



型号：21082-1303010



型号：2105-1303010-10



型号：2114-8101208



型号：2105-1303025-10



型号：2180-1303010



PC 56-7 挖掘机 发动机 水箱
下水管22H-03-11291
上水管22h-0-1281



PC 35R-8 发动机
14611 下水管
3F4508603



PC 30MR-2 发动机
19673 下水管
22L-03-2117



小松PC30-7发动机水箱
进出/上下水管



小松PC200/210-7发动机水箱
进出/上下水管



小松PC120-5 发动机水箱
进出/上下水管



PC 35R-8 发动机
24610
上水管 22M-03-R1310



PC128/138UU发动机水箱
上水管



PC40-7 发动机水箱
上水管



PC350-7增压器进气管
207-01-72160
增压器橡胶空气软管



PC300/350/360-7
上下水管布纹



PC200/210/220/240-8
上下水管高强度布纹



挖掘机PC60/70-8水箱
上水管



挖掘机PC60/70-9水箱
下水管



PC 40MR-7/8
上下水管



PC60/70/110/120/130-8MO
发动机U型废气阀软管



PC300-8中冷管
6452-12-4420
中冷器橡胶空气软管



PC30-2/3
40泵油缸橡胶回进油管
22L-62-22211 挖掘机



PC200/210-7
原装发动机上下水管



小松PC120-6
发动机水箱进上水管



PC120-6
发动机水箱进下水管



PC300/350-7EO/300/350-8
空滤进气橡胶管
207-01-75



PC56-7
发动机水箱上下水管



PC200-5
发动机水箱上下水管



PC200-8
发动机水箱上下水管



PC56-7
大泵进油管



PC56-7
90度进油管



卡特CAT
E320D2/323D2/329D2水管
上水管 下水管



卡特CAT
卡特CAT/E306E/C2.6
发动机水箱上下/进出水管



卡特CAT
CAT E312D 313D
挖掘机发动机水箱下水管



卡特CAT
E312D 313D
挖掘机发动机水箱上水管



山东临工SDLG210/225
水箱发动机
上中下/进出/水管



山东临工 SDLG 135/150
发动机水箱
上下水管2015款



山东临工 SDLG 80/90
洋马机发动机
水箱上下水管



神钢
SK130SR/140SR/130/
140-8/进出上下水管



柳工
CLG920/922/925/933/
936/220/225/C/D
水箱上下水管



柳工
CLG 906/907/908/915C/D
发动机水箱上下水管



柳工
XE80C康明斯发动机
水箱上下水管




柳工
XE80挖掘机洋马发动机
水箱上下水管

CIVICFD1/FA1喜美R18K12思域/思铭八代硅胶水管全车水管硅胶管





适用于本田思域CIVIC EK3 EG8 K6 B16 B18双凸92-98 全车硅胶水管



清河县巨耀汽车零部件有限公司

适用于雨燕1.5全车水管M15 M16全车硅胶水管硅胶全车水管硅胶







11-17款新阳光N17
玛驰k13 水箱
上下水管 散热器水管



日产吉普
途乐Y60 TD42柴油车
水管 改装上下水管



雪佛兰克鲁兹
英朗
新景城节温器 节气门



沃尔沃空气胶管
20550690